

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	111415	Company Name:	Van Can Company		
Equipment Location:	10837 Etiwanda Avenue, Fontana, CA 92335			SIC Code: 3479	
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:			
Application #(s):	498700	Application Submittal Date(s):	5/13/2009		
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:		
		(909) 396-3275	hmandilawi@aqmd.gov		
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in coating of sheet metal for making two parts cans. The facility operates a coater, a drying oven, an offset printing press, storage tanks, and other supporting equipment. Volatile organic compound emissions from the coater and drying oven are vented to an air pollution control equipment thermal oxidizer.					
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal					
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance					
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:		Emissions (lbs/yr):	
		Ammonia		144	
		Benzene		0.28	
		Formaldehyde		69.42	
		Naphthalene		19.9	
		PAHs		0.018	
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) 1996 Cancer Risk = <u>0.8 in one million</u> Acute Hazard Index = <u>0.01</u> Chronic Hazard Index = <u>0.08</u>					
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<input checked="" type="checkbox"/> NOx	2.824	<input checked="" type="checkbox"/> PM	0.168
		<input checked="" type="checkbox"/> CO	0.787	<input checked="" type="checkbox"/> SOx	0.013
		<input checked="" type="checkbox"/> VOC	12.493	<input type="checkbox"/> Other:	_____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)					
Comments:					