



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

October 28, 2011

Mr. Gerardo Rios
Chief – Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Subject: Transmittal of Final Title V Renewal Permit

Dear Mr. Rios:

Enclosed is the final Title V renewal permit issued by the South Coast Air Quality Management District (AQMD) under Application No. 519884 for All American Asphalt (ID 3704) located at All American Way, Corona, CA 92878. Incorporated into this Title V renewal permit are the addition of the bag leak detection systems to baghouses C199 and C246. The proposed renewal permit for this facility was submitted to EPA Region IX for 45-day review on September 9, 2011 and made available for 30-day public comment on September 15, 2011. The AQMD did not receive any public comments on the proposed renewal permit.

If there are specific questions on this Title V renewal permit, please contact Mr. Manuel Quizon, Air Quality Engineer II at (909) 396-2639.

Sincerely,

A handwritten signature in black ink, appearing to read 'Brian L. Yeh', is written over a diagonal line that extends from the signature area down towards the typed name.

Brian L. Yeh
Senior Engineering Manager
Mechanical, Chemical, and Public Services

Enclosure

FACILITY PERMIT TO OPERATE


**ALL AMERICAN ASPHALT, UNIT NO.01
1776 ALL AMERICAN WAY
CORONA, CA 92879**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By 
Mohsen Nazami, P.E.
Deputy Executive Officer
Engineering & Compliance

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	1	10/27/2011
B	RECLAIM Annual Emission Allocation	8	07/01/2011
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	2	10/27/2011
E	Administrative Conditions	0	04/25/2007
F	RECLAIM Monitoring and Source Testing Requirements	0	04/25/2007
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	0	04/25/2007
H	Permit To Construct and Temporary Permit to Operate	2	10/27/2011
I	Compliance Plans & Schedules	0	04/25/2007
J	Air Toxics	1	10/27/2011
K	Title V Administration	1	10/27/2011
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	0	04/25/2007
B	Rule Emission Limits	1	10/27/2011



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: ALL AMERICAN ASPHALT, UNIT NO.01

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 1776 ALL AMERICAN WAY
CORONA, CA 92879

MAILING ADDRESS: P O BOX 2229
CORONA, CA 91718-2229

RESPONSIBLE OFFICIAL: DANNY STINSON

TITLE: MANAGER ASPHALT PLANTS

TELEPHONE NUMBER: (951) 736-7600

CONTACT PERSON: DANNY STINSON

TITLE: MANAGER ASPHALT PLANTS

TELEPHONE NUMBER: (951) 736-7600

TITLE V PERMIT ISSUED: October 27, 2011

TITLE V PERMIT EXPIRATION DATE: October 26, 2016

TITLE V	RECLAIM
----------------	----------------

YES	NOx:	YES
	SOx:	NO
	CYCLE:	2
	ZONE:	INLAND

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 07/01/2011 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
7/2008 6/2009	Coastal	0	2235	151
7/2008 6/2009	Inland	9254	0	250
7/2009 6/2010	Coastal	0	0	301
7/2009 6/2010	Inland	9254	0	500
7/2010 6/2011	Coastal	0	4473	452
7/2010 6/2011	Inland	9254	17176	750
7/2011 6/2012	Inland	9254	9199	999
7/2012 6/2013	Inland	9254	10123	999
7/2013 6/2014	Inland	9254	10123	999
7/2014 6/2015	Inland	9254	10123	999
7/2015 6/2016	Inland	9254	10123	999
7/2016 6/2017	Inland	9254	10123	999
7/2017 6/2018	Inland	9254	10123	999
7/2018 6/2019	Inland	9254	10123	999
7/2019 6/2020	Inland	9254	10123	999
7/2020 6/2021	Inland	9254	10123	999
7/2021 6/2022	Inland	9254	10123	999

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NOx RTC Initially Allocated	NOx RTC ¹ Holding as of 07/01/2011 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
7/2022 6/2023	Inland	9254	10123	999
7/2023 6/2024	Inland	9254	10123	999
7/2024 6/2025	Inland	9254	10123	999
7/2025 6/2026	Inland	9254	10123	999

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase in an annual allocation to a level greater than the facility's starting Allocation plus Non-Tradable credits as listed below, the application will be evaluated for compliance with Rule 2005(c)(4). Rule 2005(e) - Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NOx RTC	Non-Tradable
Begin	End		Starting Allocation	Credits(NTC)
(month/year)			(pounds)	(pounds)
7/1994	6/1995	Inland	25610	21794

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398181	D166	C172			C1.5, D323.1
CONDENSER A/N: 398181	C172	D166 C235			
FILTER, STEEL WOOL A/N: 398181	C235	C172		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398184	D167	C173			C1.5, D323.1
CONDENSER A/N: 398184	C173	D167 C236			
FILTER, STEEL WOOL A/N: 398184	C236	C173		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398185	D168	C174			C1.5, D323.1
CONDENSER A/N: 398185	C174	D168 C237			
FILTER, STEEL WOOL A/N: 398185	C237	C174		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398186	D169	C175			C1.5, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
CONDENSER A/N: 398186	C175	D169 C238			
FILTER, STEEL WOOL A/N: 398186	C238	C175		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398187	D170	C176			C1.5, D323.1
CONDENSER A/N: 398187	C176	D170 C239			
FILTER, STEEL WOOL A/N: 398187	C239	C176		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398188	D171	C177			C1.5, D323.1
CONDENSER A/N: 398188	C177	D171 C240			
FILTER, STEEL WOOL A/N: 398188	C240	C177		PM: (9) [RULE 404, 2-7-1986]	C6.1

- (1) (1A) (1B) Denotes RECLAIM emission factor
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (3) Denotes RECLAIM concentration limit
- (4) Denotes BACT emission limit
- (5) (5A) (5B) Denotes command and control emission limit
- (6) Denotes air toxic control rule limit
- (7) Denotes NSR applicability limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (9) See App B for Emission Limits
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
HEATER, HOT OIL, NATURAL GAS, CEI ENTERPRISES, MODEL C-HC-400, WITH LOW NOX BURNER, 4 MMBTU/HR WITH A/N: 398189 BURNER, NATURAL GAS, CEI, WITH LOW NOX BURNER, 1 TOTAL; 4 MMBTU/HR	D165		NOX: PROCESS UNIT**	CO: 400 PPMV NATURAL GAS (5A) [RULE 1146.1, 5-13-1994; RULE 1146.1, 9-5-2008]; CO: 2000 PPMV NATURAL GAS (5) [RULE 407, 4-2-1982]; NOX: 20 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; NOX: 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 5-6-2005]; PM: 0.1 GRAINS/SCF NATURAL GAS (5) [RULE 409, 8-7-1981]	D323.1
Process 3: ASPHALT BATCH PLANT					
FEEDER, BELT, VF1, AGGREGATE A/N:	D218			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF2, AGGREGATE A/N:	D219			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF3, AGGREGATE A/N:	D220			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF4, AGGREGATE A/N:	D221			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF5, AGGREGATE A/N:	D222			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF6, AGGREGATE A/N:	D223			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, COLLECTING, VB1, AGGREGATE A/N:	D224			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, COLLECTING, VB2, AGGREGATE A/N:	D225			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, COLLECTING, VB3, AGGREGATE A/N:	D226			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB4, AGGREGATE A/N:	D227			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB5, AGGREGATE A/N:	D228			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
HOPPER, FH, WITH BELT, AGGREGATE A/N:	D264			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, FF, BELT, AGGREGATE A/N:	D265			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, FB1, AGGREGATE A/N:	D266			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, VS, AGGREGATE A/N:	D229	C231		PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB6, AGGREGATE A/N:	D230			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D181			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits

- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3 ASPHALT BATCH PLANT					P20.1
DRYER, ROTARY, DOUBLE BARREL MIXER, ASTEC, NATURAL GAS, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 115 MMBTU/HR WITH A/N: BURNER, NATURAL GAS, HAUCK, MODEL ESH-125 ECOSTAR, WITH LOW NOX BURNER, 1 TOTAL; 115 MMBTU/HR	D180	C198	NOX: MAJOR SOURCE**	CO: 2000 PPMV NATURAL GAS (5) [RULE 407, 4-2-1982]; NOX: 33 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF NATURAL GAS (5A) [RULE 409, 8-7-1981]	C1.4, D323.1
HOPPER, SURGE, RECYCLED ASPHALT A/N:	D27			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, RECYCLED ASPHALT A/N:	D28			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
HOPPER, BELT, RH2, FEEDER, 30 TON, RECYCLED ASPHALT A/N:	D269			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, RF2, BELT, RECYCLED ASPHALT A/N:	D270			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N:	D143			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, RECYCLED ASPHALT A/N:	D178	C232		PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2 - ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, RR1, RECYCLED ASPHALT A/N:	D271			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RC, RECYCLED ASPHALT A/N:	D272			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CRUSHER, HSI2, HORIZONTAL IMPACT, RECYCLED ASPHALT A/N:	D273	C274		PM: (9) [RULE 405, 2-7-1986]	A103.1, D322.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N:	D179			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RA3, RECYCLED ASPHALT A/N:	D267			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RA4, RECYCLED ASPHALT A/N:	D268			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
BUCKET ELEVATOR A/N:	D31	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D182	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D183	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D184	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D185	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D186	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D187	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D188	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D189	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D190	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D191	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
BULK MATERIAL LOAD/UNLOAD STATION, ASPHALT A/N:	D192	C201		PM: (9) [RULE 405, 2-7-1986]	C1.4, D323.1
STORAGE SILO, ASTEC, MODEL NO. DA-650, CRUMB RUBBER, 650 BARRELS CAPACITY, HEIGHT: 31 FT ; DIAMETER: 11 FT 8 IN A/N: 366744	D193	C197		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D158			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
HOPPER, WEIGH, CRUMB RUBBER, WITH A ROTARY VALVE FEEDER A/N:	D194			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D195			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D196			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, FINES A/N:	D200			PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BIN VENT, NOMEX, PULSE JET CLEANING TYPE, 254 SQ.FT.; 27 BAGS A/N: 366744	C197	D193		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, K67.2
CYCLONE, ASTEC, MODEL SBH-106-DB, HEIGHT: 18 FT ; DIAMETER: 12 FT A/N: 374675	C198	D180 C199			
BAGHOUSE, ASTEC, MODEL SBH-106-DB, 1600 BAGS, NOMEX, 19360 SQ. FT., 500 H.P., PULSE JET CLEANING TYPE, WITH GOYEN, MODEL EMP6, BAG LEAK DETECTION SYSTEM. A/N: 523209	C199	C198		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.2, E102.1, H23.1, K67.2
ELECTROSTATIC PRECIPITATOR, AIR POLLUTION CONTROL SYSTEMS, MODEL APC-64-2, WITH 24 LARGE PLATES, 1/4" SPACING AND 24 SMALL PLATES, 1/4" SPACING A/N: 398191	C201	D31 D182 D183 D184 D185 D186 D187 D188 D189 D190 D191 D192		PM: (9) [RULE 404, 2-7-1986]	D381.1, E193.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
BAGHOUSE, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 400868	C231	D229		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, K67.2
BAGHOUSE, FLX1, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 400864	C232	D178		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, K67.2
BAGHOUSE, FLX3, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 477011	C274	D273		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E448.1, K67.2
System 1: RECYCLED ASPHALT PAVEMENT (RAP) SYSTEM					S1.1
HOPPER, DUMP, RECYCLED ASPHALT A/N: 434224	D134			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, RECYCLED ASPHALT A/N: 434224	D135			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CRUSHER, HORIZONTAL SHAFT IMPACT, LIPPMAN-MILWAUKEE 5165LP, RECYCLED ASPHALT A/N: 434224	D255	C145		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 434224	D137			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, RECYCLED ASPHALT A/N: 434224	D138			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 434224	D139			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 434224	D140			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 434224	D141			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
BAGHOUSE, CLOTH FILTER, DCE, MODEL DLM V30/15F, 323 SQ.FT.; 20 BAGS A/N: 447848	C145	D255		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, K67.2
System 2: AGGREGATE RECEIVING AND STORAGE SYSTEM					S1.2
HOPPER, DUMP, AH, AGGREGATE, 50 TONS A/N: 446864	D204			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AF, AGGREGATE, FEED A/N: 446864	D205			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, B-1, AGGREGATE A/N: 446864	D250			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, B-2, AGGREGATE A/N: 446864	D251			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, B-3, AGGREGATE A/N: 446864	D252			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, B-4, AGGREGATE A/N: 446864	D253			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, B-5, AGGREGATE A/N: 446864	D254			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, TC, AGGREGATE, INCLINED A/N: 446864	D206			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, A1, AGGREGATE A/N: 446864	D207			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT3, AGGREGATE A/N: 446864	D208			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT4, AGGREGATE A/N: 446864	D209			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT5, AGGREGATE A/N: 446864	D210			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT6, AGGREGATE A/N: 446864	D211			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
STORAGE SILO, SS1, AGGREGATE A/N: 446864	D212			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D256			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS2, AGGREGATE A/N: 446864	D213			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D257			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS3, AGGREGATE A/N: 446864	D214			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D258			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS4, AGGREGATE A/N: 446864	D215			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D259			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS5, AGGREGATE A/N: 446864	D216			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D260			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS6, AGGREGATE A/N: 446864	D217			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 446864	D261			PM: (9) [RULE 405, 2-7-1986]	D323.1
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
FEEDER, VIBRATING, VGF1, AGGREGATE, GRIZZLY A/N: 436760	D45			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.2, D323.1
CRUSHER, JAW, J1 A/N: 436760	D46	C120		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 4B, AGGREGATE A/N: 436760	D47	C120		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.1, D323.1
CONVEYOR, BELT, 4C, AGGREGATE A/N: 436760	D48			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
CONVEYOR, BELT, 6A, AGGREGATE A/N: 436760	D49			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF1, AGGREGATE, PRIMARY A/N: 436760	D50	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF2, AGGREGATE, PRIMARY A/N: 436760	D51	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF3, AGGREGATE, PRIMARY A/N: 436760	D52	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF4, AGGREGATE, PRIMARY A/N: 436760	D53	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, VIBRATING, VGF2, AGGREGATE, GRIZZLY A/N: 436760	D54			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.2, D323.1
CRUSHER, JAW, LIPPMAN, MODEL NO. T4248-5626VGF A/N: 436760	D233	C234		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, 3A, AGGREGATE A/N: 436760	D56			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 1, AGGREGATE A/N: 436760	D57	C126 C127		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S6, AGGREGATE, VIBRATING A/N: 436760	D58	C126		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.3, D323.1
CONVEYOR, BELT, 19A, AGGREGATE A/N: 436760	D59	C126 C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 2, AGGREGATE A/N: 436760	D60	C126 C127 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
SCREEN, CLASSIFYING, CLASSIFYING, S7, AGGREGATE, VIBRATING A/N: 436760	D61	C127		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.3, D323.1
CONVEYOR, BELT, 19B, AGGREGATE A/N: 436760	D62	C127 C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
BIN, AGGREGATE A/N: 436760	D152			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, BELT, 20A, AGGREGATE A/N: 436760	D63			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 21, SAND A/N: 436760	D65	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 22, AGGREGATE A/N: 436760	D66	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 23, AGGREGATE A/N: 436760	D67			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 24A, AGGREGATE A/N: 436760	D68			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 24, AGGREGATE A/N: 436760	D69	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 3, AGGREGATE A/N: 436760	D70	C128 C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S1, AGGREGATE, VIBRATING A/N: 436760	D71	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 4, AGGREGATE A/N: 436760	D72	C129 C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4 ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
HOPPER, AGGREGATE A/N: 436760	D73	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F1, AGGREGATE A/N: 436760	D74	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F2, AGGREGATE A/N: 436760	D78	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F6, AGGREGATE A/N: 436760	D160	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2 A/N: 436760	D79	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2A A/N: 436760	D161	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2B A/N: 436760	D162	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 8, AGGREGATE A/N: 436760	D76	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C5 A/N: 436760	D80	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 5, AGGREGATE A/N: 436760	D81	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 6, AGGREGATE A/N: 436760	D82	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF1, AGGREGATE, SURGE A/N: 436760	D83	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF2, AGGREGATE, SURGE A/N: 436760	D84	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF3, AGGREGATE, SURGE A/N: 436760	D85	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF4, AGGREGATE, SURGE A/N: 436760	D86	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 7, AGGREGATE A/N: 436760	D91	C122 C123 C130 C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4 - ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
HOPPER, AGGREGATE A/N: 436760	D92	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F3, AGGREGATE A/N: 436760	D93	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C3 A/N: 436760	D94	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 10, AGGREGATE A/N: 436760	D95	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F4, AGGREGATE A/N: 436760	D97	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4 A/N: 436760	D98	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 4A, AGGREGATE A/N: 436760	D151	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4A A/N: 436760	D150	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F7, AGGREGATE A/N: 436760	D163	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4B A/N: 436760	D164	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S2, AGGREGATE, VIBRATING A/N: 436760	D99	C122		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9, AGGREGATE A/N: 436760	D100	C122 C123 C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 11, AGGREGATE A/N: 436760	D101	C122 C123		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 25, AGGREGATE A/N: 436760	D102			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 12, AGGREGATE A/N: 436760	D103			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
CONVEYOR, BELT, 11B, AGGREGATE A/N: 436760	D147			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 11A, AGGREGATE A/N: 436760	D146			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9C, AGGREGATE A/N: 436760	D148			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9B, AGGREGATE A/N: 436760	D149	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 13A, AGGREGATE A/N: 436760	D104	C122 C124		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S3, AGGREGATE, VIBRATING A/N: 436760	D105	C123		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 13B, AGGREGATE A/N: 436760	D106	C123 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S4, AGGREGATE, VIBRATING A/N: 436760	D107	C124		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 14, AGGREGATE A/N: 436760	D108	C124 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 30, AGGREGATE A/N: 436760	D109			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 15, AGGREGATE A/N: 436760	D110			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 17A, AGGREGATE A/N: 436760	D111	C124 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
SCREEN, CLASSIFYING, CLASSIFYING, SS, AGGREGATE, VIBRATING A/N: 436760	D112	C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 26, AGGREGATE A/N: 436760	D113	C124 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 16, AGGREGATE A/N: 436760	D114			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 17B, AGGREGATE A/N: 436760	D115	C125 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 27, AGGREGATE A/N: 436760	D116	C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 18, AGGREGATE A/N: 436760	D117			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 28, AGGREGATE A/N: 436760	D118			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 29, AGGREGATE A/N: 436760	D119			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
BAGHOUSE, DC-1, CLOTH FILTER, DCE, INC., MODEL DLMV 30/15/F10, 602 SQ.FT.; 20 BAGS A/N: 206285	C120	D46 D47		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-6, CLOTH FILTER, DCE, INC., MODEL DLMV 10/10F, 108 SQ.FT. A/N: 267631	C121	D50 D51 D52 D53		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, K67.2
BAGHOUSE, DC-7, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267632	C122	D91 D99 D100 D101 D104		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
BAGHOUSE, DC-8, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267633	C123	D91 D100 D101 D105 D106		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-9, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267634	C124	D104 D107 D108 D111 D113		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-10, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267635	C125	D106 D108 D112 D113 D115		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-11, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267637	C126	D57 D58 D59 D60		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-12, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267638	C127	D57 D60 D61 D62		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-13, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267639	C128	D60 D70 D111 D115 D116		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-14, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267640	C129	D70 D71 D72 D80 D81 D82		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-15, CLOTH FILTER, US AIR FILTRATION, MODEL 79-PT-120-6, 989 SQ.FT. A/N: 385503	C130	D72 D73 D74 D76 D78 D79 D83 D84 D85 D86 D91 D160 D161 D162		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
BAGHOUSE, DC-16, CLOTH FILTER, US AIR FILTRATION, MODEL 79-PT-120-6, 989 SQ.FT. A/N: 388429	C131	D91 D92 D93 D94 D95 D97 D98 D100 D149 D150 D151 D163 D164		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, K67.2
BAGHOUSE, DC-17, CLOTH FILTER, US AIR FILTRATION, MODEL 67-PT-120-6, 659 SQ.FT. A/N: 267643	C132	D59 D62 D65 D66 D69		PM: (9) [RULE 404, 2-7-1986]	D322.1, E102.1, K67.2
BAGHOUSE, DCE, MODEL V30/15, POLYESTER, PULSE JET CLEANING TYPE, 7.5 H.P., 323 SQ.FT.; 20 BAGS A/N: 400867	C234	D233		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, K67.2
CONVEYOR, SCREW, DUST A/N: 436760	D153			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N: 436760	D154			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N: 436760	D155			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N: 436760	D156			PM: (9) [RULE 405, 2-7-1986]	D323.1
Process 5: SAND DRYING SYSTEM					P1.1, P20.1
CONVEYOR, BELT, SAND A/N: 458892	D241			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: SAND DRYING SYSTEM					P1.1, P20.1
DRYER, ROTARY, ASTEC, NATURAL GAS, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 75 MMBTU/HR WITH A/N: 458892 BURNER, NATURAL GAS, ASTEC, MODEL PH-100U-G-LB, WITH LOW NOX BURNER, 1 TOTAL; 75 MMBTU/HR	D243	C246	NOX: MAJOR SOURCE**	CO: 2000 PPMV NATURAL GAS (5) [RULE 409, 8-7-1981]; NOX: 36 PPMV NATURAL GAS (3) [RULE 2012, 5-6-2005]; NOX: 36 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF NATURAL GAS (5) [RULE 409, 8-7-1981]	D323.1
CONVEYOR, BELT, SAND A/N: 458892	D245			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, SCREW, SAND A/N: 458892	D248			PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, ASTEC, MODEL SBH-55-13, 832 BAGS, NOMEX, 10067 SQ. FT., 250 H.P., PULSE JET CLEANING TYPE, WITH GOYEN, MODEL EMP6, BAG LEAK DETECTION SYSTEM, WITH A/N: 523210 CONVEYOR, SCREW, SAND	C246 D247	D243		PM: (9) [RULE 404, 2-7-1986] PM: (9) [RULE 405, 2-7-1986]	D12.1, D322.1, D381.2, E102.1, H23.1, K67.2
Process 6: RULE 219 EXEMPT EQUIPMENT					
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E263			VOC: (9) [RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	K67.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D27	5	3	0
D28	5	3	0
D31	6	3	0
D45	12	4	0
D46	12	4	0
D47	12	4	0
D48	12	4	0
D49	13	4	0
D50	13	4	0
D51	13	4	0
D52	13	4	0
D53	13	4	0
D54	13	4	0
D56	13	4	0
D57	13	4	0
D58	13	4	0
D59	13	4	0
D60	13	4	0
D61	14	4	0
D62	14	4	0
D63	14	4	0
D65	14	4	0
D66	14	4	0
D67	14	4	0
D68	14	4	0
D69	14	4	0
D70	14	4	0
D71	14	4	0
D72	14	4	0
D73	15	4	0
D74	15	4	0
D76	15	4	0
D78	15	4	0
D79	15	4	0
D80	15	4	0

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D81	15	4	0
D82	15	4	0
D83	15	4	0
D84	15	4	0
D85	15	4	0
D86	15	4	0
D91	15	4	0
D92	16	4	0
D93	16	4	0
D94	16	4	0
D95	16	4	0
D97	16	4	0
D98	16	4	0
D99	16	4	0
D100	16	4	0
D101	16	4	0
D102	16	4	0
D103	16	4	0
D104	17	4	0
D105	17	4	0
D106	17	4	0
D107	17	4	0
D108	17	4	0
D109	17	4	0
D110	17	4	0
D111	17	4	0
D112	18	4	0
D113	18	4	0
D114	18	4	0
D115	18	4	0
D116	18	4	0
D117	18	4	0
D118	18	4	0
D119	18	4	0
C120	18	4	0

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C121	18	4	0
C122	18	4	0
C123	19	4	0
C124	19	4	0
C125	19	4	0
C126	19	4	0
C127	19	4	0
C128	19	4	0
C129	19	4	0
C130	19	4	0
C131	20	4	0
C132	20	4	0
D134	9	3	1
D135	9	3	1
D137	9	3	1
D138	9	3	1
D139	10	3	1
D140	10	3	1
D141	10	3	1
D143	5	3	0
C145	10	3	1
D146	17	4	0
D147	17	4	0
D148	17	4	0
D149	17	4	0
D150	16	4	0
D151	16	4	0
D152	14	4	0
D153	20	4	0
D154	20	4	0
D155	20	4	0
D156	20	4	0
D158	7	3	0
D160	15	4	0
D161	15	4	0

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D162	15	4	0
D163	16	4	0
D164	16	4	0
D165	3	2	0
D166	1	2	0
D167	1	2	0
D168	1	2	0
D169	1	2	0
D170	2	2	0
D171	2	2	0
C172	1	2	0
C173	1	2	0
C174	1	2	0
C175	2	2	0
C176	2	2	0
C177	2	2	0
D178	5	3	0
D179	6	3	0
D180	5	3	0
D181	4	3	0
D182	6	3	0
D183	6	3	0
D184	6	3	0
D185	6	3	0
D186	6	3	0
D187	7	3	0
D188	7	3	0
D189	7	3	0
D190	7	3	0
D191	7	3	0
D192	7	3	0
D193	7	3	0
D194	8	3	0
D195	8	3	0
D196	8	3	0

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C197	8	3	0
C198	8	3	0
C199	8	3	0
D200	8	3	0
C201	8	3	0
D204	10	3	2
D205	10	3	2
D206	11	3	2
D207	11	3	2
D208	11	3	2
D209	11	3	2
D210	11	3	2
D211	11	3	2
D212	11	3	2
D213	11	3	2
D214	11	3	2
D215	12	3	2
D216	12	3	2
D217	12	3	2
D218	3	3	0
D219	3	3	0
D220	3	3	0
D221	3	3	0
D222	3	3	0
D223	3	3	0
D224	3	3	0
D225	4	3	0
D226	4	3	0
D227	4	3	0
D228	4	3	0
D229	4	3	0
D230	4	3	0
C231	9	3	0
C232	9	3	0
D233	13	4	0

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C234	20	4	0
C235	1	2	0
C236	1	2	0
C237	1	2	0
C238	2	2	0
C239	2	2	0
C240	2	2	0
D241	20	5	0
D243	21	5	0
D245	21	5	0
C246	21	5	0
D247	21	5	0
D248	21	5	0
D250	10	3	2
D251	10	3	2
D252	10	3	2
D253	10	3	2
D254	10	3	2
D255	9	3	1
D256	11	3	2
D257	11	3	2
D258	12	3	2
D259	12	3	2
D260	12	3	2
D261	12	3	2
E263	21	6	0
D264	4	3	0
D265	4	3	0
D266	4	3	0
D267	6	3	0
D268	6	3	0
D269	5	3	0
D270	5	3	0
D271	6	3	0
D272	6	3	0

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D273	6	3	0
C274	9	3	0

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F2.1 The operator shall limit emissions from this facility as follows:

CONTAMINANT	EMISSIONS LIMIT
Visible emissions	Less than 20 Percent opacity
PM	Less than or equal to 0.04 gr/dscf

[40CFR 63 Subpart I, 1-17-1997]

F52.1 This facility is subject to the applicable requirements of the following rules or regulation(s):

40 CFR 60 Subpart I

[40CFR 60 Subpart I, 4-3-1987]

F52.2 This facility is subject to the applicable requirements of the following rules or regulation(s):

District Rule 1157

[RULE 1157, 9-8-2006]

PROCESS CONDITIONS

P1.1 The operator shall limit the material processed to no more than 17334 ton(s) in any one month.

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, material processed shall be defined as sand.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Processes subject to this condition : 5]

P20.1 For the purposes of determining compliance with District Rule 405, solid particulate matter emissions shall be based on the combined emissions from all points of this process.

[RULE 405, 2-7-1986]

[Processes subject to this condition : 3, 4, 5]

SYSTEM CONDITIONS

S1.1 The operator shall limit the material processed to no more than 36000 ton(s) in any one month.

For the purpose of this condition, material processed shall be defined as recycled asphalt pavement (RAP).

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 3, System 1]

S1.2 The operator shall limit the material processed to no more than 385000 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Systems subject to this condition : Process 3, System 2]

DEVICE CONDITIONS

A. Emission Limits

A103.1 The operator shall keep materials received sufficiently moist to prevent fugitive dust emissions.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : D27, D28, D134, D135, D137, D138, D139, D140, D141, D143, D178, D179, D181, D204, D205, D206, D207, D208, D209, D210, D211, D212, D213, D215, D216, D217, D218, D219, D220, D221, D222, D223, D224, D225, D226, D227, D228, D229, D230, D264, D265, D266, D267, D268, D269, D270, D271, D272, D273]

A103.2 The operator shall keep materials in process sufficiently moist to prevent fugitive dust emissions.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D56, D57, D58, D59, D60, D61, D62, D63, D65, D66, D67, D68, D69, D70, D71, D72, D73, D74, D76, D78, D79, D80, D81, D82, D83, D84, D85, D86, D91, D92, D93, D94, D95, D97, D98, D99, D100, D101, D102, D103, D104, D105, D106, D107, D108, D109, D110, D111, D112, D113, D114, D115, D116, D117, D118, D119, D146, D147, D148, D149, D150, D151, D160, D161, D162, D163, D164, D241, D245]

C. Throughput or Operating Parameter Limits

C1.1 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D47 and D48.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D47, D48]

C1.2 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D45 and D54.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D45, D54]

- C1.3 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D58 and D61.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D58, D61]

- C1.4 The operator shall limit the material processed to no more than 196800 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D180, D192]

- C1.5 The operator shall limit the throughput to no more than 360000 gallon(s) per month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D166, D167, D168, D169, D170, D171]

- C6.1 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, does not exceed 120 Deg F.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

To comply with this condition, the operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature of the vented gases upstream of the filter.

The operator shall record the parameter being monitored once every 1 hours.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : C235, C236, C237, C238, C239, C240]

D. Monitoring/Testing Requirements

D12.1 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the bags.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C199, C231, C232, C234, C246, C274]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

To comply with this condition, the operator shall maintain records.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126,
C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246,
D273, C274]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : D27, D28, D31, D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D56, D57, D58, D59, D60, D61, D62, D63, D65, D66, D67, D68, D69, D70, D71, D72, D73, D74, D76, D78, D79, D80, D81, D82, D83, D84, D85, D86, D91, D92, D93, D94, D95, D97, D98, D99, D100, D101, D102, D103, D104, D105, D106, D107, D108, D109, D110, D111, D112, D113, D114, D115, D116, D117, D118, D119, D134, D135, D137, D138, D139, D140, D141, D143, D146, D147, D148, D149, D150, D151, D153, D154, D155, D156, D158, D160, D161, D162, D163, D164, D165, D166, D167, D168, D169, D170, D171, D178, D179, D180, D181, D182, D183, D184, D185, D186, D187, D188, D189, D190, D191, D192, D193, D194, D195, D196, D200, D204, D205, D206, D207, D208, D209, D210, D211, D212, D213, D214, D215, D216, D217, D218, D219, D220, D221, D222, D223, D224, D225, D226, D227, D228, D229, D230, D233, D241, D243, D245, D248, D250, D251, D252, D253, D254, D255, D256, D257, D258, D259, D260, D261, D264, D265, D266, D267, D268, D269, D270, D271, D272]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : C121, C145, C197, C201, C231, C232, C234, C274]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : C120, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C199, C246]

E. Equipment Operation/Construction Requirements

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246]

E193.1 The operator shall operate and maintain this equipment according to the following specifications:

The operator shall clean and maintain all components of this equipment periodically in accordance with the manufacturer's specifications.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C201]

E448.1 The operator shall comply with the following requirements:

Dust collected in the baghouse shall be discharged only into enclosed containers or returned to process and shall not be handled in a manner that may result in the re-release of collected materials to the atmosphere.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C274]

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM	District Rule	1155

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1155, 12-4-2009]

[Devices subject to this condition : C199, C246]

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]

[Devices subject to this condition : E263]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

The name of the person performing the inspection and/or maintenance of the filter media.

The date, time and results of the inspection.

The date, time and description of any maintenance or repairs resulting from the inspection.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246, C274]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION E: ADMINISTRATIVE CONDITIONS

5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]
 - a. Three years for a facility not subject to Title V; or
 - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
 - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For a large NOx source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
 - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes. [204]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION E: ADMINISTRATIVE CONDITIONS

- e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compound which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent carbon dioxide (CO₂) at standard conditions and averaged over 15 consecutive minutes. [409]
 - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulation, except those listed in Table 1 of Rule 2001 for NO_x RECLAIM sources and Table 2 of Rule 2001 for SO_x RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO_x or SO_x emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO_x or SO_x source, respectively. [2001]
9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
- a. Brief description of the equipment tested.

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION E: ADMINISTRATIVE CONDITIONS

- b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
- a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION E: ADMINISTRATIVE CONDITIONS

- f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
- 11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
- 12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

I. NOx Monitoring Conditions

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate an AQMD certified direct or time-shared monitoring device or an approved alternative monitoring device for each major NOx source to continuously measure the concentration of NOx emissions and all other applicable variables specified in Rule 2012, Table 2012-1 and Rule 2012, Appendix A, Table 2-A to determine the NOx emissions rate from each source. The time-sharing of CEMS among NOx sources may be allowed by the Executive Officer in accordance with the requirements for time sharing specified in Appendix A. [2012]
2. Install, maintain, and operate a totalizing fuel meter approved by the Executive Officer for each major source. [2012]
3. If the facility is operating existing CEMS and fuel meters, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect prior to October 15, 1993 until the CEMS is certified pursuant to Rule 2012. [2012]
4. Use valid data collected by an AQMD certified or provisionally certified CEMS in proper operation that meets all the requirements of Appendix A of Rule 2012, unless final certification of the CEMS is denied, to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

5. Follow missing data procedures as specified in Rule 2012 Appendix A whenever valid data is not available or collected to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.

B. The Operator of a NO_x large Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

C. The Operator of a NO_x Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

II. NO_x Source Testing and Tune-up conditions

1. The operator shall conduct all required NO_x source testing in compliance with an AQMD-approved source test protocol. [2012]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

2. The operator shall, as applicable, conduct source tests for every large NO_x source no later than June 30, 1997 and every 3 years thereafter. The source test shall include the determination of NO_x concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]

3. All NO_x large sources and NO_x process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

I. Recordkeeping Requirements for all RECLAIM Sources

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
 - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
 - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
 - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

II. Reporting Requirements for all RECLAIM Sources

1. The operator shall submit a quarterly certification of emissions including the facility's total NOx or SOx emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2011 & 2012]

NOx Reporting Requirements

- A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:**

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

1. No later than 12 months after entry into the RECLAIM program or after the initial operation of a new major source, whichever is later, install, maintain, and operate a reporting device to electronically report everyday to the AQMD central station for each major NO_x source, the total daily mass emissions of NO_x and daily status codes. Such data shall be transmitted by 5:00 p.m. of the following day. If the facility experiences a power, computer, or other system failure that prevents the submittal of the daily report, the Facility Permit holder shall be granted 24 hours extension to submit the report. [2012]
2. Calculate NO_x emissions pursuant to missing data procedures set forth in Appendix A, Chapter 2 of Rule 2012 if the Facility Permit holder fails to meet the deadline for submitting the daily report. [2012]
3. Submit an electronic report within 15 days following the end of each month totaling NO_x emissions from all major NO_x sources during the month. [2012]
4. For those facilities with existing CEMS and fuel meters as of October 15, 1993, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect until the CEMS is certified pursuant to Rule 2011 and/or Rule 2012, as applicable. [2012]

B. The Operator of a NO_x Large Source, as defined in Rule 2012, shall:

Not Applicable

C. The Operator of a NO_x Process Unit, as defined in Rule 2012, shall:

1. Electronically report the calculated quarterly NO_x emissions for each NO_x process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
DRYER, ROTARY, DOUBLE BARREL MIXER, ASTEC, NATURAL GAS, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 125 MMBTU/HR WITH A/N: 512630 Permit to Construct Issued: 11/02/10 BURNER, PHOENIX PHANTOM, NATURAL GAS, ASTEC, MODEL PP-125, WITH LOW NOX BURNER, 1 TOTAL; 125 MMBTU/HR	D180		NOX: MAJOR SOURCE**	CO: 2000 PPMV NATURAL GAS (5) [RULE 407, 4-2-1982]; NOX: 33 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF NATURAL GAS (5) [RULE 409, 8-7-1981]	C1.4, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: DEVICE ID INDEX

Device Index For Section H			
Device ID	Section H Page No.	Process	System
D180	1	3	0

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F2.1 The operator shall limit emissions from this facility as follows:

CONTAMINANT	EMISSIONS LIMIT
Visible emissions	Less than 20 Percent opacity
PM	Less than or equal to 0.04 gr/dscf

[40CFR 63 Subpart I, 1-17-1997]

F52.1 This facility is subject to the applicable requirements of the following rules or regulation(s):

40 CFR 60 Subpart I

[40CFR 60 Subpart I, 4-3-1987]

F52.2 This facility is subject to the applicable requirements of the following rules or regulation(s):

District Rule 1157

[RULE 1157, 9-8-2006]

PROCESS CONDITIONS

P1.1 The operator shall limit the material processed to no more than 17334 ton(s) in any one month.

For the purpose of this condition, material processed shall be defined as sand.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

[Processes subject to this condition : 5]

P20.1 For the purposes of determining compliance with District Rule 405, solid particulate matter emissions shall be based on the combined emissions from all points of this process.

[RULE 405, 2-7-1986]

[Processes subject to this condition : 3, 4, 5]

SYSTEM CONDITIONS

S1.1 The operator shall limit the material processed to no more than 36000 ton(s) in any one month.

For the purpose of this condition, material processed shall be defined as recycled asphalt pavement (RAP).

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 3, System 1]

S1.2 The operator shall limit the material processed to no more than 385000 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 3, System 2]

DEVICE CONDITIONS

C. Throughput or Operating Parameter Limits

C1.4 The operator shall limit the material processed to no more than 196800 ton(s) in any one month.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D180]

D. Monitoring/Testing Requirements

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D180]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION J: AIR TOXICS

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
- (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.
 - (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
 - (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
- (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
- (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]
11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
- (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION K: TITLE V Administration EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
- (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
- (B) The operator complies with the breakdown provisions of Rule 430 – Breakdown Provisions, or subdivision (i) of Rule 2004 – Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**SECTION K: TITLE V Administration
RECORDKEEPING PROVISIONS**

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 – Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

- (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.
 - (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
 - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn:
Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the TitleV application file. [3004(a)(4)]

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	6-3-2011	Non federally enforceable
RULE 1146.1	5-13-1994	Federally enforceable
RULE 1146.1	9-5-2008	Non federally enforceable
RULE 1155	12-4-2009	Non federally enforceable
RULE 1157	9-8-2006	Non federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	5-1-2009	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 2005	5-6-2005	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 3005	11-14-1997	Federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 304	1-14-1982	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 701	6-13-1997	Federally enforceable
40CFR 60 Subpart I	4-3-1987	Federally enforceable
40CFR 63 Subpart I	1-17-1997	Federally enforceable

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219

NONE

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT. UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 11-08-1996]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

**Grams of VOC Per Liter of Coating,
Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250				100		
Graphic Arts (Sign) Coatings	500						50

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1113 11-08-1996]**

Industrial Maintenance						
Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

- (1) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6) of Rule 1113, no person shall supply, sell, offer for sale, market, manufacture, blend, repackage, apply, store at a worksite, or solicit the application of any architectural coating within the District:
 - (A) That is listed in the Table of Standards 1 and contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified; or
 - (B) That is not listed in the Table of Standards 1, and contains VOC (excluding any colorant added to tint bases) in excess of 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, until January 1, 2014, at which time the limit drops to 50 grams of VOC per liter of coating, less water, less exempt compounds (0.42 pounds per gallon).
- (2) No person within the District shall add colorant at the point of sale that is listed in the Table of Standards 2 and contains VOC in excess of the corresponding VOC limit specified in the Table of Standards 2, after the effective date specified.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

**TABLE OF STANDARDS 1
VOC LIMITS**

**Grams of VOC Per Liter of Coating,
Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit ¹	Current Limit ²	Effective Date		
			7/1/08	1/1/12	1/1/14
Bond Breakers		350			
Clear Wood Finishes		275			
Varnish	350	275			
Sanding Sealers	350	275			
Lacquer		275			
Concrete-Curing Compounds		100			
Concrete-Curing Compounds For Roadways and Bridges ³		350			
Concrete Surface Retarder		250			50
Driveway Sealer		100		50	
Dry-Fog Coatings		150			50
Faux Finishing Coatings					
Clear Topcoat		350		200	
Decorative Coatings		350			100
Glazes		350			
Japan		350			
Trowel Applied Coatings		350		150	50
Fire-Proofing Coatings		350			150
Flats	250	50	50		
Floor Coatings	100	50			
Form Release Compound		250			100
Graphic Arts (Sign) Coatings		500			150
Industrial Maintenance (IM) Coatings	420	100			
High Temperature IM Coatings		420			
Non-Sacrificial Anti-Graffiti Coatings		100			
Zinc-Rich IM Primers	340	100			
Magnesite Cement Coatings		450			
Mastic Coatings		300			100
Metallic Pigmented Coatings	500	500			150
Multi-Color Coatings		250			
Nonflat Coatings	150	50			
Pre-Treatment Wash Primers		420			
Primers, Sealers, and Undercoaters	200	100			
Reactive Penetrating Sealers		350			
Recycled Coatings		250			
Roof Coatings	250	50			
Roof Coatings, Aluminum		100			

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT. UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 06-03-2011]**

Roof Primers, Bituminous	350	350			
Rust Preventative Coatings	400	100			
Stone Consolidant		450			
Sacrificial Anti-Graffiti Coatings		100		50	
Shellac					
Clear		730			
Pigmented		550			
Specialty Primers	350	100			
Stains		100			

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1113 06-03-2011]**

COATING CATEGORY	Ceiling Limit ¹	Current Limit ²	Effective Date		
			7/1/08	1/1/12	1/1/14
Stains, Interior	250	250			
Swimming Pool Coatings					
Repair		340			
Other		340			
Traffic Coatings		100			
Waterproofing Sealers	250	100			
Waterproofing Concrete/Masonry Sealers	400	100			
Wood Preservatives		350			

1. The specified ceiling limits are applicable to products sold under the Averaging Compliance Option.
2. The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.
3. Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

**TABLE OF STANDARDS 1 (cont.)
 VOC LIMITS**

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

**TABLE OF STANDARDS 2
 VOC LIMITS FOR COLORANTS**

**Grams of VOC Per Liter of Colorant
 Less Water and Less Exempt Compounds**

COLORANT	Limit ⁴
Architectural Coatings, excluding IM Coatings	50
Solvent-Based IM	600
Waterborne IM	50

4. Effective January 1, 2014.

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-07-2003]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT. UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-07-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 05-01-2009]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	CURRENT LIMITS*	EFFECTIVE 1/1/2010
SOLVENT CLEANING ACTIVITY	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	
(iii) Medical Devices & Pharmaceuticals	800 (6.7)	
(B) Repair and Maintenance Cleaning		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT. UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 05-01-2009]**

	CURRENT LIMITS*	EFFECTIVE 1/1/2010
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals		
(A) Tools, Equipment, & Machinery	800 (6.7)	
(B) General Work Surfaces	600 (5.0)	
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)	
(D) Cleaning of Ink Application Equipment		
(i) General	25 (0.21)	
(ii) Flexographic Printing	25 (0.21)	
(iii) Gravure Printing		
(A) Publication	100 (0.83)	
(B) Packaging	25 (0.21)	
(iv) Lithographic (Offset) or Letter Press Printing		
(A) Roller Wash, Blanket Wash, & On-Press Components	100 (0.83)	

**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 05-01-2009]**

	CURRENT LIMITS*	EFFECTIVE 1/1/2010
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(B) Removable Press Components	25 (0.21)	
(v) Screen Printing	100 (0.83)	
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)	
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)	

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a).

Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT. UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 02-07-1986]**

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT, UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 405 02-07-1986]**

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6

**FACILITY PERMIT TO OPERATE
 ALL AMERICAN ASPHALT UNIT NO.01**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 405 02-07-1986]**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0