



JUL 18 2013

Mr. Mike Scelzi
Scelzi Enterprises, Inc.
2286 E. Date St.
Fresno, CA 93706

**Re: Notice of Preliminary Decision - Federally Mandated Operating Permit
District Facility # C-1080
Project # C-1122967**


Dear Mr. Scelzi:

Enclosed for your review is the District's analysis of Scelzi Enterprises, Inc.'s application for the Federally Mandated Operating Permit for its operation at 2772 S. Cherry Ave, Fresno, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner
Director of Permit Services

Enclosures

cc: Mike Tollstrup, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

**NOTICE OF PRELIMINARY DECISION
FOR THE PROPOSED ISSUANCE OF
FEDERALLY MANDATED OPERATING PERMITS**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District solicits public comment on the proposed issuance of the Federally Mandated Operating permits to Scelzi Enterprises, Inc. at 2772 S. Cherry Ave, Fresno, California.

The District's analysis of the legal and factual basis for this proposed action, project #C-1122967, is available for public inspection at http://www.valleyair.org/notices/public_notices_idx.htm and at any District office. There are no emission changes associated with this proposed action. This will be the public's only opportunity to comment on the specific conditions of the proposed Federally Mandated Operating initial permits. If requested, the District will hold a public hearing regarding issuance of this initial permit. For additional information, please contact the District at (559) 230-6000. Written comments on the proposed initial permit must be submitted by August 26, 2013 to **DAVID WARNER, DIRECTOR OF PERMIT SERVICES, SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 EAST GETTYSBURG AVENUE, FRESNO, CA 93726.**

SAN JOAQUIN VALLEY UNIFIED AIR POLLUTION CONTROL DISTRICT

Scelzi Enterprises, Inc.

PROPOSED ENGINEERING EVALUATION TABLE OF CONTENTS

SECTION	PAGE
I. PROPOSAL	1
II. FACILITY LOCATION	1
III. EQUIPMENT LISTING	1
IV. GENERAL PERMIT TEMPLATE USAGE	2
V. SCOPE OF EPA AND PUBLIC REVIEW	2
VI. APPLICABLE REQUIREMENTS ADDRESSED BY A GENERAL PERMIT TEMPLATE	2
VII. APPLICABLE REQUIREMENTS NOT ADDRESSED BY A GENERAL PERMIT TEMPLATE	4
VIII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE	4
IX. COMPLIANCE	5
X. PERMIT CONDITIONS	13
ATTACHMENT A - DETAILED FACILITY REPORT	
ATTACHMENT B - EXEMPT EQUIPMENT	
ATTACHMENT C - CURRENT PERMIT TO OPERATE	
ATTACHMENT D - TEMPLATE QUALIFICATION FORM	

TITLE V APPLICATION REVIEW

Project #: C-1122967
Deemed Complete: March 21, 2012

Engineer: Jonah Aiyabei
Date: June 5, 2013

Facility Number: C-1080
Facility Name: Scelzi Enterprises, Inc.
Mailing Address: 2286 E. Date St.
Fresno, CA 93706

Contact Name: Michael Scelzi
Phone: (559) 237-5541

Responsible Official: Michael Scelzi
Title: President

I. PROPOSAL

Scelzi Enterprises, Inc. is proposing that an initial Title V permit be issued for its existing motor vehicle and mobile equipment coating operation. The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with those applicable requirements, and to provide the legal and factual basis for proposed permit conditions.

II. FACILITY LOCATION

The facility is located at 2772 S. Cherry Avenue in Fresno, Fresno County, CA.

III. EQUIPMENT LISTING

A detailed report listing all permitted equipment at the facility is shown in Attachment A.

A summary of the exempt equipment categories which describe the insignificant activities or equipment at the facility not requiring a permit is shown in Attachment B. This equipment is not exempt from facility-wide requirements.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant has requested to use the following model general permit templates:

SJV-UM-0-3 – Facility-wide Umbrella General Permit Template

Based on the information submitted on the Template Qualification Form, the applicant qualifies for the use of this template.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Operating Permit are based on model general permit templates that have been previously subjected to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for the model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V operating permits.

The following permit conditions, including their underlying applicable requirements, originate from a model general permit template and are not subject to further EPA or public review:

- Conditions 1 through 40 of the requirements for permit unit C-1080-0-1.

VI. APPLICABLE REQUIREMENTS ADDRESSED BY GENERAL PERMIT TEMPLATES

- District Rule 1100, Equipment Breakdown, (amended December 17, 1992)
- District Rule 1160, Emission Statements, (adopted November 18, 1992)
- District Rule 2010, Permits Required, (amended December 17, 1992)

- District Rule 2020, Exemptions, (amended July 21, 1994 ⇒ amended August 18, 2011)¹
- District Rule 2031, Transfer of Permits, (amended December 17, 1992)
- District Rule 2040, Applications, (amended December 17, 1992)
- District Rule 2070, Standards for Granting Applications, (amended December 17, 1992)
- District Rule 2080, Conditional Approval, (amended December 17, 1992)
- District Rule 2520, Federally Mandated Operating Permits, Sections 5.2, 9.1.1, 9.4, 9.5, 9.7, 9.8, 9.9, 9.13.1, 9.13.2, 9.16, and 10.0, (amended June 21, 2001)
- District Rule 4101, Visible Emissions, (amended November 15, 2001 ⇒ amended February 17, 2005)
- District Rule 4601, Architectural Coatings, (amended October 31, 2001 ⇒ amended December 17, 2009)
- District Rule 8021, Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities, (adopted November 15, 2001; amended August 19, 2004)
- District Rule 8031, Bulk Materials, (adopted November 15, 2001; amended August 19, 2004)
- District Rule 8041, Carryout and Trackout, (adopted November 15, 2001; amended August 19, 2004)
- District Rule 8051, Open Areas, (adopted November 15, 2001; amended August 19, 2004)
- District Rule 8061, Paved and Unpaved Roads, (adopted November 15, 2001; amended August 19, 2004)
- District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas, (adopted November 15, 2001; amended September 16, 2004)

¹ The amendments made to this rule on August 18, 2011 have no impact to this source; therefore template SJV-UM-0-3 is still valid for this project.

- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos, (amended September 18, 2003)
- 40 CFR Part 82, Subpart B, Stratospheric Ozone, (amended November 9, 2007)
- 40 CFR Part 82, Subpart F, Stratospheric Ozone, (amended June 8, 2008)

VII. APPLICABLE REQUIREMENTS NOT ADDRESSED BY GENERAL PERMIT TEMPLATES

- District Rule 2201, New and Modified Stationary Source Review Rule, (amended April 21, 2011)
- District Rule 2410, Prevention of Significant Deterioration, (adopted June 16, 2011)
- District Rule 4201, Particulate Matter Concentration, (amended December 17, 1992)
- District Rule 4612, Motor Vehicle and Mobile Equipment Coating Operations, (amended October 21, 2010)
- 40 CFR Part 64, Compliance Assurance Monitoring (CAM)

VIII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as Federally Enforceable Through Title V Permit.

This facility is subject to the following rules that are not currently federally enforceable:

District Rule 4102, Nuisance (amended December 17, 1992)

For this facility, the following conditions are based on the rule listed above and are not Federally Enforceable through Title V:

- Condition 41 of the requirements for permit unit C-1080-0-1.

- Condition 6 of the requirements for permit unit C-1080-2-2.
- Conditions 3 and 19 through 21 of the requirements for permit unit C-1080-7-1.

IX. COMPLIANCE

A. Requirements Addressed by Model General Permit Templates

The applicant is proposing to use a general permit template to address federally applicable facility-wide requirements. Section IV of template SJV-UM-0-3 includes a demonstration of compliance for all applicable requirements. Template conditions have been added to the facility-wide requirements as condition numbers 1 through 40 to assure compliance with these requirements.

B. Requirements Not Addressed by Model General Permit Templates

1. District Rule 2201, New and Modified Stationary Source Review Rule (District NSR Rule)

The following emission units have become subject to the District NSR Rule due to application for Permit to Operate. In accordance with the White Paper for Streamlined Development of Part 70 Permit Applications, dated July 10, 1995, conditions from the resulting PTO were addressed to define how NSR permit terms should be incorporated into the Title V permit.

- a. C-1080-1-3: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
 - Conditions 2 through 4, 7 and 8 from the PTO have been included as federally enforceable conditions 1 through 5 of the requirements for permit unit 1-3.
- b. C-1080-2-2: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL

COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS

- Conditions 6 through 9, 11 through 17, and 24 from the PTO have been included as federally enforceable conditions 2 through 5, 7 through 13, and 20 of the requirements for permit unit 2-2.
- c. C-1080-4-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND AN ATTACHED DRYING ROOM WITH A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
- Conditions 2, 3, and 6 through 9 from the PTO have been included as federally enforceable conditions 1 through 6 of the requirements for permit unit 4-1.
- d. C-1080-7-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER
- Conditions 4, 6 through 8, and 16 through 20 from the PTO have been included as federally enforceable conditions 2, 4 through 6, and 14 through 18 of the requirements for permit unit 7-1.

2. District Rule 2410 – Prevention of Significant Deterioration

This facility is not a Prevention of Significant Deterioration (PSD) source, hence there are no PSD requirements applicable and there will be no further discussion of PSD in this evaluation.

3. District Rule 2520 – Federally Mandated Operating Permits

There are no federally applicable Greenhouse Gas (GHG) requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

4. District Rule 4201 – Particulate Matter Concentration

Section 3.0 prohibits discharge of dust, fumes, or total particulate matter into the atmosphere from any single source operation in excess of 0.1 grain per dry standard cubic foot.

a. C-1080-2-2: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS

- Condition 1 of the requirements for permit unit 2-2 ensures compliance with this requirement.

b. C-1080-7-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER

- Condition 1 of the requirements for permit unit 7-1 ensures compliance with this requirement.

5. District Rule 4612, Motor Vehicle and Mobile Equipment Coating Operations

The purpose of this rule is to limit volatile organic compound (VOC) emissions from coatings associated with the coating of motor vehicles, mobile equipment, and associated parts and components. It also limits the VOC emissions from the organic solvent cleaning, storage, and disposal associated with such operations. The current version of the rule (amended October 21, 2010) was approved into the SIP on February 13, 2012.

Section 5.1 requires that no person shall apply to any motor vehicle, mobile equipment, or associated parts and components, any coating with a VOC regulatory content, as calculated pursuant to Section

3.45.1, in excess of the applicable limits in Table 1, except as provided in Section 5.3. These limits are as shown in the following table:

Rule 4612 Coating VOC Limits	
Coating Category	VOC Regulatory Limit, as applied, in grams per liter (lb/gal)
Adhesion Promoter	540 (4.5)
Clear Coating	250 (2.1)
Color Coating	420 (3.5)
Multi-Color Coating	680 (5.7)
Pretreatment Coating	660 (5.5)
Primer	250 (2.1)
Primer Sealer	250 (2.1)
Single-Stage Coating	340 (2.8)
Temporary Protective Coating	60 (0.5)
Truck Bed Liner Coating	310 (2.6)
Underbody Coating	430 (3.6)
Uniform Finish Coating	540 (4.5)
Any other coating type	250 (2.1)

Section 5.7 states that except for underbody coatings, graphic arts operations, truck bed liner coatings or any coating use of less than one (1.0) fluid ounce (29.6 milliliters), no person shall apply any coating to any motor vehicle, mobile equipment, or associated parts and components unless one of the following application methods is used:

1. Brush, dip, or roller.
2. Electrostatic spray.
3. High-Volume Low-Pressure (HVLP) spray equipment

If a spray gun is used, the end user must demonstrate that the gun meets the HVLP definition in Section 3.21 in design and use. A satisfactory demonstration must be based on the manufacturer's published technical material on the design of the gun and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun.

4. Any other coating application method that is capable of achieving at least 65 percent transfer efficiency, as determined

per Section 6.8.8. Written approval from the APCO shall be obtained for each alternative method prior to use.

5. In lieu of complying with the coating application method requirements, an operator may control VOC emissions from coating application with a VOC emission control system that meets the requirements of Section 5.3.

Section 5.8.1 requires that for solvent cleaning operations other than for bug and tar removal, a person shall not use solvents that have VOC content greater than 25 grams VOC per liter of cleaning material, as calculated using the equation listed in Section 3.45.3.

Section 5.8.2 requires that for bug and tar removal, a person shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.).

Section 5.9 requires that a person shall store or dispose of fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty.

Section 6.3 requires that records required by this rule shall be retained on site for a period of five years, the records shall be made available on site during normal business hours to the APCO, ARB, or EPA, and the records shall be submitted to the APCO, ARB or EPA upon request.

Section 6.4 requires that any person who uses coatings subject to this rule shall maintain and have available at all times, on site, the following:

- 1) A current list of all coatings used that shall include the following information for each coating:
 - a. material name and manufacturer;
 - b. application method;
 - c. coating type (as listed in Section 5.1) and mix ratio specific to the coating; and

- d. VOC Actual for coatings and VOC Regulatory for coatings, as applied, calculated pursuant to Section 3.45; and
 - e. Quantity of each type of coating used.
- 2) The current manufacturer specification sheets, material safety data sheets, technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating (based on the manufacturer's stated mix ratio) and automotive coating components; and
 - 3) Purchase records identifying the coating type (as listed in Section 5.1), name, and volume of coatings.

Section 6.5 requires that any person who uses solvents for solvent cleaning shall maintain and have available at all times, on site, the following:

- 1) A copy of the manufacturer's product data sheet or material safety data sheet of the solvents used for organic solvent cleaning activities; and
- 2) A current list of all solvents being used that shall include the following information for each solvent:
 - a. The name of the solvent and its manufacturer's name;
 - b. The VOC content of the solvent expressed in grams/liter or lb/gallon;
 - c. When the solvent is a mixture of different materials that are blended by the person, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content; and
- 3) The quantity of solvent used for solvent cleaning activities.
 - a. C-1080-1-3: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED

SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

- Conditions 4 through 12 on the proposed draft permit ensure compliance with these requirements.
- b. C-1080-2-2: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS
- Conditions 12 through 19 and 21 on the proposed draft permit ensure compliance with these requirements.
- c. C-1080-4-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND AN ATTACHED DRYING ROOM WITH A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
- Conditions 5 through 13 on the proposed draft permit ensure compliance with these requirements.
- d. C-1080-7-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER
- Conditions 5 through 13 on the proposed draft permit ensure compliance with these requirements.
- e. C-1080-9-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (UNDERCOATING OPERATION) WITH AIRLESS SPRAY GUN(S) AND AN ENCLOSED SPRAY GUN CLEANER
- Conditions 1 through 7 on the proposed draft permit ensure compliance with these requirements.

6. 40 CFR Part 64, Compliance Assurance Monitoring (CAM)

To be subject to CAM for a particular pollutant, an emissions unit must meet all of the following criteria:

- i. The unit must have an emission limit for the pollutant,
 - ii. The unit must have add-on controls for the pollutant, and
 - iii. The pre-control potential to emit for the unit must exceed major source thresholds.
- a. C-1080-1-3: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
 - This unit only has an emission limit for VOC. Since the unit is not equipped with any add-on controls for VOC, it is not subject to CAM.
 - b. C-1080-2-2: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS
 - This unit has an emission limit for VOC, but since it has no add-on controls for VOC, it is not subject to CAM for VOC.
 - This unit has an emission limit and add-on controls for PM10. The PM10 permit limit is 3 lb/day. Based on the NSR project evaluation, the control efficiency for the PM10 control filters is 66%. Thus, the pre-control PE for PM10 = $(3 \text{ lb/day} \times 365 \text{ days/yr}) / (1 - 0.66) = 3,221 \text{ lb/yr}$. Since the pre-control PE is less than the major source threshold of 140,000 lb/yr, the unit is not subject to CAM.
 - c. C-1080-4-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND AN ATTACHED DRYING ROOM WITH A PERMIT EXEMPT

NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

- This unit only has an emission limit for VOC. Since the unit is not equipped with any add-on controls for VOC, it is not subject to CAM.
- d. C-1080-7-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER
- This unit has an emission limit for VOC, but since it has no add-on controls for VOC, it is not subject to CAM for VOC.
 - This unit has an emission limit and add-on controls for PM10. The PM10 permit limit is 99 lb/day. Based on the NSR project evaluation, the control efficiency for the PM10 control filters is 66%. Thus, the pre-control PE for PM10 = $(99 \text{ lb/day} \times 365 \text{ days/yr}) / (1 - 0.66) = 106,279 \text{ lb/yr}$. Since the pre-control PE is less than the major source threshold of 140,000 lb/yr, the unit is not subject to CAM.
- e. C-1080-9-1: MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (UNDERCOATING OPERATION) WITH AIRLESS SPRAY GUN(S) AND AN ENCLOSED SPRAY GUN CLEANER
- Since this unit is not equipped with any add-on controls, it is not subject to CAM.

X. PERMIT CONDITIONS

See draft Permit to Operate beginning on the following page.

San Joaquin Valley Air Pollution Control District

FACILITY: C-1080-0-1

EXPIRATION DATE: 03/31/2017

FACILITY-WIDE REQUIREMENTS

1. {4362} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {4363} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: SCELZI ENTERPRISES INC
Location: 2772 S CHERRY, FRESNO, CA 93706
C-1080-0-1: Feb 29 2013 8:19AM - AIYABEU

9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

22. {4383} No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
23. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {4400} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. {4401} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. On {Month, Day, Year}, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-1-3

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. All priming shall be conducted inside this booth with filters in place, fan operating, and doors closed or curtains drawn. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
5. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
6. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612] Federally Enforceable Through Title V Permit
7. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612] Federally Enforceable Through Title V Permit
8. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612] Federally Enforceable Through Title V Permit
10. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612] Federally Enforceable Through Title V Permit
11. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612] Federally Enforceable Through Title V Permit
12. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-2-2

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. All filters shall be properly maintained and must be in place during the painting operation. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The filters shall be replaced when the manometer reading exceeds 0.35 inches water column. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Coatings may not be applied outside of the paint booth. [District Rule 2201] Federally Enforceable Through Title V Permit
6. No coatings, solvents, or additives containing any of the following compounds shall be used: chromium, lead or nickel. [District Rule 4102]
7. The VOC emission rate from the truck bed liner coating operation shall not exceed 0.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The total VOC emission rate from this unit shall not exceed 50.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The particulate matter emission rate from the truck bed liner coating operation shall not exceed 3.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The total particulate matter (PM10) emission rate from this unit shall not exceed 14.5 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. For all coating application, except truck bed liner coating application, only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
14. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612] Federally Enforceable Through Title V Permit
15. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612] Federally Enforceable Through Title V Permit
16. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612] Federally Enforceable Through Title V Permit
17. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612] Federally Enforceable Through Title V Permit
18. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612] Federally Enforceable Through Title V Permit
19. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612] Federally Enforceable Through Title V Permit
20. The permittee shall keep daily records of the amount of each coating and solvent used. [District Rule 2201] Federally Enforceable Through Title V Permit
21. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-4-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND AN ATTACHED DRYING ROOM WITH A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. All filters shall be properly maintained and must be in place during the painting operation. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Coatings may not be applied outside of the paint booth. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
6. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
7. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612] Federally Enforceable Through Title V Permit
8. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

9. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612] Federally Enforceable Through Title V Permit
10. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612] Federally Enforceable Through Title V Permit
11. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612] Federally Enforceable Through Title V Permit
12. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612] Federally Enforceable Through Title V Permit
13. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-7-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. {1898} The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. All painting, including application of primer, shall be conducted inside the booth with filters in place, fan(s) operating, and doors closed. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
6. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612] Federally Enforceable Through Title V Permit
7. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612] Federally Enforceable Through Title V Permit
8. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612] Federally Enforceable Through Title V Permit
10. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612] Federally Enforceable Through Title V Permit
11. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612] Federally Enforceable Through Title V Permit
12. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612] Federally Enforceable Through Title V Permit
13. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612] Federally Enforceable Through Title V Permit
14. The particulate matter (PM10) emission rate shall not exceed 23.3 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The VOC emission rate from this unit shall not exceed 99.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
16. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201] Federally Enforceable Through Title V Permit
17. Emissions from the burner shall not exceed any of the following limits: 0.10 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM10/MMBtu, 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
18. Only PUC quality natural gas, or LPG shall be used as fuel. [Rule 2201] Federally Enforceable Through Title V Permit
19. {1985} No coatings, solvents, or additives containing nickel compounds shall be used. [District Rule 4102]
20. {1984} No coatings, solvents, or additives containing lead compounds shall be used. [District Rule 4102]
21. {369} No coatings, solvents, or additives containing chromium compounds shall be used. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-9-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (UNDERCOATING OPERATION) WITH AIRLESS SPRAY GUN(S) AND AN ENCLOSED SPRAY GUN CLEANER

PERMIT UNIT REQUIREMENTS

1. The VOC Regulatory content of coatings, as applied, shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rule 4612] Federally Enforceable Through Title V Permit
2. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612] Federally Enforceable Through Title V Permit
3. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612] Federally Enforceable Through Title V Permit
4. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612] Federally Enforceable Through Title V Permit
5. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612] Federally Enforceable Through Title V Permit
6. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612] Federally Enforceable Through Title V Permit
7. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

Scelzi Enterprises, Inc.
Facility # C-1080
Project #C-1122967

Attachment A

Detailed Facility Report

Detailed Facility Report
For Facility=1080 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

SCELZI ENTERPRISES INC 2772 S CHERRY FRESNO, CA 93706	FAC #	C 1080	TYPE:	TitleV	EXPIRE ON:	03/31/2017
	STATUS:	A	TOXIC ID:	50930	AREA:	8 /
	TELEPHONE:	2092375541			INSP. DATE:	09/13

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-1080-1-2	7 BHP	3020-01 A	1	87.00	87.00	A	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
C-1080-2-1	10 electrical HP	3020-01 A	1	87.00	87.00	A	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
C-1080-4-0	4 BHP	3020-01 A	1	87.00	87.00	A	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND A ATTACHED DRYING ROOM WITH A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT
C-1080-7-0	1.075 MMBtu/hr	3020-02 D	1	314.00	314.00	A	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER
C-1080-9-0	10 HP	3020-01 A	1	87.00	87.00	A	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (UNDERCOATING OPERATION) WITH AIRLESS SPRAY GUN(S) AND AN ENCLOSED SPRAY GUN CLEANER

Number of Facilities Reported: 1

Scelzi Enterprises, Inc.
Facility # C-1080
Project #C-1122967

Attachment B

Exempt Equipment

**San Joaquin Valley
Unified Air Pollution Control District
Title V Application - INSIGNIFICANT ACTIVITIES**

COMPANY NAME: **Scelzi Enterprises, Inc.**

FACILITY ID: **C - 1080**

Check the box next to the exemption category from Rule 2020 which describes any insignificant activity or equipment at your facility not requiring a permit.

Exemption Category	Rule 2020 Citation	√	Exemption Category	Rule 2020 Citation	√
Structure or incinerator assoc. with a structure designed as a dwelling for 4 families or less	4.1		Containers used to store refined lubricating oils	6.6.8	√
Locomotives, airplanes, and watercraft used to transport passengers or freight	4.4		Unvented pressure vessels used exclusively to store liquified gases or assoc with exempt equipment	6.6.9 or 6.13	√
Natural gas or LPG-fired boilers or other indirect heat transfer units of 5 MMBtu/hr or less	6.1.1	√	Portable tanks used exclusively to store produced fluids for ≤ six months	6.6.10	
Piston-type i.c. engine with maximum continuous rating of 50 braking horsepower (bhp) or less	6.1.2		Mobile transport tanks on delivery vehicles of VOCs	6.6.11	
Gas turbine engines with maximum heat input rating of 3 MMBtu/hr or less	6.1.3		Loading racks used for the transfer of less than 4,000 gal/day of unheated organic material with initial boiling point ≥ 302 F or of fuel oil with specific gravity ≥ 0.8251	6.7.1.1	
Space heating equipment other than boilers	6.1.4	√	Loading racks used for the transfer of asphalt, crude or residual oil stored in exempt tanks, or crude oil with specific gravity ≥ 0.8762	6.7.1.2	
Cooling towers with a circulation rate less than 10,000 gal/min, and that are not used for cooling of process water, or water from barometric jets or condensers++	6.2		Equipment used exclusively for the transfer of refined lubricating oil	6.7.2	
Use of less than 2 gal/day of graphic arts materials	6.3		Equipment used to apply architectural coatings	6.8.1	
Equipment at retail establishments used to prepare food for human consumption	6.4.1		Unheated, non-conveyorized cleaning equipment with < 10 ft ² open area; using solvents with initial boiling point ≥ 248 F; and < 25 gal/yr. evaporative losses	6.9	
Ovens at bakeries with total daily production less than 1,000 pounds and exempt by sec. 6.1.1	6.4.3		Brazing, soldering, or welding equipment	6.10	√
Equipment used exclusively for extruding or compression molding of rubber or plastics, where no plastisizer or blowing agent is used	6.5		Equipment used to compress natural gas	6.11	
Containers used to store clean produced water	6.6.1		Fugitive emissions sources assoc. with exempt equipment	6.12	
Containers ≤ 100 bbl used to store oil with specific gravity ≥ 0.8762	6.6.2		Pits and Ponds as defined in Rule 1020	6.15	
Containers ≤ 100 bbl installed prior to 6/1/89 used to store oil with specific gravity ≥ 0.8762	6.6.3		On-site roadmix manufacturing and the application of roadmix as a road base material	6.17	
Containers with a capacity ≤ 250 gallons used to store organic material where the actual storage temperature < 150 F	6.6.4		Emissions less than 2 lb/day from units not included above	6.19	
Containers used to store unheated organic material with an initial boiling point ≥ 302 F	6.6.5		Venting PUC quality natural gas from for sole purpose of pipeline and compressor repair and or maintenance	7.2	
Containers used to store fuel oils or non-air-blown asphalt with specific gravity ≥ 0.9042	6.6.6		Non-structural repairs & maintenance to permitted equipment	7.3	
Containers used to store petroleum distillates used as motor fuel with specific gravity ≥ 0.8251	6.6.7	√	Detonation of explosives ≤ 100 lb/day and 1,000 lb/year	7.4	

No insignificant activities (Check this box if no equipment in the above categories exist at your facility.)

Scelzi Enterprises, Inc.
Facility # C-1080
Project #C-1122967

Attachment C

Current Permit to Operate



Permit to Operate

FACILITY: C-1080

EXPIRATION DATE: 03/31/2017

LEGAL OWNER OR OPERATOR: SCELZI ENTERPRISES INC
MAILING ADDRESS: 2286 E. DATE
FRESNO, CA 93706

FACILITY LOCATION: 2772 S CHERRY
FRESNO, CA 93706

FACILITY DESCRIPTION: AUTO BODY SPRAY COATING

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin
Executive Director / APCO

David Warner
Director of Permit Services

San Joaquin Valley Air Pollution Control District

FACILITY: C-1080-0-0

EXPIRATION DATE: 03/31/2017

FACILITY-WIDE REQUIREMENTS

1. The permittee shall not emit more than one half of the major source threshold based on a rolling 12-month summary of actual emissions. [District Rule 2530, 6.1]
2. The permittee shall maintain a record of the rolling 12-month summary of actual emissions from permitted operations. This record shall be kept on site and made available to the District upon request. [District Rule 2530, 6.1]

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: SCELZI ENTERPRISES INC
Location: 2772 S CHERRY, FRESNO, CA 93706
C-1080-0-0 : Feb 26 2013 8:10AM - AIYABEIJ

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-1-2

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, AND A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201]
4. All priming shall be conducted inside this booth with filters in place, fan operating, and doors closed or curtains drawn. [District Rule 2201]
5. The permittee shall not emit more than one half of the major source threshold based on a rolling 12-month summary of actual emissions. [District Rule 2530, 6.1]
6. The permittee shall maintain a record of the rolling 12-month summary of actual emissions from permitted operations. This record shall be kept on site and made available to the District upon request. [District Rule 2530, 6.1]
7. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612]
8. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612]
9. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612]
10. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612]
11. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612]
13. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612]
14. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612]
15. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-2-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION AND TRUCK BED LINER COATING OPERATION WITH HVLP SPRAY GUN(S), PLURAL COMPONENT APPLICATORS, AND A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS

PERMIT UNIT REQUIREMENTS

1. The permittee shall not emit more than one half of the major source threshold based on a rolling 12-month summary of actual emissions. [District Rule 2530, 6.1]
2. The permittee shall maintain a record of the rolling 12-month summary of actual emissions from permitted operations. This record shall be kept on site and made available to the District upon request. [District Rule 2530, 6.1]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
6. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
7. All filters shall be properly maintained and must be in place during the painting operation. [District Rule 2201]
8. The filters shall be replaced when the manometer reading exceeds 0.35 inches water column. [District Rule 2201]
9. Coatings may not be applied outside of the paint booth. [District Rule 2201]
10. No coatings, solvents, or additives containing any of the following compounds shall be used: chromium, lead or nickel. [District Rule 4102]
11. The VOC emission rate from the truck bed liner coating operation shall not exceed 0.7 lb/day. [District Rule 2201]
12. The total VOC emission rate from this unit shall not exceed 50.0 lb/day. [District Rule 2201]
13. The particulate matter emission rate from the truck bed liner coating operation shall not exceed 3.0 lb/day. [District Rule 2201]
14. The total particulate matter (PM10) emission rate from this unit shall not exceed 14.5 lb/day. [District Rule 2201]
15. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201]
16. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

17. For all coating application, except truck bed liner coating application, only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612]
18. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612]
19. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612]
20. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612]
21. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612]
22. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612]
23. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612]
24. The permittee shall keep daily records of the amount of each coating and solvent used. [District Rule 2201]
25. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-4-0

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUNS, A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ENCLOSED SPRAY GUN CLEANER, A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT, AND A ATTACHED DRYING ROOM WITH A PERMIT EXEMPT NATURAL GAS DRYING BURNER < 20.0 MMBTU/DAY HEAT INPUT

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201]
4. The permittee shall not emit more than one half of the major source threshold based on a rolling 12-month summary of actual emissions. [District Rule 2530, 6.1]
5. The permittee shall maintain a record of the rolling 12-month summary of actual emissions from permitted operations. This record shall be kept on site and made available to the District upon request. [District Rule]
6. All filters shall be properly maintained and must be in place during the painting operation. [District Rule 2201]
7. Coatings may not be applied outside of the paint booth. [District Rule 2201]
8. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612]
9. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612]
10. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612]
11. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612]
13. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612]
14. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612]
15. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612]
16. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-7-0

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION WITH HVLP SPRAY GUN(S), A PAINT SPRAY BOOTH WITH DRY EXHAUST FILTERS, AN ATTACHED DRYING BOOTH WITH A 1.075 MMBTU/HR NATURAL GAS-FIRED DRYING BURNER AND AN ENCLOSED SPRAY GUN CLEANER

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann I or 20% opacity. [District Rule 4101]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
6. All painting, including application of primer, shall be conducted inside the booth with filters in place, fan(s) operating, and doors closed. [District Rule 2201]
7. The VOC Regulatory content of coatings, as applied shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rules 2201 and 4612]
8. Only high-volume low-pressure (HVLP) spray equipment, electrostatic, brush, dip, or roll coating application equipment, or other application equipment approved by the District in writing, shall be used. All application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4612]
9. If an HVLP spray gun is used, the operator must demonstrate that the spray gun operates between 0.1 and 10 pounds per square inch, gauge, (psig) air atomizing pressure, measured dynamically at the center of the air cap and at the air horns. For a gun permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall either be in the form of manufacturer's published technical information or by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. For a gun not permanently labeled HVLP by the manufacturer, a satisfactory demonstration shall be based on manufacturer's published technical material and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612]
10. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612]
11. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612]
13. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612]
14. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612]
15. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612]
16. The particulate matter (PM10) emission rate shall not exceed 23.3 lb/day. [District Rule 2201]
17. The VOC emission rate from this unit shall not exceed 99.0 lb/day. [District Rule 2201]
18. VOC emissions from this facility shall not exceed 149 pounds per day. [District Rule 2201]
19. Emissions from the burner shall not exceed any of the following limits: 0.10 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201]
20. Only PUC quality natural gas, or LPG shall be used as fuel. [Rule 2201]
21. No coatings, solvents, or additives containing nickel compounds shall be used. [District Rule 4102]
22. No coatings, solvents, or additives containing lead compounds shall be used. [District Rule 4102]
23. No coatings, solvents, or additives containing chromium compounds shall be used. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-1080-9-0

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (UNDERCOATING OPERATION) WITH AIRLESS SPRAY GUN(S) AND AN ENCLOSED SPRAY GUN CLEANER

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. The VOC Regulatory content of coatings, as applied, shall not exceed any of the following limits: adhesion promoter 540 g/l (4.5 lb/gal), clear coating 250 g/l (2.1 lb/gal), color coating 420 g/l (3.5 lb/gal), multi-color coating 680 g/l (5.7 lb/gal), pretreatment coating 660 g/l (5.5 lb/gal), primer 250 g/l (2.1 lb/gal), primer sealer 250 g/l (2.1 lb/gal), single-stage coating 340 g/l (2.8 lb/gal), temporary protective coating 60 g/l (0.5 lb/gal), underbody coating 430 g/l (3.6 lb/gal), uniform finish coating 540 g/l (4.5 lb/gal), and any other coating type 250 g/l (2.1 lb/gal). The VOC Regulatory content for coatings shall be defined as the VOC in grams per liter of coating (or pounds per gallon of coating), excluding water and exempt compounds. [District Rule 4612]
4. For solvent cleaning operations other than for bug and tar removal, the permittee shall not use solvents that have VOC content greater than 25 g/l (0.21 lb/gal) of cleaning material. [District Rule 4612]
5. For bug and tar removal, the permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612]
6. All fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners shall be stored in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4612]
7. The permittee shall maintain and have available at all times the following: a current list of all coatings used that includes the material name and manufacturer, application method, coating type and mix ratio specific to the coating, and the VOC Actual for Coatings and VOC Regulatory for Coatings as applied; current manufacturer specification sheets, material safety data sheets (MSDS), technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating and automotive coating components; and purchase records identifying the coating type, name, and volume of coatings bought. [District Rule 4612]
8. The permittee shall keep the following records for each solvent used for cleaning activities: the quantity of solvent used; a copy of the manufacturer's product data or material safety data sheet (MSDS); the solvent's name and manufacturer, the VOC content of the solvent in grams/liter or pounds/gallon, and the mix ratio and VOC content of the batch when the solvent is a mixture of different materials blended by the permittee. [District Rule 4612]
9. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4612]

These terms and conditions are part of the Facility-wide Permit to Operate.

Scelzi Enterprises, Inc.
Facility # C-1080
Project #C-1122967

Attachment D

Template Qualification Form


Title V General Permit Template Qualification Form
for
Facility-wide Umbrella General Permit Template

District facility ID # C-1080

To use this template, remove this sheet and attach to application. The conditions outlined in this template will be placed on your Title V permit.

Any facility may use this facility-wide template as part of its Title V application.

Based on information and belief formed after reasonable inquiry: 1) the information on this form is true and correct and 2) the facility certifies compliance with this template's permit conditions.



Signature of Responsible Official

11/29/2013

Date

Mike M. Scelzi

Name of Responsible Official (Please Print)