SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
Title V Permit Summary

AQMD Facility ID: 117290	Company Name: B BRAUN MECICAL, INC		
Equipment Location: 2525 MCGAW AVE.			SIC Code: 2834
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected: ALL	
Application #(s): 454384	Application Submittal Date(s): 03/08/06		
AQMD Contact Person: TRACY NGUYEN	Phone #: (909) 396-2427	E-Mail Address: tnguyen1@aqmd.gov	

Project Description: This is an existing facility, applying for a renewal to their Title V permit. This facility manufactures medical intravenous (IV) bags and solutions. This facility operates one plate cleaning system, one plastic extruding system, two gas turbine cogeneration systems, two selective catalytic reduction systems, one boiler, three emergency internal combustion engines and other supporting equipment.

Permit Type: ☐ Initial Title V Permit ☐ Significant Revision
☒ Permit Renewal

Permit Features:
- ☐ Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements
- ☐ Permit Shield Applies
- ☐ Permit Contains Conditions Allowing Emission Trading
- ☐ Alternative Operating Scenario
- ☐ Permit Streamlines Overlapping or Outdated Requirements
- ☐ Other: _____
- ☐ Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance

Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2003-04

☐ No TACs Reported
☒ TACs Reported:

TACs Reported:	Emissions (lbs/yr):	TACs Reported:	Emissions (lbs/yr):
1,3-Butadiene	0.564	Formaldehyde	477.918
Ammonia	12970.523	Lead	0.01
Arsenic	0.002	Naphthalene	0.916
Benzene	8.641	Nickel	0.004
Cadmium	0.001	PAH	0.654
Chromium	< 0.001		

Health Risk From Toxic Air Contaminants:
- ☐ Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____
- ☐ Health Risk Assessment Required for this Permit Action (AQMD Rule 1401)
- ☐ Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588)
  - ☐ Facility Determined to be Exempt from AB2588 Requirements
  - ☒ AQMD is Tracking Status of Facility under AB2588
  - ☐ Health Risk Assessment Submitted to AQMD and Is Being Reviewed
  - ☐ Final Facility Health Risk Approved (date) _____
    - Cancer Risk =
    - Acute Hazard Index = _____
    - Chronic Hazard Index = _____

Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2006-07

☒ NOX	10.2	☒ PM	2.472
☒ CO	6.857	☒ SOX	0.22
☒ VOC	17.11	9.809	

Compliance History:
- ☐ Citizen Complaints Filed in Last Two Calendar Years (# 0)
- ☐ Notices to Comply Issued in Last Two Calendar Years (# 0)
- ☐ Notices of Violation Issued in Last Two Calendar Years (# 0)

Comments: