NATIVE SOIL STOCKPILE SAMPLING
MAYWOOD RIVERFRONT PARK PROJECT
MAYWOOD, CALIFORNIA

Prepared for:

THE CITY OF MAYWOOD
4319 SLAUSON AVE
MAYWOOD, CA 90270

Prepared by:

T N & Associates, Inc.
Engineering and Science

317 E. Main Street
Ventura, CA 93001

AUGUST 2007

NATIVE SOIL STOCKPILE SAMPLING
MAYWOOD RIVERFRONT PARK PROJECT
MAYWOOD, CALIFORNIA

Prepared for:

THE CITY OF MAYWOOD
4319 SLAUSON AVE
MAYWOOD, CA 90270

Approved by: _____ 08-24-07

Jacques Marcillac, P.G.
TN&A Project Manager

Date

REGISTERED GEOLOGIST
JACQUES A. MARCILLAC
No. 7421
STATE OF CALIFORNIA

TN&A TN & Associates, Inc.
Engineering and Science

317 E. Main Street
Ventura, CA 93001

Table of Contents

1.0 INTRODUCTION 1
1.1 PROJECT BACKGROUND 1
2.0 SUMMARY OF SAMPLING AND ANALYSES 1
2.1 SOIL SAMPLING 1
2.2 SAMPLE ANALYSES 2
2.3 ANALYTICAL RESULTS 2
3.0 SUMMARY AND CONCLUSIONS 2

Figures

Figure 1 Maywood Riverfront Park Stockpile Location
Figure 2 Maywood Riverfront Park Native Soil Stockpile Sampling Locations

Tables

Table 1 Summary of Detected Analytes, Native Soil Stockpile, Maywood Riverfront Park

Photographs

Photograph 1 View of Native Soil Pile, June 20th, 2007
Photograph 2 View of Native Soil Pile with Sampling Grid, June 20th, 2007

Appendices (CD-ROM)

Appendix A Laboratory Analytical Reports

1.0 INTRODUCTION

This report has been prepared by TN & Associates (TN&A) on behalf of the City of Maywood to document sampling and analytical services completed for the native soil stockpile (NSP), located on the Maywood Riverfront Park (MRP) property.

The NSP is currently located at the southwest corner of the MRP near 60th Street and Walker Avenue (Figure 1). The NSP is roughly 75 ft wide and 170 ft long. TN&A estimated the volume of stockpile at the site on May 9th, 2007. The total NSP volume was estimated at 4,427 cubic yards, calculated by the average end area method. The sampling activities detailed in this report occurred on June 20, 2007. The quantity of samples and analyses were selected by using the Department of Toxic Substance Control (DTSC) *Informational Advisory, Clean Imported Fill Material*, October 2001. All soil sampling was done in accordance with TN&A standard operating procedures (SOPs) No's. SOP007D and SOP0101C. The following sections summarize the sampling event and data.

1.1 PROJECT BACKGROUND

The currently completed portion of the MRP was constructed from March 2005 through April 2006. The southern portion of the MRP, beginning in the southern part of the former Pemaco property and including the former Catellus and Lubricating Oil Services properties, was rough graded, but not completed due to the on-going clean-up activities at the Pemaco site. This area has been fenced and is currently used for the United States Environmental Protection Agency (USEPA) and W.W. Henry treatment system above ground infrastructure as well as stockpile areas for the unused imported certified clean fill material as well as the NSP, which was surplus shallow soil from park grading activities. The majority of the material in the NSP is from the former Precision Arrow and W.W. Henry properties. The certified clean pile was constructed nearest to Walker Avenue and the NSP was constructed north of the W.W. Henry treatment compound (Figure 1). Photos #1 and #2 depict an overview of the soil pile, and sampling grid, respectively.

2.0 SUMMARY OF SAMPLING AND ANALYSES

2.1 SOIL SAMPLING

On June 20th, 2007, a sampling grid was applied to the approximately 4,500 cubic yard NSP, dividing the pile into 11 cells of roughly equal area. Samples were collected from the center of each of the 11 cells using a hand auger advanced to approximately 3 feet below the pile surface. Soil samples were collected from the hand auger, and prepared in the field using EPA Method 5035/8260B Easy Draw© method for volatile organic compound (VOC) analyses, and certified-clean jars for the remaining analyses. Each sample container was immediately labeled with and identification number ("MRP-NSP-01" through -12) and placed on ice in a cooler for transporting to Calscience Environmental Laboratories, Inc. (Calscience), a State-certified laboratory under chain-of-custody manifestation. Grid cells and approximate sample locations are depicted on Figure 2.

Additional samples were collected for quality assurance/quality control (QA/QC) purposes. One duplicate soil sample from grid MRP-NSP-10 (identified as sample MRP-NSP-12) was

collected and one soil matrix spike/matrix spike duplicate sample (sample MRP-NSP-03) were collected.

2.2 SAMPLE ANALYSES

The 11 primary soil samples and two QA/QC samples were submitted to CalScience Analytical Laboratories for analysis. The soil samples were analyzed for total petroleum hydrocarbons as gasoline and diesel (TPH-g and TPH-d, respectively) by EPA Method 8015; VOCs by EPA Method 8021/8260B; semi-volatile organic compounds (SVOCs) by EPA Method 8270C; poly-chlorinated biphenyls (PCBs) by EPA Method 8082/8080A; pesticides by EPA Method 8081; Title 22 metals by EPA Method 6010B/7000; and for herbicides by EPA Method 8151A.

2.3 ANALYTICAL RESULTS

No concentrations of TPH-g, pesticides or herbicides were detected above method reporting limits in any of the field or QA/QC samples. Trace VOC concentrations were detected at levels very near laboratory reporting limits in each of the soil samples collected and the field duplicate. Trace SVOC concentrations were detected in three of the soil samples (MRP-NSP-08, -10, and -11) at estimated concentrations below the laboratory reporting limit. TPH-d (ranging from 6.4 to 290 mg/kg), and Title 22 metals were detected in each of the 12 soil samples, and the PCB Aroclor-1254 ranging from 0.011 mg/kg to 0.50 mg/kg was detected in all but two of the soil samples. A summary of the detected analytes from the stockpile samples are summarized in Table 1. Copies of the laboratory analytical reports and chains-of-custody are included in Appendix A.

3.0 SUMMARY AND CONCLUSIONS

The analytical data from the NSP soil samples was compared to site-specific preliminary remediation goal (SSPRG) values developed in consultation with the USEPA for the MRP project. These SSPRGs are chemical specific concentrations that are protective of human health for future park users. The derivation of the SSPRGs are detailed in the MRP Risk Assessment (TN&A, 2002) and the MRP Remedial Action Plan (TN&A, 2005). For additional comparison, the data was also evaluated against USEPA Region IX PRGs for industrial and residential soils. The USEPA soil PRGs are very conservative generic threshold levels that are protective of human health for direct soil exposure. These comparisons are summarized in Table 1.

None of the soil analytical results exceeded any of the SSPRG's or PRG values for industrial soils. Samples from three of the eleven grids exceeded USEPA Region IX PRGs for residential soils. Samples MRP-NSP-08, MRP-NSP-10, and MRP-NSP-11 exceeded the generic USEPA Region IX PRG for the compound benzo(a)pyrene (0.06 mg/kg) with detections of 0.13 mg/kg, 0.27 mg/kg, and 0.12 mg/kg, respectively. In addition, one detection of the PCB Aroclor-1254 at 0.50 mg/kg (0.270 mg/kg in the duplicate) in the sample from MRP-NSP-10 exceeded the USEPA Region IX PRG value of 0.22 mg/kg.

In conclusion, the trace levels of compounds detected in the NSP soils is typical of surficial soils in a historically industrial/urban setting. As indicated by the available data, the NSP soils do not pose a significant health risk to park users when compared to the SSPRGs developed for the MRP project. In addition, sampling indicates that the levels of detected compounds in

the NSP are below all Region IX PRGs for industrial soils and that approximately 75% of the material sampled is below USEPA Region IX residential PRGs.

Figures

LEGEND:

- DAB-5 — EXTRACTION WELL SCREENED THROUGH BOTH 'A' AND 'B' ZONES
- DA-1 DB-1 — EXTRACTION WELL WITH INDIVIDUAL SCREENS FOR THE 'A' AND 'B' ZONES
- P1-D — PERCHED ZONE WELL
- B-6 — PEMACO WELL, MONITORING WELL, PERCHED ZONE (<35 FEET BGS.)
- MW-2 — PEMACO WELL, MONITORING WELL, EXPOSITION AQUIFER
- RW-01 — PEMACO WELL, RECOVERY WELL LOCATION
- WW-MW-5 — W.W. HENRY WELL, EXISTING GROUNDWATER MONITORING WELL
- VE-6 — W.W. HENRY WELL, EXISTING DPE WELL – DEEP, INTERMEDIATE AND SHALLOW
- VE-3 — W.W. HENRY WELL, EXISTING SVE WELL
- ELECTRICITY LINE

EXISTING UTILITIES:

- WATER LINE
- SEWER LINE
- GAS LINE

0 40 80
APPROXIMATE SCALE IN FEET

MAYWOOD RIVERFRONT PARK STOCKPILE LOCATION

PEMACO SUPERFUND SITE
5050 EAST SLAUSON AVENUE
MAYWOOD, CALIFORNIA

PREPARED FOR:	PREPARED BY:
City of Maywood, California	TN & A — T N & Associates, Inc. Engineering and Science

SCALE: AS SHOWN	APPROVED	DATE: 07/16/07
DESIGNED: DC DRAWN: DC CHECKED: JM	FINAL	DRAWING 1 — REV 1



LEGEND:

- MRP-NSP-01 — SOIL STOCKPILE SAMPLE LOCATION
- DAB-5 — EXTRACTION WELL SCREENED THROUGH BOTH 'A' AND 'B' ZONES
- DA-1 DB-1 — EXTRACTION WELL WITH INDIVIDUAL SCREENS FOR THE 'A' AND 'B' ZONES
- P15-D — PERCHED ZONE WELL
- B-8 — PEMACO WELL, MONITORING WELL, PERCHED ZONE (<35 FEET BGS.)
- MW-2 — PEMACO WELL, MONITORING WELL, EXPOSITION AQUIFER
- RW-01 — PEMACO WELL, RECOVERY WELL LOCATION
- WW-MW-5 — W.W. HENRY WELL, EXISTING GROUNDWATER MONITORING WELL
- VW-6 — W.W. HENRY WELL, EXISTING DPE WELL – DEEP, INTERMEDIATE AND SHALLOW
- VE-3 — W.W. HENRY WELL, EXISTING SVE WELL
- ELECTRICITY LINE

EXISTING UTILITIES:

- WATER LINE
- SEWER LINE
- GAS LINE

NOTES:

1. THE SOIL STOCKPILE IS CURRENTLY LOCATED AT THE SOUTHWEST CORNER OF THE MAYWOOD RIVERFRONT PARK NEAR 60TH STREET AND WALKER AVENUE. THE STOCKPILE IS ROUGHLY 75 FT WIDE AND 170 FT LONG. TN&A MEASURED THE VOLUME OF STOCKPILE AT THE SITE ON 9TH MAY, 2007. THE TOTAL STOCKPILE VOLUME IS APPROXIMATELY 4,427 CY. TOTAL AREA OF SOIL STOCKPILE IS APPROXIMATELY 9,732 SF.
2. THE STOCKPILE SAMPLING ANALYSIS METHODS AND THE NUMBER OF SAMPLES ARE REQUIRED ACCORDING TO THE DEPARTMENT OF TOXIC SUBSTANCES CONTROL 2001 FACT SHEET - INFORMATION ADVISORY, CLEAN IMPORTED FILL MATERIAL (DTSC, OCTOBER 2001). TOTAL OF ELEVEN (11) SOIL SAMPLES IS REQUIRED BY THE DTSC - CLEAN IMPORTED FILL MATERIAL VOLUME REQUIREMENTS.
3. SAMPLING LOCATIONS WITHIN THE STOCKPILE ARE DETERMINED USING A GRID SAMPLING APPROACH. EXACT SAMPLE LOCATIONS AND DEPTH WILL BE DETERMINED IN THE FIELD BECAUSE OF UNEVEN TERRAIN AND PRESENCE OF OTHER OBSTRUCTIONS.

0 20 40
APPROXIMATE SCALE IN FEET

MAYWOOD RIVERFRONT PARK
NATIVE SOIL STOCKPILE SAMPLING LOCATIONS

PEMACO SUPERFUND SITE
5050 EAST SLAUSON AVENUE
MAYWOOD, CALIFORNIA

PREPARED FOR:	PREPARED BY:
City of Maywood, California	TN & A — T N & Associates, Inc. Engineering and Science

SCALE: AS SHOWN	APPROVED FINAL	DATE: 07/13/07	
DESIGNED: DC		DRAWING 2	REV 1
DRAWN: DC			
CHECKED: JM			

Tables

Table 1
Summary of Detected Analytes, Native Soil Stockpile
Maywood Riverfront Park, Maywood, CA

		Analyte:	**1,1,1-Trichloroethane**	**1,2,4-Trimethylbenzene**	**2-Butanone**	**Acetone**	**Benzene**	**Carbon disulfide**	**Ethylbenzene**	***m,p*-Xylene**	**Tetrachloroethene**	**Toluene**	**Total Petroleum Hydrocarbons as diesel**	**PCB-1254 (Aroclor 1254)**
		Units:	µg/kg										mg/kg	mg/kg
		Method:	EPA 8260B										EPA 8015B(M)	EPA 8082
		Maywood Riverfront Park SSPRG:	1,400,000	--	--	--	4,610	--	--	--	22,500	--	--	1.57
		Region 9 Industrial Soil PRG:	1,200,000	170,000	110,000,000	54,000,000	1,400	720,000	400,000	420,000	1,300	520,000	--	0.74
		Region 9 Residential Soil PRG:	1,200,000	51,608	22,311,198	14,126,571	650	355,340	395,000	270,631	480	520,000	--	0.22
Sample ID	**Sample Type**	**Sample Date**												
MRP-NSP-01	N	6/20/2007	< 1	**0.19**	< 20	**26**	**2.1**	**0.31**	**0.21**	**0.34**	< 1	**1.5**	**11**	**0.050**
MRP-NSP-02	N	6/20/2007	< 0.97	< 1.9	< 19	**30**	**2.5**	**0.68**	< 0.97	**0.23**	< 0.97	**1.2**	**15**	**0.011**
MRP-NSP-03	N	6/20/2007	< 0.91	< 1.8	< 18	**20**	**2**	**0.91**	< 0.91	< 1.8	< 0.91	**1.1**	**14**	**0.016**
MRP-NSP-04	N	6/20/2007	< 0.87	< 1.7	< 17	**15**	**1.8**	**0.47**	< 0.87	**0.19**	< 0.87	**0.94**	**6.4**	<0.050
MRP-NSP-05	N	6/20/2007	< 0.92	< 1.8	< 18	**24**	**1.8**	**0.39**	< 0.92	< 1.8	**0.21**	**0.87**	**17**	<0.050
MRP-NSP-06	N	6/20/2007	< 0.98	< 2	< 20	**24**	**2.1**	**0.48**	< 0.98	**0.23**	**0.21**	**1.2**	**290**	**0.025**
MRP-NSP-07	N	6/20/2007	< 1	< 2	< 20	**24**	**2.3**	**0.78**	< 1	< 2	< 1	**1.2**	**35**	**0.086**
MRP-NSP-08	N	6/20/2007	**0.46**	**0.15**	**11**	**73**	**1.9**	**1.4**	< 0.92	**0.26**	**0.77**	**1.1**	**87**	**0.018**
MRP-NSP-09	N	6/20/2007	< 0.85	< 1.7	< 17	**26**	**0.89**	**0.72**	< 0.85	< 1.7	< 0.85	**0.47**	**130**	**0.012**
MRP-NSP-10	N	6/20/2007	**0.34**	<1.9	< 19	**59**	**1.6**	**2.4**	< 0.97	< 1.9	**0.21**	**0.69**	**35**	**0.500**
MRP-NSP-12 (-10)	FD	6/20/2007	< 0.91	<1.8	< 18	**39**	**1.3**	**1.7**	< 0.91	< 1.8	< 0.91	**0.66**	**26**	**0.270**
MRP-NSP-11	N	6/20/2007	**0.7**	<1.9	< 19	**25**	**1.6**	**1.4**	< 0.97	< 1.9	**0.95**	**0.8**	**51**	**0.022**

Notes:
< 1 - not detected above the stated reporting limit
* The method blank contained selenium at a concentration of 0.357 mg/kg.
Bolded results indicate positive detections.

Acronyms and Abbreviations:
µg/kg - microgram per kilogram
mg/kg - milligram per kilogram
"N" - normal field sample
"FD" - field duplicate sample
SSPRG - site specific preliminary remediation goal
PRG - preliminary remediation goal

Table 1 Continued
Summary of Detected Analytes, Native Soil Stockpile
Maywood Riverfront Park, Maywood, CA

		Analyte:	1,2,4-Trichlorobenzene	1,4-Dichlorobenzene	Anthracene	Benzo(a)anthracene	Benzo(*a*)pyrene	Benzo(*b*)fluoranthene	Benzo(*k*)fluoranthene	Chrysene	Fluoranthene	Naphthalene	Phenanthrene	Pyrene
		Units:	mg/kg											
		Method:	EPA 8270C											
		Maywood Riverfront Park SSPRG:	--	--	--	5.29	0.53	5.29	5.29	52.9	--	205	--	--
		Region 9 Industrial Soil PRG:	220	7.9	100,000	2.1	0.21	2.1	21	210	22,000	190	--	29,000
		Region 9 Residential Soil PRG:	62.16	3.45	21,896	0.62	0.062	0.62	6.2	62	2,294	56	--	2,316
Sample ID	**Sample Type**	**Sample Date**												
MRP-NSP-01	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-02	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-03	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-04	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-05	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-06	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-07	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-08	N	6/20/2007	< 0.5	< 0.5	< 0.5	**0.14**	**0.13**	< 0.5	< 0.5	**0.17**	**0.3**	< 0.5	< 0.5	**0.65**
MRP-NSP-09	N	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MRP-NSP-10	N	6/20/2007	< 0.5	< 0.5	**0.19**	**0.47**	**0.27**	**0.3**	**0.29**	**0.49**	**1.2**	< 0.5	**0.56**	**1.8**
MRP-NSP-12 (-10)	FD	6/20/2007	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	**0.15**
MRP-NSP-11	N	6/20/2007	**0.34**	**0.34**	< 0.5	< 0.5	**0.12**	< 0.5	< 0.5	**0.14**	**0.16**	**0.34**	< 0.5	**0.41**

Notes:
< 1 - not detected above the stated reporting limit
* The method blank contained selenium at a concentration of 0.357 mg/kg.
Bolded results indicate positive detections.

Acronyms and Abbreviations:
µg/kg - microgram per kilogram
mg/kg - milligram per kilogram
"N" - normal field sample
"FD" - field duplicate sample
SSPRG - site specific preliminary remediation goal
PRG - preliminary remediation goal

Table 1 Continued
Summary of Detected Analytes, Native Soil Stockpile
Maywood Riverfront Park, Maywood, CA

		Analyte:	Mercury	Arsenic	Barium	Beryllium	Cadmium	Chromium, Total	Cobalt	Copper	Lead	Molybdenum	Nickel	Selenium*	Vanadium	Zinc
		Units:	mg/kg	mg/kg												
		Method:	EPA 7471A	EPA 6010B												
		Maywood Riverfront Park SSPRG:	--	30.3	--	--	--	--	--	--	400	--	--	--	--	--
		Region 9 Industrial Soil PRG:	--	1.6	67,000	1,900	450	450	1,900	41,000	800	5,100	20,000	5,100	1,000	100,000
		Region 9 Residential Soil PRG:	--	0.39	5,375	154.37	37.03	210.68	902.89	3,129	400	391.07	1,564	391.07	78.21	23,463
Sample ID	**Sample Type**	**Sample Date**														
MRP-NSP-01	N	6/20/2007	**0.0501**	**7.93**	**120**	**0.473**	< 0.5	**22.3**	**12.8**	**33.5**	**11.7**	< 0.25	**18.5**	< 0.75	**39.9**	**67.3**
MRP-NSP-02	N	6/20/2007	**0.0514**	**3.57**	**102**	**0.36**	**0.237**	**17.1**	**10.9**	**24.3**	**15.8**	**0.871**	**14.2**	**0.361**	**34.3**	**60.4**
MRP-NSP-03	N	6/20/2007	**0.0499**	**5.37**	**121**	< 0.25	< 0.5	**17.5**	**9.51**	**23.9**	**21.5**	< 0.25	**15.5**	< 0.75	**33.6**	**67.3**
MRP-NSP-04	N	6/20/2007	**0.0501**	**4.65**	**113**	**0.397**	< 0.5	**17.8**	**11.4**	**24.9**	**14.7**	**0.144**	**14.3**	**0.201**	**34.9**	**63.6**
MRP-NSP-05	N	6/20/2007	**0.0496**	**4.94**	**132**	**0.404**	< 0.5	**18.8**	**11.6**	**26.5**	**22.5**	< 0.25	**15.5**	< 0.75	**35.9**	**65.2**
MRP-NSP-06	N	6/20/2007	**0.0645**	**3.75**	**126**	**0.416**	< 0.5	**18.7**	**11.6**	**28.5**	**91**	**0.28**	**14.3**	**0.245**	**37.3**	**90.6**
MRP-NSP-07	N	6/20/2007	**0.304**	**3.08**	**126**	**0.379**	< 0.5	**16.5**	**11.3**	**22.8**	**49.1**	**0.076**	**13.5**	< 0.75	**34.4**	**82.7**
MRP-NSP-08	N	6/20/2007	**0.0341**	**4.56**	**119**	**0.369**	< 0.5	**16.6**	**10.5**	**23.3**	**58.7**	**0.4**	**13.4**	< 0.75	**33.4**	**74.9**
MRP-NSP-09	N	6/20/2007	**0.0912**	**9.92**	**115**	**0.393**	< 0.5	**17.1**	**10.4**	**55.2**	**31.1**	**0.372**	**14.2**	< 0.75	**35.5**	**72.5**
MRP-NSP-10	N	6/20/2007	**0.0498**	**3.24**	**129**	**0.328**	**0.0568**	**15**	**9.82**	**21.3**	**63.4**	**0.288**	**12.5**	< 0.75	**30.1**	**85.3**
MRP-NSP-12 (-10)	FD	6/20/2007	**0.0392**	**3.01**	**117**	**0.352**	**0.0249**	**16.8**	**10.4**	**21.6**	**69**	**0.267**	**12.9**	**0.316**	**32.9**	**80**
MRP-NSP-11	N	6/20/2007	**0.0529**	**21.6**	**119**	**0.346**	< 0.5	**16**	**10.5**	**21.2**	**95.1**	**0.265**	**12.6**	< 0.75	**32.6**	**77.1**

Notes:
< 1 - not detected above the stated reporting limit
* The method blank contained selenium at a concentration of 0.357 mg/kg.
Bolded results indicate positive detections.

Acronyms and Abbreviations:
µg/kg - microgram per kilogram
mg/kg - milligram per kilogram
"N" - normal field sample
"FD" - field duplicate sample
SSPRG - site specific preliminary remediation goal
PRG - preliminary remediation Goal

Photographs

Photo 1: View of native soil pile on-site, looking northwest, adjacent to treatment compound. June 20th, 2005.



Photo 2: View of native soil pile, looking south, after completion of sample grid layout. Perimeter of pile is staked with red flag-tape, while soil sample locations are marked with a green flag.

Appendix A

Laboratory Analytical Reports

Calscience Environmental Laboratories, Inc.

July 03, 2007

Ewelina Mutkowska
TN & Associates
Engineering & Science
317 East Main Street
Ventura, CA 93001-2624

Subject: **Calscience Work Order No.: 07-06-1559**
Client Reference: Maywood Riverfront Park / 2007047.01.0101

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/20/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Virendra R Patel

Calscience Environmental
Laboratories, Inc.
Virendra Patel
Project Manager

Calscience Environmental Laboratories, Inc.

Case Narrative for 07-06-1559

Sample Condition on Receipt

Twelve soil samples were received as part of this Work Order on June 20, 2007. The samples were transferred to the laboratory in an ice-chest following strict chain-of-custody procedures. The temperature (4.5°C) of the samples were measured upon arrival in the laboratory and were within acceptable limits. The samples were logged into the Laboratory Information Management System (LIMS), given laboratory identification numbers, and stored in refrigeration units pending analysis.

The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in it entirety.

Data Summary

The samples included in this report were analyzed in accordance with the attached chain-of-custody (COC) records. Data is presented on a dry weight basis.

Holding Times

All holding time requirements were met.

Calibration

Frequency and control criteria for initial and continuing calibration verifications were met.

Blanks

The method blank data showed non-detectable levels, with the exception of select constituents. Please see Table A below for details.

Table A: Trace levels present in associated method blanks	
EPA Method 6010B	
Batch #	Analyte(s)
070621L10	Antimony, Cobalt, Copper, Lead, Nickel, Selenium, Vanadium
EPA Method 8260B	
Batch #	Analyte(s)
070623L02	Methylene Chloride, Naphthalene

Calscience Environmental Laboratories, Inc.

Case Narrative for 07-06-1559

Reportable concentrations on the associated batch of samples have been flagged with a “B” qualifier, indicating blank contamination. Therefore, the results have been released without any further action or qualification.

Matrix Spikes

Matrix Spikes (MS) and Matrix Spike Duplicates (MSD) were performed at required frequencies. All recoveries were within acceptable limits, with the exception of specific analytes by EPA Method 6010B, EPA 8270C and EPA 8260B. Please see Table B for details.

Table B: Matrix Spike / Matrix Spike Duplicate outside acceptable limits	
EPA Method 6010B	
Batch #	Analyte(s)
070621S10	Barium‡
EPA Method 8270C	
Batch #	Analyte(s)
070621S13	Pyrene
EPA Method 8260B	
Batch #	Analyte(s)
070623S02	1,2-Dichlorobenzene, Toluene*, Trichloroethene*, Tert-Butyl Alcohol (TBA), Diisopropyl Ether (DIPE), Ethyl-t-Butyl Ether (ETBE), Tert-Amyl-Methyl Ether (TAME),

‡: The recoveries for these elements were outside the QC limits due to the sample concentrations exceeding the spike concentration by a factor of four or greater. These recoveries have been flagged with a “Q” qualifier.
*The relative percent difference (RPD) are outside acceptable limits. These recoveries have been flagged with a “4” qualifier.

Laboratory Control Samples

The Laboratory Control Sample (LCS) analyses were performed at the required frequencies. All recoveries were within acceptable limits.

Surrogates

Surrogate recoveries for all samples were within acceptable control limits.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
Sample Summary Report

WORK ORDER #: **07-06-1559** **QAPP:** **0000**

#	Client Sample ID	Matrix	Date Collected	NoC	Comment
1	MRP-NSP-01	S	06/20/2007	4	
2	MRP-NSP-02	S	06/20/2007	4	
3	MRP-NSP-03	S	06/20/2007	12	
4	MRP-NSP-04	S	06/20/2007	4	
5	MRP-NSP-05	S	06/20/2007	4	
6	MRP-NSP-06	S	06/20/2007	4	
7	MRP-NSP-07	S	06/20/2007	4	
8	MRP-NSP-08	S	06/20/2007	4	
9	MRP-NSP-09	S	06/20/2007	4	
10	MRP-NSP-10	S	06/20/2007	4	
11	MRP-NSP-11	S	06/20/2007	4	
12	MRP-NSP-12	S	06/20/2007	4	

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 07 - 06 - 1559

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: TN&A **DATE:** 6/20/07

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- ____ Chilled, cooler with temperature blank provided.
- ____ Chilled, cooler without temperature blank.
- ✓ Chilled and placed in cooler with wet ice.
- ____ Ambient and placed in cooler with wet ice.
- ____ Ambient temperature.

4.5 °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- ____ °C Temperature blank.
- ____ °C IR thermometer.
- ____ Ambient temperature.

Initial: [illegible]

CUSTODY SEAL INTACT:

Sample(s): ____ Cooler: ____ No (Not Intact) : ____ Not Present: ✓

Initial: [illegible]

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sampler's name indicated on COC	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers and volume for analyses requested	✓		
Proper preservation noted on sample label(s)			✓
VOA vial(s) free of headspace.			✓
Tedlar bag(s) free of condensation			✓

Initial: [illegible]

COMMENTS:

Sample (-3) has 3 sets of Encores [illegible] 6/20/07

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date 06/20/07

Page 1 of 2

MAYWOOD RIVERFRONT PARK

LABORATORY CLIENT: TN & Assoc, Inc

ADDRESS: 317 E MAIN ST

CITY: VENTURA STATE: CA ZIP: 93001

TEL: (805) 585-6391 E-MAIL: emutkowska@tnainc.com

CLIENT PROJECT NAME / NUMBER: ~~PEMACO~~

P.O. NO.: 2007047.01 0101

PROJECT CONTACT: EWELINA MUTKOWSKA

LAB USE ONLY: 06-1559

SAMPLER(S): (PRINT) HARVINDER KEILA, MARK WANAK

COELT LOG CODE

COOLER RECEIPT TEMP = ____ °C

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐

SPECIAL INSTRUCTIONS:
- HERBICIDES = 10 DAY TAT
- PEMACO EDDS
- LEVEL III DATA PACKAGE

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or ____	BTEX / MTBE (8260B) or ____	OXYGENATES (8260B)	VOCs (8260B)	5035 ~~ENCORE PREP~~ EASY/DRAW	SVOCs (8270C)	PEST (8081A)	PCBs (8082) / 8080A	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	HERBICIDES 8151A				
1	MRP-NSP-01		June 20/07	1530	S	4	X	X			X	X	X	X	X	X				X				
2	MRP-NSP-02		6/20/07	1415	S	4	X	X			X	X	X	X	X	X				X				
3	MRP-NSP-03	MS/MSD	6/20/07	1350	S	4	X	X			X	X	X	X	X	X				X				
4	MRP-NSP-04		6/20/07	1420	S	4	X	X			X	X	X	X	X	X				X				
5	MRP-NSP-05		6/20/07	1430	S	4	X	X			X	X	X	X	X	X				X				
6	MRP-NSP-06		6/20/07	1545	S	4	X	X			X	X	X	X	X	X				X				
7	MRP-NSP-07		6/20/07	1525	S	4	X	X			X	X	X	X	X	X				X				
8	MRP-NSP-08		6/20/07	1445	S	4	X	X			X	X	X	X	X	X				X				
9	MRP-NSP-09		6/20/07	1500	S	4	X	X			X	X	X	X	X	X				X				
10	MRP-NSP-10		6/20/07	1510	S	4	X	X			X	X	X	X	X	X				X				

Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date:	Time:
Mark Wanak	[signature]	6/20/7	1610
[signature]	[signature]	6/20/7	1658

DISTRIBUTION: White with final report, Green and Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

05/10/06 Revision

Q&Q Graphic 714-898-9702

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date 06/20/07

Page 2 of 2

LABORATORY CLIENT: TN & Assoc, Inc

ADDRESS: 317 E Main St

CITY: Ventura STATE: CA ZIP: 93001

TEL: 805-585-6391 E-MAIL: emutkowska@tnainc.com

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐

SPECIAL INSTRUCTIONS: HERBICIDES
Pemaco
EDDs, LEVEL III DATA PACKAGE
10 Day TAT - ALL ELSE 5 days.

CLIENT PROJECT NAME / NUMBER: ~~PEMACO~~ MAYWOOD RIVERFRONT PARK

P.O. NO.: 2007047 01 0101

PROJECT CONTACT: Ewelina Mutkowska

LAB USE ONLY: 06-1559

SAMPLER(S): (PRINT) H. KEILA, M. WANAK

COELT LOG CODE

COOLER RECEIPT TEMP = °C

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B)	5035 ~~ENCORE PREP~~ EZ DRAW	SVOCs (8270C)	PEST (8081A)	PCBs (8082) / 8080A	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	Herbicides 8151A				
11	MRP-NSP -11		06/20/07	1535	S	4	X	X			X	X	X	X	X	X				X				
12	MRP-NSP -12		06/20/07	1515	S	4	X	X			X	X	X	X	X	X				X				

Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date:	Time:
Mark Wanak	CEL	6/20/7	1610
	Shen Lama CEL	6/20/7	1655

DISTRIBUTION: White with final report, Green and Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

05/10/06 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B / EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 6010B / EPA 7471A
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 5

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:21:55 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0501	0.0835	0.00130	1	J
Arsenic	7.93	0.750	0.130	1		Molybdenum	ND	0.250	0.0206	1	
Barium	120	0.500	0.164	1		Nickel	18.5	0.250	0.0346	1	B
Beryllium	0.473	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	22.3	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	12.8	0.250	0.00859	1	B	Vanadium	39.9	0.250	0.00934	1	B
Copper	33.5	0.500	0.0469	1	B	Zinc	67.3	1.00	0.177	1	
Lead	11.7	0.500	0.0527	1	B						

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:24:07 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0514	0.0835	0.00130	1	J
Arsenic	3.57	0.750	0.130	1		Molybdenum	0.871	0.250	0.0206	1	
Barium	102	0.500	0.164	1		Nickel	14.2	0.250	0.0346	1	B
Beryllium	0.360	0.250	0.00368	1		Selenium	0.361	0.750	0.175	1	J,B
Cadmium	0.237	0.500	0.00988	1	J	Silver	ND	0.250	0.0209	1	
Chromium	17.1	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	10.9	0.250	0.00859	1	B	Vanadium	34.3	0.250	0.00934	1	B
Copper	24.3	0.500	0.0469	1	B	Zinc	60.4	1.00	0.177	1	
Lead	15.8	0.500	0.0527	1	B						

MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/25/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/26/2007 2:34:47 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0499	0.0835	0.00130	1	J
Arsenic	5.37	0.750	0.130	1		Molybdenum	ND	0.250	0.0206	1	
Barium	121	0.500	0.164	1		Nickel	15.5	0.250	0.0346	1	B
Beryllium	ND	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	17.5	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	9.51	0.250	0.00859	1	B	Vanadium	33.6	0.250	0.00934	1	B
Copper	23.9	0.500	0.0469	1	B	Zinc	67.3	1.00	0.177	1	
Lead	21.5	0.500	0.0527	1	B						

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B / EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 6010B / EPA 7471A
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 5

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:28:26 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0501	0.0835	0.00130	1	J
Arsenic	4.65	0.750	0.130	1		Molybdenum	0.144	0.250	0.0206	1	J
Barium	113	0.500	0.164	1		Nickel	14.3	0.250	0.0346	1	B
Beryllium	0.397	0.250	0.00368	1		Selenium	0.201	0.750	0.175	1	J,B
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	17.8	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	11.4	0.250	0.00859	1	B	Vanadium	34.9	0.250	0.00934	1	B
Copper	24.9	0.500	0.0469	1	B	Zinc	63.6	1.00	0.177	1	
Lead	14.7	0.500	0.0527	1	B						

MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:35:06 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0496	0.0835	0.00130	1	J
Arsenic	4.94	0.750	0.130	1		Molybdenum	ND	0.250	0.0206	1	
Barium	132	0.500	0.164	1		Nickel	15.5	0.250	0.0346	1	B
Beryllium	0.404	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	18.8	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	11.6	0.250	0.00859	1	B	Vanadium	35.9	0.250	0.00934	1	B
Copper	26.5	0.500	0.0469	1	B	Zinc	65.2	1.00	0.177	1	
Lead	22.5	0.500	0.0527	1	B						

MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:37:16 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0645	0.0835	0.00130	1	J
Arsenic	3.75	0.750	0.130	1		Molybdenum	0.280	0.250	0.0206	1	
Barium	126	0.500	0.164	1		Nickel	14.3	0.250	0.0346	1	B
Beryllium	0.416	0.250	0.00368	1		Selenium	0.245	0.750	0.175	1	J,B
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	18.7	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	11.6	0.250	0.00859	1	B	Vanadium	37.3	0.250	0.00934	1	B
Copper	28.5	0.500	0.0469	1	B	Zinc	90.6	1.00	0.177	1	
Lead	91.0	0.500	0.0527	1	B						

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B / EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 6010B / EPA 7471A
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 5

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:39:27 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.304	0.0835	0.00130	1	
Arsenic	3.08	0.750	0.130	1		Molybdenum	0.0760	0.250	0.0206	1	J
Barium	126	0.500	0.164	1		Nickel	13.5	0.250	0.0346	1	B
Beryllium	0.379	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	16.5	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	11.3	0.250	0.00859	1	B	Vanadium	34.4	0.250	0.00934	1	B
Copper	22.8	0.500	0.0469	1	B	Zinc	82.7	1.00	0.177	1	
Lead	49.1	0.500	0.0527	1	B						

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:41:39 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0341	0.0835	0.00130	1	J
Arsenic	4.56	0.750	0.130	1		Molybdenum	0.400	0.250	0.0206	1	
Barium	119	0.500	0.164	1		Nickel	13.4	0.250	0.0346	1	B
Beryllium	0.369	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	16.6	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	10.5	0.250	0.00859	1	B	Vanadium	33.4	0.250	0.00934	1	B
Copper	23.3	0.500	0.0469	1	B	Zinc	74.9	1.00	0.177	1	
Lead	58.7	0.500	0.0527	1	B						

MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:43:51 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0912	0.0835	0.00130	1	
Arsenic	9.92	0.750	0.130	1		Molybdenum	0.372	0.250	0.0206	1	
Barium	115	0.500	0.164	1		Nickel	14.2	0.250	0.0346	1	B
Beryllium	0.393	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	17.1	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	10.4	0.250	0.00859	1	B	Vanadium	35.5	0.250	0.00934	1	B
Copper	55.2	0.500	0.0469	1	B	Zinc	72.5	1.00	0.177	1	
Lead	31.1	0.500	0.0527	1	B						

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B / EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 6010B / EPA 7471A
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 5

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:46:04 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0498	0.0835	0.00130	1	J
Arsenic	3.24	0.750	0.130	1		Molybdenum	0.288	0.250	0.0206	1	
Barium	129	0.500	0.164	1		Nickel	12.5	0.250	0.0346	1	B
Beryllium	0.328	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	0.0568	0.500	0.00988	1	J	Silver	ND	0.250	0.0209	1	
Chromium	15.0	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	9.82	0.250	0.00859	1	B	Vanadium	30.1	0.250	0.00934	1	B
Copper	21.3	0.500	0.0469	1	B	Zinc	85.3	1.00	0.177	1	
Lead	63.4	0.500	0.0527	1	B						

MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:48:17 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0529	0.0835	0.00130	1	J
Arsenic	21.6	0.750	0.130	1		Molybdenum	0.265	0.250	0.0206	1	
Barium	119	0.500	0.164	1		Nickel	12.6	0.250	0.0346	1	B
Beryllium	0.346	0.250	0.00368	1		Selenium	ND	0.750	0.175	1	
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	16.0	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	10.5	0.250	0.00859	1	B	Vanadium	32.6	0.250	0.00934	1	B
Copper	21.2	0.500	0.0469	1	B	Zinc	77.1	1.00	0.177	1	
Lead	95.1	0.500	0.0527	1	B						

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.
-Mercury was analyzed on 6/21/2007 8:50:31 PM with batch 070621L06

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	ND	0.750	0.191	1		Mercury	0.0392	0.0835	0.00130	1	J
Arsenic	3.01	0.750	0.130	1		Molybdenum	0.267	0.250	0.0206	1	
Barium	117	0.500	0.164	1		Nickel	12.9	0.250	0.0346	1	B
Beryllium	0.352	0.250	0.00368	1		Selenium	0.316	0.750	0.175	1	J,B
Cadmium	0.0249	0.500	0.00988	1	J	Silver	ND	0.250	0.0209	1	
Chromium	16.8	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	10.4	0.250	0.00859	1	B	Vanadium	32.9	0.250	0.00934	1	B
Copper	21.6	0.500	0.0469	1	B	Zinc	80.0	1.00	0.177	1	
Lead	69.0	0.500	0.0527	1	B						

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B / EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 6010B / EPA 7471A
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 5 of 5

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-04-007-4,704**	**N/A**	**Solid**	**Mercury**	**06/21/07**	**06/21/07**	**070621L06**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual
Mercury	ND	0.0835	0.00130	1	

Method Blank	**097-01-002-9,444**	**N/A**	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Antimony	0.326	0.750	0.191	1	J	Lead	0.0801	0.500	0.0527	1	J
Arsenic	ND	0.750	0.130	1		Molybdenum	ND	0.250	0.0206	1	
Barium	ND	0.500	0.164	1		Nickel	0.0430	0.250	0.0346	1	J
Beryllium	ND	0.250	0.00368	1		Selenium	0.357	0.750	0.175	1	J
Cadmium	ND	0.500	0.00988	1		Silver	ND	0.250	0.0209	1	
Chromium	ND	0.250	0.0291	1		Thallium	ND	0.750	0.0987	1	
Cobalt	0.0200	0.250	0.00859	1	J	Vanadium	0.0144	0.250	0.00934	1	J
Copper	0.0930	0.500	0.0469	1	J	Zinc	ND	1.00	0.177	1	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	11	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	94	61-145	

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	15	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	101	61-145	

MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	14	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	104	61-145	

MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	6.4	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	104	61-145	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	17	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	100	61-145	

MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	290	100	96	20		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	73	61-145	

MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	35	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	102	61-145	

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	87	25	24	5		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	100	61-145	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	130	25	24	5		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	106	61-145	

MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	35	10	9.6	2		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	105	61-145	

MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	51	10	9.6	2		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	101	61-145	

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624B05**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	26	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	106	61-145	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-275-796**	**N/A**	**Solid**	**GC 23**	**06/24/07**	**06/25/07**	**070624B05**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Diesel	ND	5.0	4.8	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	98	61-145	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5030B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	95	42-126	

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	94	42-126	

MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	94	42-126	

MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	96	42-126	

MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	96	42-126	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5030B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	96	42-126	

MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	92	42-126	

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	89	42-126	

MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	93	42-126	

MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	97	42-126	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5030B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	97	42-126	

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	96	42-126	

Method Blank	**099-12-279-820**	**N/A**	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Units
TPH as Gasoline	ND	0.50	0.42	1		mg/kg

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene - FID	89	42-126	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	88	30-130	

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	110	30-130	

MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	84	30-130	

MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	86	30-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	112	30-130	

MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	79	30-130	

MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	97	30-130	

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	85	30-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	104	30-130	

MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	87	30-130	

MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	84	30-130	

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	97	30-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**095-01-033-653**	**N/A**	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Dalapon	ND	250	16	1		2,4-D	ND	100	15	1	
Dicamba	ND	10	2.2	1		2,4,5-TP (Silvex)	ND	10	1.3	1	
MCPP	ND	10000	1000	1		2,4,5-T	ND	10	1.5	1	
MCPA	ND	10000	1600	1		2,4-DB	ND	100	16	1	
Dichlorprop	ND	100	17	1		Dinoseb	ND	50	5.0	1	

Surrogates:	REC (%)	Control Limits	Qual
2,4-Dichlorophenylacetic acid	85	30-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	79	50-130		2,4,5,6-Tetrachloro-m-Xylene	61	50-130	

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	93	50-130		2,4,5,6-Tetrachloro-m-Xylene	89	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	96	50-130		2,4,5,6-Tetrachloro-m-Xylene	99	50-130	

MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	94	50-130		2,4,5,6-Tetrachloro-m-Xylene	95	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	89	50-130		2,4,5,6-Tetrachloro-m-Xylene	92	50-130	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	92	50-130		2,4,5,6-Tetrachloro-m-Xylene	94	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/24/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	80	50-130		2,4,5,6-Tetrachloro-m-Xylene	89	50-130	

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	85	50-130		2,4,5,6-Tetrachloro-m-Xylene	94	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 5 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	74	50-130		2,4,5,6-Tetrachloro-m-Xylene	84	50-130	

MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	76	50-130		2,4,5,6-Tetrachloro-m-Xylene	85	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 6 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/26/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	83	50-130		2,4,5,6-Tetrachloro-m-Xylene	93	50-130	

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC 37**	**06/22/07**	**06/26/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	94	50-130		2,4,5,6-Tetrachloro-m-Xylene	104	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 7 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-537-80**	**N/A**	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622L09**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Alpha-BHC	ND	5.0	1.5	1		Endrin	ND	5.0	1.0	1	
Gamma-BHC	ND	5.0	1.1	1		Endrin Aldehyde	ND	5.0	0.98	1	
Beta-BHC	ND	5.0	1.3	1		4,4'-DDD	ND	5.0	1.3	1	
Heptachlor	ND	5.0	1.1	1		Endosulfan II	ND	5.0	0.88	1	
Delta-BHC	ND	5.0	1.6	1		4,4'-DDT	ND	5.0	1.6	1	
Aldrin	ND	5.0	1.5	1		Endosulfan Sulfate	ND	5.0	1.3	1	
Heptachlor Epoxide	ND	5.0	0.92	1		Methoxychlor	ND	5.0	0.84	1	
Endosulfan I	ND	5.0	1.8	1		Chlordane	ND	50	20	1	
Dieldrin	ND	5.0	1.1	1		Toxaphene	ND	100	42	1	
4,4'-DDE	ND	5.0	1.5	1		Endrin Ketone	ND	5.0	1.5	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	103	50-130		2,4,5,6-Tetrachloro-m-Xylene	103	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	50	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	63	50-130		2,4,5,6-Tetrachloro-m-Xylene	100	50-130	

MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	11	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	78	50-130		2,4,5,6-Tetrachloro-m-Xylene	110	50-130	

MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	16	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	72	50-130		2,4,5,6-Tetrachloro-m-Xylene	111	50-130	

MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	ND	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	68	50-130		2,4,5,6-Tetrachloro-m-Xylene	102	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	ND	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	61	50-130		2,4,5,6-Tetrachloro-m-Xylene	103	50-130	

MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	25	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	63	50-130		2,4,5,6-Tetrachloro-m-Xylene	106	50-130	

MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	86	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	56	50-130		2,4,5,6-Tetrachloro-m-Xylene	105	50-130	

MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	18	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	58	50-130		2,4,5,6-Tetrachloro-m-Xylene	107	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	12	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	54	50-130		2,4,5,6-Tetrachloro-m-Xylene	99	50-130	

MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	500	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	63	50-130		2,4,5,6-Tetrachloro-m-Xylene	103	50-130	

MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	22	50	10	1	J
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	69	50-130		2,4,5,6-Tetrachloro-m-Xylene	111	50-130	

MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC 17**	**06/22/07**	**06/24/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	270	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	69	50-130		2,4,5,6-Tetrachloro-m-Xylene	116	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-535-68**	**N/A**	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Aroclor-1016	ND	50	10	1		Aroclor-1248	ND	50	10	1	
Aroclor-1221	ND	50	10	1		Aroclor-1254	ND	50	10	1	
Aroclor-1232	ND	50	10	1		Aroclor-1260	ND	50	11	1	
Aroclor-1242	ND	50	10	1		Aroclor-1262	ND	50	10	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	78	50-130		2,4,5,6-Tetrachloro-m-Xylene	111	50-130	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	111	42-120		Phenol-d6	117	46-118	
Nitrobenzene-d5	113	42-150		2-Fluorobiphenyl	92	38-134	
2,4,6-Tribromophenol	82	36-132		p-Terphenyl-d14	123	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	90	42-120		Phenol-d6	97	46-118	
Nitrobenzene-d5	94	42-150		2-Fluorobiphenyl	81	38-134	
2,4,6-Tribromophenol	75	36-132		p-Terphenyl-d14	162	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	97	42-120		Phenol-d6	104	46-118	
Nitrobenzene-d5	100	42-150		2-Fluorobiphenyl	84	38-134	
2,4,6-Tribromophenol	77	36-132		p-Terphenyl-d14	130	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	101	42-120		Phenol-d6	105	46-118	
Nitrobenzene-d5	106	42-150		2-Fluorobiphenyl	88	38-134	
2,4,6-Tribromophenol	81	36-132		p-Terphenyl-d14	108	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 5 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	108	42-120		Phenol-d6	115	46-118	
Nitrobenzene-d5	108	42-150		2-Fluorobiphenyl	89	38-134	
2,4,6-Tribromophenol	83	36-132		p-Terphenyl-d14	122	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 6 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/27/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	100	42-120		Phenol-d6	104	46-118	
Nitrobenzene-d5	104	42-150		2-Fluorobiphenyl	89	38-134	
2,4,6-Tribromophenol	79	36-132		p-Terphenyl-d14	112	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 7 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/27/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	95	42-120		Phenol-d6	100	46-118	
Nitrobenzene-d5	99	42-150		2-Fluorobiphenyl	84	38-134	
2,4,6-Tribromophenol	79	36-132		p-Terphenyl-d14	126	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 8 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/27/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	0.30	0.50	0.11	1	J
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	0.65	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	0.14	0.50	0.11	1	J
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	0.17	0.50	0.11	1	J
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	0.13	0.50	0.12	1	J
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	103	42-120		Phenol-d6	107	46-118	
Nitrobenzene-d5	106	42-150		2-Fluorobiphenyl	91	38-134	
2,4,6-Tribromophenol	83	36-132		p-Terphenyl-d14	158	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 9 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	84	42-120		Phenol-d6	82	46-118	
Nitrobenzene-d5	81	42-150		2-Fluorobiphenyl	85	38-134	
2,4,6-Tribromophenol	84	36-132		p-Terphenyl-d14	146	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 10 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	0.56	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	0.19	0.50	0.10	1	J
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	1.2	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	1.8	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	0.47	0.50	0.11	1	J
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	0.49	0.50	0.11	1	J
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	0.29	0.50	0.13	1	J
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	0.30	0.50	0.11	1	J
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	0.27	0.50	0.12	1	J
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	81	42-120		Phenol-d6	79	46-118	
Nitrobenzene-d5	77	42-150		2-Fluorobiphenyl	80	38-134	
2,4,6-Tribromophenol	87	36-132		p-Terphenyl-d14	141	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 11 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	0.34	0.50	0.15	1	J	4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	0.16	0.50	0.11	1	J
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	0.34	0.50	0.20	1	J	Pyrene	0.41	0.50	0.10	1	J
Naphthalene	0.34	0.50	0.11	1	J	Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	0.14	0.50	0.11	1	J
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	0.12	0.50	0.12	1	J
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	85	42-120		Phenol-d6	82	46-118	
Nitrobenzene-d5	80	42-150		2-Fluorobiphenyl	82	38-134	
2,4,6-Tribromophenol	85	36-132		p-Terphenyl-d14	149	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 12 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	0.15	0.50	0.10	1	J
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	83	42-120		Phenol-d6	82	46-118	
Nitrobenzene-d5	79	42-150		2-Fluorobiphenyl	80	38-134	
2,4,6-Tribromophenol	86	36-132		p-Terphenyl-d14	153	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C
		Units:	mg/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 13 of 13

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-549-84**	**N/A**	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
N-Nitrosodimethylamine	ND	0.50	0.091	1		2,4-Dinitrophenol	ND	2.5	0.97	1	
Aniline	ND	0.50	0.056	1		4-Nitrophenol	ND	0.50	0.051	1	
Phenol	ND	0.50	0.079	1		Dibenzofuran	ND	0.50	0.097	1	
Bis(2-Chloroethyl) Ether	ND	2.5	0.10	1		2,4-Dinitrotoluene	ND	0.50	0.056	1	
2-Chlorophenol	ND	0.50	0.10	1		2,6-Dinitrotoluene	ND	0.50	0.053	1	
1,3-Dichlorobenzene	ND	0.50	0.10	1		Diethyl Phthalate	ND	0.50	0.060	1	
1,4-Dichlorobenzene	ND	0.50	0.15	1		4-Chlorophenyl-Phenyl Ether	ND	0.50	0.10	1	
Benzyl Alcohol	ND	0.50	0.054	1		Fluorene	ND	0.50	0.089	1	
1,2-Dichlorobenzene	ND	0.50	0.10	1		4-Nitroaniline	ND	0.50	0.051	1	
2-Methylphenol	ND	0.50	0.068	1		Azobenzene	ND	0.50	0.10	1	
Bis(2-Chloroisopropyl) Ether	ND	0.50	0.092	1		4,6-Dinitro-2-Methylphenol	ND	2.5	0.99	1	
3/4-Methylphenol	ND	0.50	0.058	1		N-Nitrosodiphenylamine	ND	0.50	0.074	1	
N-Nitroso-di-n-propylamine	ND	0.50	0.082	1		2,4,6-Trichlorophenol	ND	0.50	0.062	1	
Hexachloroethane	ND	0.50	0.096	1		4-Bromophenyl-Phenyl Ether	ND	0.50	0.094	1	
Nitrobenzene	ND	2.5	0.10	1		Hexachlorobenzene	ND	0.50	0.14	1	
Isophorone	ND	0.50	0.053	1		Pentachlorophenol	ND	2.5	0.88	1	
2-Nitrophenol	ND	0.50	0.063	1		Phenanthrene	ND	0.50	0.098	1	
2,4-Dimethylphenol	ND	0.50	0.085	1		Anthracene	ND	0.50	0.10	1	
Benzoic Acid	ND	2.5	0.56	1		Di-n-Butyl Phthalate	ND	0.50	0.12	1	
Bis(2-Chloroethoxy) Methane	ND	0.50	0.082	1		Fluoranthene	ND	0.50	0.11	1	
2,4-Dichlorophenol	ND	0.50	0.065	1		Benzidine	ND	10	1.2	1	
1,2,4-Trichlorobenzene	ND	0.50	0.20	1		Pyrene	ND	0.50	0.10	1	
Naphthalene	ND	0.50	0.11	1		Pyridine	ND	0.50	0.082	1	
4-Chloroaniline	ND	0.50	0.061	1		Butyl Benzyl Phthalate	ND	0.50	0.12	1	
Hexachloro-1,3-Butadiene	ND	0.50	0.088	1		3,3'-Dichlorobenzidine	ND	10	1.1	1	
4-Chloro-3-Methylphenol	ND	0.50	0.059	1		Benzo (a) Anthracene	ND	0.50	0.11	1	
2-Methylnaphthalene	ND	0.50	0.10	1		Bis(2-Ethylhexyl) Phthalate	ND	0.50	0.16	1	
1-Methylnaphthalene	ND	0.50	0.095	1		Chrysene	ND	0.50	0.11	1	
Hexachlorocyclopentadiene	ND	2.5	0.83	1		Di-n-Octyl Phthalate	ND	0.50	0.24	1	
2,4,5-Trichlorophenol	ND	0.50	0.067	1		Benzo (k) Fluoranthene	ND	0.50	0.13	1	
2-Chloronaphthalene	ND	0.50	0.099	1		Benzo (b) Fluoranthene	ND	0.50	0.11	1	
2-Nitroaniline	ND	0.50	0.047	1		Benzo (a) Pyrene	ND	0.50	0.12	1	
Dimethyl Phthalate	ND	0.50	0.051	1		Indeno (1,2,3-c,d) Pyrene	ND	0.50	0.23	1	
Acenaphthylene	ND	0.50	0.082	1		Dibenz (a,h) Anthracene	ND	0.50	0.20	1	
3-Nitroaniline	ND	0.50	0.054	1		Benzo (g,h,i) Perylene	ND	0.50	0.25	1	
Acenaphthene	ND	0.50	0.24	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
2-Fluorophenol	97	42-120		Phenol-d6	101	46-118	
Nitrobenzene-d5	93	42-150		2-Fluorobiphenyl	79	38-134	
2,4,6-Tribromophenol	67	36-132		p-Terphenyl-d14	89	35-167	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 1 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-01	**07-06-1559-1**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	26	51	6.5	1.02	J	1,3-Dichloropropane	ND	1.0	0.18	1.02	
Benzene	2.1	1.0	0.14	1.02		2,2-Dichloropropane	ND	5.1	0.47	1.02	
Bromobenzene	ND	1.0	0.21	1.02		1,1-Dichloropropene	ND	2.0	0.22	1.02	
Bromochloromethane	ND	2.0	1.4	1.02		c-1,3-Dichloropropene	ND	1.0	0.19	1.02	
Bromodichloromethane	ND	1.0	0.15	1.02		t-1,3-Dichloropropene	ND	2.0	1.9	1.02	
Bromoform	ND	5.1	0.68	1.02		Ethylbenzene	0.21	1.0	0.16	1.02	J
Bromomethane	ND	20	1.9	1.02		2-Hexanone	ND	20	5.7	1.02	
2-Butanone	ND	20	9.7	1.02		Isopropylbenzene	ND	1.0	0.12	1.02	
n-Butylbenzene	ND	1.0	0.23	1.02		p-Isopropyltoluene	ND	1.0	0.12	1.02	
sec-Butylbenzene	ND	1.0	0.11	1.02		Methylene Chloride	ND	10	5.3	1.02	
tert-Butylbenzene	ND	1.0	0.13	1.02		4-Methyl-2-Pentanone	ND	20	2.1	1.02	
Carbon Disulfide	0.31	10	0.18	1.02	J	Naphthalene	ND	10	0.33	1.02	
Carbon Tetrachloride	ND	1.0	0.33	1.02		n-Propylbenzene	ND	1.0	1.0	1.02	
Chlorobenzene	ND	1.0	0.15	1.02		Styrene	ND	1.0	0.21	1.02	
Chloroethane	ND	2.0	0.42	1.02		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1.02	
Chloroform	ND	1.0	0.18	1.02		1,1,2,2-Tetrachloroethane	ND	2.0	0.24	1.02	
Chloromethane	ND	20	3.0	1.02		Tetrachloroethene	ND	1.0	0.17	1.02	
2-Chlorotoluene	ND	1.0	0.12	1.02		Toluene	1.5	1.0	0.15	1.02	
4-Chlorotoluene	ND	1.0	0.11	1.02		1,2,3-Trichlorobenzene	ND	2.0	0.21	1.02	
Dibromochloromethane	ND	2.0	0.20	1.02		1,2,4-Trichlorobenzene	ND	2.0	0.19	1.02	
1,2-Dibromo-3-Chloropropane	ND	5.1	3.7	1.02		1,1,1-Trichloroethane	ND	1.0	0.26	1.02	
1,2-Dibromoethane	ND	1.0	0.46	1.02		1,1,2-Trichloroethane	ND	1.0	0.25	1.02	
Dibromomethane	ND	1.0	0.72	1.02		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.48	1.02	
1,2-Dichlorobenzene	ND	1.0	0.13	1.02		Trichloroethene	ND	2.0	0.18	1.02	
1,3-Dichlorobenzene	ND	1.0	0.17	1.02		Trichlorofluoromethane	ND	10	0.16	1.02	
1,4-Dichlorobenzene	ND	1.0	0.16	1.02		1,2,3-Trichloropropane	ND	2.0	0.66	1.02	
Dichlorodifluoromethane	ND	2.0	0.20	1.02		1,2,4-Trimethylbenzene	0.19	2.0	0.12	1.02	J
1,1-Dichloroethane	ND	1.0	0.16	1.02		1,3,5-Trimethylbenzene	ND	2.0	0.10	1.02	
1,2-Dichloroethane	ND	1.0	0.17	1.02		Vinyl Acetate	ND	10	7.6	1.02	
1,1-Dichloroethene	ND	1.0	0.14	1.02		Vinyl Chloride	ND	1.0	0.22	1.02	
c-1,2-Dichloroethene	ND	1.0	0.29	1.02		p/m-Xylene	0.34	2.0	0.21	1.02	J
t-1,2-Dichloroethene	ND	1.0	0.26	1.02		o-Xylene	ND	1.0	0.12	1.02	
1,2-Dichloropropane	ND	1.0	0.27	1.02		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.14	1.02	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	105	71-137		1,2-Dichloroethane-d4	115	58-160	
1,4-Bromofluorobenzene	101	66-126		Toluene-d8	102	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 2 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-02	**07-06-1559-2**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	30	48	6.2	0.967	J	1,3-Dichloropropane	ND	0.97	0.17	0.967	
Benzene	2.5	0.97	0.13	0.967		2,2-Dichloropropane	ND	4.8	0.44	0.967	
Bromobenzene	ND	0.97	0.20	0.967		1,1-Dichloropropene	ND	1.9	0.21	0.967	
Bromochloromethane	ND	1.9	1.3	0.967		c-1,3-Dichloropropene	ND	0.97	0.18	0.967	
Bromodichloromethane	ND	0.97	0.14	0.967		t-1,3-Dichloropropene	ND	1.9	1.8	0.967	
Bromoform	ND	4.8	0.64	0.967		Ethylbenzene	ND	0.97	0.15	0.967	
Bromomethane	ND	19	1.8	0.967		2-Hexanone	ND	19	5.4	0.967	
2-Butanone	ND	19	9.2	0.967		Isopropylbenzene	ND	0.97	0.11	0.967	
n-Butylbenzene	ND	0.97	0.21	0.967		p-Isopropyltoluene	ND	0.97	0.11	0.967	
sec-Butylbenzene	ND	0.97	0.10	0.967		Methylene Chloride	ND	9.7	5.0	0.967	
tert-Butylbenzene	ND	0.97	0.12	0.967		4-Methyl-2-Pentanone	ND	19	2.0	0.967	
Carbon Disulfide	0.68	9.7	0.17	0.967	J	Naphthalene	ND	9.7	0.31	0.967	
Carbon Tetrachloride	ND	0.97	0.31	0.967		n-Propylbenzene	ND	0.97	0.99	0.967	
Chlorobenzene	ND	0.97	0.14	0.967		Styrene	ND	0.97	0.20	0.967	
Chloroethane	ND	1.9	0.40	0.967		1,1,1,2-Tetrachloroethane	ND	0.97	0.32	0.967	
Chloroform	ND	0.97	0.17	0.967		1,1,2,2-Tetrachloroethane	ND	1.9	0.22	0.967	
Chloromethane	ND	19	2.8	0.967		Tetrachloroethene	ND	0.97	0.16	0.967	
2-Chlorotoluene	ND	0.97	0.11	0.967		Toluene	1.2	0.97	0.15	0.967	
4-Chlorotoluene	ND	0.97	0.10	0.967		1,2,3-Trichlorobenzene	ND	1.9	0.20	0.967	
Dibromochloromethane	ND	1.9	0.19	0.967		1,2,4-Trichlorobenzene	ND	1.9	0.18	0.967	
1,2-Dibromo-3-Chloropropane	ND	4.8	3.5	0.967		1,1,1-Trichloroethane	ND	0.97	0.24	0.967	
1,2-Dibromoethane	ND	0.97	0.43	0.967		1,1,2-Trichloroethane	ND	0.97	0.23	0.967	
Dibromomethane	ND	0.97	0.68	0.967		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.7	0.46	0.967	
1,2-Dichlorobenzene	ND	0.97	0.12	0.967		Trichloroethene	ND	1.9	0.18	0.967	
1,3-Dichlorobenzene	ND	0.97	0.16	0.967		Trichlorofluoromethane	ND	9.7	0.15	0.967	
1,4-Dichlorobenzene	ND	0.97	0.15	0.967		1,2,3-Trichloropropane	ND	1.9	0.63	0.967	
Dichlorodifluoromethane	ND	1.9	0.19	0.967		1,2,4-Trimethylbenzene	ND	1.9	0.11	0.967	
1,1-Dichloroethane	ND	0.97	0.15	0.967		1,3,5-Trimethylbenzene	ND	1.9	0.096	0.967	
1,2-Dichloroethane	ND	0.97	0.16	0.967		Vinyl Acetate	ND	9.7	7.2	0.967	
1,1-Dichloroethene	ND	0.97	0.13	0.967		Vinyl Chloride	ND	0.97	0.21	0.967	
c-1,2-Dichloroethene	ND	0.97	0.27	0.967		p/m-Xylene	0.23	1.9	0.19	0.967	J
t-1,2-Dichloroethene	ND	0.97	0.24	0.967		o-Xylene	ND	0.97	0.11	0.967	
1,2-Dichloropropane	ND	0.97	0.26	0.967		Methyl-t-Butyl Ether (MTBE)	ND	1.9	0.13	0.967	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	71-137		1,2-Dichloroethane-d4	117	58-160	
1,4-Bromofluorobenzene	101	66-126		Toluene-d8	100	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 3 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-03	**07-06-1559-3**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	20	46	5.9	0.914	J	1,3-Dichloropropane	ND	0.91	0.16	0.914	
Benzene	2.0	0.91	0.12	0.914		2,2-Dichloropropane	ND	4.6	0.42	0.914	
Bromobenzene	ND	0.91	0.19	0.914		1,1-Dichloropropene	ND	1.8	0.20	0.914	
Bromochloromethane	ND	1.8	1.3	0.914		c-1,3-Dichloropropene	ND	0.91	0.17	0.914	
Bromodichloromethane	ND	0.91	0.13	0.914		t-1,3-Dichloropropene	ND	1.8	1.7	0.914	
Bromoform	ND	4.6	0.61	0.914		Ethylbenzene	ND	0.91	0.14	0.914	
Bromomethane	ND	18	1.7	0.914		2-Hexanone	ND	18	5.1	0.914	
2-Butanone	ND	18	8.7	0.914		Isopropylbenzene	ND	0.91	0.11	0.914	
n-Butylbenzene	ND	0.91	0.20	0.914		p-Isopropyltoluene	ND	0.91	0.11	0.914	
sec-Butylbenzene	ND	0.91	0.094	0.914		Methylene Chloride	ND	9.1	4.7	0.914	
tert-Butylbenzene	ND	0.91	0.11	0.914		4-Methyl-2-Pentanone	ND	18	1.9	0.914	
Carbon Disulfide	0.91	9.1	0.16	0.914	J	Naphthalene	ND	9.1	0.30	0.914	
Carbon Tetrachloride	ND	0.91	0.29	0.914		n-Propylbenzene	ND	0.91	0.94	0.914	
Chlorobenzene	ND	0.91	0.14	0.914		Styrene	ND	0.91	0.19	0.914	
Chloroethane	ND	1.8	0.38	0.914		1,1,1,2-Tetrachloroethane	ND	0.91	0.30	0.914	
Chloroform	ND	0.91	0.16	0.914		1,1,2,2-Tetrachloroethane	ND	1.8	0.21	0.914	
Chloromethane	ND	18	2.7	0.914		Tetrachloroethene	ND	0.91	0.15	0.914	
2-Chlorotoluene	ND	0.91	0.11	0.914		Toluene	1.1	0.91	0.14	0.914	
4-Chlorotoluene	ND	0.91	0.095	0.914		1,2,3-Trichlorobenzene	ND	1.8	0.19	0.914	
Dibromochloromethane	ND	1.8	0.18	0.914		1,2,4-Trichlorobenzene	ND	1.8	0.17	0.914	
1,2-Dibromo-3-Chloropropane	ND	4.6	3.4	0.914		1,1,1-Trichloroethane	ND	0.91	0.23	0.914	
1,2-Dibromoethane	ND	0.91	0.41	0.914		1,1,2-Trichloroethane	ND	0.91	0.22	0.914	
Dibromomethane	ND	0.91	0.64	0.914		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.1	0.43	0.914	
1,2-Dichlorobenzene	ND	0.91	0.12	0.914		Trichloroethene	ND	1.8	0.17	0.914	
1,3-Dichlorobenzene	ND	0.91	0.15	0.914		Trichlorofluoromethane	ND	9.1	0.14	0.914	
1,4-Dichlorobenzene	ND	0.91	0.14	0.914		1,2,3-Trichloropropane	ND	1.8	0.59	0.914	
Dichlorodifluoromethane	ND	1.8	0.18	0.914		1,2,4-Trimethylbenzene	ND	1.8	0.11	0.914	
1,1-Dichloroethane	ND	0.91	0.15	0.914		1,3,5-Trimethylbenzene	ND	1.8	0.090	0.914	
1,2-Dichloroethane	ND	0.91	0.16	0.914		Vinyl Acetate	ND	9.1	6.8	0.914	
1,1-Dichloroethene	ND	0.91	0.13	0.914		Vinyl Chloride	ND	0.91	0.20	0.914	
c-1,2-Dichloroethene	ND	0.91	0.26	0.914		p/m-Xylene	ND	1.8	0.18	0.914	
t-1,2-Dichloroethene	ND	0.91	0.23	0.914		o-Xylene	ND	0.91	0.10	0.914	
1,2-Dichloropropane	ND	0.91	0.24	0.914		Methyl-t-Butyl Ether (MTBE)	ND	1.8	0.12	0.914	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	71-137		1,2-Dichloroethane-d4	117	58-160	
1,4-Bromofluorobenzene	101	66-126		Toluene-d8	101	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 4 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-04	**07-06-1559-4**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	15	44	5.6	0.874	J	1,3-Dichloropropane	ND	0.87	0.15	0.874	
Benzene	1.8	0.87	0.12	0.874		2,2-Dichloropropane	ND	4.4	0.40	0.874	
Bromobenzene	ND	0.87	0.18	0.874		1,1-Dichloropropene	ND	1.7	0.19	0.874	
Bromochloromethane	ND	1.7	1.2	0.874		c-1,3-Dichloropropene	ND	0.87	0.16	0.874	
Bromodichloromethane	ND	0.87	0.13	0.874		t-1,3-Dichloropropene	ND	1.7	1.7	0.874	
Bromoform	ND	4.4	0.58	0.874		Ethylbenzene	ND	0.87	0.14	0.874	
Bromomethane	ND	17	1.6	0.874		2-Hexanone	ND	17	4.9	0.874	
2-Butanone	ND	17	8.4	0.874		Isopropylbenzene	ND	0.87	0.10	0.874	
n-Butylbenzene	ND	0.87	0.19	0.874		p-Isopropyltoluene	ND	0.87	0.10	0.874	
sec-Butylbenzene	ND	0.87	0.090	0.874		Methylene Chloride	ND	8.7	4.5	0.874	
tert-Butylbenzene	ND	0.87	0.11	0.874		4-Methyl-2-Pentanone	ND	17	1.8	0.874	
Carbon Disulfide	0.47	8.7	0.15	0.874	J	Naphthalene	ND	8.7	0.28	0.874	
Carbon Tetrachloride	ND	0.87	0.28	0.874		n-Propylbenzene	ND	0.87	0.89	0.874	
Chlorobenzene	ND	0.87	0.13	0.874		Styrene	ND	0.87	0.18	0.874	
Chloroethane	ND	1.7	0.36	0.874		1,1,1,2-Tetrachloroethane	ND	0.87	0.29	0.874	
Chloroform	ND	0.87	0.15	0.874		1,1,2,2-Tetrachloroethane	ND	1.7	0.20	0.874	
Chloromethane	ND	17	2.5	0.874		Tetrachloroethene	ND	0.87	0.15	0.874	
2-Chlorotoluene	ND	0.87	0.10	0.874		Toluene	0.94	0.87	0.13	0.874	
4-Chlorotoluene	ND	0.87	0.091	0.874		1,2,3-Trichlorobenzene	ND	1.7	0.18	0.874	
Dibromochloromethane	ND	1.7	0.17	0.874		1,2,4-Trichlorobenzene	ND	1.7	0.16	0.874	
1,2-Dibromo-3-Chloropropane	ND	4.4	3.2	0.874		1,1,1-Trichloroethane	ND	0.87	0.22	0.874	
1,2-Dibromoethane	ND	0.87	0.39	0.874		1,1,2-Trichloroethane	ND	0.87	0.21	0.874	
Dibromomethane	ND	0.87	0.61	0.874		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	8.7	0.41	0.874	
1,2-Dichlorobenzene	ND	0.87	0.11	0.874		Trichloroethene	ND	1.7	0.16	0.874	
1,3-Dichlorobenzene	ND	0.87	0.14	0.874		Trichlorofluoromethane	ND	8.7	0.14	0.874	
1,4-Dichlorobenzene	ND	0.87	0.13	0.874		1,2,3-Trichloropropane	ND	1.7	0.57	0.874	
Dichlorodifluoromethane	ND	1.7	0.17	0.874		1,2,4-Trimethylbenzene	ND	1.7	0.10	0.874	
1,1-Dichloroethane	ND	0.87	0.14	0.874		1,3,5-Trimethylbenzene	ND	1.7	0.086	0.874	
1,2-Dichloroethane	ND	0.87	0.15	0.874		Vinyl Acetate	ND	8.7	6.5	0.874	
1,1-Dichloroethene	ND	0.87	0.12	0.874		Vinyl Chloride	ND	0.87	0.19	0.874	
c-1,2-Dichloroethene	ND	0.87	0.25	0.874		p/m-Xylene	0.19	1.7	0.18	0.874	J
t-1,2-Dichloroethene	ND	0.87	0.22	0.874		o-Xylene	ND	0.87	0.10	0.874	
1,2-Dichloropropane	ND	0.87	0.23	0.874		Methyl-t-Butyl Ether (MTBE)	ND	1.7	0.12	0.874	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	71-137		1,2-Dichloroethane-d4	119	58-160	
1,4-Bromofluorobenzene	100	66-126		Toluene-d8	100	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 5 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-05	**07-06-1559-5**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	24	46	5.9	0.924	J	1,3-Dichloropropane	ND	0.92	0.16	0.924	
Benzene	1.8	0.92	0.12	0.924		2,2-Dichloropropane	ND	4.6	0.42	0.924	
Bromobenzene	ND	0.92	0.19	0.924		1,1-Dichloropropene	ND	1.8	0.20	0.924	
Bromochloromethane	ND	1.8	1.3	0.924		c-1,3-Dichloropropene	ND	0.92	0.17	0.924	
Bromodichloromethane	ND	0.92	0.14	0.924		t-1,3-Dichloropropene	ND	1.8	1.8	0.924	
Bromoform	ND	4.6	0.61	0.924		Ethylbenzene	ND	0.92	0.14	0.924	
Bromomethane	ND	18	1.7	0.924		2-Hexanone	ND	18	5.2	0.924	
2-Butanone	ND	18	8.8	0.924		Isopropylbenzene	ND	0.92	0.11	0.924	
n-Butylbenzene	ND	0.92	0.21	0.924		p-Isopropyltoluene	ND	0.92	0.11	0.924	
sec-Butylbenzene	ND	0.92	0.095	0.924		Methylene Chloride	ND	9.2	4.8	0.924	
tert-Butylbenzene	ND	0.92	0.11	0.924		4-Methyl-2-Pentanone	ND	18	1.9	0.924	
Carbon Disulfide	0.39	9.2	0.16	0.924	J	Naphthalene	ND	9.2	0.30	0.924	
Carbon Tetrachloride	ND	0.92	0.29	0.924		n-Propylbenzene	ND	0.92	0.95	0.924	
Chlorobenzene	ND	0.92	0.14	0.924		Styrene	ND	0.92	0.19	0.924	
Chloroethane	ND	1.8	0.38	0.924		1,1,1,2-Tetrachloroethane	ND	0.92	0.31	0.924	
Chloroform	ND	0.92	0.16	0.924		1,1,2,2-Tetrachloroethane	ND	1.8	0.21	0.924	
Chloromethane	ND	18	2.7	0.924		Tetrachloroethene	0.21	0.92	0.16	0.924	J
2-Chlorotoluene	ND	0.92	0.11	0.924		Toluene	0.87	0.92	0.14	0.924	J
4-Chlorotoluene	ND	0.92	0.096	0.924		1,2,3-Trichlorobenzene	ND	1.8	0.19	0.924	
Dibromochloromethane	ND	1.8	0.18	0.924		1,2,4-Trichlorobenzene	ND	1.8	0.17	0.924	
1,2-Dibromo-3-Chloropropane	ND	4.6	3.4	0.924		1,1,1-Trichloroethane	ND	0.92	0.23	0.924	
1,2-Dibromoethane	ND	0.92	0.41	0.924		1,1,2-Trichloroethane	ND	0.92	0.22	0.924	
Dibromomethane	ND	0.92	0.65	0.924		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.2	0.44	0.924	
1,2-Dichlorobenzene	ND	0.92	0.12	0.924		Trichloroethene	ND	1.8	0.17	0.924	
1,3-Dichlorobenzene	ND	0.92	0.15	0.924		Trichlorofluoromethane	ND	9.2	0.14	0.924	
1,4-Dichlorobenzene	ND	0.92	0.14	0.924		1,2,3-Trichloropropane	ND	1.8	0.60	0.924	
Dichlorodifluoromethane	ND	1.8	0.18	0.924		1,2,4-Trimethylbenzene	ND	1.8	0.11	0.924	
1,1-Dichloroethane	ND	0.92	0.15	0.924		1,3,5-Trimethylbenzene	ND	1.8	0.091	0.924	
1,2-Dichloroethane	ND	0.92	0.16	0.924		Vinyl Acetate	ND	9.2	6.9	0.924	
1,1-Dichloroethene	ND	0.92	0.13	0.924		Vinyl Chloride	ND	0.92	0.20	0.924	
c-1,2-Dichloroethene	ND	0.92	0.26	0.924		p/m-Xylene	ND	1.8	0.19	0.924	
t-1,2-Dichloroethene	ND	0.92	0.23	0.924		o-Xylene	ND	0.92	0.11	0.924	
1,2-Dichloropropane	ND	0.92	0.25	0.924		Methyl-t-Butyl Ether (MTBE)	ND	1.8	0.12	0.924	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	71-137		1,2-Dichloroethane-d4	119	58-160	
1,4-Bromofluorobenzene	102	66-126		Toluene-d8	102	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 6 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-06	**07-06-1559-6**	**06/20/07**	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	24	49	6.3	0.982	J	1,3-Dichloropropane	ND	0.98	0.17	0.982	
Benzene	2.1	0.98	0.13	0.982		2,2-Dichloropropane	ND	4.9	0.45	0.982	
Bromobenzene	ND	0.98	0.21	0.982		1,1-Dichloropropene	ND	2.0	0.22	0.982	
Bromochloromethane	ND	2.0	1.4	0.982		c-1,3-Dichloropropene	ND	0.98	0.18	0.982	
Bromodichloromethane	ND	0.98	0.14	0.982		t-1,3-Dichloropropene	ND	2.0	1.9	0.982	
Bromoform	ND	4.9	0.65	0.982		Ethylbenzene	ND	0.98	0.15	0.982	
Bromomethane	ND	20	1.8	0.982		2-Hexanone	ND	20	5.5	0.982	
2-Butanone	ND	20	9.4	0.982		Isopropylbenzene	ND	0.98	0.12	0.982	
n-Butylbenzene	ND	0.98	0.22	0.982		p-Isopropyltoluene	ND	0.98	0.11	0.982	
sec-Butylbenzene	ND	0.98	0.10	0.982		Methylene Chloride	ND	9.8	5.1	0.982	
tert-Butylbenzene	ND	0.98	0.12	0.982		4-Methyl-2-Pentanone	ND	20	2.0	0.982	
Carbon Disulfide	0.48	9.8	0.17	0.982	J	Naphthalene	ND	9.8	0.32	0.982	
Carbon Tetrachloride	ND	0.98	0.31	0.982		n-Propylbenzene	ND	0.98	1.0	0.982	
Chlorobenzene	ND	0.98	0.15	0.982		Styrene	ND	0.98	0.20	0.982	
Chloroethane	ND	2.0	0.41	0.982		1,1,1,2-Tetrachloroethane	ND	0.98	0.33	0.982	
Chloroform	ND	0.98	0.17	0.982		1,1,2,2-Tetrachloroethane	ND	2.0	0.23	0.982	
Chloromethane	ND	20	2.9	0.982		Tetrachloroethene	0.21	0.98	0.17	0.982	J
2-Chlorotoluene	ND	0.98	0.11	0.982		Toluene	1.2	0.98	0.15	0.982	
4-Chlorotoluene	ND	0.98	0.10	0.982		1,2,3-Trichlorobenzene	ND	2.0	0.20	0.982	
Dibromochloromethane	ND	2.0	0.20	0.982		1,2,4-Trichlorobenzene	ND	2.0	0.18	0.982	
1,2-Dibromo-3-Chloropropane	ND	4.9	3.6	0.982		1,1,1-Trichloroethane	ND	0.98	0.25	0.982	
1,2-Dibromoethane	ND	0.98	0.44	0.982		1,1,2-Trichloroethane	ND	0.98	0.24	0.982	
Dibromomethane	ND	0.98	0.69	0.982		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.8	0.46	0.982	
1,2-Dichlorobenzene	ND	0.98	0.13	0.982		Trichloroethene	ND	2.0	0.18	0.982	
1,3-Dichlorobenzene	ND	0.98	0.16	0.982		Trichlorofluoromethane	ND	9.8	0.15	0.982	
1,4-Dichlorobenzene	ND	0.98	0.15	0.982		1,2,3-Trichloropropane	ND	2.0	0.64	0.982	
Dichlorodifluoromethane	ND	2.0	0.19	0.982		1,2,4-Trimethylbenzene	ND	2.0	0.11	0.982	
1,1-Dichloroethane	ND	0.98	0.16	0.982		1,3,5-Trimethylbenzene	ND	2.0	0.097	0.982	
1,2-Dichloroethane	ND	0.98	0.17	0.982		Vinyl Acetate	ND	9.8	7.3	0.982	
1,1-Dichloroethene	ND	0.98	0.14	0.982		Vinyl Chloride	ND	0.98	0.21	0.982	
c-1,2-Dichloroethene	ND	0.98	0.28	0.982		p/m-Xylene	0.23	2.0	0.20	0.982	J
t-1,2-Dichloroethene	ND	0.98	0.25	0.982		o-Xylene	ND	0.98	0.11	0.982	
1,2-Dichloropropane	ND	0.98	0.26	0.982		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.13	0.982	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	71-137		1,2-Dichloroethane-d4	120	58-160	
1,4-Bromofluorobenzene	101	66-126		Toluene-d8	102	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 7 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-07	**07-06-1559-7**	**06/20/07**	**Solid**	**GC/MS X**	**06/20/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	24	51	6.5	1.02	J	1,3-Dichloropropane	ND	1.0	0.18	1.02	
Benzene	2.3	1.0	0.14	1.02		2,2-Dichloropropane	ND	5.1	0.47	1.02	
Bromobenzene	ND	1.0	0.21	1.02		1,1-Dichloropropene	ND	2.0	0.22	1.02	
Bromochloromethane	ND	2.0	1.4	1.02		c-1,3-Dichloropropene	ND	1.0	0.19	1.02	
Bromodichloromethane	ND	1.0	0.15	1.02		t-1,3-Dichloropropene	ND	2.0	1.9	1.02	
Bromoform	ND	5.1	0.68	1.02		Ethylbenzene	ND	1.0	0.16	1.02	
Bromomethane	ND	20	1.9	1.02		2-Hexanone	ND	20	5.7	1.02	
2-Butanone	ND	20	9.7	1.02		Isopropylbenzene	ND	1.0	0.12	1.02	
n-Butylbenzene	ND	1.0	0.23	1.02		p-Isopropyltoluene	ND	1.0	0.12	1.02	
sec-Butylbenzene	ND	1.0	0.11	1.02		Methylene Chloride	ND	10	5.3	1.02	
tert-Butylbenzene	ND	1.0	0.13	1.02		4-Methyl-2-Pentanone	ND	20	2.1	1.02	
Carbon Disulfide	0.78	10	0.18	1.02	J	Naphthalene	ND	10	0.33	1.02	
Carbon Tetrachloride	ND	1.0	0.33	1.02		n-Propylbenzene	ND	1.0	1.0	1.02	
Chlorobenzene	ND	1.0	0.15	1.02		Styrene	ND	1.0	0.21	1.02	
Chloroethane	ND	2.0	0.42	1.02		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1.02	
Chloroform	ND	1.0	0.18	1.02		1,1,2,2-Tetrachloroethane	ND	2.0	0.24	1.02	
Chloromethane	ND	20	3.0	1.02		Tetrachloroethene	ND	1.0	0.17	1.02	
2-Chlorotoluene	ND	1.0	0.12	1.02		Toluene	1.2	1.0	0.15	1.02	
4-Chlorotoluene	ND	1.0	0.11	1.02		1,2,3-Trichlorobenzene	ND	2.0	0.21	1.02	
Dibromochloromethane	ND	2.0	0.20	1.02		1,2,4-Trichlorobenzene	ND	2.0	0.19	1.02	
1,2-Dibromo-3-Chloropropane	ND	5.1	3.7	1.02		1,1,1-Trichloroethane	ND	1.0	0.26	1.02	
1,2-Dibromoethane	ND	1.0	0.46	1.02		1,1,2-Trichloroethane	ND	1.0	0.25	1.02	
Dibromomethane	ND	1.0	0.72	1.02		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.48	1.02	
1,2-Dichlorobenzene	ND	1.0	0.13	1.02		Trichloroethene	ND	2.0	0.18	1.02	
1,3-Dichlorobenzene	ND	1.0	0.17	1.02		Trichlorofluoromethane	ND	10	0.16	1.02	
1,4-Dichlorobenzene	ND	1.0	0.16	1.02		1,2,3-Trichloropropane	ND	2.0	0.66	1.02	
Dichlorodifluoromethane	ND	2.0	0.20	1.02		1,2,4-Trimethylbenzene	ND	2.0	0.12	1.02	
1,1-Dichloroethane	ND	1.0	0.16	1.02		1,3,5-Trimethylbenzene	ND	2.0	0.10	1.02	
1,2-Dichloroethane	ND	1.0	0.17	1.02		Vinyl Acetate	ND	10	7.6	1.02	
1,1-Dichloroethene	ND	1.0	0.14	1.02		Vinyl Chloride	ND	1.0	0.22	1.02	
c-1,2-Dichloroethene	ND	1.0	0.29	1.02		p/m-Xylene	ND	2.0	0.21	1.02	
t-1,2-Dichloroethene	ND	1.0	0.26	1.02		o-Xylene	ND	1.0	0.12	1.02	
1,2-Dichloropropane	ND	1.0	0.27	1.02		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.14	1.02	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	115	71-137		1,2-Dichloroethane-d4	120	58-160	
1,4-Bromofluorobenzene	91	66-126		Toluene-d8	103	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 8 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-08	**07-06-1559-8**	**06/20/07**	**Solid**	**GC/MS R**	**06/20/07**	**06/25/07**	**070625L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	73	46	5.9	0.916		1,3-Dichloropropane	ND	0.92	0.16	0.916	
Benzene	1.9	0.92	0.12	0.916		2,2-Dichloropropane	ND	4.6	0.42	0.916	
Bromobenzene	ND	0.92	0.19	0.916		1,1-Dichloropropene	ND	1.8	0.20	0.916	
Bromochloromethane	ND	1.8	1.3	0.916		c-1,3-Dichloropropene	ND	0.92	0.17	0.916	
Bromodichloromethane	ND	0.92	0.13	0.916		t-1,3-Dichloropropene	ND	1.8	1.7	0.916	
Bromoform	ND	4.6	0.61	0.916		Ethylbenzene	ND	0.92	0.14	0.916	
Bromomethane	ND	18	1.7	0.916		2-Hexanone	ND	18	5.1	0.916	
2-Butanone	11	18	8.8	0.916	J	Isopropylbenzene	ND	0.92	0.11	0.916	
n-Butylbenzene	ND	0.92	0.20	0.916		p-Isopropyltoluene	ND	0.92	0.11	0.916	
sec-Butylbenzene	ND	0.92	0.095	0.916		Methylene Chloride	ND	9.2	4.7	0.916	
tert-Butylbenzene	ND	0.92	0.11	0.916		4-Methyl-2-Pentanone	ND	18	1.9	0.916	
Carbon Disulfide	1.4	9.2	0.16	0.916	J	Naphthalene	ND	9.2	0.30	0.916	
Carbon Tetrachloride	ND	0.92	0.29	0.916		n-Propylbenzene	ND	0.92	0.94	0.916	
Chlorobenzene	ND	0.92	0.14	0.916		Styrene	ND	0.92	0.19	0.916	
Chloroethane	ND	1.8	0.38	0.916		1,1,1,2-Tetrachloroethane	ND	0.92	0.30	0.916	
Chloroform	ND	0.92	0.16	0.916		1,1,2,2-Tetrachloroethane	ND	1.8	0.21	0.916	
Chloromethane	ND	18	2.7	0.916		Tetrachloroethene	0.77	0.92	0.16	0.916	J
2-Chlorotoluene	ND	0.92	0.11	0.916		Toluene	1.1	0.92	0.14	0.916	
4-Chlorotoluene	ND	0.92	0.096	0.916		1,2,3-Trichlorobenzene	ND	1.8	0.19	0.916	
Dibromochloromethane	ND	1.8	0.18	0.916		1,2,4-Trichlorobenzene	ND	1.8	0.17	0.916	
1,2-Dibromo-3-Chloropropane	ND	4.6	3.4	0.916		1,1,1-Trichloroethane	0.46	0.92	0.23	0.916	J
1,2-Dibromoethane	ND	0.92	0.41	0.916		1,1,2-Trichloroethane	ND	0.92	0.22	0.916	
Dibromomethane	ND	0.92	0.64	0.916		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.2	0.43	0.916	
1,2-Dichlorobenzene	ND	0.92	0.12	0.916		Trichloroethene	ND	1.8	0.17	0.916	
1,3-Dichlorobenzene	ND	0.92	0.15	0.916		Trichlorofluoromethane	ND	9.2	0.14	0.916	
1,4-Dichlorobenzene	ND	0.92	0.14	0.916		1,2,3-Trichloropropane	ND	1.8	0.60	0.916	
Dichlorodifluoromethane	ND	1.8	0.18	0.916		1,2,4-Trimethylbenzene	0.15	1.8	0.11	0.916	J
1,1-Dichloroethane	ND	0.92	0.15	0.916		1,3,5-Trimethylbenzene	ND	1.8	0.090	0.916	
1,2-Dichloroethane	ND	0.92	0.16	0.916		Vinyl Acetate	ND	9.2	6.8	0.916	
1,1-Dichloroethene	ND	0.92	0.13	0.916		Vinyl Chloride	ND	0.92	0.20	0.916	
c-1,2-Dichloroethene	ND	0.92	0.26	0.916		p/m-Xylene	0.26	1.8	0.18	0.916	J
t-1,2-Dichloroethene	ND	0.92	0.23	0.916		o-Xylene	ND	0.92	0.11	0.916	
1,2-Dichloropropane	ND	0.92	0.24	0.916		Methyl-t-Butyl Ether (MTBE)	ND	1.8	0.12	0.916	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	103	71-137		1,2-Dichloroethane-d4	112	58-160	
1,4-Bromofluorobenzene	91	66-126		Toluene-d8	99	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 9 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-09	**07-06-1559-9**	**06/20/07**	**Solid**	**GC/MS X**	**06/20/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	26	42	5.5	0.85	J	1,3-Dichloropropane	ND	0.85	0.15	0.85	
Benzene	0.89	0.85	0.11	0.85		2,2-Dichloropropane	ND	4.2	0.39	0.85	
Bromobenzene	ND	0.85	0.18	0.85		1,1-Dichloropropene	ND	1.7	0.19	0.85	
Bromochloromethane	ND	1.7	1.2	0.85		c-1,3-Dichloropropene	ND	0.85	0.16	0.85	
Bromodichloromethane	ND	0.85	0.12	0.85		t-1,3-Dichloropropene	ND	1.7	1.6	0.85	
Bromoform	ND	4.2	0.56	0.85		Ethylbenzene	ND	0.85	0.13	0.85	
Bromomethane	ND	17	1.6	0.85		2-Hexanone	ND	17	4.8	0.85	
2-Butanone	ND	17	8.1	0.85		Isopropylbenzene	ND	0.85	0.10	0.85	
n-Butylbenzene	ND	0.85	0.19	0.85		p-Isopropyltoluene	ND	0.85	0.098	0.85	
sec-Butylbenzene	ND	0.85	0.088	0.85		Methylene Chloride	ND	8.5	4.4	0.85	
tert-Butylbenzene	ND	0.85	0.10	0.85		4-Methyl-2-Pentanone	ND	17	1.7	0.85	
Carbon Disulfide	0.72	8.5	0.15	0.85	J	Naphthalene	ND	8.5	0.28	0.85	
Carbon Tetrachloride	ND	0.85	0.27	0.85		n-Propylbenzene	ND	0.85	0.87	0.85	
Chlorobenzene	ND	0.85	0.13	0.85		Styrene	ND	0.85	0.18	0.85	
Chloroethane	ND	1.7	0.35	0.85		1,1,1,2-Tetrachloroethane	ND	0.85	0.28	0.85	
Chloroform	ND	0.85	0.15	0.85		1,1,2,2-Tetrachloroethane	ND	1.7	0.20	0.85	
Chloromethane	ND	17	2.5	0.85		Tetrachloroethene	ND	0.85	0.14	0.85	
2-Chlorotoluene	ND	0.85	0.099	0.85		Toluene	0.47	0.85	0.13	0.85	J
4-Chlorotoluene	ND	0.85	0.089	0.85		1,2,3-Trichlorobenzene	ND	1.7	0.17	0.85	
Dibromochloromethane	ND	1.7	0.17	0.85		1,2,4-Trichlorobenzene	ND	1.7	0.16	0.85	
1,2-Dibromo-3-Chloropropane	ND	4.2	3.1	0.85		1,1,1-Trichloroethane	ND	0.85	0.22	0.85	
1,2-Dibromoethane	ND	0.85	0.38	0.85		1,1,2-Trichloroethane	ND	0.85	0.20	0.85	
Dibromomethane	ND	0.85	0.60	0.85		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	8.5	0.40	0.85	
1,2-Dichlorobenzene	ND	0.85	0.11	0.85		Trichloroethene	ND	1.7	0.15	0.85	
1,3-Dichlorobenzene	ND	0.85	0.14	0.85		Trichlorofluoromethane	ND	8.5	0.13	0.85	
1,4-Dichlorobenzene	ND	0.85	0.13	0.85		1,2,3-Trichloropropane	ND	1.7	0.55	0.85	
Dichlorodifluoromethane	ND	1.7	0.16	0.85		1,2,4-Trimethylbenzene	ND	1.7	0.099	0.85	
1,1-Dichloroethane	ND	0.85	0.14	0.85		1,3,5-Trimethylbenzene	ND	1.7	0.084	0.85	
1,2-Dichloroethane	ND	0.85	0.14	0.85		Vinyl Acetate	ND	8.5	6.3	0.85	
1,1-Dichloroethene	ND	0.85	0.12	0.85		Vinyl Chloride	ND	0.85	0.18	0.85	
c-1,2-Dichloroethene	ND	0.85	0.24	0.85		p/m-Xylene	ND	1.7	0.17	0.85	
t-1,2-Dichloroethene	ND	0.85	0.21	0.85		o-Xylene	ND	0.85	0.098	0.85	
1,2-Dichloropropane	ND	0.85	0.23	0.85		Methyl-t-Butyl Ether (MTBE)	ND	1.7	0.11	0.85	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	117	71-137		1,2-Dichloroethane-d4	128	58-160	
1,4-Bromofluorobenzene	93	66-126		Toluene-d8	102	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 10 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-10	**07-06-1559-10**	**06/20/07**	**Solid**	**GC/MS X**	**06/20/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	59	48	6.2	0.967		1,3-Dichloropropane	ND	0.97	0.17	0.967	
Benzene	1.6	0.97	0.13	0.967		2,2-Dichloropropane	ND	4.8	0.44	0.967	
Bromobenzene	ND	0.97	0.20	0.967		1,1-Dichloropropene	ND	1.9	0.21	0.967	
Bromochloromethane	ND	1.9	1.3	0.967		c-1,3-Dichloropropene	ND	0.97	0.18	0.967	
Bromodichloromethane	ND	0.97	0.14	0.967		t-1,3-Dichloropropene	ND	1.9	1.8	0.967	
Bromoform	ND	4.8	0.64	0.967		Ethylbenzene	ND	0.97	0.15	0.967	
Bromomethane	ND	19	1.8	0.967		2-Hexanone	ND	19	5.4	0.967	
2-Butanone	ND	19	9.2	0.967		Isopropylbenzene	ND	0.97	0.11	0.967	
n-Butylbenzene	ND	0.97	0.21	0.967		p-Isopropyltoluene	ND	0.97	0.11	0.967	
sec-Butylbenzene	ND	0.97	0.10	0.967		Methylene Chloride	ND	9.7	5.0	0.967	
tert-Butylbenzene	ND	0.97	0.12	0.967		4-Methyl-2-Pentanone	ND	19	2.0	0.967	
Carbon Disulfide	2.4	9.7	0.17	0.967	J	Naphthalene	ND	9.7	0.31	0.967	
Carbon Tetrachloride	ND	0.97	0.31	0.967		n-Propylbenzene	ND	0.97	0.99	0.967	
Chlorobenzene	ND	0.97	0.14	0.967		Styrene	ND	0.97	0.20	0.967	
Chloroethane	ND	1.9	0.40	0.967		1,1,1,2-Tetrachloroethane	ND	0.97	0.32	0.967	
Chloroform	ND	0.97	0.17	0.967		1,1,2,2-Tetrachloroethane	ND	1.9	0.22	0.967	
Chloromethane	ND	19	2.8	0.967		Tetrachloroethene	0.21	0.97	0.16	0.967	J
2-Chlorotoluene	ND	0.97	0.11	0.967		Toluene	0.69	0.97	0.15	0.967	J
4-Chlorotoluene	ND	0.97	0.10	0.967		1,2,3-Trichlorobenzene	ND	1.9	0.20	0.967	
Dibromochloromethane	ND	1.9	0.19	0.967		1,2,4-Trichlorobenzene	ND	1.9	0.18	0.967	
1,2-Dibromo-3-Chloropropane	ND	4.8	3.5	0.967		1,1,1-Trichloroethane	0.34	0.97	0.24	0.967	J
1,2-Dibromoethane	ND	0.97	0.43	0.967		1,1,2-Trichloroethane	ND	0.97	0.23	0.967	
Dibromomethane	ND	0.97	0.68	0.967		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.7	0.46	0.967	
1,2-Dichlorobenzene	ND	0.97	0.12	0.967		Trichloroethene	ND	1.9	0.18	0.967	
1,3-Dichlorobenzene	ND	0.97	0.16	0.967		Trichlorofluoromethane	ND	9.7	0.15	0.967	
1,4-Dichlorobenzene	ND	0.97	0.15	0.967		1,2,3-Trichloropropane	ND	1.9	0.63	0.967	
Dichlorodifluoromethane	ND	1.9	0.19	0.967		1,2,4-Trimethylbenzene	ND	1.9	0.11	0.967	
1,1-Dichloroethane	ND	0.97	0.15	0.967		1,3,5-Trimethylbenzene	ND	1.9	0.096	0.967	
1,2-Dichloroethane	ND	0.97	0.16	0.967		Vinyl Acetate	ND	9.7	7.2	0.967	
1,1-Dichloroethene	ND	0.97	0.13	0.967		Vinyl Chloride	ND	0.97	0.21	0.967	
c-1,2-Dichloroethene	ND	0.97	0.27	0.967		p/m-Xylene	ND	1.9	0.19	0.967	
t-1,2-Dichloroethene	ND	0.97	0.24	0.967		o-Xylene	ND	0.97	0.11	0.967	
1,2-Dichloropropane	ND	0.97	0.26	0.967		Methyl-t-Butyl Ether (MTBE)	ND	1.9	0.13	0.967	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	118	71-137		1,2-Dichloroethane-d4	130	58-160	
1,4-Bromofluorobenzene	94	66-126		Toluene-d8	103	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 11 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-11	**07-06-1559-11**	**06/20/07**	**Solid**	**GC/MS X**	**06/20/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	25	49	6.2	0.971	J	1,3-Dichloropropane	ND	0.97	0.17	0.971	
Benzene	1.6	0.97	0.13	0.971		2,2-Dichloropropane	ND	4.9	0.44	0.971	
Bromobenzene	ND	0.97	0.20	0.971		1,1-Dichloropropene	ND	1.9	0.21	0.971	
Bromochloromethane	ND	1.9	1.3	0.971		c-1,3-Dichloropropene	ND	0.97	0.18	0.971	
Bromodichloromethane	ND	0.97	0.14	0.971		t-1,3-Dichloropropene	ND	1.9	1.9	0.971	
Bromoform	ND	4.9	0.64	0.971		Ethylbenzene	ND	0.97	0.15	0.971	
Bromomethane	ND	19	1.8	0.971		2-Hexanone	ND	19	5.4	0.971	
2-Butanone	ND	19	9.3	0.971		Isopropylbenzene	ND	0.97	0.12	0.971	
n-Butylbenzene	ND	0.97	0.22	0.971		p-Isopropyltoluene	ND	0.97	0.11	0.971	
sec-Butylbenzene	ND	0.97	0.10	0.971		Methylene Chloride	ND	9.7	5.0	0.971	
tert-Butylbenzene	ND	0.97	0.12	0.971		4-Methyl-2-Pentanone	ND	19	2.0	0.971	
Carbon Disulfide	1.4	9.7	0.17	0.971	J	Naphthalene	ND	9.7	0.32	0.971	
Carbon Tetrachloride	ND	0.97	0.31	0.971		n-Propylbenzene	ND	0.97	0.99	0.971	
Chlorobenzene	ND	0.97	0.15	0.971		Styrene	ND	0.97	0.20	0.971	
Chloroethane	ND	1.9	0.40	0.971		1,1,1,2-Tetrachloroethane	ND	0.97	0.32	0.971	
Chloroform	ND	0.97	0.17	0.971		1,1,2,2-Tetrachloroethane	ND	1.9	0.22	0.971	
Chloromethane	ND	19	2.8	0.971		Tetrachloroethene	0.95	0.97	0.16	0.971	J
2-Chlorotoluene	ND	0.97	0.11	0.971		Toluene	0.80	0.97	0.15	0.971	J
4-Chlorotoluene	ND	0.97	0.10	0.971		1,2,3-Trichlorobenzene	ND	1.9	0.20	0.971	
Dibromochloromethane	ND	1.9	0.19	0.971		1,2,4-Trichlorobenzene	ND	1.9	0.18	0.971	
1,2-Dibromo-3-Chloropropane	ND	4.9	3.6	0.971		1,1,1-Trichloroethane	0.70	0.97	0.25	0.971	J
1,2-Dibromoethane	ND	0.97	0.43	0.971		1,1,2-Trichloroethane	ND	0.97	0.23	0.971	
Dibromomethane	ND	0.97	0.68	0.971		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.7	0.46	0.971	
1,2-Dichlorobenzene	ND	0.97	0.12	0.971		Trichloroethene	ND	1.9	0.18	0.971	
1,3-Dichlorobenzene	ND	0.97	0.16	0.971		Trichlorofluoromethane	ND	9.7	0.15	0.971	
1,4-Dichlorobenzene	ND	0.97	0.15	0.971		1,2,3-Trichloropropane	ND	1.9	0.63	0.971	
Dichlorodifluoromethane	ND	1.9	0.19	0.971		1,2,4-Trimethylbenzene	ND	1.9	0.11	0.971	
1,1-Dichloroethane	ND	0.97	0.15	0.971		1,3,5-Trimethylbenzene	ND	1.9	0.096	0.971	
1,2-Dichloroethane	ND	0.97	0.17	0.971		Vinyl Acetate	ND	9.7	7.3	0.971	
1,1-Dichloroethene	ND	0.97	0.14	0.971		Vinyl Chloride	ND	0.97	0.21	0.971	
c-1,2-Dichloroethene	ND	0.97	0.27	0.971		p/m-Xylene	ND	1.9	0.20	0.971	
t-1,2-Dichloroethene	ND	0.97	0.25	0.971		o-Xylene	ND	0.97	0.11	0.971	
1,2-Dichloropropane	ND	0.97	0.26	0.971		Methyl-t-Butyl Ether (MTBE)	ND	1.9	0.13	0.971	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	116	71-137		1,2-Dichloroethane-d4	126	58-160	
1,4-Bromofluorobenzene	94	66-126		Toluene-d8	106	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 12 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MRP-NSP-12	**07-06-1559-12**	**06/20/07**	**Solid**	**GC/MS X**	**06/20/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	39	46	5.9	0.912	J	1,3-Dichloropropane	ND	0.91	0.16	0.912	
Benzene	1.3	0.91	0.12	0.912		2,2-Dichloropropane	ND	4.6	0.42	0.912	
Bromobenzene	ND	0.91	0.19	0.912		1,1-Dichloropropene	ND	1.8	0.20	0.912	
Bromochloromethane	ND	1.8	1.3	0.912		c-1,3-Dichloropropene	ND	0.91	0.17	0.912	
Bromodichloromethane	ND	0.91	0.13	0.912		t-1,3-Dichloropropene	ND	1.8	1.7	0.912	
Bromoform	ND	4.6	0.60	0.912		Ethylbenzene	ND	0.91	0.14	0.912	
Bromomethane	ND	18	1.7	0.912		2-Hexanone	ND	18	5.1	0.912	
2-Butanone	ND	18	8.7	0.912		Isopropylbenzene	ND	0.91	0.11	0.912	
n-Butylbenzene	ND	0.91	0.20	0.912		p-Isopropyltoluene	ND	0.91	0.11	0.912	
sec-Butylbenzene	ND	0.91	0.094	0.912		Methylene Chloride	ND	9.1	4.7	0.912	
tert-Butylbenzene	ND	0.91	0.11	0.912		4-Methyl-2-Pentanone	ND	18	1.9	0.912	
Carbon Disulfide	1.7	9.1	0.16	0.912	J	Naphthalene	ND	9.1	0.30	0.912	
Carbon Tetrachloride	ND	0.91	0.29	0.912		n-Propylbenzene	ND	0.91	0.93	0.912	
Chlorobenzene	ND	0.91	0.14	0.912		Styrene	ND	0.91	0.19	0.912	
Chloroethane	ND	1.8	0.38	0.912		1,1,1,2-Tetrachloroethane	ND	0.91	0.30	0.912	
Chloroform	ND	0.91	0.16	0.912		1,1,2,2-Tetrachloroethane	ND	1.8	0.21	0.912	
Chloromethane	ND	18	2.7	0.912		Tetrachloroethene	ND	0.91	0.15	0.912	
2-Chlorotoluene	ND	0.91	0.11	0.912		Toluene	0.66	0.91	0.14	0.912	J
4-Chlorotoluene	ND	0.91	0.095	0.912		1,2,3-Trichlorobenzene	ND	1.8	0.19	0.912	
Dibromochloromethane	ND	1.8	0.18	0.912		1,2,4-Trichlorobenzene	ND	1.8	0.17	0.912	
1,2-Dibromo-3-Chloropropane	ND	4.6	3.3	0.912		1,1,1-Trichloroethane	ND	0.91	0.23	0.912	
1,2-Dibromoethane	ND	0.91	0.41	0.912		1,1,2-Trichloroethane	ND	0.91	0.22	0.912	
Dibromomethane	ND	0.91	0.64	0.912		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	9.1	0.43	0.912	
1,2-Dichlorobenzene	ND	0.91	0.12	0.912		Trichloroethene	ND	1.8	0.17	0.912	
1,3-Dichlorobenzene	ND	0.91	0.15	0.912		Trichlorofluoromethane	ND	9.1	0.14	0.912	
1,4-Dichlorobenzene	ND	0.91	0.14	0.912		1,2,3-Trichloropropane	ND	1.8	0.59	0.912	
Dichlorodifluoromethane	ND	1.8	0.18	0.912		1,2,4-Trimethylbenzene	ND	1.8	0.11	0.912	
1,1-Dichloroethane	ND	0.91	0.15	0.912		1,3,5-Trimethylbenzene	ND	1.8	0.090	0.912	
1,2-Dichloroethane	ND	0.91	0.16	0.912		Vinyl Acetate	ND	9.1	6.8	0.912	
1,1-Dichloroethene	ND	0.91	0.13	0.912		Vinyl Chloride	ND	0.91	0.20	0.912	
c-1,2-Dichloroethene	ND	0.91	0.26	0.912		p/m-Xylene	ND	1.8	0.18	0.912	
t-1,2-Dichloroethene	ND	0.91	0.23	0.912		o-Xylene	ND	0.91	0.10	0.912	
1,2-Dichloropropane	ND	0.91	0.24	0.912		Methyl-t-Butyl Ether (MTBE)	ND	1.8	0.12	0.912	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	118	71-137		1,2-Dichloroethane-d4	129	58-160	
1,4-Bromofluorobenzene	92	66-126		Toluene-d8	105	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 13 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**095-01-025-14,805**	**N/A**	**Solid**	**GC/MS Q**	**06/23/07**	**06/23/07**	**070623L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.4	1		1,3-Dichloropropane	ND	1.0	0.18	1	
Benzene	ND	1.0	0.13	1		2,2-Dichloropropane	ND	5.0	0.46	1	
Bromobenzene	ND	1.0	0.21	1		1,1-Dichloropropene	ND	2.0	0.22	1	
Bromochloromethane	ND	2.0	1.4	1		c-1,3-Dichloropropene	ND	1.0	0.18	1	
Bromodichloromethane	ND	1.0	0.15	1		t-1,3-Dichloropropene	ND	2.0	1.9	1	
Bromoform	ND	5.0	0.66	1		Ethylbenzene	ND	1.0	0.15	1	
Bromomethane	ND	20	1.8	1		2-Hexanone	ND	20	5.6	1	
2-Butanone	ND	20	9.6	1		Isopropylbenzene	ND	1.0	0.12	1	
n-Butylbenzene	ND	1.0	0.22	1		p-Isopropyltoluene	ND	1.0	0.12	1	
sec-Butylbenzene	ND	1.0	0.10	1		Methylene Chloride	8.6	10	5.2	1	J
tert-Butylbenzene	ND	1.0	0.12	1		4-Methyl-2-Pentanone	ND	20	2.0	1	
Carbon Disulfide	ND	10	0.18	1		Naphthalene	0.38	10	0.33	1	J
Carbon Tetrachloride	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	1.0	1	
Chlorobenzene	ND	1.0	0.15	1		Styrene	ND	1.0	0.21	1	
Chloroethane	ND	2.0	0.42	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.33	1	
Chloroform	ND	1.0	0.17	1		1,1,2,2-Tetrachloroethane	ND	2.0	0.23	1	
Chloromethane	ND	20	2.9	1		Tetrachloroethene	ND	1.0	0.17	1	
2-Chlorotoluene	ND	1.0	0.12	1		Toluene	ND	1.0	0.15	1	
4-Chlorotoluene	ND	1.0	0.10	1		1,2,3-Trichlorobenzene	ND	2.0	0.20	1	
Dibromochloromethane	ND	2.0	0.20	1		1,2,4-Trichlorobenzene	ND	2.0	0.18	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.7	1		1,1,1-Trichloroethane	ND	1.0	0.25	1	
1,2-Dibromoethane	ND	1.0	0.45	1		1,1,2-Trichloroethane	ND	1.0	0.24	1	
Dibromomethane	ND	1.0	0.70	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.47	1	
1,2-Dichlorobenzene	ND	1.0	0.13	1		Trichloroethene	ND	2.0	0.18	1	
1,3-Dichlorobenzene	ND	1.0	0.16	1		Trichlorofluoromethane	ND	10	0.16	1	
1,4-Dichlorobenzene	ND	1.0	0.15	1		1,2,3-Trichloropropane	ND	2.0	0.65	1	
Dichlorodifluoromethane	ND	2.0	0.19	1		1,2,4-Trimethylbenzene	ND	2.0	0.12	1	
1,1-Dichloroethane	ND	1.0	0.16	1		1,3,5-Trimethylbenzene	ND	2.0	0.099	1	
1,2-Dichloroethane	ND	1.0	0.17	1		Vinyl Acetate	ND	10	7.5	1	
1,1-Dichloroethene	ND	1.0	0.14	1		Vinyl Chloride	ND	1.0	0.21	1	
c-1,2-Dichloroethene	ND	1.0	0.28	1		p/m-Xylene	ND	2.0	0.20	1	
t-1,2-Dichloroethene	ND	1.0	0.25	1		o-Xylene	ND	1.0	0.11	1	
1,2-Dichloropropane	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.13	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	71-137		1,2-Dichloroethane-d4	106	58-160	
1,4-Bromofluorobenzene	99	66-126		Toluene-d8	101	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 14 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**095-01-025-14,806**	**N/A**	**Solid**	**GC/MS R**	**06/25/07**	**06/25/07**	**070625L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.4	1		1,3-Dichloropropane	ND	1.0	0.18	1	
Benzene	ND	1.0	0.13	1		2,2-Dichloropropane	ND	5.0	0.46	1	
Bromobenzene	ND	1.0	0.21	1		1,1-Dichloropropene	ND	2.0	0.22	1	
Bromochloromethane	ND	2.0	1.4	1		c-1,3-Dichloropropene	ND	1.0	0.18	1	
Bromodichloromethane	ND	1.0	0.15	1		t-1,3-Dichloropropene	ND	2.0	1.9	1	
Bromoform	ND	5.0	0.66	1		Ethylbenzene	ND	1.0	0.15	1	
Bromomethane	ND	20	1.8	1		2-Hexanone	ND	20	5.6	1	
2-Butanone	ND	20	9.6	1		Isopropylbenzene	ND	1.0	0.12	1	
n-Butylbenzene	ND	1.0	0.22	1		p-Isopropyltoluene	ND	1.0	0.12	1	
sec-Butylbenzene	ND	1.0	0.10	1		Methylene Chloride	ND	10	5.2	1	
tert-Butylbenzene	ND	1.0	0.12	1		4-Methyl-2-Pentanone	ND	20	2.0	1	
Carbon Disulfide	ND	10	0.18	1		Naphthalene	ND	10	0.33	1	
Carbon Tetrachloride	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	1.0	1	
Chlorobenzene	ND	1.0	0.15	1		Styrene	ND	1.0	0.21	1	
Chloroethane	ND	2.0	0.42	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.33	1	
Chloroform	ND	1.0	0.17	1		1,1,2,2-Tetrachloroethane	ND	2.0	0.23	1	
Chloromethane	ND	20	2.9	1		Tetrachloroethene	ND	1.0	0.17	1	
2-Chlorotoluene	ND	1.0	0.12	1		Toluene	ND	1.0	0.15	1	
4-Chlorotoluene	ND	1.0	0.10	1		1,2,3-Trichlorobenzene	ND	2.0	0.20	1	
Dibromochloromethane	ND	2.0	0.20	1		1,2,4-Trichlorobenzene	ND	2.0	0.18	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.7	1		1,1,1-Trichloroethane	ND	1.0	0.25	1	
1,2-Dibromoethane	ND	1.0	0.45	1		1,1,2-Trichloroethane	ND	1.0	0.24	1	
Dibromomethane	ND	1.0	0.70	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.47	1	
1,2-Dichlorobenzene	ND	1.0	0.13	1		Trichloroethene	ND	2.0	0.18	1	
1,3-Dichlorobenzene	ND	1.0	0.16	1		Trichlorofluoromethane	ND	10	0.16	1	
1,4-Dichlorobenzene	ND	1.0	0.15	1		1,2,3-Trichloropropane	ND	2.0	0.65	1	
Dichlorodifluoromethane	ND	2.0	0.19	1		1,2,4-Trimethylbenzene	ND	2.0	0.12	1	
1,1-Dichloroethane	ND	1.0	0.16	1		1,3,5-Trimethylbenzene	ND	2.0	0.099	1	
1,2-Dichloroethane	ND	1.0	0.17	1		Vinyl Acetate	ND	10	7.5	1	
1,1-Dichloroethene	ND	1.0	0.14	1		Vinyl Chloride	ND	1.0	0.21	1	
c-1,2-Dichloroethene	ND	1.0	0.28	1		p/m-Xylene	ND	2.0	0.20	1	
t-1,2-Dichloroethene	ND	1.0	0.25	1		o-Xylene	ND	1.0	0.11	1	
1,2-Dichloropropane	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.13	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	103	71-137		1,2-Dichloroethane-d4	106	58-160	
1,4-Bromofluorobenzene	95	66-126		Toluene-d8	99	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B
		Units:	ug/kg
Project: Maywood Riverfront Park / 2007047.01.0101			Page 15 of 15

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**095-01-025-14,813**	**N/A**	**Solid**	**GC/MS X**	**06/26/07**	**06/26/07**	**070626L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.4	1		1,3-Dichloropropane	ND	1.0	0.18	1	
Benzene	ND	1.0	0.13	1		2,2-Dichloropropane	ND	5.0	0.46	1	
Bromobenzene	ND	1.0	0.21	1		1,1-Dichloropropene	ND	2.0	0.22	1	
Bromochloromethane	ND	2.0	1.4	1		c-1,3-Dichloropropene	ND	1.0	0.18	1	
Bromodichloromethane	ND	1.0	0.15	1		t-1,3-Dichloropropene	ND	2.0	1.9	1	
Bromoform	ND	5.0	0.66	1		Ethylbenzene	ND	1.0	0.15	1	
Bromomethane	ND	20	1.8	1		2-Hexanone	ND	20	5.6	1	
2-Butanone	ND	20	9.6	1		Isopropylbenzene	ND	1.0	0.12	1	
n-Butylbenzene	ND	1.0	0.22	1		p-Isopropyltoluene	ND	1.0	0.12	1	
sec-Butylbenzene	ND	1.0	0.10	1		Methylene Chloride	ND	10	5.2	1	
tert-Butylbenzene	ND	1.0	0.12	1		4-Methyl-2-Pentanone	ND	20	2.0	1	
Carbon Disulfide	ND	10	0.18	1		Naphthalene	ND	10	0.33	1	
Carbon Tetrachloride	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	1.0	1	
Chlorobenzene	ND	1.0	0.15	1		Styrene	ND	1.0	0.21	1	
Chloroethane	ND	2.0	0.42	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.33	1	
Chloroform	ND	1.0	0.17	1		1,1,2,2-Tetrachloroethane	ND	2.0	0.23	1	
Chloromethane	ND	20	2.9	1		Tetrachloroethene	ND	1.0	0.17	1	
2-Chlorotoluene	ND	1.0	0.12	1		Toluene	ND	1.0	0.15	1	
4-Chlorotoluene	ND	1.0	0.10	1		1,2,3-Trichlorobenzene	ND	2.0	0.20	1	
Dibromochloromethane	ND	2.0	0.20	1		1,2,4-Trichlorobenzene	ND	2.0	0.18	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.7	1		1,1,1-Trichloroethane	ND	1.0	0.25	1	
1,2-Dibromoethane	ND	1.0	0.45	1		1,1,2-Trichloroethane	ND	1.0	0.24	1	
Dibromomethane	ND	1.0	0.70	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.47	1	
1,2-Dichlorobenzene	ND	1.0	0.13	1		Trichloroethene	ND	2.0	0.18	1	
1,3-Dichlorobenzene	ND	1.0	0.16	1		Trichlorofluoromethane	ND	10	0.16	1	
1,4-Dichlorobenzene	ND	1.0	0.15	1		1,2,3-Trichloropropane	ND	2.0	0.65	1	
Dichlorodifluoromethane	ND	2.0	0.19	1		1,2,4-Trimethylbenzene	ND	2.0	0.12	1	
1,1-Dichloroethane	ND	1.0	0.16	1		1,3,5-Trimethylbenzene	ND	2.0	0.099	1	
1,2-Dichloroethane	ND	1.0	0.17	1		Vinyl Acetate	ND	10	7.5	1	
1,1-Dichloroethene	ND	1.0	0.14	1		Vinyl Chloride	ND	1.0	0.21	1	
c-1,2-Dichloroethene	ND	1.0	0.28	1		p/m-Xylene	ND	2.0	0.20	1	
t-1,2-Dichloroethene	ND	1.0	0.25	1		o-Xylene	ND	1.0	0.11	1	
1,2-Dichloropropane	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	2.0	0.13	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	107	71-137		1,2-Dichloroethane-d4	106	58-160	
1,4-Bromofluorobenzene	92	66-126		Toluene-d8	104	87-111	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B
Ventura, CA 93001-2624		Method:	EPA 6010B

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**ICP 5300**	**06/21/07**	**06/25/07**	**070621S10**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Antimony	57	56	50-115	2	0-20	
Arsenic	101	101	75-125	0	0-20	
Barium	4X	4X	75-125	4X	0-20	Q
Beryllium	100	100	75-125	1	0-20	
Cadmium	100	100	75-125	0	0-20	
Chromium	100	99	75-125	0	0-20	
Cobalt	104	103	75-125	0	0-20	
Copper	101	95	75-125	3	0-20	
Lead	116	109	75-125	4	0-20	
Molybdenum	94	95	75-125	0	0-20	
Nickel	94	92	75-125	1	0-20	
Selenium	95	92	75-125	3	0-20	
Silver	100	99	75-125	2	0-20	
Thallium	89	87	75-125	3	0-20	
Vanadium	100	95	75-125	2	0-20	
Zinc	107	98	75-125	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC 23**	**06/21/07**	**06/25/07**	**070624S05**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	83	72	64-130	14	0-15	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5030B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC 1**	**06/22/07**	**06/23/07**	**070622S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	72	69	48-114	4	0-23	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 7471A

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**Mercury**	**06/21/07**	**06/26/07**	**070621S06A**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Mercury	113	113	84-138	1	0-7	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622S15**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
2,4-D	91	92	30-130	1	0-30	
2,4,5-T	86	86	30-130	1	0-30	
2,4-DB	97	100	30-130	3	0-30	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622S09**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gamma-BHC	72	66	50-135	9	0-25	
Heptachlor	77	71	50-135	9	0-25	
Endosulfan I	65	61	50-135	7	0-25	
Dieldrin	79	72	50-135	10	0-25	
Endrin	89	80	50-135	11	0-25	
4,4'-DDT	82	70	50-135	15	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622S08**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Aroclor-1260	99	123	50-135	22	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC/MS N**	**06/21/07**	**06/26/07**	**070621S13**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Phenol	107	107	57-123	0	0-16	
2-Chlorophenol	107	108	57-111	1	0-17	
1,4-Dichlorobenzene	93	95	49-127	1	0-20	
N-Nitroso-di-n-propylamine	121	122	54-144	1	0-17	
1,2,4-Trichlorobenzene	86	86	42-132	0	0-20	
4-Chloro-3-Methylphenol	112	114	50-128	2	0-17	
Acenaphthene	96	95	49-133	0	0-18	
4-Nitrophenol	113	119	30-144	5	0-21	
2,4-Dinitrotoluene	92	94	50-128	3	0-18	
Pentachlorophenol	79	80	29-113	1	0-22	
Pyrene	164	167	47-149	2	0-20	3

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

TN & Associates		Date Received:	06/20/07
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B

Project Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MRP-NSP-03	**Solid**	**GC/MS Q**	**06/20/07**	**06/23/07**	**070623S02**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	84	69	40-142	18	0-18	
Carbon Tetrachloride	58	48	37-139	19	0-20	
Chlorobenzene	74	60	43-127	21	0-26	
1,2-Dichlorobenzene	46	37	40-160	22	0-36	3
1,1-Dichloroethene	91	74	16-178	20	0-25	
Toluene	82	66	44-128	22	0-15	4
Trichloroethene	83	67	47-131	22	0-19	4
Vinyl Chloride	64	67	29-161	5	0-42	
Methyl-t-Butyl Ether (MTBE)	79	71	42-150	10	0-34	
Tert-Butyl Alcohol (TBA)	57	89	61-109	44	0-47	3
Diisopropyl Ether (DIPE)	78	66	73-133	16	0-25	3
Ethyl-t-Butyl Ether (ETBE)	80	67	73-132	16	0-25	3
Tert-Amyl-Methyl Ether (TAME)	78	68	82-120	14	0-25	3
Ethanol	106	99	39-117	7	0-99	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3050B
Ventura, CA 93001-2624		Method:	EPA 6010B

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-01-002-9,444	**Solid**	**ICP 5300**	**06/21/07**	**06/22/07**	**070621L10**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Antimony	85	86	80-120	1	0-20	
Arsenic	95	95	80-120	0	0-20	
Barium	105	104	80-120	0	0-20	
Beryllium	94	92	80-120	1	0-20	
Cadmium	102	102	80-120	0	0-20	
Chromium	103	103	80-120	0	0-20	
Cobalt	104	105	80-120	1	0-20	
Copper	99	98	80-120	0	0-20	
Lead	100	100	80-120	0	0-20	
Molybdenum	97	97	80-120	0	0-20	
Nickel	104	104	80-120	0	0-20	
Selenium	91	94	80-120	3	0-20	
Silver	95	95	80-120	0	0-20	
Thallium	112	112	80-120	0	0-20	
Vanadium	96	96	80-120	0	0-20	
Zinc	109	110	80-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3550B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-275-796	**Solid**	**GC 23**	**06/24/07**	**06/25/07**	**070624B05**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	96	100	75-123	3	0-12	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5030B
Ventura, CA 93001-2624		Method:	EPA 8015B (M)

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-279-820	**Solid**	**GC 1**	**06/22/07**	**06/22/07**	**070622B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	104	106	70-124	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 7471A Total
Ventura, CA 93001-2624		Method:	EPA 7471A

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-04-007-4,704	**Solid**	**Mercury**	**06/21/07**	**06/21/07**	**070621L06**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Mercury	101	101	87-117	0	0-3	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 8151A
Ventura, CA 93001-2624		Method:	EPA 8151A

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
095-01-033-653	**Solid**	**GC 0**	**06/22/07**	**06/28/07**	**070622L15**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
2,4-D	53	50	30-130	7	0-30	
2,4,5-T	78	74	30-130	4	0-30	
2,4-DB	78	74	30-130	5	0-30	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8081A

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-537-80	**Solid**	**GC 37**	**06/22/07**	**06/25/07**	**070622L09**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gamma-BHC	72	72	50-135	0	0-25	
Heptachlor	65	60	50-135	7	0-25	
Endosulfan I	61	61	50-135	0	0-25	
Dieldrin	74	73	50-135	1	0-25	
Endrin	77	77	50-135	1	0-25	
4,4'-DDT	72	74	50-135	3	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8082

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-535-68	**Solid**	**GC 17**	**06/22/07**	**06/23/07**	**070622L08**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Aroclor-1260	123	118	50-135	4	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 3545
Ventura, CA 93001-2624		Method:	EPA 8270C

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-549-84	**Solid**	**GC/MS N**	**06/21/07**	**06/25/07**	**070621L13**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Phenol	91	101	59-125	11	0-15	
2-Chlorophenol	92	103	60-114	11	0-15	
1,4-Dichlorobenzene	84	93	61-121	11	0-21	
N-Nitroso-di-n-propylamine	100	112	64-136	12	0-15	
1,2,4-Trichlorobenzene	77	86	58-118	12	0-18	
4-Chloro-3-Methylphenol	95	107	61-121	12	0-14	
Acenaphthene	84	94	59-125	11	0-15	
4-Nitrophenol	97	107	38-152	10	0-31	
2,4-Dinitrotoluene	83	93	51-141	11	0-16	
Pentachlorophenol	61	70	38-116	14	0-20	
Pyrene	87	95	51-141	9	0-14	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
095-01-025-14,806	**Solid**	**GC/MS R**	**06/25/07**	**06/25/07**	**070625L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	88	91	85-115	4	0-11	
Carbon Tetrachloride	97	105	68-134	8	0-14	
Chlorobenzene	89	94	83-119	5	0-9	
1,2-Dichlorobenzene	86	92	57-135	7	0-10	
1,1-Dichloroethene	88	93	72-120	6	0-10	
Toluene	90	95	67-127	6	0-10	
Trichloroethene	88	93	88-112	6	0-9	
Vinyl Chloride	79	84	57-129	5	0-16	
Methyl-t-Butyl Ether (MTBE)	92	95	76-124	3	0-12	
Tert-Butyl Alcohol (TBA)	88	90	31-145	2	0-23	
Diisopropyl Ether (DIPE)	90	94	74-128	5	0-10	
Ethyl-t-Butyl Ether (ETBE)	91	95	77-125	5	0-9	
Tert-Amyl-Methyl Ether (TAME)	94	99	81-123	5	0-10	
Ethanol	82	89	44-152	8	0-24	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
095-01-025-14,813	**Solid**	**GC/MS X**	**06/26/07**	**06/26/07**	**070626L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	108	106	85-115	1	0-11	
Carbon Tetrachloride	80	84	68-134	4	0-14	
Chlorobenzene	108	107	83-119	1	0-9	
1,2-Dichlorobenzene	105	105	57-135	0	0-10	
1,1-Dichloroethene	108	107	72-120	1	0-10	
Toluene	107	107	67-127	0	0-10	
Trichloroethene	105	105	88-112	0	0-9	
Vinyl Chloride	90	93	57-129	3	0-16	
Methyl-t-Butyl Ether (MTBE)	100	97	76-124	3	0-12	
Tert-Butyl Alcohol (TBA)	77	80	31-145	4	0-23	
Diisopropyl Ether (DIPE)	101	101	74-128	0	0-10	
Ethyl-t-Butyl Ether (ETBE)	95	98	77-125	3	0-9	
Tert-Amyl-Methyl Ether (TAME)	98	98	81-123	0	0-10	
Ethanol	87	89	44-152	2	0-24	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

TN & Associates		Date Received:	N/A
Engineering & Science		Work Order No:	07-06-1559
317 East Main Street		Preparation:	EPA 5035
Ventura, CA 93001-2624		Method:	EPA 8260B

Project: Maywood Riverfront Park / 2007047.01.0101

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
095-01-025-14,805	**Solid**	**GC/MS Q**	**06/23/07**	**06/23/07**	**070623L02**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	109	103	85-115	5	0-11	
Carbon Tetrachloride	98	88	68-134	11	0-14	
Chlorobenzene	117	108	83-119	7	0-9	
1,2-Dichlorobenzene	113	106	57-135	6	0-10	
1,1-Dichloroethene	112	105	72-120	6	0-10	
Toluene	112	105	67-127	6	0-10	
Trichloroethene	112	106	88-112	5	0-9	
Vinyl Chloride	92	89	57-129	4	0-16	
Methyl-t-Butyl Ether (MTBE)	108	101	76-124	7	0-12	
Tert-Butyl Alcohol (TBA)	94	95	31-145	1	0-23	
Diisopropyl Ether (DIPE)	104	99	74-128	5	0-10	
Ethyl-t-Butyl Ether (ETBE)	107	102	77-125	5	0-9	
Tert-Amyl-Methyl Ether (TAME)	108	101	81-123	7	0-10	
Ethanol	100	105	44-152	5	0-24	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 07-06-1559

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.