

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2423  
 Rec. Dec. 4 1933  
 Well No. \_\_\_\_\_  
 Permit No. 1411  
*Do not fill in*

Well No. 3 AKA PWell3

Owner Anaconda Copper Company Driller Lukins Bros.

Address Yerington Nevada Address Yerington, Nev. Lic. No. 97

Location of well: NW 1/4 NE 1/4 Sec. 21, T. 12 N/8, R. 20 E, in Lyons County

or \_\_\_\_\_

Water will be used for Mill Total depth of well 280 Ft.

Size of drilled hole 14" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 3/8" Temp. of water \_\_\_\_\_

Diameter and length of casing 14" Dia. 240 Ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 40 Ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well May 28th. 52 Date of completion of well Aug. 29th. 52

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40		Broken Granite Dirght
40	180		Granite Dirght
180	240		Granite Dirght

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 40 to 240 ft.

Other aquifers \_\_\_\_\_

---

First water at 40 feet.

Casing perforated

from 45 to 240 ft.

Size of perforations

1/8" Chisel Slot



