Table 1.10C
Statistical Summary of Groundwater Samping Results - Expostion 'B' Zone
Pemaco Superfund Site, Maywood, CA

						Minimum Result				Maximum Result			
GROUP	PARAMETER	UNITS	Count of Analyses	Detected Count	Frequency of Detects	Value	Qualifier	Location	Collect Date	Value	Qualifier	Location	Collect Date
Metal/Cyanide	Aluminum	µg/L	11	4	36%	32.6	J	MW-13-85	05/09/01	4020	J	MW-02-95	05/14/01
Metal/Cyanide	Antimony	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Arsenic	µg/L	11	6	55%	10.5	J	MW-03-85	05/22/01	51.5	=	MW-13-85	05/09/01
Metal/Cyanide	Barium	µg/L	11	11	100%	25.3	J	MW-08-85	05/08/01	211	=	MW-10-90	05/08/01
Metal/Cyanide	Beryllium	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Cadmium	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Calcium	µg/L	11	11	100%	46500	=	MW-03-85	05/22/01	159000	=	MW-05-85	05/10/01
Metal/Cyanide	Chromium (total)	µg/L	11	2	18%	1.7	J	MW-12-90	05/09/01	5.2	J	MW-02-95	05/14/01
Metal/Cyanide	Cobalt	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Copper	µg/L	11	3	27%	3.9	J	MW-04-85	06/05/01	37	J	MW-12-90	05/09/01
Metal/Cyanide	Cyanide	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Hexavalent Chromium	µg/L	11	3	27%	0.2	=	MW-05-85	05/10/01	0.4	=	MW-03-85	05/22/01
Metal/Cyanide	Iron	µg/L	11	7	64%	80.1	J	MW-10-90	05/08/01	5010	J	MW-02-95	05/14/01
Metal/Cyanide	Lead	µg/L	11	1	9%	4.8	=	MW-10-90	05/08/01	--	--	--	--
Metal/Cyanide	Magnesium	µg/L	11	11	100%	29800	=	MW-08-85	05/08/01	102000	=	MW-05-85	05/10/01
Metal/Cyanide	Manganese	µg/L	11	11	100%	25	=	MW-03-85	05/22/01	1410	=	MW-09-85	05/08/01
Metal/Cyanide	Mercury	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
Metal/Cyanide	Nickel	µg/L	11	3	27%	1.3	J	MW-06-85	05/07/01	5.3	J	MW-05-85	05/10/01
Metal/Cyanide	Potassium	µg/L	11	11	100%	2550	J	MW-01-80	06/04/01	26400	J	MW-02-95	05/14/01
Metal/Cyanide	Selenium	µg/L	11	2	18%	5.2	=	MW-03-85	05/22/01	8.5	J	MW-05-85	05/10/01
Metal/Cyanide	Silver	µg/L	11	3	27%	0.86	J	MW-08-85	05/08/01	2	J	MW-05-85	05/10/01
Metal/Cyanide	Sodium	µg/L	11	11	100%	64700	=	MW-12-90	05/09/01	198000	=	MW-04-85	06/05/01
Metal/Cyanide	Thallium	µg/L	11	1	9%	7.4	J	MW-03-85	05/22/01	--	--	--	--
Metal/Cyanide	Vanadium	µg/L	11	4	36%	5.3	J	MW-02-95	05/14/01	25.1	J	MW-04-85	06/05/01
Metal/Cyanide	Zinc	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	1-Propanol	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	2-Pentanone	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Acetone	mg/L	49	12	24%	0.05	J	MW-08-85	04/11/02	19.7	J	MW-10-90	05/08/01
NHVOC	Acetonitrile (Coelute w/MIBK)	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Acrylonitrile	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Ethanol	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Ethyl acetate	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Isobutanol	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Isopropanol	mg/L	49	12	24%	0.379	=	MW-12-90	01/11/02	108	=	MW-08-85	05/08/01
NHVOC	Methanol (Coelute with MEK)	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Methyl ethyl ketone (MEK)	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Methyl isobutyl ketone (MIBK)	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	n-Butanol	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	Propionitrile	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
NHVOC	t-butanol	mg/L	49	0	0%	NA	--	--	--	NA	--	--	--
SVOC	1,1'-Biphenyl	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--

Table 1.10C
Statistical Summary of Groundwater Samping Results - Expostion 'B' Zone
Pemaco Superfund Site, Maywood, CA

						Minimum Result				Maximum Result			
GROUP	PARAMETER	UNITS	Count of Analyses	Detected Count	Frequency of Detects	Value	Qualifier	Location	Collect Date	Value	Qualifier	Location	Collect Date
SVOC	1,4-Dioxane*	µg/L	58	2	3%	0.5	J	MW-09-85	10/24/02	2	=	MW-05-85	10/30/02
SVOC	2,2'-oxybis(1-Chloropropane)	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4,5-Trichlorophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4,6-Trichlorophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4-Dichlorophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4-Dimethylphenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4-Dinitrophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,4-Dinitrotoluene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2,6-Dinitrotoluene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Chloronaphthalene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Chlorophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Methylnaphthalene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Methylphenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Nitroaniline	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	2-Nitrophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	3,3'-Dichlorobenzidine	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	3-Nitroaniline	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4,6-Dinitro-2-methylphenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Bromophenyl-phenylether	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Chloro-3-methylphenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Chloroaniline	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Chlorophenyl-phenyl ether	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Methylphenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Nitroaniline	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	4-Nitrophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Acenaphthene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Acenaphthylene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Acetophenone	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Anthracene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Atrazine	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzaldehyde	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzo(a)anthracene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzo(a)pyrene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzo(b)fluoranthene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzo(g,h,i)perylene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Benzo(k)fluoranthene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	bis(2-Chloroethoxy)methane	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	bis-(2-Chloroethyl) ether	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	bis(2-Ethylhexyl)phthalate	µg/L	11	2	18%	1	J	MW-01-80	06/04/01	2	J	MW-06-85	05/07/01
SVOC	Butylbenzylphthalate	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Caprolactam	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--

Table 1.10C
Statistical Summary of Groundwater Samping Results - Expostion 'B' Zone
Pemaco Superfund Site, Maywood, CA

						Minimum Result				Maximum Result			
GROUP	PARAMETER	UNITS	Count of Analyses	Detected Count	Frequency of Detects	Value	Qualifier	Location	Collect Date	Value	Qualifier	Location	Collect Date
SVOC	Carbazole	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Chrysene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Dibenzo(a,h)anthracene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Dibenzofuran	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Diethylphthalate	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Dimethylphthalate	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Di-n-butylphthalate	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Di-n-octylphthalate	µg/L	11	1	9%	2	J	MW-06-85	05/07/01	--	--	--	--
SVOC	Fluoranthene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Fluorene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Hexachlorobenzene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Hexachlorobutadiene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Hexachlorocyclopentadiene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Hexachloroethane	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Indeno(1,2,3-cd)pyrene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Isophorone	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Naphthalene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Nitrobenzene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	N-Nitroso-di-n-propylamine	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	N-Nitrosodiphenylamine	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Pentachlorophenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Phenanthrene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Phenol	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
SVOC	Pyrene	µg/L	11	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,1,1,2-Tetrachloroethane	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,1,1-Trichloroethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,1,2,2-Tetrachloroethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,1,2-Trichloro-1,2,2-trifluoroethane	µg/L	48	1	2%	4.3	J	MW-04-85	09/19/01	--	--	--	--
VOC	1,1,2-Trichloroethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,1-Dichloroethane	µg/L	48	3	6%	0.41	J	MW-06-85	04/02/02	1	J	MW-03-85	04/01/02
VOC	1,1-Dichloroethene	µg/L	48	17	35%	0.59	J	MW-06-85	04/02/02	30	=	MW-17-85	04/02/02
VOC	1,1-Dichloropropene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2,3-Trichlorobenzene	µg/L	25	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2,3-Trichloropropane	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2,4-Trichlorobenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2,4-Trimethylbenzene	µg/L	16	3	19%	0.28	J	MW-10-90	01/14/02	1.4	=	MW-06-85	04/02/02
VOC	1,2-Dibromo-3-Chloropropane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2-Dibromoethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2-Dichlorobenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,2-Dichloroethane	µg/L	48	1	2%	0.4	J	MW-13-85	05/09/01	--	--	--	--
VOC	1,2-Dichloropropane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--

Table 1.10C
Statistical Summary of Groundwater Samping Results - Expostion 'B' Zone
Pemaco Superfund Site, Maywood, CA

						Minimum Result				Maximum Result			
GROUP	PARAMETER	UNITS	Count of Analyses	Detected Count	Frequency of Detects	Value	Qualifier	Location	Collect Date	Value	Qualifier	Location	Collect Date
VOC	1,3,5-Trimethylbenzene	µg/L	16	2	13%	0.26	J	MW-06-85	01/16/02	0.27	J	MW-06-85	04/02/02
VOC	1,3-Dichlorobenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,3-Dichloropropane	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	1,4-Dichlorobenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	2,2-Dichloropropane	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Methyl ethyl ketone (MEK)	µg/L	48	1	2%	17	J	MW-03-85	04/01/02	--	--	--	--
VOC	2-Chlorotoluene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	2-Hexanone	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	4-Chlorotoluene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Methyl isobutyl ketone (MIBK)	µg/L	48	1	2%	2.8	J	MW-06-85	04/02/02	--	--	--	--
VOC	Acetone	µg/L	48	13	27%	180	J	MW-08-85	10/04/01	20000	J	MW-09-85	05/08/01
VOC	Benzene	µg/L	48	9	19%	0.5	J	MW-03-85	05/22/01	1600	J	MW-06-85	09/21/01
VOC	Bromobenzene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Bromochloromethane	µg/L	25	0	0%	NA	--	--	--	NA	--	--	--
VOC	Bromodichloromethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Bromoform	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Bromomethane	µg/L	48	3	6%	0.6	J	MW-10-90	04/12/02	2	J	MW-01-80	01/07/02
VOC	Carbon Disulfide	µg/L	48	2	4%	1.1	J	MW-13-85	09/24/01	4.6	J	MW-04-85	04/03/02
VOC	Carbon Tetrachloride	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Chlorobenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Chloroethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Chloroform	µg/L	48	9	19%	0.5	J	MW-13-85	05/09/01	36	J	MW-05-85	09/20/01
VOC	Chloromethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	cis-1,2-Dichloroethene	µg/L	48	39	81%	0.6	J	MW-09-85	04/11/02	14000	=	MW-17-85	04/02/02
VOC	cis-1,3-Dichloropropene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Cyclohexane	µg/L	48	30	63%	2.5	=	MW-12-90	04/02/02	3155	=	MW-03-85	01/16/02
VOC	Dibromochloromethane	µg/L	48	1	2%	16	J	MW-03-85	05/22/01	--	--	--	--
VOC	Dibromomethane	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Dichlorodifluoromethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Ethylbenzene	µg/L	48	8	17%	0.25	J	MW-05-85	04/01/02	3.5	=	MW-06-85	04/02/02
VOC	Hexane	µg/L	22	6	27%	1.2	J	MW-02-95	04/01/02	32	=	MW-17-85	04/02/02
VOC	Isopropylbenzene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Methyl Acetate	µg/L	48	1	2%	1300	=	MW-04-85	01/15/02	--	--	--	--
VOC	Methyl tert-Butyl Ether	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Methylcyclohexane	µg/L	48	2	4%	1	=	MW-06-85	05/07/01	1.4	J	MW-03-85	04/01/02
VOC	Methylene Chloride	µg/L	48	1	2%	5.6	J	MW-06-85	01/16/02	--	--	--	--
VOC	Naphthalene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	n-Butylbenzene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	n-Propylbenzene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	p-Isopropyltoluene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	sec-Butylbenzene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--

Table 1.10C
Statistical Summary of Groundwater Samping Results - Expostion 'B' Zone
Pemaco Superfund Site, Maywood, CA

						Minimum Result				Maximum Result			
GROUP	PARAMETER	UNITS	Count of Analyses	Detected Count	Frequency of Detects	Value	Qualifier	Location	Collect Date	Value	Qualifier	Location	Collect Date
VOC	Styrene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	tert-Butylbenzene	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Tetrachloroethene	µg/L	48	15	31%	0.1	J	MW-13-85	05/09/01	8.1	=	MW-03-85	04/01/02
VOC	Toluene	µg/L	48	10	21%	0.2	J	MW-13-85	05/09/01	55	J	MW-06-85	05/07/01
VOC	trans-1,2-Dichloroethene	µg/L	48	11	23%	1.6	J	MW-02-95	09/19/01	26	=	MW-17-85	04/02/02
VOC	trans-1,3-Dichloropropene	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Trichloroethene	µg/L	49	38	78%	0.8	J	MW-01-80	04/10/02	21,000	J	MW-17-85	12/14/01
VOC	Trichlorofluoromethane	µg/L	48	0	0%	NA	--	--	--	NA	--	--	--
VOC	Vinyl Acetate	µg/L	16	0	0%	NA	--	--	--	NA	--	--	--
VOC	Vinyl Chloride	µg/L	48	14	29%	0.7	J	MW-01-80	04/10/02	780	=	MW-18-85	01/22/02
VOC	Xylenes (total)	µg/L	48	3	6%	0.1	J	MW-08-85	05/08/01	14.1	=	MW-06-85	04/02/02
GenChem	Alkalinity, Total	mg/L	6	6	100%	370	=	MW-10-90	09/21/01	510	=	MW-09-85	09/21/02
GenChem	C1 Hydrocarbons (Methane, CH4)	mg/L	11	6	55%	0.002	=	MW-12-90	05/09/01	2.2	=	MW-02-95	05/14/01
GenChem	C2 Hydrocarbons (Ethane, C2H6)	mg/L	11	2	18%	0.001	J	MW-04-85	06/05/01	0.002	=	MW-05-85	05/10/01
			--	--	--	0.001	J	MW-02-95	05/14/01	--	--	--	--
GenChem	C2 Hydrocarbons (Ethene, C2H4)	mg/L	11	7	64%	0.003	=	MW-13-85	05/09/01	0.28	=	MW-02-95	05/14/01
			--	--	--	0.003	=	MW-05-85	05/10/01	--	--	--	--
GenChem	Carbon Dioxide	mg/L	11	11	100%	22	=	MW-12-90	05/19/01	215	=	MW-02-95	05/14/01
GenChem	Carbon, Total Organic (TOC)	mg/L	11	11	100%	3	=	MW-01-80	06/04/01	56	=	MW-08-85	05/08/01
Anion	Chloride	mg/L	1	1	100%	28	=	MW-03-85	09/19/01	--	--	--	--
			--	--	--	--	--	--	--	0.4	=	MW-04-85	06/05/01
Anion	Sulfate	mg/L	6	6	100%	110	=	MW-05-85	09/20/01	400	=	MW-06-85	09/21/01
Anion	Sulfide	mg/L	7	4	57%	0.6	=	MW-06-85	09/21/02	9.5	=	MW-09-85	09/21/01

Notes:

(1.) Statistics based on analytical data collected during the Pemaco RI through April 2002.

(2.) '--' Parameter was not detected.

(3.) 'J' Results are estimates only. Results were qualified as estimated if at least one of the following criteria applied:

- Results were detected below reporting limits.
- Analyte results differed significantly between original sample and duplicate sample.
- Results could have been affected by sample matrix interferences, technical problems with instrument of analysis, and/or field or laboratory activities indicated during QC analysis.

(4.) 'NA' - not applicable, no positive detects.

(5.) 'µg/L' - microgram per liter

(6.) 'mg/L' - milligram per liter

(7.) '*' - 1,4-dioxane statistical results include data through July 2003. This was performed because analytical methods for 1,4-dioxane improved the previous method detection limit of 250 µgL to 1.0 µg/L. Quarterly sampling events between July 2002 and July 2003 utilized the improved the 1.0 µg/L method reporting limit for 1,4-dioxane.

(8.) Laboratory reports for quarterly sampling events through April 2002 may be referenced in the *Final Remedial Investigation Report, Pemaco Superfund Site, Maywood, California* (TN&A, March 2003). Laboratory reports for subsequent quarterly sampling events will be documented under a separate cover as technical memorandums, which will be added to the administrative file record.