Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-01-17	RGW-01-30	RGW-01-40	RGW-01-50	RGW-01-60	RGW-02-12
Sample Date:		09/27/2004	09/27/2004	09/27/2004	09/27/2004	09/27/2004	10/01/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	1.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	1.3 J
1,1-Dichloroethene	6.0	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	0.3 J	ND < 0.5 J	ND < 0.5 J	0.5 J	ND < 0.5 J	**83 J**
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	49 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**29 J**
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	0.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	2.2 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	4.6 J
Benzene	1.0	0.4 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	21 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	2.7 J	3.0 J	ND < 0.5 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	**39 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.3 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	0.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	3.3 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	2.3 J
Methyl tert-butyl ether	13	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**39 J**
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**42 J**
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	16 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.4 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.5 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	1.1 J	0.3 J	ND < 0.5 J	0.4 J	0.3 J	0.3 J
trans-1,2-Dichloroethene	10	3.8 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	**5.1 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	**1.2 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Xylenes, m & p	1750	0.9 J	0.2 J	ND < 0.5 J	0.4 J	0.2 J	0.2 J
Xylenes, o	1750	0.3 J	ND < 0.5 J	0.2 J	0.2 J	ND < 0.5 J	4.6 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-02-20	RGW-02-32	RGW-02-42	RGW-02-50	RGW-02-58	RGW-03-17
Sample Date:		10/01/2004	10/01/2004	10/01/2004	10/01/2004	10/01/2004	10/04/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,1-Dichloroethane	5.0	0.6 J	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**890**
1,1-Dichloroethene	6.0	ND < 0.5 J	3.9 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,2,3-Trichlorobenzene	N/A	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,2,4-Trimethylbenzene	12	2.7 J	1.1 J	ND < 0.5 J	0.3 J	0.2 J	**52**
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 20
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,2-Dichlorobenzene	600	0.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	13
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**9.7**
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,3,5-Trimethylbenzene	12	1.1 J	0.4 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**13**
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 10000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Acetone	5500	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	310
Benzene	1.0	0.7 J	**1.2 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**230**
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Chlorobenzene	70	9.0 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	18
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**680**
Chloroform	100	ND < 0.5 J	0.8 J	ND < 0.5 J	0.9 J	1.2 J	ND < 5.0
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
cis-1,2-Dichloroethene	6.0	2.2 J	**360 J**	0.4 J	ND < 0.5 J	ND < 0.5 J	**36**
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Dichlorodifluoromethane	390	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Ethylbenzene	700	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	370
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	4.5
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	120
Methyl tert-butyl ether	13	**45 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**9.8**
Naphthalene	6.2	2.4 J	0.4 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**310**
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
n-Propylbenzene	240	0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	4.6
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	4.0
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Tetrachloroethene	5.0	ND < 0.5 J	2.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Toluene	150	0.2 J	0.2 J	ND < 0.5 J	ND < 0.5 J	0.2 J	**6500 J**
trans-1,2-Dichloroethene	10	ND < 0.5 J	**44 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**11**
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Trichloroethene	5.0	ND < 0.5 J	**57 J**	0.2 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 5.0
Vinyl chloride	0.5	**0.8 J**	**7.7 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**80**
Xylenes, m & p	1750	0.2 J	0.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	790
Xylenes, o	1750	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	420

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-03-37	RGW-03-58	RGW-04-20	RGW-04-30	RGW-05-15	RGW-05-25
Sample Date:		10/04/2004	10/04/2004	09/29/2004	09/29/2004	09/21/2004	09/21/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	**25**	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethene	6.0	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	0.4	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	1.0	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	ND < 0.5	ND < 0.5	ND < 0.5 J	0.2 J	ND < 0.5 J	0.3 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0	ND < 2.0	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	340	0.3	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	6.6	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	**76**	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0	ND < 4.0	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Benzene	1.0	**1.3**	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromobenzene	20	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	5.2	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	3.2	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloromethane	160	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	0.3	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	0.3	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0	ND < 4.0	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methylene chloride	5.0	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	0.7	0.2	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J	ND < 1.0 J
N-butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J
Toluene	150	7.9	1.5	0.4 J	0.3 J	0.3 J	0.2 J
trans-1,2-Dichloroethene	10	**13**	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	0.2	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	ND < 0.5	0.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Xylenes, m & p	1750	0.8	ND < 0.5	0.2 J	0.4 J	0.3 J	0.5 J
Xylenes, o	1750	0.4	ND < 0.5	ND < 0.5 J	ND < 0.5	0.2 J	0.2 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-05-35	RGW-06-12	RGW-06-22	RGW-06-29	RGW-06-40	RGW-07-12
Sample Date:		09/21/2004	09/20/2004	09/20/2004	09/20/2004	09/20/2004	09/23/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethene	6.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.4 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	1.2 J	2.0 J	0.2 J	1.2 J	0.9 J	0.2 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	0.2 J	0.6 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0 J	ND < 4.0 J	6.9 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Benzene	1.0	ND < 0.5 J	0.3 J	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.4 J	ND < 0.5 J	ND < 0.5 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	1.0 J	ND < 0.5 J	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	0.2 J	1.4 J	0.2 J	0.4 J	0.3 J	0.2 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.7 J
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	0.5 J	ND < 1.0 J	ND < 1.0 J	0.5 J	0.5 J	ND < 0.5 J
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	0.3 J	5.6 J	1.2 J	1.3 J	1.1 J	ND < 0.5
trans-1,2-Dichloroethene	10	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Xylenes, m & p	1750	1.0 J	6.9 J	0.8 J	2.3 J	1.7 J	0.7 J
Xylenes, o	1750	0.6 J	3.0 J	0.2 J	0.8 J	0.6 J	0.2 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-07-25	RGW-07-35	RGW-07-43	RGW-07-55	RGW-08-30	RGW-08-38
Sample Date:		09/23/2004	09/23/2004	09/23/2004	09/23/2004	09/17/2004	09/17/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	1.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**69 J**	ND < 0.5 J
1,1-Dichloroethene	6.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.6 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.3 J
1,2,4-Trimethylbenzene	12	ND < 0.5 J	2.6 J	ND < 0.5 J	0.3 J	ND < 0.5 J	ND < 0.5 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	49 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	0.4 J	ND < 0.5 J	**2.8 J**	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	0.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.3 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**5.7 J**	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Benzene	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**2.1 J**	ND < 0.5 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	5.5 J	ND < 0.5 J
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5 J	0.5 J	4.8 J	0.8 J	ND < 0.5 J	ND < 0.5 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R
cis-1,2-Dichloroethene	6.0	**11 J**	5.7 J	ND < 0.5 J	ND < 0.5 J	**110 J**	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R
Ethylbenzene	700	ND < 0.5 J	0.9 J	ND < 0.5 J	0.2 J	0.2 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R
Naphthalene	6.2	ND < 0.5 J	ND < 0.5	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J	0.5 J
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	0.9 J	ND < 0.5 J	ND < 0.5 J	0.3 J	ND < 0.5 J
Toluene	150	ND < 0.5	1.7 J	ND < 0.5	0.3 J	0.5 J	ND < 0.5 J
trans-1,2-Dichloroethene	10	2.8 J	3.6 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	0.5 J	1.8 J	ND < 0.5 J	ND < 0.5 J	**7.2 J**	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	**0.9 J**	**0.5 J**	ND < 0.5 J	ND < 0.5 J	**45. J**	ND < 0.5 J
Xylenes, m & p	1750	0.3 J	3.9 J	0.6 J	0.4 J	0.5 J	ND < 0.5 J
Xylenes, o	1750	ND < 0.5 J	1.6 J	0.2 J	0.2 J	0.3 J	ND < 0.5 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-08-44	RGW-09-15	RGW-09-25	RGW-09-35	RGW-09-45	RGW-09-55
Sample Date:		09/17/2004	09/28/2004	09/28/2004	09/28/2004	09/28/2004	09/28/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 10 J	0.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	ND < 0.5 J	**10.0 J**	**90 J**	**46 J**	**9.5 J**	ND < 0.5 J
1,1-Dichloroethene	6.0	ND < 0.5 J	5.1 J	2.6 J	0.8 J	0.7 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	ND < 0.5 J	ND < 10 J	1.5 J	0.9 J	ND < 0.5 J	ND < 0.5 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 40 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	1.6 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	ND < 10 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 20000 J	**840 J**	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0 J	80 J	16 J	28 J	ND < 4.0 J	ND < 4.0 J
Benzene	1.0	ND < 0.5 J	**5.9 J**	**2.2 J**	0.6 J	0.2 J	0.4 J
Bromobenzene	20	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 R	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	1.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5 J	ND < 10 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R
Chloromethane	160	ND < 0.5 R	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	ND < 0.5 J	**2500 J**	**180 J**	**66 J**	**6.0 J**	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 R	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	ND < 0.5 J	11 J	2.0 J	0.4 J	ND < 0.5 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 80 J	2.2 J	4.4 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methylene chloride	5.0	ND < 0.5 R	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	ND < 1.0 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
N-butylbenzene	240	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	0.2 J	5.7 J	3.5 J	0.8 J	ND < 0.5 J	0.3 J
trans-1,2-Dichloroethene	10	ND < 0.5 J	15 J	1.5 J	0.3 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	ND < 0.5 J	**880 J**	**110 J**	**25 J**	1.1 J	0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 10 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	ND < 0.5 J	ND < 10 J	**22 J**	**14 J**	**2.7 J**	ND < 0.5 J
Xylenes, m & p	1750	0.2 J	24 J	4.2 J	1.2 J	0.2 J	0.2 J
Xylenes, o	1750	ND < 0.5 J	ND < 10 J	1.4 J	0.5 J	ND < 0.5 J	ND < 0.5 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-09-65	RGW-10-32	RGW-10-40	RGW-10-50	RGW-11-10	RGW-11-22
Sample Date:		09/28/2004	09/24/2004	09/24/2004	09/24/2004	09/22/2004	09/22/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	1.4 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	3.4 J	**180 J**
1,1-Dichloroethene	6.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**56 J**
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	0.2 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	2.4 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**0.5 J**	ND < 0.5 J	**0.4 J**
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	16 J	ND < 4.0 J
Benzene	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.6 J	0.3 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 R	ND < 0.5 J	ND < 0.5 R	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.3 J
Chlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	0.8 J
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	0.4 J	ND < 0.5 J	ND < 0.5 J	8.3 J	ND < 0.5 J	ND < 0.5 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	3.2 J	1.4 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R
Ethylbenzene	700	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	4.4 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.3 J	ND < 0.5 J
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	ND < 0.5 J	ND < 0.5	ND < 0.5 J	ND < 0.5	1.1 J	0.6 J
trans-1,2-Dichloroethene	10	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	1.0 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	**5.8 J**	**3.9 J**
Xylenes, m & p	1750	ND < 0.5 J	0.2 J	ND < 0.5 J	0.3 J	0.8 J	0.6 J
Xylenes, o	1750	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.4 J	0.3 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-11-40	RGW-12-14-0904	RGW-12-24-0904	RGW-12-34-0904	RGW-12-44-0904
Sample Date:		09/22/2004	10/20/2004	10/20/2004	10/20/2004	10/20/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	0.6 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	0.2 J	**24 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethene	6.0	2.8 J	1.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	20 J	0.2 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	**85 J**	1.2 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	0.4 J	**620 J**	**23 J**	ND < 0.5 J	0.2 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 1.0 J	ND < 1.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	ND < 0.5 J	**7800 J**	170 J	ND < 0.5 J	0.3 J
1,2-Dichloroethane	0.5	ND < 0.5 J	**0.7 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	**160 J**	7.3 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 0.5 J	**360 J**	7.7 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	**3500 J**	**80 J**	ND < 0.5 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 0.5 J	6.3 J	0.2 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	ND < 4.0 J	8.9 J	3.7 J	ND < 4.0 J	ND < 4.0 J
Benzene	1.0	ND < 0.5 J	**27 J**	0.3 J	ND < 0.5 J	ND < 0.5 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	ND < 0.5 J	**6700 J**	**140 J**	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	ND < 0.5 J	2.4 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 0.5 J	ND < 0.5 J	4.1 J	ND < 0.5 J	3.7 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	ND < 0.5 J	**680 J**	3.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 0.5 R	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	0.2 J	21 J	0.9 J	ND < 0.5 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	46 J	1.9 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 0.5 J
Methylene chloride	5.0	ND < 0.5 J	0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	ND < 0.5 J	**160 J**	2.2 J	ND < 0.5 J	ND < 0.5 J
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	0.4 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	ND < 0.5 J	150 J	6.7 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	4.2 J	1.1 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	ND < 0.5 J	3.3 J	0.3 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	ND < 0.5 J	**12 J**	0.3 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	0.4 J	100 J	3.4 J	ND < 0.5 J	0.3 J
trans-1,2-Dichloroethene	10	ND < 0.5 J	**15 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	ND < 0.5 J	1.4 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	ND < 0.5 J	**33 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Xylenes, m & p	1750	0.6 J	33 J	2.9 J	ND < 0.5 J	0.3 J
Xylenes, o	1750	0.3 J	98 J	3.1 J	ND < 0.5 J	ND < 0.5 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-13-22	RGW-13-32	RGW-13-42	RGW-13-50	RGW-13-58	RGW-14-9-0904
Sample Date:		09/30/2004	09/30/2004	09/30/2004	09/30/2004	09/30/2004	10/22/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,1-Trichloroethane	200	1.7 J	0.6 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2,2-Tetrachloroethane	1.0	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1,2-Trichloroethane	5.0	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethane	5.0	ND < 2.5 J	ND < 5.0 J	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,1-Dichloroethene	6.0	ND < 2.5 R	0.9 J	ND < 0.5 R	ND < 0.5 R	ND < 0.5 R	ND < 0.5 J
1,1-Dichloropropene	N/A	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichlorobenzene	N/A	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,3-Trichloropropane	0.0056	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trichlorobenzene	70	1.9 J	0.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2,4-Trimethylbenzene	12	**300 J**	2.8 J	2.1 J	3.8 J	0.9 J	0.2 J
1,2-Dibromo-3-chloropropane	0.2	ND < 10 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J
1,2-Dibromoethane	0.05	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichlorobenzene	600	390 J	ND < 5.0 J	3.4 J	4.2 J	1.4 J	ND < 0.5 J
1,2-Dichloroethane	0.5	ND < 2.5 J	**4.0 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,2-Dichloropropane	5.0	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3,5-Trimethylbenzene	12	6.7 J	ND < 0.5 J	ND < 0.5 J	0.4 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichlorobenzene	180	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,3-Dichloropropane	120	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
1,4-Dichlorobenzene	5.0	**59 J**	ND < 5.0 J	0.6 J	0.7 J	0.2 J	ND < 0.5 J
1,4-Dioxane (p-dioxane)	6.1	ND < 5000 J	1200 J	ND < 1000 J	ND < 1000 J	ND < 1000 J	ND < 1000 J
2,2-Dichloropropane	N/A	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
2-Chlorotoluene	120	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
4-Chlorotoluene	N/A	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Acetone	5500	22 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	11.0 J
Benzene	1.0	**210 J**	**2.2 J**	0.2 J	0.2 J	ND < 0.5 J	0.2 J
Bromobenzene	20	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromochloromethane	N/A	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromodichloromethane	100	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromoform	100	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Bromomethane	8.7	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Carbon tetrachloride	0.5	ND < 2.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chlorobenzene	70	13 J	0.9 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroethane	4.6	**460 J**	3.7 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Chloroform	100	ND < 2.5 J	ND < 0.5 J	0.4 J	3.9 J	1.2 J	ND < 0.5 J
Chloromethane	160	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
cis-1,2-Dichloroethene	6.0	**38 J**	ND < 5.0 J	0.5 J	0.7 J	ND < 0.5 J	ND < 0.5 J
cis-1,3-Dichloropropene	0.5	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromochloromethane	100	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dibromomethane	61	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Dichlorodifluoromethane	390	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Ethylbenzene	700	140 J	1.0 J	0.6 J	1.0 J	0.2 J	ND < 0.5 J
Hexachlorobutadiene	0.86	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Isopropylbenzene (cumene)	N/A	27 J	0.3 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methyl ethyl ketone	7000	ND < 20 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J
Methyl tert-butyl ether	13	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Methylene chloride	5.0	**8.5 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Naphthalene	6.2	**320 J**	1.1 J	0.6 J	1.4 J	0.3 J	0.2 J
N-butylbenzene	240	1.8 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
n-Propylbenzene	240	58 J	0.5 J	0.4 J	0.7 J	ND < 0.5 J	ND < 0.5 J
p-Cymene (p-isopropyltoluene)	N/A	63 J	0.6 J	0.5 J	0.8 J	ND < 0.5 J	ND < 0.5 J
sec-Butylbenzene	240	2.0 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Styrene	1600	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
tert-Butylbenzene	240	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Tetrachloroethene	5.0	1.5 J	3.4 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Toluene	150	ND < 2.5 J	4.1 J	1.4 J	3.6 J	0.4 J	0.6 J
trans-1,2-Dichloroethene	10	ND < 2.5 J	11.0 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
trans-1,3-Dichloropropene	0.5	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Trichloroethene	5.0	**9.7 J**	**10 J**	0.2 J	0.3 J	ND < 0.5 J	ND < 0.5 J
Trichlorofluoromethane	150	ND < 2.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Vinyl chloride	0.5	**3.6 J**	ND < 5.0 J	**0.7 J**	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J
Xylenes, m & p	1750	190 J	2.1 J	1.1 J	2.2 J	0.3 J	0.5 J
Xylenes, o	1750	380 J	2.3 J	1.3 J	2.5 J	0.4 J	0.2 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-14-16-0904	RGW-14-26-0904	RGW-14-36-0904	RGW-14-46-0904	RGW-15-16-0904
Sample Date:		10/22/2004	10/22/2004	10/22/2004	10/22/2004	10/26/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1,1-Trichloroethane	200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1,2-Trichloroethane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1-Dichloroethane	5.0	**12 J**	2.2 J	1.1 J	0.4 J	ND < 1.0 J
1,1-Dichloroethene	6.0	1.0 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,1-Dichloropropene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2,3-Trichlorobenzene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2,3-Trichloropropane	0.0056	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2,4-Trichlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2,4-Trimethylbenzene	12	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 2.0 J	ND < 4.0 J
1,2-Dibromoethane	0.05	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2-Dichlorobenzene	600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2-Dichloroethane	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,2-Dichloropropane	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,3,5-Trimethylbenzene	12	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,3-Dichlorobenzene	180	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,3-Dichloropropane	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,4-Dichlorobenzene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
1,4-Dioxane (p-dioxane)	6.1	NR	NR	ND < 1000 J	ND < 1000 J	ND < 2000 J
2,2-Dichloropropane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
2-Chlorotoluene	120	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
4-Chlorotoluene	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Acetone	5500	12 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	11 J
Benzene	1.0	0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Bromobenzene	20	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Bromochloromethane	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Bromodichloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Bromoform	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Bromomethane	8.7	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Carbon tetrachloride	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Chlorobenzene	70	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Chloroethane	4.6	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Chloroform	100	ND < 0.5 J	0.9 J	0.6 J	ND < 0.5 J	ND < 1.0 J
Chloromethane	160	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
cis-1,2-Dichloroethene	6.0	**22 J**	0.2 J	1.5 J	0.3 J	ND < 1.0 J
cis-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Dibromochloromethane	100	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Dibromomethane	61	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Dichlorodifluoromethane	390	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Ethylbenzene	700	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Hexachlorobutadiene	0.86	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Isopropylbenzene (cumene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Methyl ethyl ketone	7000	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 4.0 J	ND < 8.0 J
Methyl tert-butyl ether	13	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Methylene chloride	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Naphthalene	6.2	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 1.0 J
N-butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
n-Propylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
sec-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Styrene	1600	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
tert-Butylbenzene	240	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Tetrachloroethene	5.0	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Toluene	150	0.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
trans-1,2-Dichloroethene	10	0.2 J	ND < 0.5 J	0.3 J	ND < 0.5 J	ND < 1.0 J
trans-1,3-Dichloropropene	0.5	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Trichloroethene	5.0	0.2 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Trichlorofluoromethane	150	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J
Vinyl chloride	0.5	**4.7 J**	0.2 J	0.4 J	0.4 J	ND < 1.0 J
Xylenes, m & p	1750	ND < 0.5 J	ND < 0.5 J	0.2 J	ND < 0.5 J	ND < 1.0 J
Xylenes, o	1750	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 0.5 J	ND < 1.0 J

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-15-29-0904	RGW-15-36-0904	RGW-15-43-0904	RGW-16-7-0904	RGW-16-17-0904
Sample Date:		11/02/2004	11/02/2004	11/02/2004	11/30/2004	11/30/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,1,1-Trichloroethane	200	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,1,2-Trichloroethane	5.0	ND < 0.5	ND < 0.5	2.5	ND < 0.5	ND < 0.5
1,1-Dichloroethane	5.0	**21**	1.0	3.0	**10**	**20**
1,1-Dichloroethene	6.0	ND < 0.5	0.3	4.5	ND < 0.5	0.4
1,1-Dichloropropene	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,2,3-Trichlorobenzene	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 1.0	5.1
1,2,3-Trichloropropane	0.0056	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,2,4-Trichlorobenzene	70	ND < 0.5	ND < 0.5	ND < 0.5	ND < 1.0	ND < 0.5
1,2,4-Trimethylbenzene	12	ND < 0.5	ND < 0.5	0.2	ND < 0.5	ND < 0.5
1,2-Dibromo-3-chloropropane	0.2	ND < 2.0	ND < 2.0	ND < 2.0	**1.0**	**2.4**
1,2-Dibromoethane	0.05	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,2-Dichlorobenzene	600	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,2-Dichloroethane	0.5	0.3	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,2-Dichloropropane	5.0	ND < 0.5	ND < 0.5	ND < 0.5	0.2	0.2
1,3,5-Trimethylbenzene	12	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,3-Dichlorobenzene	180	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,3-Dichloropropane	120	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,4-Dichlorobenzene	5.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
1,4-Dioxane (p-dioxane)	6.1	ND < 1000 J	ND < 1000 J	ND < 1000 J	**780**	**500**
2,2-Dichloropropane	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
2-Chlorotoluene	120	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
4-Chlorotoluene	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Acetone	5500	ND < 4.0	ND < 4.0	13	7.3	25
Benzene	1.0	0.2	ND < 0.5	**1.8**	**2.1**	**2.7**
Bromobenzene	20	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Bromochloromethane	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	0.2
Bromodichloromethane	100	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Bromoform	100	ND < 0.5	ND < 0.5	ND < 0.5	0.5	ND < 0.5
Bromomethane	8.7	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Carbon tetrachloride	0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Chlorobenzene	70	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Chloroethane	4.6	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Chloroform	100	ND < 0.5	ND < 0.5	0.8	ND < 0.5	ND < 0.5
Chloromethane	160	ND < 0.5	ND < 0.5	0.2	ND < 0.5	0.2
cis-1,2-Dichloroethene	6.0	**6.0 J**	2.3	**53 J**	0.9	**210**
cis-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	**4.2**
Dibromochloromethane	100	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Dibromomethane	61	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Dichlorodifluoromethane	390	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Ethylbenzene	700	ND < 0.5	ND < 0.5	2.4	0.2	ND < 0.5
Hexachlorobutadiene	0.86	ND < 0.5	ND < 0.5	ND < 0.5	ND < 1.0	ND < 0.5
Isopropylbenzene (cumene)	N/A	ND < 0.5	ND < 0.5	ND < 0.5	0.2	0.2
Methyl ethyl ketone	7000	ND < 4.0	ND < 4.0	ND < 4.0	2.0	3.2
Methyl tert-butyl ether	13	ND < 0.5	ND < 0.5	ND < 0.5	0.2	ND < 0.5
Methylene chloride	5.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Naphthalene	6.2	ND < 0.5	ND < 0.5	ND < 0.5	ND < 1.0	ND < 0.5
N-butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
n-Propylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5	ND < 0.5	0.8	ND < 0.5	ND < 0.5
sec-Butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Styrene	1600	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
tert-Butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Tetrachloroethene	5.0	ND < 0.5	ND < 0.5	3.6	ND < 0.5	ND < 0.5
Toluene	150	ND < 0.5	ND < 0.5	1.7	0.5	0.7
trans-1,2-Dichloroethene	10	3.2	0.2	2.3	ND < 0.5	0.3
trans-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	0.2	ND < 0.5	ND < 0.5
Trichloroethene	5.0	2.7 J	3.2	**670 J**	0.2	0.2
Trichlorofluoromethane	150	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5
Vinyl chloride	0.5	**4.9**	ND < 0.5	**0.7**	**0.6**	**7.2**
Xylenes, m & p	1750	ND < 0.5	ND < 0.5	4.1	ND < 0.5	ND < 0.5
Xylenes, o	1750	ND < 0.5	ND < 0.5	1.3	ND < 0.5	ND < 0.5

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-16-39-0904	RGW-16-47-0904	RGW-17-15-0904	RGW-17-25-0904	RGW-17-35-0904
Sample Date:		12/02/2004	12/02/2004	11/30/2004	12/01/2004	12/01/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,1,1-Trichloroethane	200	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
1,1,2-Trichloroethane	5.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,1-Dichloroethane	5.0	ND < 0.5	1.0	0.2	ND < 25	ND < 0.5
1,1-Dichloroethene	6.0	ND < 0.5	0.2	0.2	ND < 25	ND < 0.5
1,1-Dichloropropene	N/A	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
1,2,3-Trichlorobenzene	N/A	ND < 1.0	ND < 1.0	ND < 1.0	ND < 50	ND < 1.0
1,2,3-Trichloropropane	0.0056	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,2,4-Trichlorobenzene	70	ND < 1.0	ND < 1.0	ND < 1.0	ND < 50	ND < 1.0
1,2,4-Trimethylbenzene	12	0.7	1.1	ND < 0.5	ND < 25	ND < 0.5
1,2-Dibromo-3-chloropropane	0.2	**1.0**	**1.0**	**1.0**	**50**	**1.0**
1,2-Dibromoethane	0.05	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,2-Dichlorobenzene	600	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,2-Dichloroethane	0.5	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
1,2-Dichloropropane	5.0	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
1,3,5-Trimethylbenzene	12	0.2	0.2	ND < 0.5	ND < 25	ND < 0.5
1,3-Dichlorobenzene	180	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,3-Dichloropropane	120	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,4-Dichlorobenzene	5.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
1,4-Dioxane (p-dioxane)	6.1	ND < 1000	ND < 1000	ND < 1000	ND < 50000	ND < 1000
2,2-Dichloropropane	N/A	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
2-Chlorotoluene	120	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
4-Chlorotoluene	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Acetone	5500	2.0	2.0	2.3	ND < 200	ND < 4.0
Benzene	1.0	ND < 0.5	0.2	ND < 0.5	ND < 25	ND < 0.5
Bromobenzene	20	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Bromochloromethane	N/A	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Bromodichloromethane	100	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Bromoform	100	0.5	0.5	0.5	25	0.5
Bromomethane	8.7	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Carbon tetrachloride	0.5	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Chlorobenzene	70	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Chloroethane	4.6	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Chloroform	100	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Chloromethane	160	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
cis-1,2-Dichloroethene	6.0	ND < 0.5	0.7	0.2	ND < 25	ND < 0.5
cis-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Dibromochloromethane	100	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Dibromomethane	61	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Dichlorodifluoromethane	390	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Ethylbenzene	700	0.5	0.4	ND < 0.5	ND < 25	ND < 0.5
Hexachlorobutadiene	0.86	ND < 1.0	ND < 1.0	ND < 1.0	ND < 50	ND < 1.0
Isopropylbenzene (cumene)	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Methyl ethyl ketone	7000	ND < 4.0	ND < 4.0	2.0	ND < 200	ND < 4.0
Methyl tert-butyl ether	13	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Methylene chloride	5.0	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Naphthalene	6.2	ND < 1.0	0.5	ND < 1.0	ND < 50	ND < 1.0
N-butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
n-Propylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
sec-Butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Styrene	1600	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
tert-Butylbenzene	240	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Tetrachloroethene	5.0	ND < 0.5	ND < 0.5	ND < 0.5	ND < 25	ND < 0.5
Toluene	150	2.4	1.2	ND < 0.5	ND < 25	ND < 0.5
trans-1,2-Dichloroethene	10	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
trans-1,3-Dichloropropene	0.5	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Trichloroethene	5.0	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Trichlorofluoromethane	150	ND < 0.5	ND < 0.5	0.2	ND < 25	ND < 0.5
Vinyl chloride	0.5	ND < 0.5	**0.5**	0.2	ND < 25	ND < 0.5
Xylenes, m & p	1750	2.3	1.6	ND < 0.5	ND < 25	ND < 0.5
Xylenes, o	1750	0.8	0.8	ND < 0.5	ND < 25	ND < 0.5

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Analyte	Screening Level	RGW-17-45-0904
Sample Date:		12/01/2004
1,1,1,2-Tetrachloroethane	0.43	ND < 0.5
1,1,1-Trichloroethane	200	ND < 0.5
1,1,2,2-Tetrachloroethane	1.0	ND < 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	1200	ND < 0.5
1,1,2-Trichloroethane	5.0	ND < 0.5
1,1-Dichloroethane	5.0	ND < 0.5
1,1-Dichloroethene	6.0	ND < 0.5
1,1-Dichloropropene	N/A	ND < 0.5
1,2,3-Trichlorobenzene	N/A	ND < 1.0
1,2,3-Trichloropropane	0.0056	ND < 0.5
1,2,4-Trichlorobenzene	70	ND < 1.0
1,2,4-Trimethylbenzene	12	ND < 0.5
1,2-Dibromo-3-chloropropane	0.2	**1.0**
1,2-Dibromoethane	0.05	ND < 0.5
1,2-Dichlorobenzene	600	ND < 0.5
1,2-Dichloroethane	0.5	ND < 0.5
1,2-Dichloropropane	5.0	ND < 0.5
1,3,5-Trimethylbenzene	12	ND < 0.5
1,3-Dichlorobenzene	180	ND < 0.5
1,3-Dichloropropane	120	ND < 0.5
1,4-Dichlorobenzene	5.0	ND < 0.5
1,4-Dioxane (p-dioxane)	6.1	ND < 1000
2,2-Dichloropropane	N/A	ND < 0.5
2-Chlorotoluene	120	ND < 0.5
4-Chlorotoluene	N/A	ND < 0.5
Acetone	5500	ND < 4.0
Benzene	1.0	ND < 0.5
Bromobenzene	20	ND < 0.5
Bromochloromethane	N/A	ND < 0.5
Bromodichloromethane	100	ND < 0.5
Bromoform	100	0.5
Bromomethane	8.7	ND < 0.5
Carbon tetrachloride	0.5	ND < 0.5
Chlorobenzene	70	ND < 0.5
Chloroethane	4.6	ND < 0.5
Chloroform	100	ND < 0.5
Chloromethane	160	ND < 0.5
cis-1,2-Dichloroethene	6.0	ND < 0.5
cis-1,3-Dichloropropene	0.5	ND < 0.5
Dibromochloromethane	100	ND < 0.5
Dibromomethane	61	ND < 0.5
Dichlorodifluoromethane	390	ND < 0.5
Ethylbenzene	700	ND < 0.5
Hexachlorobutadiene	0.86	ND < 1.0
Isopropylbenzene (cumene)	N/A	ND < 0.5
Methyl ethyl ketone	7000	ND < 4.0
Methyl tert-butyl ether	13	ND < 0.5
Methylene chloride	5.0	ND < 0.5
Naphthalene	6.2	ND < 1.0
N-butylbenzene	240	ND < 0.5
n-Propylbenzene	240	ND < 0.5
p-Cymene (p-isopropyltoluene)	N/A	ND < 0.5
sec-Butylbenzene	240	ND < 0.5
Styrene	1600	ND < 0.5
tert-Butylbenzene	240	ND < 0.5
Tetrachloroethene	5.0	ND < 0.5
Toluene	150	ND < 0.5
trans-1,2-Dichloroethene	10	ND < 0.5
trans-1,3-Dichloropropene	0.5	ND < 0.5
Trichloroethene	5.0	ND < 0.5
Trichlorofluoromethane	150	ND < 0.5
Vinyl chloride	0.5	ND < 0.5
Xylenes, m & p	1750	ND < 0.5
Xylenes, o	1750	ND < 0.5

Summary of Groundwater Grab Data (Screening Level Data)
Remedial Investigation Phase 1
AMCO Chemical Superfund Site, Oakland, California

Notes:
- All units are micrograms per liter (mg/L)
- The last two digits of each SAMPLE ID correspond to The depth of SAMPLE collection in feet below ground surface
- Screening level is the lower of the Federal or California Primary MCL, or EPA Region 9 tap water PRG, if Primary MCL is not available
- Results detected above screening levels are in **bold**.

Data Qualifiers

ND - Not detected above the indicated reporting limit
NR - Not reported by laboratory
J - Estimated value
R - Rejected value (The presence or absence of the analyte cannot be verified.)

Parking Lot
Cable Moore Inc.
California Soda Company
Chester Street
Center Street
Mandela Parkway
BART Property
Workshop
Warehouse
Office
3rd Street
Prescott Park
RGW-05
RGW-01
RGW-10
RGW-02
RGW-12
RGW-06
RMW-07-15
RGW-13
MW-14
MW-13
RGW-07
BMW-6
RGW-03
RGW-11
RGW-08
MW-12
RGW-17
BMW-3
BMW-7
RGW-15
RGW-14
RGW-09
RGW-04
RGW-16
BMW-1
BMW-8
BPZ-1



LEGEND

- Temporary Groundwater Boring
- Existing EPA Monitoring Well
- Existing UPRR Monitoring Well
- Former AMCO Chemical Facility Boundary
- Former Extraction Trench

N

0 80 160 Feet

Scale 1:960
CA State Plane (NAD83) Zone III

TEMPORARY GROUNDWATER BORING LOCATIONS

REMEDIAL INVESTIGATION
AMCO CHEMICAL SUPERFUND SITE
OAKLAND, CALIFORNIA

CH2MHILL