

LEGEND

W4-14 0.3J Monitoring Well Location
Concentration (µg/L)

EXW-3 5 Extraction Well Location
Concentration (µg/L)

5-10 µg/L PCE Concentration,
Dashed Where Inferred

10-20 µg/L PCE Concentration,
Dashed Where Inferred

20-30 µg/L PCE Concentration,
Dashed Where Inferred

≥ 30 µg/L PCE Concentration,
Dashed Where Inferred

General Regional
Groundwater Flow Direction

NOTES:


µg/L - Micrograms per Liter
 EATS - East-Side Aquifer Treatment System
 J - Estimated Value
 NAS - Naval Air Station
 PCE - Tetrachloroethene
 U - Not Detected at Laboratory Reporting Level
 Groundwater Clean Up Standard is 5 µg/L
 (NAVY 1996) For PCE



Former NAS Moffett Field
 U.S. Department of the Navy,
 BRAC PMO West, San Diego, California


Figure 16
PCE Distribution
East of the Runways,
Upper Portion of the A Aquifer,
Dec. 2003 and Nov-Dec 2008
 Five-Year Review: IR Sites 1, 22, 26, and 28
 Former NAS Moffett Field, CA

This page intentionally left blank



December 2003

Source: TETRA TECH FW, 2005b



November-December 2008


Source: SES TECH, 2009

LEGEND

- W4-14 0.3J Monitoring Well Location
- 0.3J Concentration (µg/L)
- EXW-3 5 Extraction Well Location
- 5 Concentration (µg/L)
- 0.5 - 5 µg/L VC Concentration, Dashed Where Inferred
- 5 - 10 µg/L VC Concentration, Dashed Where Inferred
- 10 - 20 µg/L VC Concentration, Dashed Where Inferred
- General Regional Groundwater Flow Direction

NOTES:


- µg/L - Micrograms per Liter
- EATS - East-Side Aquifer Treatment System
- J - Estimated Value
- NAS - Naval Air Station
- VC - Vinyl Chloride
- U - Not Detected at Laboratory Reporting Level
- Groundwater Clean Up Standard is 0.5 µg/L (NAVY 1996) For VC



Former NAS Moffett Field
 U.S. Department of the Navy,
 BRAC PMO West, San Diego, California


Figure 17
VC Distribution
East of the Runways,
Upper Portion of the A Aquifer,
Dec. 2003 and Nov-Dec 2008
 Five-Year Review: IR Sites 1, 22, 26, and 28
 Former NAS Moffett Field, CA

This page intentionally left blank



December 2003

Source: TETRA TECH FW, 2005b



November-December 2008

Source: SES TECH, 2009

LEGEND

- W4-14 0.83 Monitoring Well Location Concentration (µg/L)
- EXW-3 7.8 Extraction Well Location Concentration (µg/L)
- 5-10 µg/L TCE Concentration, Dashed Where Inferred
- 10-100 µg/L TCE Concentration, Dashed Where Inferred
- 100-1000 µg/L TCE Concentration, Dashed Where Inferred
- >1000 µg/L TCE Concentration, Dashed Where Inferred symbol"/> >1000 µg/L TCE Concentration, Dashed Where Inferred
- General Regional Groundwater Flow Direction
- Site 28

NOTES:
 µg/L - Micrograms per Liter
 J - Estimated Value
 NAS - Naval Air Station
 TCE - Trichloroethene
 U - Not Detected at Laboratory Reporting Level
 WATS - West-Side Aquifers Treatment System
 Groundwater Clean Up Standard is 5 µg/L (EPA 1989) For TCE



Former NAS Moffett Field
 U.S. Department of the Navy,
 BRAC PMO West, San Diego, California

Figure 18
TCE Distribution West of the Runways,
Upper Portion of the A Aquifer,
Dec. 2003 and Nov-Dec 2008

Five-Year Review: IR Sites 1, 22, 26, and 28
 Former NAS Moffett Field, CA

This page intentionally left blank