

Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW8D



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW16A



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW16B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW16C



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW20B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW23B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW24B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW24D



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW27C



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
MW29



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
OW4B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



Notes:

1,1-DCA: 1,1-Dichloroethane **1,1-DCE: 1,1-Dichloroethene** **1,2-DCA: 1,2-Dichloroethane** **1,4-Dioxane: 1,4-Dioxane (p-dioxane)**
cis-1,2-DCE: cis-1,2-Dichloroethene **Freon 11: Trichlorofluoromethane** **Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane** **PCE: Tetrachloroethene**
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
OW8A



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Omega Chemical Superfund Site
Appendix J Time Series
OW8B



CH2MHILL

Notes:
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCA: 1,2-Dichloroethane
1,4-Dioxane: 1,4-Dioxane (p-dioxane)
cis-1,2-DCE: cis-1,2-Dichloroethene
Freon 11: Trichlorofluoromethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane
PCE: Tetrachloroethene
TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations

Table 1: Well and Screen Elevations and Groundwater Depths to Water and Elevations (in feet)															
	Date	*MW-1	*MW-2	*MW-3	MW-4	MW-6	*MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15
Well Elevation (TOC)		NA	150.42	150.79	148.27	149.39	148.62	149.63	149.16	149.41	149.12	150.09	150.22	150.66	150.6
Screened Interval (bg)		40 - 60	30 - 50	29 - 49	17 - 27	20 - 30	34 - 55	30.5-40.5	30.5-45.5	25 - 40	30 - 40	30 - 40	52 - 62	55 - 65	54 - 64
Screen Elevation															
	Top	NA	120.42	121.79	121.27	119.39	114.62	119.13	118.66	124.41	119.12	120.09	98.22	95.66	96.6
	Bottom	NA	100.42	101.79	101.27	109.39	93.62	109.13	103.66	109.41	109.12	110.09	88.22	85.66	86.6
Depth to Water (bg)															
	Feb-94	30.05'	28.8	29.7	23.35	24.85	24.53								
	Nov-00	35.62'	35.25	36.42	26.2	28.52	28.19								
	Oct-01	37.41'	37.91	39.19	26.35	NA	28.7								
	Nov-01	NA	NA	NA	26.36	28.85	NA								
	Feb-02	36.2'	36.39	37.39	26.44	30.32	29.21								
	Jun-02	37.92'	38.75	39.19	26.46	NA	30.07	30.91	30.98						
	Oct-02	42.45'	43.66	44.66	26.48	30.28	34.11	32.68	34.7						
	Dec-02	NA	43.19	44.22	26.28	FP only	34.03	33.62	34.67	32.63	32.71	33.26	41.65	43.06	43.63
	Mar-03	NA	41.07	41.35	26.36	FP only	33.18	32.81	33.22	32.44	32.49	33.07	39.77	40.95	41.53
	Jun-03	NA	39.98	39.95	26.35	FP only	30.44	30.85	31.1	30.41	30.15	31.05	37.85	39.2	39.62
	Sep-03	NA	NA	NA	26.41	FP only	NA	32.34	34.29	31.68	31.84	33.26	42.16	43.79	44.19
	Dec-03	NA	NA	NA	26.39	FP only	NA	34.55	36.96	33.71	33.73	34.3	45.12	46.72	46.84
	Mar-04	NA	NA	NA	26.41	FP only	NA	35.2	38.19	34.85	34.36	35.02	45.98	47.41	47.92
Water Elevation															
	Feb-94	NA	121.62	121.09	124.92	124.54	124.09								
	Nov-00	NA	115.17	114.37	122.07	120.87	120.43								
	Oct-01	NA	112.51	111.6	121.92	NA	119.92								
	Nov-01	NA	NA	NA	121.91	120.54	NA								
	Feb-02	NA	114.03	113.4	121.83	119.07	119.41								
	Jun-02	NA	111.67	111.6	121.81	NA	118.55	118.72	118.18						
	Oct-02	NA	106.76	106.13	121.79	119.11	114.51	116.95	114.46						
	Dec-02	NA	107.23	106.57	121.99	NA	114.59	116.01	114.49	116.78	116.41	116.83	108.57	107.6	106.97
	Mar-03	NA	109.35	109.44	121.91	NA	115.44	116.82	115.94	116.97	116.63	117.02	110.45	109.71	109.07
	Jun-03	NA	110.44	110.84	121.92	NA	118.18	118.78	118.06	119	118.97	119.04	112.37	111.46	110.98

	Sep-03	NA	NA	NA	121.86	NA	NA	117.29	114.87	117.73	117.28	116.83	108.06	106.87	106.41
	Dec-03	NA	NA	NA	121.88	NA	NA	115.08	112.2	115.7	115.39	115.79	105.1	103.94	103.76
	Mar-04	NA	NA	NA	121.86	NA	NA	114.43	110.97	114.56	114.76	115.07	104.24	103.25	102.68

MW-16	MW-17	MW-18	MW-19	MW-20	MW-21	MW-22	MW-23	MW-24	MW-25	MW-26
148.32	149.03	149.63	149.2	149.14	150.02	150.67	148.42	149.9	150.64	150.83
29 - 46	56 - 66	21 - 46	30 - 45	57 - 67	53 - 63	30 - 40	71 - 81	67 - 77	71 - 81	30 - 40
119.32	93.03	128.63	119.2	92.14	97.02	120.67	77.42	82.9	79.64	120.83
102.32	83.03	103.63	104.2	82.14	87.02	110.67	67.42	72.9	69.64	110.83
33.69	40.44	33.06	33.33	41.11	42.34					
32.01	38.28	35.36	33.42	39.08	40.36					
29.99	36.41	33.13	38.3	37.05	38.5	35.8	34.23	37.73	39.22	36.7
33.48	40.65	38.37	33.29	41.57	42.68	39.87	39.55	42.69	44.35	38.45
36.85	43.47	42.73	38.65	44.53	45.44	Dry	42.65	45.69	47.35	39.6
36.88	44.56	40.28	37.15	45.22	46.59	38.51	43.25	46.41	48.03	36.7
114.63	108.59	116.57	115.87	108.03	107.68					
116.31	110.75	114.27	115.78	110.06	109.66					
118.33	112.62	116.5	110.9	112.09	111.52	114.87	114.19	112.17	111.42	114.13

114.84	108.38	111.26	115.91	107.57	107.34	110.8	108.87	107.21	106.29	112.38
111.47	105.56	106.9	110.55	104.61	104.58	Dry	105.77	104.21	103.29	111.23
111.44	104.47	109.35	112.05	103.92	103.43	112.16	105.17	103.49	102.61	114.13

Table 2: TPH-gas and VOCs from Free Prodcut Sample Results using EPA Methods 8015 and 8260 (µg/L)

	Date	MW-6	MW-8	MW-10	MW-16	MW-18	MW-19
Screened Interval (bg)		20'-30'	30.5'-40.5'	25'-40'	29'-46'	21'-46'	30'-45'
TPH-gas	Jun-02	8.E+08	8.E+08	NA	NA	NA	NA
	Dec-03	NA	NA	NA	4.55E+08	NA	4.25E+08
	Mar-04	NA	NA	446000	NA	NA	NA
VOCs							
Acetone	Oct-01	<25,000*	NA	NA	NA	NA	NA
	Mar-04	NA	NA	<1,250,000	NA	<1,250,000	<1,250,000
Benzene	Oct-01	110,000*	NA	NA	NA	NA	NA
	Mar-04	NA	NA	<250,000	NA	<250,000	365,000
2-Butanone (MEK)	Oct-01	<25,000*	NA	NA	NA	NA	NA
	Mar-04	NA	NA	<1,250,000	NA	<1,250,000	<1,250,000
Chloroethane	Mar-04	NA	NA	<500,000	NA	<500,000	<500,000
1,1-Dichloroethane	Oct-01	592,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	3,190,000	NS-FP	1,590,000	625,000
1,2-Dichloroethane	Oct-01	<5,000*					
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	<500,000	<500,000
1,1-Dichloroethene	Oct-01	417,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	730,000	NS-FP	928,000	4,840,000
cis 1,2-Dichloroethene	Oct-01	1,060,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	1,530,000	NS-FP	1,620,000	1,630,000
trans 1,2-Dichloroethene	Oct-01	<5,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	<500,000	<500,000
1,4 Dioxane	Mar-04	NS-FP	NS-FP	<12,500,000	NS-FP	<12,500,000	<12,500,000
Ethylbenzene	Oct-01	4,320,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	5,330,000	NS-FP	7,080,000	6,960,000
Methylene Chloride	Oct-01	<5,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	<500,000	<500,000
4-Methyl-2-pentanone	Oct-01	<25,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<1,250,000	NS-FP	<1,250,000	<1,250,000
Naphthalene	Oct-01	1,680,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	1,980,000	NS-FP	1,620,000	4,120,000

Table 2: TPH-gas and VOCs from Free Prodcut Sample Results using EPA Methods 8015 and 8260 (µg/L)

VOCs	Date	MW-6	MW-8	MW-10	MW-16	MW-18	MW-19
n-Propylbenzene	Mar-04	NS-FP	NS-FP	2,820,000	NS-FP	3,230,000	2,980,000
Tetrachloroethene	Oct-01	531,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	543,000	4,820,000
1,1,1-Trichloroethane	Oct-01	28,100,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	8,870,000	NS-FP	4,140,000	35,000,000
Trichloroethene	Oct-01	753,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	<500,000	560,000
1,2,4-Trimethylbenzene	Oct-01	22,100,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	31,900,000	NS-FP	30,600,000	45,400,000
1,3,5-Trimethylbenzene	Oct-01	5,400,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	8,560,000	NS-FP	9,020,000	9,480,000
Toluene	Oct-01	9,010,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	8,620,000	NS-FP	15,300,000	11,400,000
Vinyl Chloride	Oct-01	<5,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	<500,000	NS-FP	<500,000	<500,000
Xylenes	Oct-01	10,370,000*	NA	NA	NA	NA	NA
	Mar-04	NS-FP	NS-FP	17,600,000	NS-FP	22,500,000	16,000,000

NA= Not Analyzed.

Blue= Chemicals stored on-site.

Red= Transformation compounds.

Table 3: Conductivity, pH, and TPH-gas Groundwater Sample Results using EPA Method 8015 (μg/L)															
	Date	*MW-1	*MW-2	*MW-3	MW-4	MW-6	*MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15
Screened Interval (bg)		40'-60'	30'-50'	29'-49'	17'-27'	20'-30'	34'-55'	30.5'-40.5'	30.5'-45.5'	25'-40'	30'-40'	30'-40'	52'-62'	55'-65'	54'-64'
DTW (ft)	Feb-94	30.05'	28.80'	29.70'	23.35'	24.85'	24.53'								
	Nov-00	35.62'	35.28'	36.42'	26.20'	28.52'	28.19'								
	Oct-01	37.41'	37.91'	39.19'	26.35'	NA	28.70'								
	Nov-01	NA	NA	NA	26.36'	28.85'	NA								
	Feb-02	36.2'	36.39'	37.39'	26.44'	30.32'	29.21'								
	Jun-02	37.92'	38.75'	39.19'	26.46'	NA	30.07'	30.91'	30.98'						
	Oct-02	42.45'	43.66'	44.66'	26.48'	30.28'	34.11'	32.68'	34.70'						
	Dec-02	NA	43.19'	44.22'	26.28'	FP only	34.03'	33.62'	34.67'	32.63'	32.71'	33.26'	41.65'	43.06'	43.63'
	Mar-03	NA	41.07'	41.35'	26.36'	FP only	33.18'	32.81'	33.22'	32.44'	32.49'	33.07'	39.77'	40.95'	41.53'
	Jun-03	NA	39.98'	39.95'	26.35'	FP only	30.44'	30.85'	31.10'	30.41'	30.15'	31.05'	37.85'	39.20'	39.62'
	Sep-03	NA	NA	NA	26.41'	FP only	NA	32.34'	34.29'	31.68'	31.84'	33.26'	42.16'	43.79'	44.19'
	Dec-03	NA	NA	NA	26.39'	FP only	NA	34.55'	36.96'	33.71'	33.73'	34.3'	45.12'	46.72'	46.84'
	Mar-04	NA	NA	NA	26.41	FP only	NA	35.2	38.19	34.85	34.36	35.02	45.98	47.41	47.92
Conductivity	Dec-02	NA	2011	2065	NA	NA	2710	NA	2331	2871	2686	1572	1374	1866	1821
	Mar-03	NA	2094	1974	NA	NA	2768	NA	2325	4382	3793	1492	1802	1913	1816
	Jun-03	NA	1763	1981	NA	NA	2882	NA	2406	4439	3245	1192	1832	1871	1851
	Sep-03	NA	NA	NA	NA	NA	NA	NA	2540	3978	3560	1313	1904	2100	1948
	Dec-03	NA	NA	NA	NA	NA	NA	NA	2585	2850	3070	1387	1953	1984	1927
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	2653	NS-FP	2582	1313	2060	1999	2073
pH	Dec-02	NA	6.83	6.82	NA	NA	6.75	NA	6.58	6.82	6.87	7.02	6.97	6.83	6.93
	Mar-03	NA	6.6	6.9	NA	NA	6.7	NA	7	6.7	6.6	7.1	7.5	7	7.8
	Jun-03	NA	6.9	6.7	NA	NA	6.6	NA	6.7	6.4	6.6	6.4	6.8	6.8	6.7
	Sep-03	NA	NA	NA	NA	NA	NA	NA	6.61	6.55	6.52	6.49	6.93	6.9	6.75
	Dec-03	NA	NA	NA	NA	NA	NA	NA	6.9	6.6	6.7	7.4	6.9	7.1	7
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	6.7	NA	7	7	6.8	6.8	6.7
TPH-gas	Feb-94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Nov-00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Oct-01	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Feb-02	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

	Jun-02	724000	14600	22500	NS-FP	Table 2	8530	Table 2	22700	NA	NA	NA	NA	NA	NA
	Oct-02	52300	7370	29900	NS-FP	NS-FP	5300	52300	1730	NA	NA	NA	NA	NA	NA
	Dec-02	NA	9330	11400	NS-FP	NS-FP	6250	NS-FP	1530	68300	22600	9420	98	7130	326
	Mar-03	NA	15600	12200	NS-FP	NS-FP	3470	NS-FP	2500	85100	24700	1730	<50	1480	270
	Jun-03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Sep-03	NA	NA	NA	NA	NA	NA	NA	1280	69600	30200	1300	106	89	226
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	1280	77200	51500	5390	64	521	790
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	1,430	Table 2	43,500	4,410	<50	154	1,680
DTW= Depth to Water (below top of well casing).															
NA= Not Analyzed.															
NS-FP= Not Sampled Free Product present.															
NS-NW= Not Sampled Not Enough Water present.															
*= Abandoned Well.															

MW-16	MW-17	MW-18	MW-19	MW-20	MW-21	MW-22	MW-23	MW-24	MW-25	MW-26
29'-46'	56'-66'	21'-46'	30'-45'	57'-67'	53'-63'	30'-40'	71'-81'	67'-77'	71'-81'	30'-40'
33.69'	40.44'	33.06'	33.33'	41.11'	42.34'					
32.01'	38.28'	35.36'	33.42'	39.08'	40.36'					
29.99'	36.41'	33.13'	38.30'	37.05'	38.50'	35.80'	34.23'	37.73'	39.22'	36.7'
33.48'	40.65'	38.37'	33.29'	41.57'	42.68'	39.87'	39.55'	42.69'	44.35'	38.45'
36.85'	43.47'	42.73'	38.65'	44.53'	45.44'	Dry	42.65'	45.69'	47.35'	39.6'
36.88	44.56	40.28	37.15	45.22	46.59	38.51	43.25	46.41	48.03	36.7
2106	1885	2515	5977	1907	1746					
2011	1892	2643	5912	1823	1695					
1931	1913	2602	6017	1788	1790	2500	1200	1300	1300	3000
2219	2530	3028	NS-FP	1986	1910	NS-NW	2265	1799	1883	NS-NW
NS-FP	1981	2674	NS-FP	2192	1868	NS-NW	NA	NA	NA	NS-NW
NS-FP	1954	NS-FP	NS-FP	2166	2080	1663	NA	NA	NA	2302
6.56	6.93	6.68	7.02	6.99	6.99					
6.8	7.2	6.6	6.9	7.3	7.6					
6.5	6.8	6.3	6.7	6.9	6.8	NA	NA	NA	NA	NA
6.7	6.85	6.23	NS-FP	6.79	6.77	NS-NW	6.64	6.74	6.67	NS-NW
NS-FP	7.1	6.4	NS-FP	7	6.8	NS-NW	NA	NA	NA	NS-NW
NS-FP	6.7	NS-FP	NS-FP	6.7	6.8	6.4	NA	NA	NA	7
NA	NA	NA	NA	NA	NA					
NA	NA	NA	NA	NA	NA					
NA	NA	NA	NA	NA	NA					
NA	NA	NA	NA	NA	NA					

NA	NA	NA	NA	NA	NA					
NA	NA	NA	NA	NA	NA					
3250	77	41700	107000	61	405					
5350	<50	83900	177000	52	745					
NA	NA	NA	NA	NA	NA	2630	<50	<50	<50	26400
1460	<50	44900	NA	<50	998	NS-NW	<50	<50	<50	59200
Table 2	<50	40600	Table 2	1080	2140	NS-NW	NA	NA	NA	NS-NW
NS-FP	<50	NS-FP	NS-FP	<50	2,650	3,060	NA	NA	NA	41,600

Table 4: Detected VOCs from Groundwater Sample Results using EPA Method 8260 (μg/L)																
	Date	**MW-1[t]**	**MW-2[t]**	**MW-3[t]**	**MW-4**	**MW-6**	**MW-7[t]**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**	**MW-14**	**MW-15**	**MW-16**
Screened Interval (bg)		40'-60'	30'-50'	29'-49'	17'-27'	20'-30'	34'-55'	30.5'-40.5'	30.5'-45.5'	25'-40'	30'-40'	30'-40'	52'-62'	55'-65'	54'-64'	29'-46'
DTW	Feb-94	30.05'	28.80'	29.70'	23.35'	24.85'	24.53'									
(Depth to Water)	Nov-00	35.62'	35.28'	36.42'	26.20'	28.52'	28.19'									
	Oct-01	37.41'	37.91'	39.19'	26.35'	NA	28.70'									
	Nov-01	NA	NA	NA	26.36'	28.85'	NA									
	Feb-02	36.2'	36.39'	37.39'	26.44'	30.32'	29.21'									
	Jun-02	37.92'	38.75'	39.19'	26.46'	NA	30.07'	30.91'	30.98'							
	Oct-02	42.45'	43.66'	44.66'	26.48'	30.28'	34.11'	32.68'	34.70'							
	Dec-02	NA	43.19'	44.22'	26.28'	FP only	34.03'	33.62'	34.67'	32.63'	32.71'	33.26'	41.65'	43.06'	43.63'	33.69'
	Mar-03	NA	41.07'	41.35'	26.36'	FP only	33.18'	32.81'	33.22'	32.44'	32.49'	33.07'	39.77'	40.95'	41.53'	32.01'
	Jun-03	NA	39.98'	39.95'	26.35'	FP only	30.44'	30.85'	31.10'	30.41'	30.15'	31.05'	37.85'	39.20'	39.62'	29.99'
	Sep-03	NA	NA	NA	26.41'	FP only	NA	32.34'	34.29'	31.68'	31.84'	33.26'	42.16'	43.79'	44.19'	33.48'
	Dec-03	NA	NA	NA	26.39'	FP only	NA	34.55'	36.96'	33.71'	33.73'	34.3'	45.12'	46.72'	46.84'	36.85'
	Mar-04	NA	NA	NA	26.41	FP only	NA	35.2	38.19	34.85	34.36	35.02	45.98	47.41	47.92	36.88
VOCs																
Acetone	Oct-01	<1,250	<250	<625	NS-NW	Table 2	1,190									
	Feb-02	<625	<62.5	3,150	NS-FP	NS-FP	746									
	Jun-02	<1,250	<2,500	<625	NS-FP	NS-FP	<125	NS-FP	<500							
	Oct-02	<2,500	<250	<250	NS-FP	NS-FP	<1,250	NS-FP	<125							
	Dec-02	NA	<1,250	<1,250	NS-FP	NS-FP	<625	NS-FP	<125	29,900	662	<125	<25	<625	<250	<1,250
	Mar-03	NA	<5,000	<2,500	NS-FP	NS-FP	<625	NS-FP	<125	25,600	6,760	<250	<25	<625	<250	<625
	Jun-03	NA	<500	<1,000	NS-FP	NS-FP	<125	NS-FP	<50	46,400	13,600	<125	<25	<25	<62.5	<125
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<50	73,000	6,950	<12.5	<5	<5	<10	<125
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<5	19,200	2,240	<12.5	<5	<10	<12.5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<50	Table 2	33,000	<12.5	<5	<5	<5	NS-FP
Benzene	Feb-94	194	<100	63	111	795	46									
	Nov-00	<2,500	61	73	NS-FP	NS-FP	65									
	Oct-01	125	105	110	NS-NW	Table 2	55									
	Feb-02	231	204	108	NS-FP	NS-FP	63.2									
	Jun-02	300	222	125	NS-FP	NS-FP	<5	NS-FP	90.8							
	Oct-02	245	177	99.2	NS-FP	NS-FP	121	NS-FP	893							
	Dec-02	NA	180	137	NS-FP	NS-FP	<25	NS-FP	85.2	<500	431	19.5	1	<25	<10	79
	Mar-03	NA	172	127	NS-FP	NS-FP	62.6	NS-FP	54	302	974	13.3	<1	<25	<10	82.5
	Jun-03	NA	<100	<200	NS-FP	NS-FP	61	NS-FP	64.4	250	520	<5	<1	<1	5.7	97.5
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	75	340	775	5.5	<1	5.5	5.6	72

	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	2.1	292	768	9.1	<1	14.6	12.9	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	29.3	Table 2	935	7.5	<1	4.5	36.1	NS-FP
2-Butanone (MEK)	Feb-94	NA	NA	NA	NA	NA	NA									
	Nov-00	3,100	<10,000	<10,000	NS-FP	NS-FP	1,400									
	Oct-01	<1,250	<250	500	NS-NW	Table 2	980									
	Feb-02	<625	<62.5	<500	NS-FP	NS-FP	<50									
	Jun-02	<1,250	<2,500	<625	NS-FP	NS-FP	<125	NS-FP	<500							
	Oct-02	<2,500	<250	<250	NS-FP	NS-FP	<1,250	NS-FP	<125							
	Dec-02	NA	<1,250	<1,250	NS-FP	NS-FP	<625	NS-FP	<125	15,300	1,160	<125	<25	<625	<250	<1,250
	Mar-03	NA	<5,000	<2,500	NS-FP	NS-FP	<625	NS-FP	<125	21,100	15,600	<250	<25	<625	<250	<625
	Jun-03	NA	<500	<1,000	NS-FP	NS-FP	<125	NS-FP	<50	20,200	5,860	<125	<25	<25	<62.5	<125
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<50	58,000	5,580	<12.5	<5	<5	<10	<125
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<5	4,080	<1,000	<12.5	<5	<10	<12.5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<50	Table 2	13,600	<12.5	<5	<5	<5	NS-FP

Table 4 (cont.): Detected VOCs from Groundwater Sample Results using EPA Method 8260 (µg/L)																
VOCs	**Date**	**MW-1[t]**	**MW-2[t]**	**MW-3[t]**	**MW-4**	**MW-6**	**MW-7[t]**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**	**MW-14**	**MW-15**	**MW-16**
Chloroethane	Feb-02	<125	119	<100	NS-FP	NS-FP	17									
	Jun-02	<250	<500	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	<50	<50	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	<125	<25	<5	<125	<50	<250
	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	248	NS-FP	<25	<1,000	989	<50	<5	<125	<50	<125
	Jun-03	NA	4,500	11,500	NS-FP	NS-FP	311	NS-FP	<20	5,000	760	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	940	1,700	<5	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<2	626	1,550	<5	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	4,670	<5	<2	<2	49.4	NS-FP
1,1-Dichloroethane	Feb-94	649	1,130	85	1410	2,260	2,130									
	Nov-00	17,000	1,800	800	NS-FP	NS-FP	2,800									
	Oct-01	8,190	1,500	1,030	NS-NW	Table 2	2,670									
	Feb-02	20,600	2,310	1,350	NS-FP	NS-FP	5,490									
	Jun-02	18,900	2,700	1,340	NS-FP	NS-FP	4,150	NS-FP	1,210							
	Oct-02	10,400	2,550	1,130	NS-FP	NS-FP	5,680	NS-FP	1,390							
	Dec-02	NA	1,920	1,190	NS-FP	NS-FP	3,530	NS-FP	1,190	42,400	19,400	3,930	17.3	171	79.8	3,930
	Mar-03	NA	2,180	1,710	NS-FP	NS-FP	3,750	NS-FP	1,020	41,900	48,800	1,600	6.4	150	117	3,130
	Jun-03	NA	1,140	1,020	NS-FP	NS-FP	3,470	NS-FP	1,480	51,700	37,800	354	11.5	<2	107	3,330
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	1,950	47,400	43,000	505	<2	101	88	4,450
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	50	53,500	49,200	735	2.3	219	262	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	965	Table 2	52,700	485	2.5	110	672	NS-FP
1,2-Dichloroethane	Feb-94	<100	<100	<50	<100	1140	31									
	Nov-00	<2,500	<500	<500	NS-FP	NS-FP	<500									
	Oct-01	<250	<50	<125	NS-NW	Table 2	<25									
	Feb-02	<125	<12.5	<100	NS-FP	NS-FP	43.4									
	Jun-02	<250	<500	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	<50	<50	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	<125	<25	<5	<125	<50	28
	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	<125	NS-FP	11.5	<1,000	228	<50	<5	<125	<50	57.5
	Jun-03	NA	<200	<400	NS-FP	NS-FP	<50	NS-FP	<20	<400	<400	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	<400	103	<5	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<2	<400	<400	<5	<2	9.2	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	130	<5	<2	5	2.1	NS-FP
1,1-Dichloroethene	Feb-94	2,210	2,460	2,800	806	1,240	151									
	Nov-00	3,000	<500	2,900	NS-FP	NS-FP	350									

	Oct-01	1,200	1,120	4,090	NS-NW	Table 2	355									
	Feb-02	4,050	1,480	3,900	NS-FP	NS-FP	778									
	Jun-02	4,900	2,090	2,690	NS-FP	NS-FP	423	NS-FP	1,540							
	Oct-02	3,800	2,100	176	NS-FP	NS-FP	547	NS-FP	1,620							
	Dec-02	NA	2,230	196	NS-FP	NS-FP	538	NS-FP	1,480	2,640	3,460	154	38.5	142	52.4	1,530
	Mar-03	NA	2,490	1,410	NS-FP	NS-FP	213	NS-FP	1,100	2,550	2,940	16.5	16.8	125	60.8	2,470
	Jun-03	NA	1,490	2,370	NS-FP	NS-FP	364	NS-FP	1,290	3,370	1,480	29.2	44.2	29.6	124	3,500
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	1,620	1,760	1,050	14.5	27.2	274	98	2,470
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	43.5	2,750	1,810	7.3	10.8	675	234	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	1,260	Table 2	520	7.3	6.7	264	725	NS-FP

Table 4 (cont.): Detected VOCs from Groundwater Sample Results using EPA Method 8260 (μg/L)

VOCs	Date	MW-1[t]	MW-2[t]	MW-3[t]	MW-4	MW-6	MW-7[t]	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16
cis 1,2-Dichloroethene	Feb-94	NA	NA	NA	NA	NA	NA									
	Nov-00	20,000	9,500	5,700	NS-FP	NS-FP	210									
	Oct-01	10,300	9,150	7,000	NS-NW	Table 2	194									
	Feb-02	29,100	11,100	7,960	NS-FP	NS-FP	268									
	Jun-02	31,100	14,800	6,860	NS-FP	NS-FP	238	NS-FP	612							
	Oct-02	20,700	10,400	212	NS-FP	NS-FP	311	NS-FP	736							
	Dec-02	NA	11,800	595	NS-FP	NS-FP	268	NS-FP	630	23,300	6,700	180	46.5	664	332	975
	Mar-03	NA	11,300	3,090	NS-FP	NS-FP	225	NS-FP	483	20,900	10,100	18.6	17.6	363	496	1,150
	Jun-03	NA	2,270	5,220	NS-FP	NS-FP	214	NS-FP	552	24,600	8,740	24.8	40	5.8	617	1,540
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	648	9,290	6,950	8	25.2	49	436	998
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	21.3	17,200	1,830	5.1	10.8	113	1,570	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	391	Table 2	5,650	3.8	11.2	69.8	2,890	NS-FP
trans 1,2-Dichloroethene	Feb-94	NA	NA	NA	NA	NA	NA									
	Nov-00	<2,500	<500	<500	NS-FP	NS-FP	<500									
	Oct-01	<250	<50	<125	NS-NW	Table 2	<25									
	Feb-02	<125	<12.5	<100	NS-FP	NS-FP	<10									
	Jun-02	<250	<500	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	<50	<50	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	<125	<25	<5	<125	<50	<250
	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	<125	NS-FP	<25	<1,000	<500	<50	<5	<125	<50	<125
	Jun-03	NA	<200	<400	NS-FP	NS-FP	<50	NS-FP	<20	<400	<400	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	<400	<50	<5	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<2	<400	<400	5	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	<100	<5	<2	<2	29.4	NS-FP
1,4 Dioxane	Oct-02				NS-FP	NS-FP		NS-FP								
	Dec-02	NA	<5,000	<5,000	NS-FP	NS-FP	11,500	NS-FP	6,540	<50,000	<2,500	<500	<100	<2,500	<1,000	16,500
(* = Analyzed using	Mar-03	NA	<10,000	<5,000	NS-FP	NS-FP	21,900	NS-FP	7,200	<10,000	<5,000	<250	29	<625	<250	6,850
EPA Method 8270)	Jun-03	NA	<5,000	<10,000	NS-FP	NS-FP	22,300	NS-FP	12,800	<10,000	<10,000	<250	<50	<50	<125	12,000
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	7,150	<10,000	<1,250	<125	<50	<50	<100	<1,250
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<50	<10,000	<10,000	<125	<50	<100	<125	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<500	Table 2	546*	<125	<50	38.8*	54.4*	NS-FP
Ethylbenzene	Feb-94	333	1,720	115	1,180	1,910	45									
	Nov-00	960	120	1,000	NS-FP	NS-FP	82									
	Oct-01	805	197	1,550	NS-NW	Table 2	107									
	Feb-02	875	115	1,360	NS-FP	NS-FP	94.4									

	Jun-02	1,450	147	1,470	NS-FP	NS-FP	124	NS-FP	<1							
	Oct-02	884	469	945	NS-FP	NS-FP	213	NS-FP	<1							
	Dec-02	NA	590	1,150	NS-FP	NS-FP	50	NS-FP	<5	1,480	967	270	<1	334	<10	<50
	Mar-03	NA	614	982	NS-FP	NS-FP	100	NS-FP	<5	1,280	1,650	200	<1	25.3	<10	<25
	Jun-03	NA	<100	722	NS-FP	NS-FP	85.3	NS-FP	<10	1,400	940	11.1	<1	<1	<2.5	<25
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<10	1,360	1,010	52.5	2	<1	<2	<25
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<1	1,450	1,140	157	<1	<2	<2.5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<10	Table 2	1,080	254	<1	<1	6.7	NS-FP

Table 4 (cont.): Detected VOCs from Groundwater Sample Results using EPA Method 8260 (μg/L)

VOCs	Date	MW-1[t]	MW-2[t]	MW-3[t]	MW-4	MW-6	MW-7[t]	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16
Methylene Chloride	Feb-94	1,220	2,980	6,530	4,760	21,400	<50									
	Nov-00	1,100	180	5,600	NS-FP	NS-FP	180									
	Oct-01	<1,250	<250	<625	NS-NW	Table 2	<125									
	Feb-02	<250	18.5	3,960	NS-FP	NS-FP	<20									
	Jun-02	<250	<500	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	<50	<50	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	<125	<25	<5	<125	<50	<250
	Mar-03	NA	<1,000	1,630	NS-FP	NS-FP	<125	NS-FP	<25	<1,000	<500	<50	<5	<125	<50	<125
	Jun-03	NA	<200	<400	NS-FP	NS-FP	<50	NS-FP	<20	<400	<400	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	<400	<50	<5	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<2	<400	<400	<5	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	<100	<5	<2	<2	<2	NS-FP
4-Methyl-2-pentanone	Oct-01	<1,250	<250	4,130	NS-NW	Table 2	625									
(MIBK)	Feb-02	<625	<62.5	3,470	NS-FP	NS-FP	376									
	Jun-02	<1,250	<2,500	2,850	NS-FP	NS-FP	388	NS-FP	<500							
	Oct-02	<2,500	<250	1,410	NS-FP	NS-FP	276	NS-FP	<125							
	Dec-02	NA	<1,250	<1,250	NS-FP	NS-FP	<625	NS-FP	<125	<12,500	3,540	<125	<25	<625	<250	<1,250
	Mar-03	NA	<5,000	<2,500	NS-FP	NS-FP	<625	NS-FP	<125	8,160	3,680	<250	<25	<625	<250	<625
	Jun-03	NA	<500	<1,000	NS-FP	NS-FP	<125	NS-FP	<50	6,020	5,340	<125	<25	<25	<62.5	<125
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<50	10,900	1,370	<12.5	<5	<5	<10	<125
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<5	3,120	<1,000	<12.5	<5	<10	<12.5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<50	Table 2	<250	<12.5	<5	<5	<5	NS-FP
Naphthalene	Oct-01	185	76	<125	NS-NW	Table 2	85									
	Feb-02	195	64	122	NS-FP	NS-FP	74.8									
	Jun-02	<250	89.4	178	NS-FP	NS-FP	116	NS-FP	<100							
	Oct-02	<500	62.2	59.2	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	<125	97	<5	<125	<50	<250
	Mar-03	NA	<1,000	206	NS-FP	NS-FP	110	NS-FP	<25	568	222	134	89.4	<125	27.5	55.3
	Jun-03	NA	<200	<400	NS-FP	NS-FP	80.3	NS-FP	<20	450	<400	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	<400	<50	22	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	<400	<400	113	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	<100	163	<2	<2	<2	NS-FP
n-Propylbenzene	Jun-02	<250	28.5	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	44.2	<50	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	259	89.5	<5	<125	<50	<250

	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	<125	NS-FP	<25	<1,000	462	191	<5	<125	<50	<125
	Jun-03	NA	<200	<400	NS-FP	NS-FP	<50	NS-FP	<20	<400	<400	<10	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	<400	303	45	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	<400	<400	123	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	355	237	<2	<2	<2	NS-FP

Table 4 (cont.): Detected VOCs from Groundwater Sample Results using EPA Method 8260 (µg/L)																
VOCs	**Date**	**MW-1[t]**	**MW-2[t]**	**MW-3[t]**	**MW-4**	**MW-6**	**MW-7[t]**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**	**MW-14**	**MW-15**	**MW-16**
Tetrachloroethene	Feb-94	662	2,150	5,370	3,320	2,130	134									
	Nov-00	<2,500	<500	130	NS-FP	NS-FP	<500									
	Oct-01	<100	<20	130	NS-NW	Table 2	100									
	Feb-02	20	3.3	302	NS-FP	NS-FP	8.2									
	Jun-02	24.8	<500	133	NS-FP	NS-FP	<25	NS-FP	122							
	Oct-02	<200	<20	39.3	NS-FP	NS-FP	<100	NS-FP	190							
	Dec-02	NA	<100	<100	NS-FP	NS-FP	<50	NS-FP	204	<1,000	<50	<10	97.1	<50	<20	268
	Mar-03	NA	<400	411	NS-FP	NS-FP	<50	NS-FP	136	<400	<200	<20	11	<50	<20	350
	Jun-03	NA	258	318	NS-FP	NS-FP	<50	NS-FP	132	<400	<400	<10	161	21.8	29.5	485
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	131	<400	<50	12.5	145	28.3	36	273
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	4.5	<400	<400	3.8	36.3	42.4	12.1	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	149	Table 2	<100	3.8	51.4	42	63.2	NS-FP
1,1,1-Trichloroethane	Feb-94	9,370	3,470	444	36,200	114,000	90									
	Nov-00	<2,500	<500	70	NS-FP	NS-FP	<500									
	Oct-01	<250	<50	<125	NS-NW	Table 2	<25									
	Feb-02	<125	<12.5	<100	NS-FP	NS-FP	<10									
	Jun-02	<250	<500	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<500	<50	<50	NS-FP	NS-FP	<250	NS-FP	92							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	32.3	13,800	52.8	21	<5	230	<50	<250
	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	<125	NS-FP	35	12,300	<500	14	1.4	77.5	<50	33.5
	Jun-03	NA	160	<400	NS-FP	NS-FP	<50	NS-FP	18.6	8,430	<400	19	<2	3.4	10.7	42.5
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	4,510	<50	8.7	<2	8.9	6.4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<2	7,460	852	10.7	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	11.1	Table 2	170	8.3	<2	<2	7.7	NS-FP
Trichloroethene	Feb-94	7,160	3,040	1,730	14,300	1,320	45									
	Nov-00	<2,500	<500	1,500	NS-FP	NS-FP	<500									
	Oct-01	<100	<20	100	NS-NW	Table 2	<10									
	Feb-02	20	2.5	260	NS-FP	NS-FP	6.8									
	Jun-02	<250	<500	134	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	<200	<20	28	NS-FP	NS-FP	<100	NS-FP	56.6							
	Dec-02	NA	<100	<100	NS-FP	NS-FP	<50	NS-FP	50.4	<1,000	<50	<10	77.2	<50	<20	274
	Mar-03	NA	<400	1,930	NS-FP	NS-FP	<50	NS-FP	39	<400	<200	<20	28.8	<50	134	400
	Jun-03	NA	182	806	NS-FP	NS-FP	<50	NS-FP	41.9	<400	<400	<10	72.7	4	13.6	438
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	47	<400	<50	7.5	95.2	12.1	16	2,530
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	1.7	<400	<400	<5	47	22.6	9.3	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	37.2	Table 2	<100	<5	18.5	16.1	17.9	NS-FP

1,2,4-Trimethylbenzene	Oct-01	1,590	18.9	345	NS-NW	Table 2	200									
	Feb-02	2,800	231	668	NS-FP	NS-FP	234									
	Jun-02	3,850	<500	618	NS-FP	NS-FP	238	NS-FP	<100							
	Oct-02	2,120	116	299	NS-FP	NS-FP	327	NS-FP	<25							
	Dec-02	NA	232	356	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	2,120	1,640	<5	270	<50	<250
	Mar-03	NA	380	441	NS-FP	NS-FP	225	NS-FP	<25	1,590	2,950	703	<5	30	<50	238
	Jun-03	NA	<200	378	NS-FP	NS-FP	152	NS-FP	<20	1,740	1,400	20	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	1,430	1,830	110	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	1,640	1,582	498	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	2,060	1,200	<2	<2	15	NS-FP

Table 4 (cont.): Detected VOCs from Groundwater Sample Results using EPA Method 8260 (µg/L)																
VOCs	**Date**	**MW-1[t]**	**MW-2[t]**	**MW-3[t]**	**MW-4**	**MW-6**	**MW-7[t]**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**	**MW-14**	**MW-15**	**MW-16**
1,3,5-Trimethylbenzene	Oct-01	470	62.9	145	NS-NW	Table 2	25									
	Feb-02	955	57.8	126	NS-FP	NS-FP	45.6									
	Jun-02	1,170	57.5	<125	NS-FP	NS-FP	<25	NS-FP	<100							
	Oct-02	574	67.8	57.8	NS-FP	NS-FP	<250	NS-FP	<25							
	Dec-02	NA	<250	<250	NS-FP	NS-FP	<125	NS-FP	<25	<2,500	675	765	<5	106	<50	<250
	Mar-03	NA	<1,000	<500	NS-FP	NS-FP	30	NS-FP	<25	404	903	411	<5	<125	<50	<125
	Jun-03	NA	<200	<400	NS-FP	NS-FP	<50	NS-FP	<20	398	440	19	<2	<2	<5	<50
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<20	320	570	92	<2	<2	<4	<50
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	412	506	294	<2	<4	<5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<20	Table 2	375	619	<2	<2	3.4	NS-FP
Toluene	Feb-94	560	7,390	579	12,700	15,300	398									
	Nov-00	4,000	57	3,700	NS-FP	NS-FP	800									
	Oct-01	2,470	26	5,150	NS-NW	Table 2	975									
	Feb-02	4,880	26.2	4,520	NS-FP	NS-FP	1,330									
	Jun-02	6,180	102	4,780	NS-FP	NS-FP	1,280	NS-FP	<20							
	Oct-02	5,390	39	4,810	NS-FP	NS-FP	2,560	NS-FP	<5							
	Dec-02	NA	158	5,770	NS-FP	NS-FP	541	NS-FP	<5	19,600	1,230	29.5	1.2	2,840	14.4	<50
	Mar-03	NA	<200	2,310	NS-FP	NS-FP	938	NS-FP	<5	12,000	3,830	14.5	<1	230	<10	<25
	Jun-03	NA	<100	2,080	NS-FP	NS-FP	724	NS-FP	<10	10,900	4,620	<5	<1	<1	<2.5	<25
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<10	13,800	4,030	<2.5	<1	<1	2	<25
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<1	13,300	6,570	9.7	<1	<2	3.2	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<10	Table 2	6,050	<2.5	<1	<1	54.8	NS-FP
Vinyl Chloride	Oct-01	1,350	75	<5	NS-NW	Table 2	188									
	Feb-02	1,060	197	896	NS-FP	NS-FP	517									
	Jun-02	<100	<200	<50	NS-FP	NS-FP	<10	NS-FP	<40							
	Oct-02	2,860	2,710	12,200	NS-FP	NS-FP	684	NS-FP	123							
	Dec-02	NA	2,720	12,700	NS-FP	NS-FP	423	NS-FP	107	4,100	198	1,100	6.2	<50	93.1	555
	Mar-03	NA	1,640	7,870	NS-FP	NS-FP	200	NS-FP	92	3,690	1,180	66.6	2.6	<50	77.8	387
	Jun-03	NA	4,500	2,380	NS-FP	NS-FP	360	NS-FP	173	3,410	1,830	36	3.8	<2	49	395
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	296	4,510	1,510	36	<2	5.2	51	588
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	5.2	3,700	1,530	13.1	<2	6.1	134	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	155	Table 2	1,190	8.5	<1	<1	546	NS-FP
Xylenes	Feb-94	2,192	7,790	1,014	4,362	4,710	186									
	Nov-00	3,400	<500	2,500	NS-FP	NS-FP	247									
	Oct-01	2,770	<2	3,720	NS-NW	Table 2	301									

	Feb-02	3,760	14.8	3,070	NS-FP	NS-FP	280									
	Jun-02	5,240	152	3,690	NS-FP	NS-FP	354	NS-FP	<20							
	Oct-02	3,570	73	2,570	NS-FP	NS-FP	576	NS-FP	<5							
	Dec-02	NA	355	2,900	NS-FP	NS-FP	121	NS-FP	<5	4,690	748	242	<1	1,760	<10	<50
	Mar-03	NA	316	2,100	NS-FP	NS-FP	318	NS-FP	<10	2,330	1620	28.1	<2	100	<20	<50
	Jun-03	NA	170	1,760	NS-FP	NS-FP	238	NS-FP	<10	4,590	1,560	<5	<1	<1	<2.5	<25
	Sep-03	NA	NA	NA	NS-NW	NS-FP	NA	NS-FP	<10	4,460	1,320	9	<1	<1	<2	<25
	Dec-03	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<1	4,590	2,020	157	<1	<2	<2.5	NS-FP
	Mar-04	NA	NA	NA	NS-FP	NS-FP	NA	NS-FP	<10	Table 2	2,170	231	<1	<1	27.3	NS-FP
NA= Not Analyzed. [t] = Abandoned Well.																
NS-FP= Not Sampled Free Product present. NS-NW= Not Sampled Not Enough Water present.																
Blue= Chemicals stored on-site. Red= Transformation compounds.																

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
56'-66'	21'-46'	30'-45'	57'-67'	53'-63'	30'-40'	71'-81'	67'-77'	71'-81'	30'-40'
40.44'	33.06'	33.33'	41.11'	42.34'					
38.28'	35.36'	33.42'	39.08'	40.36'					
36.41'	33.13'	38.30'	37.05'	38.50'	35.80'	34.23'	37.73'	39.22'	36.7'
40.65'	38.37'	33.29'	41.57'	42.68'	39.87'	39.55'	42.69'	44.35'	38.45'
43.47'	42.73'	38.65'	44.53'	45.44'	Dry	42.65'	45.69'	47.35'	39.6'
44.56	40.28	37.15	45.22	46.59	38.51	43.25	46.41	48.03	36.7
<25	26,000	70,000	<25	<125					
<25	39,700	70,200	<25	<125					
<25	62,700	105,000	<62.5	<5	<250	<25	<25	<25	34,100
<5	44,200	NS-FP	<5	<25	NS-NW	<5	<5	<5	24,500
<5	32,400	NS-FP	<5	<100	NS-NW	Table 5	Table 5	Table 5	NS-NW
<5	Table 2	Table 2	<5	<12.5	<10	Table 5	Table 5	Table 5	10,200
<1	610	1,160	<1	7.9					
<1	<500	1,100	<1	9					
<1	392	1,390	<2.5	18	13.5	<1	<1	<1	125
<1	380	NS-FP	<1	53	NS-NW	<1	<1	<1	270

<1	415	NS-FP	1.3	64	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	<1	92.7	34	Table 5	Table 5	Table 5	225
<25	9,300	18,500	<25	<125					
<25	23,900	28,900	<25	<125					
<25	29,800	43,800	<62.5	<5	<250	<25	<25	<25	11,300
<5	32,000	NS-FP	<5	<25	NS-NW	<5	<5	<5	11,000
<5	23,700	NS-FP	<5	<100	NS-NW	Table 5	Table 5	Table 5	NS-NW
<5	Table 2	Table 2	<5	<12.5	<10	Table 5	Table 5	Table 5	6,050

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
<5	<500	<2,500	<5	<25					
<5	<2,500	<2,500	<5	<25					
<2	1,970	2,860	<5	<2	<20	<2	<2	<2	<100
<2	460	NS-FP	<2	<10	NS-NW	<2	<2	<2	<100
<2	<200	NS-FP	<2	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	<5	104	Table 5	Table 5	Table 5	2,000
13	4,390	5,150	16.2	141					
2.5	6,700	5,110	18	276					
<2	9,820	6,840	47.6	535	1,200	<2	<2	<2	931
<2	7,040	NS-FP	28.5	1,370	NS-NW	3.1	<2	5	1,670
<2	5,440	NS-FP	123	2,300	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	89.2	2,240	1,900	Table 5	Table 5	Table 5	3,620
<5	<500	<2,500	<5	<25					
<5	<2,500	<2,500	<5	<25					
<2	<400	<1,000	<5	<2	<20	<2	<2	<2	<100
<2	<200	NS-FP	<2	<10	NS-NW	<2	<2	<2	<100
<2	<200	NS-FP	<2	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	17.5	11.7	Table 5	Table 5	Table 5	<100

18.6	6,850	17,700	25.6	207					
17.1	5,290	18,600	16.5	280					
16	4,610	24,200	246	755	155	2	<2	4.2	2,340
14.2	4,260	NS-FP	45.7	1,800	NS-NW	<2	<2	<2	5,600
7.8	4,170	NS-FP	43.8	1,960	NS-NW	Table 5	Table 5	Table 5	NS-NW
3.8	Table 2	Table 2	21	2,540	440	Table 5	Table 5	Table 5	7,740

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
36	18,100	11,800	9.3	324					
7.1	21,200	11,100	6.9	543					
2.2	23,900	13,000	7	1,060	3,860	<2	<2	<2	939
<2	15,900	NS-FP	4.6	2,450	NS-NW	8.7	<2	2.4	2,130
<2	14,500	NS-FP	26.7	4,400	NS-NW	Table 5	Table 5	Table 5	NS-NW
2.2	Table 2	Table 2	18.8	4,090	6,020	Table 5	Table 5	Table 5	5,130
<5	<500	<2,500	<5	<25					
<5	<2,500	<2,500	<5	<25					
<2	<400	<1,000	<5	<2	<20	<2	<2	<2	<100
<2	<200	NS-FP	<2	12	NS-NW	<2	<2	<2	120
<2	<200	NS-FP	<2	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	14.5	32.3	Table 5	Table 5	Table 5	<100
<100	<10,000	<50,000	176	<500					
<25	<25,000	<25,000	112	<125					
<50	<10,000	<25,000	<125	<50	<500	<50	<50	<50	<2,500
<50	<5,000	NS-FP	88	<250	NS-NW	<50	<50	<50	<2,500
<50	<5,000	NS-FP	<50	<1,000	NS-NW	Table 5	Table 5	Table 5	NS-NW
<50	Table 2	Table 2	<50	314*	936*	Table 5	Table 5	Table 5	816*

<1	425	1,710	<1	<5					
<1	1,050	2,270	<1	<5					
<1	1,010	2,480	<2.5	31	<10	<1	<1	<1	1,620
<1	740	NS-FP	<1	5.5	NS-NW	<1	<1	<1	2,900
<1	690	NS-FP	<1	<1	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	<1	6.8	<2	Table 5	Table 5	Table 5	3,180

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
<5	<500	<2,500	<5	<25					
<5	<2,500	12,500	<5	<25					
<2	<400	12,600	<5	<2	113	<2	<2	<2	10,600
<2	<200	NS-FP	<2	<10	NS-NW	<2	<2	<2	14,600
<2	<200	NS-FP	<2	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	<10	6.6	Table 5	Table 5	Table 5	9,300
<25	<2,500	<12,500	<25	<125					
<25	7,400	10,100	<25	<125					
<25	12,600	14,400	<62.5	<5	<250	<25	<25	<25	9,250
<5	4,100	NS-FP	<5	<25	NS-NW	<5	<5	<5	7,350
<5	1,330	NS-FP	<5	<100	NS-NW	Table 5	Table 5	Table 5	NS-NW
<5	Table 2	Table 2	<5	<12.5	<10	Table 5	Table 5	Table 5	6,600
<5	<500	<2,500	<5	<25					
116	1,130	1,610	<5	<25					
<2	276	3,250	<5	<2	<20	<2	<2	<2	135
<2	<200	NS-FP	<2	<10	NS-NW	<2	<2	<2	125
<2	<200	NS-FP	<2	20	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	53.5	6.6	Table 5	Table 5	Table 5	<100
<5	<500	<2,500	<5	<25					

<5	<2,500	<2,500	<5	<25					
<2	<400	<1,000	<5	<2	<20	<2	<2	<2	<100
<2	<200	NS-FP	<2	10.5	NS-NW	<2	<2	<2	<100
<2	230	NS-FP	22.9	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	14.3	<4	Table 5	Table 5	Table 5	<100

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
8.1	534	1,240	9.7	53.1					
25	<1,000	1,480	3.3	17.8					
35.9	<400	1,460	48.9	<2	<20	4	4.1	12.3	1,920
15.1	<200	NS-FP	18.3	232	NS-NW	4.1	10.7	51	2,930
18	<200	NS-FP	3.4	133	NS-NW	Table 5	Table 5	Table 5	NS-NW
36.2	Table 2	Table 2	9.3	347	4	Table 5	Table 5	Table 5	4,160
6	1,150	21,500	<5	<25					
9.5	665	37,800	<5	14					
<2	260	61,200	25	70	<20	<2	<2	<2	1,250
8	420	NS-FP	8.6	150	NS-NW	<2	<2	<2	1,790
2.2	1,130	NS-FP	81.7	132	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	20.9	186	<4	Table 5	Table 5	Table 5	7,350
3	946	1,740	2.9	55.7					
7.4	610	2,360	1.5	31.7					
6.5	176	3,820	10	95	<20	2.3	2.3	20.4	1,330
3.9	<200	NS-FP	6.2	180	NS-NW	<2	11.5	25	2,100
7.3	169	NS-FP	4.4	140	NS-NW	Table 5	Table 5	Table 5	NS-NW
9.5	Table 2	Table 2	2.5	240	<4	Table 5	Table 5	Table 5	3,000

<5	1,880	2,500	<5	<25					
238	2,490	4,660	<5	<25					
<2	2,070	8,090	19.5	18.5	<20	<2	<2	<2	<100
<2	1,680	NS-FP	<2	20.5	NS-NW	<2	<2	<2	555
<2	1,810	NS-FP	33.1	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	30	6.6	Table 5	Table 5	Table 5	1,140

MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
<5	528	<2,500	<5	<25					
<5	635	845	<5	<25					
<2	506	1,530	<5	<2	<20	<2	<2	<2	<100
<2	400	NS-FP	<2	<10	NS-NW	<2	<2	<2	170
<2	459	NS-FP	13.8	<40	NS-NW	Table 5	Table 5	Table 5	NS-NW
<2	Table 2	Table 2	<2	5.5	<4	Table 5	Table 5	Table 5	300
<1	1,730	13,500	3.3	6.7					
<1	4,970	11,600	<1	<5					
<1	5,510	13,300	7.2	<1	<10	<1	<1	<1	<50
<1	3,700	NS-FP	<1	10	NS-NW	<1	<1	<1	10,500
<1	2,350	NS-FP	14.6	<1	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	<1	17.5	16.4	Table 5	Table 5	Table 5	15,200
<2	<200	<1,000	<2	28.1					
<2	<1,000	630	<2	22.6					
<2	<400	<1,000	<5	<2	88.9	<2	<2	<2	<100
<2	800	NS-FP	<2	31.5	NS-NW	<2	<2	<2	<100
<2	<200	NS-FP	<2	47.3	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	<1	66	860	Table 5	Table 5	Table 5	450

<1	2,690	3,940	<1	<5					
<2	4,200	4,960	<2	8.4					
<1	3,650	6,040	8.3	<1	<10	<1	<1	<1	1,050
<1	2,620	NS-FP	<1	93	NS-NW	<1	<1	<1	6,870
<1	2,610	NS-FP	22	91.9	NS-NW	Table 5	Table 5	Table 5	NS-NW
<1	Table 2	Table 2	<1	175	8.8	Table 5	Table 5	Table 5	9,320

Table 5: Detected VOCs from Diffusion Bag Groundwater Samples using EPA Method 8260 (µg/L)					
	Date	**Depth**	**MW-23**	**MW-24**	**MW-25**
Screened Interval (bg)			71'-81'	67'-77'	71'-81'
DTW (ft)	15-Dec-03		42.65	45.69	47.35
	30-Mar-04		43.25	46.41	48.03
VOCs					
Acetone	15-Dec-03	1.5'	<25	<25	<25
	15-Dec-03	7.5'	<25	<25	<25
	30-Mar-04	2.5'	<25	<25	<25
	30-Mar-04	7.5'	<25	<25	<25
Benzene	15-Dec-03	1.5'	<1	<1	<1
	15-Dec-03	7.5'	<1	<1	<1
	30-Mar-04	2.5'	<1	<1	<1
	30-Mar-04	7.5'	<1	<1	<1
2-Butanone (MEK)	15-Dec-03	1.5'	<25	<25	<25
	15-Dec-03	7.5'	<25	<25	<25
	30-Mar-04	2.5'	<25	<25	<25
	30-Mar-04	7.5'	<25	<25	<25
Chloroethane	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
1,1-Dichloroethane	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
1,2-Dichloroethane	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
1,1-Dichloroethene	15-Dec-03	1.5'	6	14.6	7.4
	15-Dec-03	7.5'	6.1	<2	6.2
	30-Mar-04	2.5'	4.4	7.6	7.4
	30-Mar-04	7.5'	4.2	6.6	6.2
cis 1,2-Dichloroethene	15-Dec-03	1.5'	2.4	8.8	3.4
	15-Dec-03	7.5'	<2	5.7	<2
	30-Mar-04	2.5'	<2	11.7	<2
	30-Mar-04	7.5'	<2	11.3	<2

Table 5: Detected VOCs from Diffusion Bag Groundwater Samples using EPA Method 8260 (µg/L)					
VOCs	**Date**	**Depth**	**MW-23**	**MW-24**	**MW-25**
trans 1,2-Dichloroethene	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
1,4 Dioxane	15-Dec-03	1.5'	<50	<50	<50
	15-Dec-03	7.5'	<50	<50	<50
	30-Mar-04	2.5'	<50	<50	<50
	30-Mar-04	7.5'	<50	<50	<50
Ethylbenzene	15-Dec-03	1.5'	<1	<1	<1
	15-Dec-03	7.5'	<1	<1	<1
	30-Mar-04	2.5'	<1	<1	<1
	30-Mar-04	7.5'	<1	<1	<1
Methylene Chloride	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
4-Methyl-2-pentanone	15-Dec-03	1.5'	<25	<25	<25
	15-Dec-03	7.5'	<25	<25	<25
	30-Mar-04	2.5'	<25	<25	<25
	30-Mar-04	7.5'	<25	<25	<25
Naphthalene	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
n-Propylbenzene	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
Tetrachloroethene	15-Dec-03	1.5'	30.6	75.4	37.1
	15-Dec-03	7.5'	14.8	24.3	37.2
	30-Mar-04	2.5'	38.2	225	30.3
	30-Mar-04	7.5'	37.7	263	24.9

Table 5: Detected VOCs from Diffusion Bag Groundwater Samples using EPA Method 8260 (µg/L)					
VOCs	**Date**	**Depth**	**MW-23**	**MW-24**	**MW-25**
1,1,1-Trichloroethane	15-Dec-03	1.5'	3.2	2.3	<2
	15-Dec-03	7.5'	2.6	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
Trichloroethene	15-Dec-03	1.5'	11.3	51.4	38.5
	15-Dec-03	7.5'	7.9	49.3	39.4
	30-Mar-04	2.5'	14.2	74.5	34.9
	30-Mar-04	7.5'	14.7	67.1	18.6
1,2,4-Trimethylbenzene	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
1,3,5-Trimethylbenzene	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
Toluene	15-Dec-03	1.5'	<1	<1	<1
	15-Dec-03	7.5'	<1	<1	<1
	30-Mar-04	2.5'	<1	<1	<1
	30-Mar-04	7.5'	<1	<1	<1
Vinyl Chloride	15-Dec-03	1.5'	<2	<2	<2
	15-Dec-03	7.5'	<2	<2	<2
	30-Mar-04	2.5'	<2	<2	<2
	30-Mar-04	7.5'	<2	<2	<2
Xylenes	15-Dec-03	1.5'	<1	<1	<1
	15-Dec-03	7.5'	<1	<1	<1
	30-Mar-04	2.5'	<1	<1	<1
	30-Mar-04	7.5'	<1	<1	<1
DTW= Depth to Water.					
Depth= Depth above well bottom.					
Blue= Chemicals stored on-site.					
Red= Transformation compounds.					

Table 6. Results for EPA Methods 376.1, 325.3, 310.1, 352.1, 375.4, 7380, 7460, 160.1, Colorimetry and Standard Method 4500 (mg/L

Compound	Date	MW-2	MW-3	MW-7	MW-9	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16
Dissolved Organic Carbon	Dec-03	NA	NA	NA	12	195	100	3	1.6	2.9	2.4	NA
	Mar-04	NA	NA	NA	8.6	NA	240	3.1	1.3	2.4	5.6	NA
Total Organic Carbon	Dec-03	NA	NA	NA	13	225	105	3.7	1.9	3.1	2.6	NA
	Mar-04	NA	NA	NA	9.6	NA	270	3.4	1.5	3.1	6.5	NA
TDS	Jun-03	1,160	1,220	1,550	1,640	1,970	2,250	839	1,200	1,450	1,830	1,090
	Sep-03	NA	NA	NA	1,600	2,330	1,935	735	1,185	1,205	1,195	1,030
	Dec-03	NA	NA	NA	1,250	1,540	1,690	730	1,160	1,140	1,260	NA
	Mar-04	NA	NA	NA	2,620	NA	1,660	1,570	1,210	855	873	NA
Total Alkalinity	Jun-03	460	640	898	525	935	960	290	430	433	455	605
	Sep-03	NA	NA	NA	545	980	955	408	473	370	448	600
	Dec-03	NA	NA	NA	540	889	912	340	435	350	465	NA
	Mar-04	NA	NA	NA	485	NA	766	498	452	298	458	NA
Carbonate/bicarbonate	Jun-03	552	768	1,080	612	1,122	1,152	348	516	519	546	726
	Sep-03	NA	NA	NA	654	804	1,176	489	507	444	507	720
	Dec-03	NA	NA	NA	324	533	547	204	261	210	279	NA
	Mar-04	NA	NA	NA	582	NA	919	598	542	351	550	NA
Chloride	Jun-03	99.3	227	298	241	383	425	70.9	101	92.2	95	227
	Sep-03	NA	NA	NA	241	510	383	57	99	142	106	269
	Dec-03	NA	NA	NA	238	362	344	74.4	106	160	113	NA
	Mar-04	NA	NA	NA	221	NA	441	76.2	92.6	92.6	104	NA
Sulfide	Jun-03	<0.02	1.6	0.64	<0.02	0.8	3.68	<0.02	<0.02	<0.02	<0.02	<0.02
	Sep-03	NA	NA	NA	<0.05	5.12	2.56	<0.05	<0.05	<0.05	<0.05	<0.05
	Dec-03	NA	NA	NA	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	NA
	Mar-04	NA	NA	NA	<0.02	NA	<0.02	<0.02	<0.02	<0.02	<0.02	NA
Sulfate	Jun-03	63.2	32.6	15	264	8.67	7.9	108	214	182	279	104
	Sep-03	NA	NA	NA	250	96	26	85	230	202	285	70
	Dec-03	NA	NA	NA	783	19.3	16	47	533	399	287	NA

	Mar-04	NA	NA	NA	595	NA	<1	27.6	262	<1	<1	NA
Nitrate	Jun-03	22.5	<0.01	1.18	16.4	1.95	8.81	<0.01	27.8	25.1	29.7	2.57
	Sep-03	NA	NA	NA	0.138	<0.01	<0.01	<0.01	0.027	0.012	0.029	<0.01
	Dec-03	NA	NA	NA	25.5	5.21	3.96	1.16	17.4	20.9	25.2	NA
	Mar-04	NA	NA	NA	22.5	NA	12.7	0.46	19.6	24.1	17.1	NA

Table 6. (Continued) Results for EPA Methods 376.1, 325.3, 310.1, 352.1, 375.4, 7380, 7460, 160.1, Colorimetry and Standard Metho												
Compound	**Date**	**MW-2**	**MW-3**	**MW-7**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**	**MW-14**	**MW-15**	**MW-16**
Total Iron	Jun-03	<0.1	0.2	1	<0.1	0.2	10.7	0.16	0.14	<0.1	0.2	<0.1
	Sep-03	NA	NA	NA	<0.05	52.3	18.7	0.41	<0.05	<0.05	<0.05	<0.05
	Dec-03	NA	NA	NA	0.36	31.7	30.6	3.65	0.19	0.14	0.38	NA
	Mar-04	NA	NA	NA	0.15	NA	10.5	4.14	<0.1	<0.1	<0.1	NA
Ferrous Iron	Jun-03	<0.05	<0.05	<0.05	<0.05	<0.05	0.49	<0.05	<0.05	<0.05	<0.05	<0.05
	Sep-03	NA	NA	NA	<0.05	3.2	9.98	<0.05	<0.05	<0.05	<0.05	<0.05
	Dec-03	NA	NA	NA	0.15	1.42	2.32	0.73	0.16	0.21	0.21	NA
	Mar-04	NA	NA	NA	<0.05	NA	2.62	2.25	<0.05	0.31	0.57	NA
Manganese	Jun-03	<0.1	2.1	0.67	<0.1	1.49	6.7	1.6	<0.1	<0.1	0.4	0.6
	Sep-03	NA	NA	NA	0.07	5.24	12.5	2.49	0.66	0.42	0.4	1.09
	Dec-03	NA	NA	NA	0.15	6.1	13.5	1.47	0.22	1.02	1.14	NA
	Mar-04	NA	NA	NA	0.11	NA	4.71	1.12	0.13	0.15	1.11	NA
Ethene	Mar-04	NA	NA	NA	22.7	NA	1,001	176	<5	255	<5	NA

.)									
MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
0.9	100	NA	2.2	3.4		NA	NA	NA	NA
0.6	NA	NA	1	3.3	10	NA	NA	NA	50
1.2	110	NA	2.6	3.7		NA	NA	NA	NA
1	NA	NA	1.1	3.7	11	NA	NA	NA	60
1,400	1,720	4,500	1,280	1,250					
1,675	1,655	NA	1,235	1,296		630	775	870	1,460
1,170	1,520	NA	1,200	1,110		NA	NA	NA	NA
1,310	NA	NA	2,020	1,080	645	NA	NA	NA	956
460	1,025	1,425	425	472					
475	985	NA	433	460		235	255	350	670
430	920	NA	479	530		NA	NA	NA	NA
407	NA	NA	449	542	593	NA	NA	NA	593
552	1,230	1,710	510	567					
570	1,146	NA	519	552		282	306	420	804
258	552	NA	287	318		NA	NA	NA	NA
488	NA	NA	539	650	712	NA	NA	NA	713
96.4	284	1,190	87.9	87.9					
170	298	NA	92	142		71	74	85	326
106	99.3	NA	99.3	135		NA	NA	NA	NA
95.3	NA	NA	123	158	128	NA	NA	NA	267
<0.02	0.48	1.62	<0.02	<0.02					
<0.05	1.92	NA	<0.05	<0.05		<0.05	<0.05	<0.05	16.6
<0.05	<0.05	NA	<0.05	<0.05		NA	NA	NA	NA
<0.02	NA	NA	<0.02	<0.02	<0.02	NA	NA	NA	<0.02
206	29.3	5.74	176	182					
215	85	NA	215	230		115	154	210	60
387	82.9	NA	501	287		NA	NA	NA	NA

335	NA	NA	250	<1	<1	NA	NA	NA	<1
27.8	2.62	0.77	24.2	23.8					
<0.01	<0.01	NA	0.17	0.019		0.177	<0.01	<0.01	<0.01
20.1	1.14	NA	21.4	22.8		NA	NA	NA	NA
18	NA	NA	28.7	20	7.3	NA	NA	NA	<0.01

d 4500 (mg/L)									
MW-17	**MW-18**	**MW-19**	**MW-20**	**MW-21**	**MW-22**	**MW-23**	**MW-24**	**MW-25**	**MW-26**
0.43	0.8	0.8	0.22	<0.1					
0.26	14.4	NA	<0.05	<0.05		<0.05	0.1	<0.05	0.44
0.36	63.1	NA	0.24	1.2		NA	NA	NA	NA
<0.1	NA	NA	0.62	<0.1	<0.1	NA	NA	NA	<0.1
<0.05	<0.05	<0.05	<0.05	<0.05					
<0.05	4.55	FP	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05
0.22	1.89	NA	0.14	0.17		NA	NA	NA	NA
<0.05	NA	NA	0.1	0.86	0.4	NA	NA	NA	0.6
<0.1	0.94	1.77	<0.1	0.43					
<0.05	7	NA	0.12	0.64		<0.05	0.07	0.09	5.21
0.23	6.94	NA	0.12	1.96		NA	NA	NA	NA
0.09	NA	NA	0.14	1.78	0.92	NA	NA	NA	2
<5	NA	NA	<5	1,080	645	NA	NA	NA	<5

Table 3: Dissolved Metal Sample Results (mg/L)

Dissolved Metals	EPA Method	Date	MW-1	MW-2	MW-3	MW-4	MW-6	MW-7	MW-8	MW-9	MCLs
Antimony	7040	Oct-01	<0.5	<0.5	<0.5	NS-FP	NS-FP	<0.5			0.006
		Feb-02	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1			
		Jun-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
		Oct-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
Arsenic	7060	Oct-01	0.026	0.061	<0.005	NS-FP	NS-FP	0.071			0.05
		Feb-02	0.068	0.044	0.006	NS-FP	NS-FP	0.113			
		Jun-02	0.064	0.046	<0.005	NS-FP	NS-FP	0.145	NS-FP	<0.005	
		Oct-02	0.015	0.038	<0.005	NS-FP	NS-FP	0.078	NS-FP	<0.005	
Barium	7080	Oct-01	<0.5	<0.5	<0.5	NS-FP	NS-FP	<0.5			1
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	0.8	0.88	0.51	NS-FP	NS-FP	0.68	NS-FP	0.66	
		Oct-02	0.984	0.962	0.91	NS-FP	NS-FP	0.897	NS-FP	0.683	
Beryllium	7090	Oct-01	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05			0.004
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	<0.002	<0.002	<0.002	NS-FP	NS-FP	<0.002	NS-FP	<0.002	
		Oct-02	<0.002	<0.002	<0.002	NS-FP	NS-FP	<0.002	NS-FP	<0.002	
Cadmium	7130	Oct-01	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05			0.005
		Feb-02	<0.04	<0.04	<0.04	NS-FP	NS-FP	<0.04			
		Jun-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
		Oct-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
Chromium	7190	Oct-01	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1			0.05
		Feb-02	<0.02	<0.02	<0.02	NS-FP	NS-FP	<0.02			
		Jun-02	0.015	0.016	0.016	NS-FP	NS-FP	0.017	NS-FP	0.019	
		Oct-02	0.0188	0.0185	0.02	NS-FP	NS-FP	0.021	NS-FP	0.024	
Cobalt	7200	Oct-01	<0.1	0.12	<0.1	NS-FP	NS-FP	<0.1			None
		Feb-02	<0.04	<0.04	<0.04	NS-FP	NS-FP	<0.04			
		Jun-02	0.23	0.2	0.18	NS-FP	NS-FP	0.11	NS-FP	0.18	
		Oct-02	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1	NS-FP	<0.1	

Table 3 (cont.): Dissolved Metal Sample Results (mg/L)

Dissolved Metals	EPA Method	Date	MW-1	MW-2	MW-3	MW-4	MW-6	MW-7	MW-8	MW-9	MCLs
Copper	7210	Oct-01	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05			1.3
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1	NS-FP	<0.1	
		Oct-02	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1	NS-FP	<0.1	
Lead	7240	Oct-01	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1			0.05
		Feb-02	<0.002	<0.002	<0.002	NS-FP	NS-FP	<0.002			
		Jun-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
		Oct-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
Mercury	7471	Oct-01	<0.001	<0.001	<0.001	NS-FP	NS-FP	<0.001			0.002
		Feb-02	<0.001	<0.001	<0.001	NS-FP	NS-FP	<0.001			
		Jun-02	<0.001	<0.001	<0.001	NS-FP	NS-FP	<0.001	NS-FP	<0.001	
		Oct-02	<0.001	<0.001	<0.001	NS-FP	NS-FP	<0.001	NS-FP	<0.001	
Molybdenum	7480	Oct-01	<0.4	<0.4	<0.4	NS-FP	NS-FP	<0.4			0.035*
		Feb-02	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1			
		Jun-02	<0.035	<0.035	<0.035	NS-FP	NS-FP	<0.035	NS-FP	<0.035	
		Oct-02	<0.035	<0.035	<0.035	NS-FP	NS-FP	<0.035	NS-FP	<0.035	
Nickel	7520	Oct-01	<0.1	<0.1	<0.1	NS-FP	NS-FP	<0.1			0.1
		Feb-02	<0.04	<0.04	<0.04	NS-FP	NS-FP	<0.04			
		Jun-02	0.14	0.17	0.2	NS-FP	NS-FP	0.21	NS-FP	0.18	
		Oct-02	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05	NS-FP	<0.05	
Selenium	7740	Oct-01	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			0.05
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
		Oct-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005	NS-FP	<0.005	
Silver	7760	Oct-01	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05			0.1
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	<0.01	<0.01	<0.01	NS-FP	NS-FP	<0.01	NS-FP	<0.01	
		Oct-02	<0.01	<0.01	<0.01	NS-FP	NS-FP	<0.01	NS-FP	<0.01	

Table 3 (cont.): Dissolved Metal Sample Results (mg/L)

Dissolved Metals	EPA Method	Date	MW-1	MW-2	MW-3	MW-4	MW-6	MW-7	MW-8	MW-9	MCLs
Thallium	7840	Oct-01	<0.2	<0.2	<0.2	NS-FP	NS-FP	<0.2			0.002
		Feb-02	<0.005	<0.005	<0.005	NS-FP	NS-FP	<0.005			
		Jun-02	<0.002	<0.002	<0.002	NS-FP	NS-FP	<0.002	NS-FP	<0.002	
		Oct-02	<0.002	<0.002	<0.002	NS-FP	NS-FP	<0.002	NS-FP	<0.002	
Vanadium	7910	Oct-01	<0.5	<0.5	<0.5	NS-FP	NS-FP	<0.5			0.06*
		Feb-02	0.03	0.05	0.16	NS-FP	NS-FP	0.14			
		Jun-02	<0.06	<0.06	<0.06	NS-FP	NS-FP	<0.06	NS-FP	<0.06	
		Oct-02	<0.06	<0.06	<0.06	NS-FP	NS-FP	<0.06	NS-FP	<0.06	
Zinc	7950	Oct-01	<0.05	<0.05	<0.05	NS-FP	NS-FP	<0.05			5
		Feb-02	<0.01	<0.01	<0.01	NS-FP	NS-FP	<0.01			
		Jun-02	0.07	0.04	0.05	NS-FP	NS-FP	0.04	NS-FP	0.23	
		Oct-02	<0.01	<0.01	<0.01	NS-FP	NS-FP	<0.01	NS-FP	<0.01	

NS-FP= Not Sampled Free Product present.

MCLs= Maximum Contaminant Levels.

* = Health Advisories.

0816 77W

REPORT

SECOND SEMIANNUAL 2007 GROUNDWATER MONITORING REPORT

FORMER ASHLAND CHEMICAL COMPANY
10505 SOUTH PAINTER AVENUE
SANTA FE SPRINGS, CALIFORNIA

Prepared for

ASHLAND.

Ashland Inc.
5200 Blazer Parkway
Dublin, Ohio

January 15, 2008

URS
2020 East First Street
Suite 400
Santa Ana, California 92705
37680106

Table 3
Groundwater Sample Analytical Results
August 2007
Former Ashland Chemical Company
Santa Fe Springs, California

WELL	MW-1R	MW-2R	MW-4R	MW-5	MW-6R	MW-7	MW-7 (dup)	MW-12R	MW-13R	MW-14a	MW-14b	MW-15a	MW-15b	MW-15b (dup)	MW-16a	MW-16b	MW-17a	MW-17b	MW-21a	MW-21b	MW-21b (dup)	MW-22	MW-23	MW-24	MW-25	MW-26	MW-27	EX-1	EX-2	EX-4	EX-5	EX-6
DATE SAMPLED	8/9/2007	8/9/2007	8/8/2007	8/9/2007	8/9/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/9/2007	8/9/2007	8/9/2007	8/9/2007	8/9/2007	8/9/2007	8/9/2007	8/7/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/8/2007	8/10/2007	8/10/2007	8/10/2007	8/10/2007	8/10/2007
COMPOUND (µg/L)																																
ACETONE	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	9.5	<5.0	<5.0	<5.0	<5.0	11	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<500	<5.0	<10	<5.0	<5.0
BENZENE	11	19	<0.5	23	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	6.4	2.4	0.52	120	180	180	<0.5	<0.5	<0.5	15	0.72	<0.5	180	<0.5	2.8	1.0	93
2-BUTANONE	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<500	<5.0	<10	<5.0	<5.0
n-BUTYLBENZENE	9.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
sec-BUTYLBENZENE	20	<0.5	<0.5	0.66	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
tert-BUTYLBENZENE	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	0.55	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
CARBON TETRACHLORIDE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
CHLOROBENZENE	20	46	<0.5	210	0.70	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	86	13	1.6	200	220	220	<0.5	<0.5	<0.5	14	4.6	<0.5	1000	3.4	14	<0.5	57
CHLOROETHANE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	-	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<100	<1.0	<2.0	<1.0	<1.0
CHLOROFORM	<0.5	<0.5	<0.5	<0.5	<0.5	0.67	0.91	<0.5	<0.5	0.55	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
2-CHLOROTOLUENE	<0.5	1.0	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	5.0	0.85	<0.5	<0.5	0.53	0.51	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	0.82	<1.0	<0.5	0.71
1,2-DICHLOROBENZENE	3.0	4.2	<0.5	4.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.78	-	19	15	2.3	<0.5	1.2	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	200	1.8	1.4	<0.5	2.1
1,3-DICHLOROBENZENE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
1,4-DICHLOROBENZENE	1.0	1.9	<0.5	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	4.0	<0.5	0.54	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	85	0.9	1.4	0.52	0.82
1,1-DICHLOROETHANE	19	67	2.2	150	57	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	1.9	2.2	2.0	-	48	6.9	0.66	860	460	490	<0.5	1.4	<0.5	10	9.6	27	300	7.0	1.7	1.1	180
1,2-DICHLOROETHANE	10	4.6	1.3	3.4	0.82	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.2	7.2	4.1	-	34	<0.5	<0.5	9.4	12	11	<0.5	<0.5	1.0	1.4	<0.5	1.5	52	1.3	<1.0	0.58	2.6
1,1-DICHLOROETHENE	6.0	20	1.6	1.5	8.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	1.8	2.0	-	9.8	<0.5	<0.5	27	1.2	1.2	<0.5	0.51	<0.5	3.4	0.68	5.2	65	0.58	<1.0	<0.5	6.9
1,2-DICHLOROETHENES (total)	1106.8	1103.1	0.59	72	113	<1.0	<1.0	7.1	5.0	<1.0	<1.0	46.2	39.3	38.5	-	368	8.67	3.2	1491	209	206	<1.0	<1.0	0.55	814	21.1	2.0	8379	19.9	22	112.2	167
1,2-DICHLOROPROPANE	2.3	10	<0.5	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.4	-	1.6	3.4	1.1	17	5.9	5.8	<0.5	<0.5	<0.5	0.59	<0.5	<0.5	<50	<0.5	9.4	<0.5	3.0
ETHYLBENZENE	120	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	2.4	2.4	<0.5	<0.5	<0.5	64	<0.5	<0.5	1800	<0.5	7.5	<0.5	0.74
2-HEXANONE	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<500	<5.0	6.1	<5.0	<5.0
ISOPROPYLBENZENE	77	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	2.2	0.73	0.74	<0.5	<0.5	<0.5	13	<0.5	<0.5	63	<0.5	<1.0	<0.5	<0.5
P-ISOPROPYLTOLUENE	0.98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	0.84	<0.5	<0.5	<50	<0.5	1.2	<0.5	<0.5
METHYLENE CHLORIDE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	-	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<100	<1.0	<1.0	<1.0	<1.0
4-METHYL-2-PENTANONE	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<500	<5.0	<5.0	<5.0	<5.0
NAPHTHALENE	<0.5	<0.5	<0.5	0.70	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	72	<0.5	<0.5	78	<0.5	5.8	<0.5	<0.5
N-PROPYLBENZENE	78	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.4	<0.5	<0.5	130	<0.5	12	<0.5	<0.5
STYRENE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
TETRACHLOROETHANE (total)	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
TETRACHLOROETHENE (PCE)	<0.5	18	6.7	<0.5	<0.5	11	11	<0.5	<0.5	3.3	1.3	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	21	<0.5	20	<0.5	3.3	1.2	<0.5
TOLUENE	3.6	1.2	<0.5	2.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	0.78	<0.5	<0.5	6.3	7.5	7.5	<0.5	<0.5	<0.5	23	<0.5	<0.5	2600	<0.5	<1.0	<0.5	1.9
1,2,4-TRICHLOROBENZENE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
1,1,1-TRICHLOROETHANE	<0.5	82	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	210	<0.5	<1.0	<0.5	<0.5
1,1,2-TRICHLOROETHANE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
TRICHLOROETHENE (TCE)	17	31	20	1.2	5.3	7.5	7.7	5.7	4.6	2.4	<0.5	43	60	54	-	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	19	13	3.1	1.5	52	250	1.9	4.1	5.3	20
TRICHLOROTRIFLUOROETHANE	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	-	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<250	<2.5	<5.0	<2.5	<2.5
1,2,4-TRIMETHYLBENZENE	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.0	<0.5	<0.5	300	<0.5	140	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	90	0.73	110	<0.5	<0.5
VINYL CHLORIDE	24	44	<0.5	130	4.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	39	16	1.2 (B)	1100	900	850	<0.5	<0.5	<0.5	32	24	<0.5	430	14	4.0	3.1	120
XYLENES	7.2	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	-	<1.0	<1.0	<1.0	0.57	2.0	1.9	<1.0	<1.0	<1.0	19	<1.0	<1.0	3760	<1.0	13	<1.0	<1.0
METHYL TERT-BUTYL ETHER (MTBE)	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.55	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<1.0	<0.5	<0.5
TERT-BUTYL ALCOHOL (TBA)	17	<10	<10	11	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	12	<10	<10	<10	<10	<10	<10	<1000	<10	<20	<10	<10
TOTAL HALOGENS	1209	1433	32.4	577.9	189.6	19.2	19.6	14.0	9.6	5.3	1.3	97.0	110.5	103.8	-	614.4	63.8	9.4	3705.7	1809.8	1785.6	1.4	43.2	14.6	882.6	61.5	107.7	10971.0	51.6	61.3	124.0	570.1
TOTAL BTEX	141.8	21.4	0.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	7.2	2.4	0.5	126.9	191.9	191.8	0.0	0.0	0.0	121.0	0.7	0.0	8340.0	0.0	23.3	1.0	95.6
TOTAL KETONES	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-DIOXANE	1.2	0.73	<0.47	64	0.89	<0.47	<0.48	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	-	4.2	12	0.63	14	26	25	<0.47	<0.48	<0.47	<0.48	<0.47	<0.48	33	0.61	<0.50	<0.50	8.7
Screened Interval	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Lower	Upper	Upper	Lower	Lower	Upper	Lower	Upper	Lower	Upper	Lower	Lower	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Upper	Lower	Lower

Notes:
(B) = Maybe the result of blank contamination
EPA Method 8260B for all except 1,4-Dioxane by EPA Method 8270C
ug/L = micrograms per liter
Upper = upper portion of shallow zone
Lower = lower portion of shallow zone
Total Halogens = Total Volatile Halogenated Compounds (VHCs)
Total BTEX = Total Benzene, Toluene, Ethylbenzene, and Xylene Compounds
Total Ketones = Total Ketone Compounds
"-" = monitoring well was dry when measured (well not sampled)
ND = not detected at or above laboratory reporting limits.
MW-7 (dup) reported as DUP-1 in laboratory reports
MW-15b (dup) reported as DUP-2 in laboratory reports
MW-21b (dup) reported as DUP-3 in laboratory report
The analytes listed in the table represent concentrations of primary VOCs. See analytical report for complete list of VOCs analyzed.

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VFHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-1	11/13/01	12	44,000	21,000	11,000	2,000	4,700	<2,500	<2,500	<2,500	39,000	<12,000
		02/14/02	<0.50	42,000	9,200	9,200	1,200	3,900	<500	<500	<500	7,200	<2500
		05/21/02	Well W-1 not sampled on this date, product observed in well.										
		08/14/02	Well W-1 not sampled on this date, product observed in well.										
		11/13/02	Well W-1 not sampled on this date, product observed in well.										
		02/13/03	Well W-1 not sampled on this date, product observed in well.										
		05/13/03	2.5	5,000	140	67	44	830	<5.0	<5.0	<5.0	36	<25
		08/15/03	2.1	3,900	69	26	37	450	<5.0	<5.0	<5.0	84	<10
		12/09/03	6.5	13,000	2,300	1,000	190	1,500	16	<5.0	<5.0	5,100	1,100
		03/09/04	Well W-1 not sampled on this date, product observed in well.										
		05/20/04	Well W-1 not sampled on this date, product observed in well.										
		07/28/04	2.3	6,800	1,100	100	160	130	<200	<200	<200	3,300	<400
		11/12/04	4.6	6,500	1,600 H	120 H	220 H	150 H	<250 H	<250 H	<250 H	4,900 H	<500 H
		01/20/05	0.77	10,000	1,300	350	160	270	<250	<250	<250	3,500	<500
		04/13/05	36	11,000	1,900	1,200	360	1,000	<250	<250	<250	870	<500
	W-2	11/13/01	<10	14,000	1,900	1,400	1,100	1,700	<250	<250	<250	5,100	<1,200
		02/14/02	5.3	10,000	170	140	360	410	<5.0	<5.0	<5.0	70	52
		05/21/02	<5.0	8,700	490	190	500	430	<50	<50	<50	860	<250
		08/14/02	4.5	8,900	1,400	190	860	1,200	<500	<500	<500	6,000	<2,500
		11/13/02	4.0	28,000	3,900	620	980	1,600	<250	<250	<250	9,300	<1,200
		02/14/03	1.6	3,600	660	72	210	160	<250	<250	<250	2,200	<500
		05/12/03	<0.50	64	<5.0	<5.0	<5.0	<15	<50	<50	<50	990	<250
		08/15/03	<0.50	100	26	<5.0	<5.0	<10	<50	<50	<50	840	<100
		12/10/03	1.7	10,000	3,300	980	460	830	<200	<200	<200	2,800	640
		03/09/04	3.2	17,000	4,700	2,500	730	1,400	<500	<500	<500	7,400	<1000
		05/20/04	1.2	7,200	2,500	360	330	410	<500	<500	<500	6,000	<1,000
		07/28/04	1.2	18,000	4,900	220	610	940	<500	<500	<500	11,000	<1,000
		11/12/04	1.8	3,300	1,400 H	230 H	150 H	340 H	<250 H	<250 H	<250 H	4,000 H	<500 H
		01/20/05	1.4	8,900	3,100	390	340	710	<500	<500	<500	12,000	3,000
		04/13/05	0.50	2,900	550	380	120	450	<100	<100	<100	1,400	560
	W-3	11/14/01	<5.0	14,000	1,600	1,100	990	2,600	<100	<100	<100	1,100	<500
		02/14/02	<5.0	7,700	780	650	510	1,400	<50	<50	<50	440	<250
		05/21/02	17	34,000	3,700	2,600	2,500	6,400	<100	<100	<100	3,000	<500
		08/14/02	19	40,000	2,200	1,800	1,800	5,400	<200	<200	<200	2,000	<1,000
		11/13/02	12	49,000	2,700	2,400	2,300	7,400	<200	<200	<200	2,200	<1,000
		02/14/03	2.6	7,500	330	450	370	1,300	<50	<50	<50	300	<100
		05/13/03	2.3	5,300	190	280	260	870	<100	<100	<100	230	<500
		08/15/03	1.9	4,800	200	200	320	800	<25	<25	<25	260	<50
		12/10/03	1.4	6,200	400	860	300	1,100	<25	<25	<25	640	200
		03/09/04	1.4	4,800	440	660	230	760	<50	<50	<50	870	<100
		05/20/04	0.70	3,100	320	260	160	420	<5.0	<5.0	<5.0	730	76
		07/28/04	<0.50	1,600	180	50	94	160	<50	<50	<50	680	<100
		11/12/04	0.91	4,300	520 H	160 H	230 H	520 H	<50 H	<50 H	<50 H	1,900 H	120 H
		01/20/05	12	7,600	330	600	260	1,100	<50	<50	<50	1,200	230
		04/13/05	2.4	12,000	220	1,500	380	2,500	<100	<100	<100	400	210

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VHHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-4	11/14/01	3.5	7,300	3,400	330	480	710	<500	<500	<500	8,000	<2,500
		02/14/02	Well W-4 not sampled on this date, product observed in well.										
		05/21/02	Well W-4 not sampled on this date, product observed in well.										
		08/14/02	Well W-4 not sampled on this date, product observed in well.										
		11/13/02	Well W-4 not sampled on this date, product observed in well.										
		02/13/03	Well W-4 not sampled on this date, product observed in well.										
		05/13/03	Well W-4 not sampled on this date, product observed in well.										
		08/15/03	0.77	1,300	7.6	<5.0	<5.0	21	<50	<50	<50	850	<100
		12/09/03	2.4	5,500	150	31	10	43	<50	<50	<50	1,800	530
		03/09/04	<0.50	290	85	<20	<20	<40	<200	<200	<200	4,400	<400
		05/20/04	<0.50	880	220	10	<10	<20	<100	<100	<100	3,300	400
		07/28/04	<0.50	400	130	<20	<20	<40	<200	<200	<200	2,100	690
		11/12/04	<0.50	1,700	900 H	19 H	10 H	29 H	<100 H	<100 H	<100 H	3,200 H	1,400 H
		01/20/05	<0.50	1,400	410	5.6	8.6	21	<25	<25	<25	1500	1,400
		04/13/05	0.74	2,200	1,300	20	20	22	<100	<100	<100	2,100	7,200
	W-5	11/14/01	<0.50	1,100	120	100	74	140	<5.0	<5.0	<5.0	110	26
		02/15/02	<0.50	530	56	68	44	52	<5.0	<5.0	<5.0	190	110
		05/21/02	4.5	16,000	180	630	470	1,800	<50	<50	<50	150	<250
		08/14/02	Well W-5 not sampled on this date, product observed in well.										
		11/13/02	Well W-5 not sampled on this date, product observed in well.										
		02/13/03	Well W-5 not sampled on this date, product observed in well.										
		05/12/03	34	12,000	290	200	450	640	<1000	<1000	<1000	870	<5000
		08/14/03	12	5,400	120	67	280	460	<20	<20	<20	150	46
		12/10/03	6.1	5,000	290	35	250	180	<20	<20	<20	630	210
		03/09/04	0.68	1,600	230	14	100	37	<100	<100	<100	910	<200
		05/20/04	1.1	2,700	450	9.6	250	37	<50	<50	<50	1,100	210
		07/28/04	0.78	2,100	340	<10	230	21	<100	<100	<100	860	210
		11/12/04	0.73	2,200	370 H	22 H	130 H	34 H	<50 H	<50 H	<50 H	1,200 H	180 H
		01/20/05	0.57	3,200	500	15	190	28	<100	<100	<100	1,900	380
		04/13/05	530	7,500,000	3,600	4,200	3,300	7,900	<500	<500	<500	580	<1000
	W-6	11/14/01	<0.50	820	140	100	72	150	<5.0	<5.0	<5.0	13	<25
		02/15/02	<0.50	420	100	93	21	55	<5.0	<5.0	<5.0	10	<25
		05/21/02	<0.50	<50	2.4	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	4.6	3.4	0.50	2.8	<5.0	<5.0	<5.0	<5.0	<25
		11/13/02	<0.50	<50	2.3	3.0	<0.50	1.9	<5.0	<5.0	<5.0	<5.0	<25
		2/2/13/03	<0.50	94	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	<1.0	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		03/09/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	90	<10
		05/20/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,300	<100
		07/28/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,000	<200
		11/12/04	<0.50	<50	<5.0 H	<5.0 H	<5.0 H	<10 H	<50 H	<50 H	<50 H	1,200 H	<100 H
		01/20/05	<0.50	83	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	510	17
		04/13/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date	EFHs (mg/l)	VFHs (µg/l)	Volatile Organic Compounds: Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	Oxygenates: DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-7	11/13/01	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	280	64
		02/14/02	<0.50	470	21	46	43	110	<5.0	<5.0	<5.0	180	74
		05/21/02	<0.50	170	<5.0	12	6.0	25	<50	<50	<50	850	290
		08/14/02	<0.50	120	5.7	<5.0	<5.0	<10	<50	<50	<50	1,000	<250
		11/13/02	<0.50	160	<5.0	<5.0	<5.0	<10	<50	<50	<50	800	<250
		02/14/03	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	470	<100
		05/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	5.2	200	75
		08/15/03	0.71	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	160	20
		12/10/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	310	<40
		03/09/04	<0.50	75	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	400	<40
		05/20/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	310	66
		07/28/04	NA	77	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	170	<40
		11/12/04	<0.50	80	<2.0 H	<2.0 H	<2.0 H	<4.0 H	<20 H	<20 H	<20 H	250 H	<40 H
		01/20/05	<0.50	57	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	150	<10
		04/13/05	<0.50	59	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	170	<10
	W-11	11/14/01	<0.50	730	100	89	53	110	<5.0	<5.0	<5.0	6.5	<25
		02/14/02	<2.5	2,500	370	660	86	340	<5.0	<5.0	<5.0	9.2	<25
		05/21/02	<0.50	50	0.88	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	2.4	1.5	<0.50	1.3	<5.0	<5.0	<5.0	<5.0	<25
		11/13/02	<0.50	<50	0.60	0.65	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	<1.0	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	1.1	<50	<0.50	0.56	<0.50	2.6	<5.0	<5.0	<5.0	<5.0	<10
		03/09/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/20/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		07/28/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		11/12/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		01/20/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		04/13/05	<0.56	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
OFF-SITE WELL	W-8	11/13/01	<0.50	300	<2.0	<2.0	<2.0	<4.0	270	<20	<20	21	<100
		02/15/02	<0.50	630	45	100	25	68	190	<20	<20	<20	<100
		05/21/02	<0.50	490	10	<0.50	<0.50	<1.0	180	<5.0	<5.0	16	110
		08/14/02	<0.50	290	3.6	2.6	<2.0	6.9	280	<20	<20	<20	110
		11/12/02	<0.50	210	<1.0	<1.0	<1.0	<2.0	210	<10	<10	<10	100
		02/13/03	<0.50	110	<1.0	<1.0	<1.0	<2.0	200	<10	<10	17	78
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	9.2	<5.0	<5.0	4.3	<25
		08/14/03	0.59	210	<0.50	<0.50	<0.50	<1.0	160	<5.0	<5.0	<5.0	51
		12/09/03	<0.50	120	0.67	<0.50	<0.50	<1.0	130	<5.0	<5.0	20	54
		03/10/04	<0.50	270	<0.50	<0.50	<0.50	<1.0	150	<5.0	<5.0	7.3	64
		05/21/04	<0.50	60	<1.0	<1.0	<1.0	<2.0	190	<10	<10	<10	52
		07/27/04	<0.50	120	<1.0	<1.0	<1.0	<2.0	120	<10	<10	<10	<20
		11/12/04	<0.50	76	<25 H	<25 H	<25 H	<50 H	2,200 H	<250 H	<250 H	<250 H	<500 H
		01/20/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	17	<5.0	<5.0	<5.0	<10
		04/14/05	0.63	<50	<0.50	<0.50	<0.50	<1.0	6.4	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VPHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
OFF-SITE WELLS	W-9	11/14/01	<0.50	1,900	1,400	130	68	72	27	<5.0	<5.0	6,400	740
		02/15/02	<0.50	1,600	600	180	48	100	<200	<200	<200	3,900	<1000
		05/21/02	0.52	4,000	2,700	<50	61	<100	<500	<500	<500	14,000	<2,500
		08/14/02	0.79	5,200	3,900	<100	<100	<200	<1,000	<1,000	<1,000	18,000	<5,000
		11/12/02	<0.50	700	360	<10	29	<20	<100	<100	<100	2,600	<500
		02/13/03	<0.50	470	140	<10	33	<20	<100	<100	<100	1,800	710
		05/12/03	<0.50	210	110	<10	<10	<30	<100	<100	<100	2,400	500
		08/14/03	<0.50	390	260	<25	<25	<50	<250	<250	<250	3,300	<500
		12/10/03	<0.50	350	120	<25	33	<50	<250	<250	<250	2,900	570
		03/09/04	<0.50	230	30	<25	<25	<50	<250	<250	<250	4,500	<500
		05/21/04	<0.50	190	<50	<50	<50	<100	<500	<500	<500	3,100	<1,000
		07/27/04	<0.50	410	54	<50	<50	<100	<500	<500	<500	5,300	<1,000
		11/11/04	<0.50	300	<50	<50	<50	<100	<500	<500	<500	4,700	<1,000
		01/19/05	<0.50	120	<25	<25	<25	<50	<250	<250	<250	1,900	<500
		04/13/05	<0.50	91	<10	<10	<10	<20	<100	<100	<100	940	<200
	W-10	11/13/01	<0.50	97	17	<0.50	<0.50	1.4	12	<5.0	<5.0	80	61
		02/14/02	<0.50	74	2.3	0.66	<0.50	<1.0	9	<5.0	<5.0	150	80
		05/21/02	<0.50	59	2.3	<2.0	<2.0	<4.0	<20	<20	<20	270	120
		08/14/02	<0.50	54	3.0	<2.0	<2.0	<4.0	<20	<20	<20	310	<100
		11/12/02	<0.50	73	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	320	<100
		02/13/03	<0.50	68	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	390	94
		05/12/03	<0.50	<50	<2.5	<2.5	<2.5	<7.5	<25	<25	<25	390	190
		08/14/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	510	<40
		12/09/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	610	210
		03/10/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	710	<40
		05/21/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	680	<50
		07/27/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,200	<200
		11/11/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	390	<50
		01/19/05	<0.71	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	670	130
		04/14/05	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	400	<100
	W-12	11/13/01	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/14/02	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		05/21/02	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	7.2	0.97	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		11/12/02	<0.50	<50	0.52	0.57	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	4.8	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	9.4	<10
		03/10/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/21/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		07/27/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		11/11/04	<0.50	<50	<0.50	<0.50	<0.50	1.4	<5.0	<5.0	<5.0	28	<10
		01/19/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		04/14/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date	EFHs (mg/l)	VFHs (µg/l)	Volatile Organic Compounds				Oxygenates				
					Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
OFF-SITE WELLS	MW-13	05/12/03	<0.50	<50	1.0	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	9.8	<25
		08/14/03	1.0	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	7.6	<10
		03/10/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	6.1	<10
		05/21/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	680	<100
		07/27/04	<0.50	<50	<12	<12	<12	<25	<120	<120	<120	1,400	<250
		11/11/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	970	<50
		01/19/05	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	490	78
		04/14/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	6.4	<10
	MW-14	05/12/03	<0.50	<50	<10	<10	<10	<30	<100	<100	<100	1,700	<500
		08/14/03	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,300	<100
		12/10/03	<0.50	<50	<5.0	5.1	<5.0	15	<50	<50	<50	1,500	180
		03/09/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,700	<200
		05/20/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	790	<50
		07/27/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,100	<100
		11/11/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,300	<200
		01/19/05	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	620	84
		04/13/005	<0.50	<50	0.57	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	79	<10
	MW-15	05/12/03	<0.50	<50	2.6	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	96	27
		08/14/03	<0.50	74	<10	<10	<10	<20	<100	<100	<100	1,200	230
		12/09/03	<0.50	97	<10	<10	<10	<20	<100	<100	<100	2,200	780
		03/10/04	<0.50	59	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	510	110
		05/21/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	290	69
		07/27/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	190	<40
		11/11/04	<0.50	<50	1.1	<1.0	<1.0	<2.0	11	<10	<10	190	26
		01/19/05	<0.50	<50	0.5	<0.50	<0.50	<1.0	8.6	<5.0	<5.0	130	<10
		04/14/05	<0.50	180	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	480	50
	MW-16	05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	50	<25
		08/14/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	410	<40
		12/09/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	490	74
		03/10/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	380	<40
		05/21/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	330	<50
		07/27/04	<0.50	<50	<5.0	<5.0	<5.0	11	<50	<50	<50	590	<100
		11/11/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	87	<10
		01/19/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	50	<10
		04/14/05	<0.50	<50	<5.0	15	<5.0	12	<50	<50	<50	970	<100

Notes:
EFH = Extractable Fuel Hydrocarbons, analyzed by EPA 3510C/8015 CADHS Modified
VFH = Volatile Fuel Hydrocarbons, analyzed by EPA 5030/8015 CADHS Modified
BTEX and Oxygenates analyzed by EPA Method 8260B
BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes
NA = Sample Not Analyzed
H = Sample analyzed outside of laboratory hold times
DIPE = Di-isopropyl Ether

µg/l = micrograms per liter or parts per billion
mg/l = milligrams per liter or parts per million
ETBE = Ethyl tert-Butyl Ether
TAME = tert-Amyl Methyl Ether
MTBE = Methyl tert-Butyl Ehter
TBA = tert-Butanol

TABLE 6
SUMMARY OF HISTORICAL GROUNDWATER ANALYTICAL RESULTS
G&M Oil Company Station No. 16
Whittier, CA
(Concentration, ug/L)

Well ID	Date Sampled	TPHg (VFH)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	MTBE (8260B)	ETBE	DIPE	TAME	TBA
W-1	10/09/97	LPH	–	–	–	–	–	–	–	–	–	–
	03/20/98	LPH	–	–	–	–	–	–	–	–	–	–
	05/29/98	LPH	–	–	–	–	–	–	–	–	–	–
	09/11/98	LPH	–	–	–	–	–	–	–	–	–	–
	12/14/98	LPH	–	–	–	–	–	–	–	–	–	–
	03/12/99	LPH	–	–	–	–	–	–	–	–	–	–
	06/29/99	LPH	–	–	–	–	–	–	–	–	–	–
	09/27/99	LPH	–	–	–	–	–	–	–	–	–	–
	12/17/99	LPH	–	–	–	–	–	–	–	–	–	–
	02/17/00	LPH	–	–	–	–	–	–	–	–	–	–
	05/16/00	–	–	–	–	–	–	–	–	–	–	–
	08/08/00	LPH	–	–	–	–	–	–	–	–	–	–
	11/30/00	LPH	–	–	–	–	–	–	–	–	–	–
	02/08/01	LPH	–	–	–	–	–	–	–	–	–	–
	08/23/01	–	–	–	–	–	–	–	–	–	–	–
	11/13/01	44000	21000	11000	2000	4700	–	39000	<2500	<2500	<2500	<12000
	02/14/02	42000	9200	9200	1200	3900	–	7200	<500	<500	<500	<2500
W-2	10/09/97	51300	4480	3600	970	6410	12300	15300	–	–	–	–
	03/20/98	1700	713	310	53	550	12000	8820	–	–	–	–
	05/29/98	8920	117	23	29	46	6800	7080	–	–	–	–
	09/11/98	3600	7.4	<1.5	1.5	7.8	3000	3600	–	–	–	–
	12/14/98	3740	26.2	3.6	4.3	5.9	2640	2160	–	–	–	–
	03/12/99	44400	7730	34.7	2200	48	26600	27500	–	–	–	–
	06/29/99	20500	3870	<0.3	17	<0.6	14000	13700	–	–	–	–
	09/27/99	3970	102	40.7	<15	62.7	1130	980	–	–	–	–
	12/17/99	1120	99.4	1.3	3.4	2.5	883	884	–	–	–	–
	02/17/00	822	22.7	1.6	2.9	5.3	712	785	–	–	–	–
	05/16/00	6260	588	8.6	109	121	5210	6190	–	–	–	–
	08/08/00	1230	22.4	<3.0	4.0	<6.0	1160	1270	–	–	–	–
	11/30/00	12600	1450	102	406	388	–	9710	<40	<40	<40	250
	02/08/01	19600	2350	100	885	665	–	10400	<100	<100	<100	500
	08/23/01	9500	1800	<100	1000	200	–	8900	<1000	<1000	<1000	<5000
	11/13/01	14000	1900	1400	1100	1700	–	5100	<250	<250	<250	<1200
	02/14/02	10000	170	140	360	410	–	<5.0	<5.0	<5.0	<5.0	<25
W-3	10/09/97	64300	3540	18400	1700	12800	1400	1200	–	–	–	–
	03/20/98	51500	2600	12000	1200	13000	1800	1400	–	–	–	–
	05/29/98	62000	32800	16200	2400	13300	1440	1340	–	–	–	–
	09/11/98	58600	2500	14000	2570	13500	1300	1550	–	–	–	–
	12/14/98	70300	2240	12100	3220	14800	925	908	–	–	–	–
	03/12/99	43000	1740	8430	2960	13000	959	735	–	–	–	–
	06/29/99	45500	1730	4480	2860	9870	1010	1010	–	–	–	–
	09/27/99	43200	2050	3730	2730	8510	1530	846	–	–	–	–
	12/17/99	LPH	–	–	–	–	–	–	–	–	–	–
	02/17/00	LPH	–	–	–	–	–	–	–	–	–	–
	05/16/00	–	–	–	–	–	–	–	–	–	–	–
	08/08/00	LPH	–	–	–	–	–	–	–	–	–	–
	11/30/00	LPH	–	–	–	–	–	–	–	–	–	–
	02/08/01	LPH	–	–	–	–	–	–	–	–	–	–
	08/24/01	4300	270	90	320	610	–	390	<12	<12	<12	<62
	11/14/01	14000	1600	1100	990	2600	–	1099	<100	<100	<100	<500
	02/14/02	7700	780	650	510	1400	–	440	<50	<50	<50	<500

TABLE 6
SUMMARY OF HISTORICAL GROUNDWATER ANALYTICAL RESULTS
G&M Oil Company Station No. 16
Whittier, CA
(Concentration, ug/L)

Well ID	Date Sampled	TPHg (VFH)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	MTBE (8260B)	ETBE	DIPE	TAME	TBA
W-4	03/20/98	68000	5000	10600	1230	12000	25000	19000	–	–	–	–
	05/29/98	LPH	–	–	–	–	–	–	–	–	–	–
	09/11/98	LPH	–	–	–	–	–	–	–	–	–	–
	12/14/98	LPH	–	–	–	–	–	–	–	–	–	–
	03/12/99	LPH	–	–	–	–	–	–	–	–	–	–
	06/29/99	LPH	–	–	–	–	–	–	–	–	–	–
	09/27/99	LPH	–	–	–	–	–	–	–	–	–	–
	12/17/99	LPH	–	–	–	–	–	–	–	–	–	–
	02/17/00	LPH	–	–	–	–	–	–	–	–	–	–
	05/16/00	–	–	–	–	–	–	–	–	–	–	–
	08/08/00	LPH	–	–	–	–	–	–	–	–	–	–
	11/30/00	LPH	–	–	–	–	–	–	–	–	–	–
	02/08/01	LPH	–	–	–	–	–	–	–	–	–	–
	08/24/01	–	–	–	–	–	–	–	–	–	–	–
	11/14/01	7300	3400	330	480	710	–	8000	<500	<500	<500	<2500
	02/14/02	Well W-4 not sampled on this date, product observed in well.										
W-5	03/20/98	24700	1450	2140	3	4730	530	375	–	–	–	–
	05/29/98	LPH	–	–	–	–	–	–	–	–	–	–
	09/11/98	LPH	–	–	–	–	–	–	–	–	–	–
	12/14/98	LPH	–	–	–	–	–	–	–	–	–	–
	03/12/99	LPH	–	–	–	–	–	–	–	–	–	–
	06/29/99	LPH	–	–	–	–	–	–	–	–	–	–
	09/27/99	LPH	–	–	–	–	–	–	–	–	–	–
	12/17/99	LPH	–	–	–	–	–	–	–	–	–	–
	02/17/00	LPH	–	–	–	–	–	–	–	–	–	–
	05/16/00	LPH	–	–	–	–	–	–	–	–	–	–
	08/08/00	LPH	–	–	–	–	–	–	–	–	–	–
	11/30/00	LPH	–	–	–	–	–	–	–	–	–	–
	02/08/01	1270	420	6.5	39.3	31.3	–	35.8	<5.0	<5.0	<5.0	<25
	08/23/01	–	–	–	–	–	–	–	–	–	–	–
	11/14/01	1100	120	100	74	140	–	110	<5.0	<5.0	<5.0	26
	02/15/02	530	56	68	44	52	–	190	<5.0	<5.0	<5.0	110
W-6	03/20/98	51	<0.3	<0.3	<0.6	1.2	6.1	5.7	–	–	–	–
	05/29/98	130	3.3	21	3.5	26	7.8	6.0	–	–	–	–
	09/11/98	<50	<0.3	<0.3	<0.6	<0.6	<1.0	–	–	–	–	–
	12/14/98	<50	<0.3	<0.3	<0.6	<0.6	<1.0	–	–	–	–	–
	03/12/99	<50	<0.3	<0.3	<0.3	<0.6	<1.0	–	–	–	–	–
	06/29/99	<50	<0.3	<0.3	<0.3	<0.6	<1.0	–	–	–	–	–
	09/27/99	<50	<0.3	1.1	<0.3	1.3	3.2	1.02	–	–	–	–
	12/17/99	<50	<0.3	<0.3	<0.3	<0.6	<1.0	–	–	–	–	–
	02/17/00	<50	<0.3	0.6	<0.3	<0.6	1.5	2.5	–	–	–	–
	05/16/00	100	1.9	4.2	3.4	22.8	29	27	–	–	–	–
	08/08/00	<50	<0.3	<0.3	<0.3	<0.6	<1.0	–	–	–	–	–
	11/30/00	331	60	63.5	50.4	115	–	4.3	<2.0	<2.0	<2.0	<10
	02/08/01	<50	3.8	7.9	4.2	10.3	–	<2.0	<2.0	<2.0	<2.0	<10
	08/23/01	<50	<0.50	<0.50	<0.50	<1.0	–	<5.0	<5.0	<5.0	<5.0	<25
	11/14/01	820	140	100	72	150	–	13	<5.0	<5.0	<5.0	<25
	02/15/02	420	100	93	21	55	–	10	<5.0	<5.0	<5.0	<25

TABLE 6
SUMMARY OF HISTORICAL GROUNDWATER ANALYTICAL RESULTS
G&M Oil Company Station No. 16
Whittier, CA
(Concentration, ug/L)

Well ID	Date Sampled	TPHg (VFH)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	MTBE (8260B)	ETBE	DIPE	TAME	TBA
W-7	03/20/98	2000	9.8	2.9	2.8	40	855	770	–	–	–	–
	05/29/98	1800	10	25	6.2	23	612	625	–	–	–	–
	09/11/98	630	0.6	0.6	1.4	<0.6	290	360	–	–	–	–
	12/14/98	640	1.1	1.3	1.1	1.0	196	170	–	–	–	–
	03/12/99	367	0.4	1.3	1.4	2.3	166	158	–	–	–	–
	06/29/99	414	0.3	<0.3	<0.3	<0.6	204	200	–	–	–	–
	09/27/99	393	2.7	1.1	0.5	1.7	191	205	–	–	–	–
	12/17/99	458	4.1	<0.3	1.5	<0.6	250	260	–	–	–	–
	02/17/00	653	6.4	0.4	1.3	<0.6	353	364	–	–	–	–
	05/16/00	236	1.4	3.4	3.1	19.7	156	174	–	–	–	–
	08/08/00	113	<0.3	<0.3	<0.3	<0.6	95.1	95.3	–	–	–	–
	11/30/00	501	78.1	59.5	60.6	124	–	14	<2.0	<2.0	<2.0	<10
	02/08/01	482	4.0	8.4	5.1	12.7	–	280	<2.0	<2.0	<2.0	<10
	08/23/01	<50	<0.50	<0.50	<0.50	<1.0	–	90	<5.0	<5.0	<5.0	44
	11/13/01	<50	<0.50	<0.50	<0.50	<1.0	–	280	<5.0	<5.0	<5.0	64
	02/14/02	470	21	46	43	110	–	180	<5.0	<5.0	<5.0	64
W-8	03/18/99	228	1.1	0.4	3.0	8.0	72	66	–	–	–	–
	06/29/99	390	<0.3	0.5	0.4	0.6	40	38	–	–	–	–
	09/27/99	522	5.7	1.1	1.4	2.1	11.2	6.6	–	–	–	–
	12/17/99	345	4.3	<0.3	4.1	2.3	39.3	41	–	–	–	–
	02/17/00	496	1.1	2.3	3.2	4.4	80.7	74.5	–	–	–	–
	05/16/00	447	25.1	5.7	8.4	29.2	52.5	51	–	–	–	–
	08/08/00	284	<0.3	0.4	<0.3	<0.6	24	20.6	–	–	–	–
	11/30/00	507	59.1	73.2	31.4	99.9	–	27.4	<2.0	191	<2.0	31.5
	02/08/01	359	20.3	9.5	15.2	21	–	43.6	<2.0	101	<2.0	16
	08/24/01	120	<0.50	<0.50	<0.50	<1.0	–	76	<5.0	120	<5.0	59
	11/13/01	300	<2.0	<2.0	<2.0	<4.0	–	21	<20	270	<20	<100
	02/15/02	630	45	100	25	68	–	<20	<20	190	<20	<100
W-9	11/14/01	1900	1400	130	68	72	–	6400	<5.0	27	<5.0	740
	02/15/02	1600	600	180	48	100	–	3900	<200	<200	<200	<1000
W-10	11/13/01	97	17	<0.50	<0.50	1.4	–	80	<5.0	12	<5.0	61
	02/14/02	74	2.3	0.66	<0.50	<1.0	–	150	<5.0	9.0	<5.0	80
W-11	11/14/01	730	100	89	53	110	–	6.5	<5.0	273	<5.0	<25
	02/14/02	2500	370	660	86	340	–	9.2	<5.0	<5.0	<5.0	<25
W12	11/13/01	<50	<0.50	<0.50	<2.0	<1.0	–	<5.0	<5.0	<5.0	<5.0	<25
	02/14/02	<50	<0.50	<0.50	<0.50	<1.0	–	<5.0	<5.0	<5.0	<5.0	<25

– - Not analyzed.
ug/L - micrograms per liter
TPHg - Total Petroleum Hydrocarbons as gasoline, EPA 8015M
VFH - Volatile Fuel Hydrocarbons, EPA 8015 CADHS Modified
EFH - Extractable Fuel Hydrocarbons, EPA 8015 CADHS Modified
< - Less than laboratory detection limits

MTBE - Methyl-tert-Butyl Ether
ETBE - Ethyl tert-Butyl Ether
DIPE - Di-isopropyl Ether
TAME - Tert-Amyl-Methyl Ether
TBA - tert-butanol
LPH - Liquid Phase Hydrocarbons

MONITORING WELL W-1



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 9

MONITORING WELL W-2



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 10

MONITORING WELL W-3



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 11

MONITORING WELL W-4



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 12

MONITORING WELL W-5



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 13

MONITORING WELL W-6



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 14

MONITORING WELL W-7



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 15

MONITORING WELL W-8



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 16

MONITORING WELL W-9



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 17

MONITORING WELL W-10



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 18

MONITORING WELL W-11



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 19

MONITORING WELL W-12



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 20

MONITORING WELL MW-13



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 21

MONITORING WELL MW-14



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 22

MONITORING WELL MW-15



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 23

MONITORING WELL MW-16



HYDROCARBON CONCENTRATIONS IN GROUNDWATER VS TIME

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 24



BENZENE CONCENTRATIONS IN W-1, W-2, AND W-9

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Project No.	600143002
Scale	N/A
Engr./Geol.	KAS
Drafted By	BFM
Date	October 2004

Figure No. 31

MTBE Concentrations in W-1, W-2, and W-9



MTBE Concentrations in W-1, W-2, and W-9

G&M Oil Company, Inc.
Service Station No. 16
12559 Lambert Road
Whittier, California

Leighton Consulting, Inc.
A Leighton Group Company

Project No.	600143002
Scale	N/A
Engr./Geol.	CM
Drafted By	BFM
Date	October 2004

Figure No. 32

Prepared for

McKesson Corporation
One Post Street
San Francisco, California 94104

FIRST QUARTER 2009 GROUNDWATER MONITORING REPORT

Former McKesson Chemical Company Facility

9005 Sorensen Avenue
Santa Fe Springs, California

Prepared by

Geosyntec consultants

engineers | scientists | innovators

Geosyntec Consultants, Inc.
475 14th Street, Suite 400
Oakland, California 94612
(510) 836-3034

Project Number: WR1216
21 July 2009

APPENDIX C

HISTORICAL GROUNDWATER ANALYTICAL DATA

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
1,1,1-Trichloroethane	3,100	140	39	<50	176	88	9,300	2,670	1,540	1,000	780	NS	1,000	1,300
1,1,2-Trichloro-2,2,2-Trifluoroethane	630	130	19	<50	<5	32	40	<50	<50	<100	9.4	NS	<0.50	20
1,1,2-Trichloroethane	<100	<2.0	<5	<50	<5	<5	6.2	<50	<50	<50	<5	NS	1.1	1.1
1,1-Dichloroethane	190	16	36	64	640	302	1,640	468	290	190	200	NS	140	120
1,1-Dichloroethene	3,100	150	<5	<50	475	291	2,420	856	500	350	210	NS	240	280
1,2,3-Trichloropropane			<5	<50	<5	<5	<5	<50	<50	<50	<10	NS	<0.50	<5
1,2-Dibromo-3-Chloropropane (DBCP)			<5	<50	<5	<5	<5	<50	<50	<100	<10	NS	<1.0	<5
1,2-Dibromoethane (EDB)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,2-Dichloroethane	190	9.4	<5	<50	70	35	164	169	<50	<50	24	NS	23	24
1,2-Dichloropropane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dichlorobenzene	<10		<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dioxane (P-Dioxane)			<57	<570	<57	<57	<57	<570	<570			NS	<300	<2,000
2-Chloroethyl Vinyl Ether	<100	<2.0	<5	<50	<5	<5	<5	<50	<50			NS		
4-Methyl-2-Pentanone	<250	<5	<10	<100	<10		<10	<100	<100			NS		
Acetone	<500	15	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS	<20	58
Benzene	<100	<2.0	<5	<50	11	6.7	9.4	<10	<10	<50	<5	NS	2.5	1.4
Bromodichloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromoform	<100	<2.0	5.2	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromomethane								<50	<50	<100	<10	NS	<1.0	<5
Carbon Tetrachloride	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chlorobenzene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroethane	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroform	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.5	2.0
Chloromethane								<50	<50	<50	<5	NS	<0.50	<3
cis-1,2-Dichloroethene	160	35	86	202	1,150	611	1,770	683	494	290	250	NS	280	320
cis-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromochloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromomethane			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dichlorodifluoromethane (Freon 12)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Ethylbenzene	<100	<2.0	<5	<50	<5	34	22	<50	<50	<50	<5	NS	3.4	1.7
Methyl Ethyl Ketone (2-Butanone)	<500	<10	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
Methylene Chloride	13,000	<10	<5	<50	<5	6.9	<5	3,510	104	<100	<10	NS	100	160
Styrene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Tetrachloroethene	6,300	<500	<5	<50	413	237	4,150	1,430	1,200	850	420	NS	610	710
Toluene	350	<2.0	<5	<50	<5	77	422	257	130	88	58	NS	49	27
trans-1,2-Dichloroethene	<100	<2.0	14	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.4	3.3
trans-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Trichloroethene	900	170	87	<50	205	180	687	586	342	220	140	NS	130	190
Trichlorofluoromethane	<250	59	6.1	<50	13	5.8	48	<50	<50	<50	7.0	NS	13	9.8
Vinyl Acetate	<250	<5	<50	<500	<50	<50	<50	<500	<500			NS		
Vinyl Chloride	<250	<5	<5	<50	53	92	947	375	256	150	190	NS	90	67
Xylenes (total)	130	<2.0	<5	<50	<5	52	71	<50	<50	<100	<10	NS	9.9	5.9
xylenes(m,p)				<50	<5		36.4					NS		
xylenes(o)				<50	<5		34.6					NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
1,1,1-Trichloroethane	900	1,300	270	3,100	820	210	4,000	5,900	5,300	2,200	1,100	870	680	250
1,1,2-Trichloro-2,2,2-Trifluoroethane	18	12	7.3	17	14	7.1 (Tr)	15	53	<65	70 (Tr)	56 (Tr)	54	44	38
1,1,2-Trichloroethane	1.8	2.2	0.71	<5	1.2	<2.5	<2.5	<50	<10	<10	<5.0	<1.8	<8.0	<4
1,1-Dichloroethane	290	320	96	270	210	120	190	610	700	580	600	670	490	270
1,1-Dichloroethene	420	530	82	490	250	120	450	1,000	1,500	860	500	510	530	270
1,2,3-Trichloropropane	<1.0	<10	<1.0	<10	<1.0	<2.5	<2.5	<50	<27	<27	<14	<2.4	<8.2	<4.1
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<10	<1.0	<10	<1.0	<10	<10	<200	<100	<100	<50	<7.6	<16	<7.6
1,2-Dibromoethane (EDB)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<10	<10	<5.0	<2.1	<7.6	<3.8
1,2-Dichloroethane	38	44	18	28	19	13	25	66	53	42 (Tr)	33	29	27	14
1,2-Dichloropropane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<39	<39	<20	<1.9	<8.0	<4
1,4-Dichlorobenzene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<31	<31	<16	<1.7	<7.4	<3.7
1,4-Dioxane (P-Dioxane)	200	130	120	150		24	21	110	94	69	150	170	92	120
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone						<50	<50	<1,000	<160	<160	<80	<9.6	<30	<15
Acetone	<20	<200	<20	<200	<20	<50	<50	840	<280	380 (Tr)	230 (Tr)	210	97 (Tr)	22 (Tr)
Benzene	4	4.7	4.4	3.3	2.7	1.8 (Tr)	2.4 (Tr)	<50	<38	<38	<19	4.7 (Tr)	<8.4	<4.2
Bromodichloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<26	<26	<13	<1.9	<8.0	<4
Bromoform	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<86	<86	<43	<1.5	<8.2	<4.1
Bromomethane	<1.0	<10	<1.0	<10	<1.0	<5	<5	<100	<35	<35	<18	<2.7	<13	<6.1
Carbon Tetrachloride	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<36	<36	<18	<2.9	<9.6	<4.8
Chlorobenzene	0.49	<5	<0.50	<5	0.44 (Tr)	<2.5	<2.5	<50	<10	<10	<5.0	<1.7	<7.2	<3.6
Chloroethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<33	<33	<17	<2.3	<9.2	6.4 (Tr)
Chloroform	1.8	2.1	0.94	2 (Tr)	1.4	1.1 (Tr)	1.8 (Tr)	<50	<35	<35	<18	5.8	<8.0	5.3
Chloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<30	<30	<15	<3.6	<8.0	<4
cis-1,2-Dichloroethene	450	520	130	430	360	170	320	1,600	2,300	1,200	910	930	750	350
cis-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<26	<26	<13	<2.1	<6.8	<3.4
Dibromochloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<13	<13	<6.5	<2.3	<6.6	<3.3
Dibromomethane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<29	<29	<15	<2.2	<7.8	<3.9
Dichlorodifluoromethane (Freon 12)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<43	<43	<22	<3.7	<9.6	<4.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
Ethylbenzene	7.8	6.1	5.9	3 (Tr)	0.48 (Tr)	<2.5	<2.5	<50	<22	<22	<11	3.1 (Tr)	<8.2	<4.1
Methyl Ethyl Ketone (2-Butanone)	8.8	<200	<20	<200	<20	<50	<50	<1,000	<170	<170	<85	25 (Tr)	<34	<17
Methylene Chloride	48	<10	<1.0	28	7.8	<10	40	1,000	490	520	44 (Tr)	78	43	16 (Tr)
Styrene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<20	<20	<10	<1.4	<7.4	<3.7
Tetrachloroethene	550	590	270	1,300	670	270	2,900	2,100	3,300	2,200	1,400	960	520	290
Toluene	88	80	71	48	8	<2.5	2.4 (Tr)	81	100	110	75	48	56	10
trans-1,2-Dichloroethene	18	3.6	4	1.7 (Tr)	7.4	<2.5	2.8	<50	<36	<36	<18	2.6 (Tr)	<8.6	<4.3
trans-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<11	<11	<5.5	<1.8	<7.8	<3.9
Trichloroethene	160	230	82	270	130	81	330	480	390	470	330	180	190	110
Trichlorofluoromethane	9.3	6.5	2.4	11	6.4	2.5 (Tr)	6.2	<100	<47	<47	<24	14	14 (Tr)	9.5 (Tr)
Vinyl Acetate						<50	<50	<1,000	<220	<220	<110	<4.6	<18	<9
Vinyl Chloride	160	190	99	120	61	38	47	140	120	150	160	140	87	44
Xylenes (total)	19	17	8.2	6.4 (Tr)	2.3	<7.5	<7.5	<150	<40	<40	<20	7.4 (Tr)	<22	<11
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
1,1,1-Trichloroethane	150	170	23	4.5	100	160	130	<2.3	330
1,1,2-Trichloro-2,2,2-Trifluoroethane	43	50	54	32	66	46	26	17	50
1,1,2-Trichloroethane	<4.0	<4.0	<3.4	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	180	260	56	37	150	240	150	61	85
1,1-Dichloroethene	190	200	67	29	170	130	110	30	110
1,2,3-Trichloropropane	<4.1	<4.1	<3.9	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<7.6	<7.7	<2.0	<2.0	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<3.8	<3.8	<1.0	<1.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	8.2	13	3.8 (Tr)	3.6	8.8	15	12	3.5	8.5
1,2-Dichloropropane	<4.0	<4.0	<3.5	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<3.7	<3.4	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	150	170	24	18	62	86	66	15	31
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<15	<15	<19	<10	<10	<9.5	<9.5	<9.5	<9.5
Acetone	<22	<22	<27	<10	<10	64	<15	<15	<15
Benzene	<4.2	<4.2	<3.0	1.2	1.3	1.8	1.7 (Tr)	<1.7	<1.7
Bromodichloromethane	<4.0	<4.0	<3.0	<1.0	<1.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<4.1	<4.1	<2.8	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<6.1	<6.1	<4.0	<1.0	<1.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<4.8	<4.8	<4.3	<0.50	<0.50	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<3.6	<3.6	<3.6	<0.50	<0.50	<2.0	<2.0	<2.0	<2.0
Chloroethane	8.9	<4.6	<3.8	<1.0	<1.0	<1.9	<1.9	<1.6	<1.6
Chloroform	5.8	9.4	7.6	6.0	13	13	6.0	4.3	11
Chloromethane	<4.0	<4.0	<4.1	<1.0	<1.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	210	290	51	14	170	290	170	44	110
cis-1,3-Dichloropropene	<3.4	<3.4	<3.0	<0.50	<0.50	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<3.3	<3.3	<3.2	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<3.9	<3.9	<3.3	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
Dichlorodifluoromethane (Freon 12)	<4.8	<4.8	<6.8	<1.0	<1.0	<3.4	<3.4	<2.8	<2.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
Ethylbenzene	<4.1	<4.1	<3.2	0.61	0.35 (Tr)	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<17	<17	<20	<10	<10	13	<10	31 (Tr)	<9.5
Methylene Chloride	<4.3	<4.3	<3.0	<2.0	3.8	19	<1.5	<1.5	<1.5
Styrene	<3.7	<3.7	<3.2	<0.50	<0.50	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	320	340	250	200	300	280	230	180	440
Toluene	18	21	10	4.1	3.1	15	5.3	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	<4.3	<4.1	0.41 (Tr)	1.3	11	2.4 (Tr)	<1.7	<1.7
trans-1,3-Dichloropropene	<3.9	<3.9	<3.0	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
Trichloroethene	110	130	94	57	140	130	81	46	120
Trichlorofluoromethane	12	12	14	8.1	20	14	8.2	4.8 (Tr)	14
Vinyl Acetate	<9.0	<9.0	<8.5	<10	<10	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	44	44	18	9.4	26	40	25	4.4	6.3
Xylenes (total)	<11	<11	<10	<1.5	<1.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - EW-01 was not sampled because treatment system was down.

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	2,400
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	260
1,1-Dichloroethene	420
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	53
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	18
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	530
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

P:\GIS\mckesson\database\working\McKesson-AppendixC\Appendix C -- MPE-5.rpt

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
Methyl Ethyl Ketone (2-Butanone)	<95
Methylene Chloride	<15
Styrene	<16
Tetrachloroethene	1,600
Toluene	<20
trans-1,2-Dichloroethene	<17
trans-1,3-Dichloropropene	<18
Trichloroethene	820
Trichlorofluoromethane	<24
Vinyl Acetate	<40
Vinyl Chloride	<24
Xylenes (total)	<57

Note:
Values reported as micrograms per liter (ug/L).

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-7
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	1,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	250
1,1-Dichloroethene	380
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	32
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	58
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	570
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-7
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
Methyl Ethyl Ketone (2-Butanone)	<95
Methylene Chloride	190
Styrene	<16
Tetrachloroethene	930
Toluene	<20
trans-1,2-Dichloroethene	<17
trans-1,3-Dichloropropene	<18
Trichloroethene	310
Trichlorofluoromethane	<24
Vinyl Acetate	<40
Vinyl Chloride	<24
Xylenes (total)	<57

Note:
Values reported as micrograms per liter (ug/L).

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	11/10/99	12/28/00	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02	6/5/02	9/30/02
1,1,1-Trichloroethane	300	260	150	33	167	290	394	<50	282	67	107	55	52	57	2.9
1,1,2-Trichloro-2,2,2-Trifluoroethane		40	19		19	43	29	<50	<5	38	40	<50	<50	32	55
1,1,2-Trichloroethane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,1-Dichloroethane	230	180	93	66	342	400	1,290	123	1,120	294	665	735	1,100	1,200	180
1,1-Dichloroethene	1,100	790	530	626	2,420	750	1,010	24 (Tr)	390	<5	261	297	296	590	66
1,2,3-Trichloropropane					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
1,2-Dibromoethane (EDB)					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,2-Dichloroethane	7	<10	<5	13	51	15	32	<50	12	<5	<5	<50	<50	25	0.63
1,2-Dichloroethene, Total	650	440													
1,2-Dichloropropane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,4-Dichlorobenzene	<10					<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,4-Dioxane (P-Dioxane)						100 (Tr)	<570	<570	<57	90	<57	<570	<570		
2-Chloroethyl Vinyl Ether					<10	<5	<50	<50	<5	<5	<5	<50	<50		
4-Methyl-2-Pentanone	<60	<100	<50			<10	<100	<100	<10		<10	<100	<100		
Acetone	<120	<200	<100	<100	<100	<100	<1,000	<1,000	<100	<100	<100	<1,000	<1,000		
Benzene	<6	<10	<5	<5	<5	4.9 (Tr)	<50	<50	<5	<5	<1.0	<10	<10	<10	0.66
Bromodichloromethane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Bromoform	<30	<50	<25		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Bromomethane												<50	<50	<20	<1.0
Carbon Tetrachloride	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Chlorobenzene	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Chloroethane	<6	<10	<5		<10	<5	<50	<50	<5	<5	<5	<50	<50	<10	2.0
Chloroform	<6	<10	<5	<5	16	2.7 (Tr)	<50	<50	<5	<5	<5	<50	<50	<10	1.7
Chloromethane												<50	<50	<10	<0.50
cis-1,2-Dichloroethene			320	130	550	1,560	1,800	<50	658	1,040	798	982	977	1,300	86
cis-1,3-Dichloropropene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Dibromochloromethane	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Dibromomethane					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	11/10/99	12/28/00	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02	6/5/02	9/30/02
Dichlorodifluoromethane (Freon 12)					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Ethylbenzene	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Methyl Ethyl Ketone (2-Butanone)	<120	<200	<100	<100	<100	<100	<1,000	<1,000	<100	<100	<100	<1,000	<1,000		
Methylacryonitrile					<100	<35									
Methylene Chloride	<30	<50	<25	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
Styrene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Tetrachloroethene	600	530	350	587	1,440	460	522	<50	342	259	194	132	125	310	85
Toluene	180	<20	<10	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
trans-1,2-Dichloroethene			<5	<5	8	4.7 (Tr)	7.8	<50	<5	<5	<5	<50	<50	<10	0.98
trans-1,3-Dichloropropene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Trichloroethene	590	520	360	527	1,410	230	462	<50	217	<5	191	139	116	210	100
Trichlorofluoromethane		30	14	43	103	11	13	<50	13	<5	35	<50	<50	15	28
Vinyl Acetate	<60	<100	<50		<50	<50	<500	<500	<50	<50	<50	<500	<500		
Vinyl Chloride	<6	<10	<5	<10	<10	28	8.3	<50	16	65	58	<50	<50	39	13
Xylenes (total)	13	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
xylenes(m,p)						<5		<50	<5	<5	<5				
xylenes(o)						<5		<50	<5	<5	<5				

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06
1,1,1-Trichloroethane	4.0	2.9	4.0	1.6	0.76	1.8	1.1	2	<2.5	<2.5	<2.5	1.9 (Tr)	<1.2	1.1
1,1,2-Trichloro-2,2,2-Trifluoroethane	57	31	6.7	8.2	41	58	49	58	53	60	6.4	15	30	37
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	<0.10
1,1-Dichloroethane	150	150	150	83	44	110	44	78	27	43	290	240	110	180
1,1-Dichloroethene	55	68	91	58	40	58	34	67	76	85	150	190	96	140
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<1.4	<0.27
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<5.0	<1.0
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.50	<0.10
1,2-Dichloroethane	0.50	1.2	1.4	0.79	0.42	0.73	0.61	0.42 (Tr)	2.8	3.5	5.7	6.6	2.7	3.2
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<2.0	<0.39
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<1.6	<0.31
1,4-Dioxane (P-Dioxane)	<300	<300	<300	23	17	21	14		1.6 (Tr)	2.7	16	21	9.0	45
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone									<50	<50	<50	<8.0	<8.0	<1.6
Acetone		<20	<20	<20	<20	<20	<20	<20	<50	<50	10	<14	<14	<2.8
Benzene	<0.50	0.46	0.74	0.36	0.24	0.19	0.09 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.9	<1.9	<0.38
Bromodichloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<1.3	<0.26
Bromoform	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<4.3	<0.86
Bromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<1.8	<0.35
Carbon Tetrachloride	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.12 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.8	<1.8	<0.36
Chlorobenzene	<0.50	0.33	0.50	0.24	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	0.13 (Tr)
Chloroethane	1.5	0.22	<0.50	<0.50	0.28	0.58	0.44 (Tr)	<0.50	<5	<5	<5	<1.7	<1.7	0.60 (Tr)
Chloroform	2.4	1.5	1.1	1	1.8	2.2	2.4	2.3	3.2	3.9	2.3	2.9	4.0	10
Chloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<1.5	<0.30
cis-1,2-Dichloroethene	68	110	150	100	46	81	29	77	30	46	300	260	98	170
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<1.3	<0.26
Dibromochloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.65	<0.13
Dibromomethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<1.5	<0.29

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	0.07	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<2.2	<0.43
Ethylbenzene	<0.50	0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<1.1	<0.22
Methyl Ethyl Ketone (2-Butanone)				<20	<20	<20	<20	<20	<50	<50	<50	<8.5	<8.5	<1.7
Methylacryonitrile														
Methylene Chloride	<1.0	<1.0	<1.0	0.13	<1.0	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	5.8 (Tr)	0.97 (Tr)
Styrene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<1.0	<0.20
Tetrachloroethene	74	120	160	130	99	97	85	96	100	130	140	160	100	130
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.12 (Tr)	<0.50	<2.5	<2.5	<2.5	<0.50	1.5 (Tr)	<0.10
trans-1,2-Dichloroethene	0.74	0.34	1.2	0.67	0.16	0.83	0.17 (Tr)	1.3	<2.5	<2.5	1.1	<1.8	<1.8	0.62
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.55	<0.11
Trichloroethene	90	56	54	41	85	95	100	210	150	140	76	88	82	110
Trichlorofluoromethane	23	16	3.1	3.6	19	23	20	24	22	22	3.7	6.7	8.9	14
Vinyl Acetate									<50	<50	<50	<11	<11	<2.2
Vinyl Chloride	8.2	6.8	12	4.8	1.6	1.2	0.62	0.24 (Tr)	2.1 (Tr)	<2.5	<2.5	<1.4	<1.4	0.53
Xylenes (total)	<1.0	<1.0	<1.0	<1.0	0.58	<1.0	<1.0	<1.0	<7.5	<7.5	<7.5	<2.0	<2.0	<0.40
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/21/08	5/21/08	9/26/08	12/9/08	3/11/09
1,1,1-Trichloroethane	1.7	<4.6	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<2.0	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	82	72	91	98	72	93	170	260	160	150	230	300
1,1,2-Trichloroethane	<0.18	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	300	150	97	100	79	43	33	26	26	55	13	3.1
1,1-Dichloroethene	180	150	130	130	100	110	130	230	150	130	200	210
1,2,3-Trichloropropane	<0.24	<4.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<7.6	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<0.21	<3.8	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	4.1	4.1 (Tr)	3.1	3.7	3.8	2.4 (Tr)	3.2	5.3	4.5	2.9	5.8	5.0
1,2-Dichloroethene, Total												
1,2-Dichloropropane	<0.19	<4.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<0.17	<3.7	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	47	19	33	31	22	15	14	12	19	10	16	16
2-Chloroethyl Vinyl Ether												
4-Methyl-2-Pentanone	<0.96	<15	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	<1.8	26 (Tr)	<11	<11	<11	<14	<50	<50	<15	<15	<15	<15
Benzene	<0.18	<4.2	<2.1	<2.1	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<1.7
Bromodichloromethane	<0.19	<4.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<0.15	<4.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<0.27	<6.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<0.29	<4.8	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	0.26 (Tr)	<3.6	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	1.0	<4.6	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<1.6
Chloroform	25	28	28	28	26	22	34	58	45	32	50	54
Chloromethane	<0.36	<4.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	240	140	96	110	77	44	32	28	35	58	26	14
cis-1,3-Dichloropropene	<0.21	<3.4	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<0.23	<3.3	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<0.22	<3.9	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/21/08	5/21/08	9/26/08	12/9/08	3/11/09
Dichlorodifluoromethane (Freon 12)	<0.37	<4.8	<2.4	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<0.14	<4.1	<2.1	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<2.3	<17	<8.5	<8.5	<8.5	<10	<50	<50	<10	<10	<9.5	<9.5
Methylacryonitrile												
Methylene Chloride	<0.22	<4.3	<2.2	<2.2	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<1.5
Styrene	<0.14	<3.7	<1.9	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	180	190	190	220	170	190	240	350	270	210	360	360
Toluene	<0.18	<3.6	<1.8	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	1.6	<4.3	<2.2	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	<2.1	<1.7	<1.7
trans-1,3-Dichloropropene	<0.18	<3.9	<2.0	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	170	130	120	130	120	110	150	250	190	150	250	250
Trichlorofluoromethane	27	27	26	26	22	27	44	86	59	49	78	84
Vinyl Acetate	<0.46	<9.0	<4.5	<4.5	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	1.5	<4.3	<2.2	<2.2	<2.2	<2.2	<2.5	<2.5	<2.4	<2.4	<2.4	<2.4
Xylenes (total)	<0.57	<11	<5.6	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)												
xylenes(o)												

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/23/96	2/2/99	9/20/00	10/23/01	2/13/02	6/4/02	9/27/02	12/3/02
1,1,1-Trichloroethane	30	27	37	16	12	8.2	9.6	12	37.1	52	36 (Tr)	34	2.2	1.8
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	30	24		49	30	16	28	<5	<5	<50	17	26	17
1,1,2-Trichloroethane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
1,1-Dichloroethane	20	<5	22	<5	16	7.4	8.5	10	96.9	1,000	1,050	970	35	45
1,1-Dichloroethene	270	67	360	85	103	72	51	83	211	470	644	480	48	60
1,2,3-Trichloropropane					<5			<5	<5	<5	<50	<5	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5		<5	<5	<5	<50	<5	<1.0	<1.0
1,2-Dibromoethane (EDB)					<5			<5	<5	<5	<50	<3	<0.50	<0.50
1,2-Dichloroethane	6	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	4	0.53	0.83
1,2-Dichloroethene, Total	80	47												
1,2-Dichloropropane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
1,4-Dichlorobenzene	<10					<5		<5	<5	<5	<50	<3	<0.50	<0.50
1,4-Dioxane (P-Dioxane)						<5		<200	<57	<57	<570			<300
2-Chloroethyl Vinyl Ether					<10	<2.0	<2.0	<5	<5	<5	<50			
4-Methyl-2-Pentanone	<10	<50	<50		<50	<5	<5	<10	<10	<10	<100			
Acetone	<20	<100	<100	<100	<100	<10	<10	<100	<100	<100	<1,000			
Benzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<1.0	17	<10	5.8	0.57	0.88
Bromodichloromethane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Bromoform	<5	<25	<25		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Bromomethane										<5	<50	<5	<1.0	<1.0
Carbon Tetrachloride	<1.0	<5	<5		<5	<5	<5	<5	<5	<5	<50	<3	<0.50	<0.50
Chlorobenzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	5.5	<0.50	<0.50
Chloroethane	<1.0	<5	<5		<10	<5	<5	<5	<5	<5	<50	<3	<0.50	<0.50
Chloroform	2	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	0.87	0.92
Chloromethane										<5	<50	<3	<0.50	<0.50
cis-1,2-Dichloroethene			78	15	32	19	32	88	335	2,050	2,230	2,000	79	100
cis-1,3-Dichloropropene	<1.0	<5	5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Dibromomethane					<5			<5	<5	<5	<50	<3	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/23/96	2/2/99	9/20/00	10/23/01	2/13/02	6/4/02	9/27/02	12/3/02
Dichlorodifluoromethane (Freon 12)					<5			<5	<5	<5	<50	<3	<0.50	<0.50
Ethylbenzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<100	<100	<100	<10	<10	<100	<100	<100	<1,000			
Methylacryonitrile					<100			<35						
Methylene Chloride	<5	<25	<25	<5	<5	<10	<10	<5	<5	<5	<50	7.4	<1.0	<1.0
Styrene	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Tetrachloroethene	220	<5	270	197	88	73	60	118	304	100	159	170	190	210
Toluene	6	<10	<10	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
trans-1,2-Dichloroethene			<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	10	0.58	1.3
trans-1,3-Dichloropropene	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Trichloroethene	400	680	700	229	181	150	100	105	134	170	215	210	60	72
Trichlorofluoromethane	10	10	26	41	13	15	7	9.7	<5	<5	<50	4.3	7.4	7.3
Vinyl Acetate	<10	<50	<50		<50	<5	<5	<50	<50	<50	<500			
Vinyl Chloride	<1.0	<5	<5	<10	<10	<5	<5	<5	<5	4.7	<50	5.8	1.6	2.7
Xylenes (total)	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<5	<1.0	<1.0
xylenes(m,p)								<5	<5					
xylenes(o)								<5	<5					

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
1,1,1-Trichloroethane	1.3	0.76	0.59	1.1	0.23	<3	0.21 (Tr)	<2.5	<2.5	<2.5	<1.2	0.42 (Tr)	0.65	<1.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	16	8.6	8.2	8.3	4	5.6	3.3	5.1 (Tr)	3.6 (Tr)	21	23	51	130	130
1,1,2-Trichloroethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10	<0.90
1,1-Dichloroethane	45	30	31	54	14	43	24	10	40	25	21	38	49	52
1,1-Dichloroethene	66	45	42	62	21	44	27	32	53	25	31	55	88	86
1,2,3-Trichloropropane	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<10	<10	<10	<5.0	<1.0	<1.0	<3.8
1,2-Dibromoethane (EDB)	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<0.50	<0.10	<0.10	<1.1
1,2-Dichloroethane	0.52	0.60	0.96	0.96	1.2	<3	0.5	<2.5	<2.5	<2.5	<1.9	0.67	1.2	1.2 (Tr)
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<2.0	<0.39	<0.39	<0.95
1,4-Dichlorobenzene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.6	<0.31	<0.31	<0.85
1,4-Dioxane (P-Dioxane)	<300	<300	9.5	14	0.72		8.4	2.4	2.0		2.2	3.3	11	6.7
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone								<50	<50	<50	<8.0	<1.6	<1.6	<4.8
Acetone	<20	<20	<40	<20	<20	<100	<20	<50	<50	14 (Tr)	<14	<2.8	<2.8	<9.0
Benzene	0.88	0.36	0.36	0.91	0.11	<3	0.33 (Tr)	<2.5	<2.5	<2.5	<1.9	0.71	0.66	<0.90
Bromodichloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.3	<0.26	<0.26	<0.95
Bromoform	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<4.3	<0.86	<0.86	<0.75
Bromomethane	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<5	<5	<5	<1.8	<0.35	<0.35	<1.4
Carbon Tetrachloride	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.8	<0.36	<0.36	<1.5
Chlorobenzene	0.26	<0.50	<1.0	<0.50	<0.50	<3	0.09 (Tr)	<2.5	<2.5	<2.5	<0.50	0.15 (Tr)	0.30 (Tr)	<0.85
Chloroethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.7	<0.33	<0.33	<1.2
Chloroform	0.97	0.78	0.6	0.67	0.61	0.55 (Tr)	0.61	<2.5	<2.5	2.2 (Tr)	3.4	6.0	12	13
Chloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.5	<0.30	<0.30	<1.8
cis-1,2-Dichloroethene	96	77	79	86	39	91	43	27	69	49	45	71	100	100
cis-1,3-Dichloropropene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.3	<0.26	<0.26	<1.1
Dibromochloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<0.65	<0.13	<0.13	<1.2
Dibromomethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.5	<0.29	<0.29	<1.1

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
Dichlorodifluoromethane (Freon 12)	0.74	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<2.2	<0.43	<0.43	<1.9
Ethylbenzene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.1	<0.22	<0.22	<0.70
Methyl Ethyl Ketone (2-Butanone)			<40	<20	<20	<100	<20	<50	<50	<50	<8.5	<1.7	<1.7	<12
Methylacryonitrile														
Methylene Chloride	<1.0	<1.0	0.24	<1.0	<1.0	0.9 (Tr)	<1.0	<10	<10	<10	<3.6	<0.72	0.88 (Tr)	<1.1
Styrene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.0	<0.20	<0.20	<0.70
Tetrachloroethene	170	200	220	210	300	230	180	140	170	160	160	160	170	190
Toluene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.50	0.77	<0.10	<0.90
trans-1,2-Dichloroethene	0.95	0.56	0.87	1.2	0.36	<3	0.39 (Tr)	<2.5	<2.5	2.6	<1.8	<0.36	0.78	<0.95
trans-1,3-Dichloropropene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.55	<0.11	<0.11	<0.90
Trichloroethene	68	56	69	62	59	52	36	29	39	51	61	99	190	170
Trichlorofluoromethane	7.2	3.8	3.1	3.2	1.7	1.4 (Tr)	0.94	<5	<5	5.5	7.1	15	31	27
Vinyl Acetate								<50	<50	<50	<11	<2.2	<2.2	<2.3
Vinyl Chloride	3.5	1.2	1.5	3.8	0.34	2.5 (Tr)	2.1	<2.5	<2.5	<2.5	<1.4	1.4	1.5	1.6 (Tr)
Xylenes (total)	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<7.5	<7.5	<7.5	<2.0	0.43 (Tr)	<0.40	<2.9
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/21/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<2.3	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<2.0	<2.3	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	64	34	61	47	33	23	19	18	16	14	29
1,1,2-Trichloroethane	<2.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<0.44
1,1-Dichloroethane	46	24	32	41	22	16	26	19	6.9	<1.7	1.0
1,1-Dichloroethene	66	43	59	61	39	27	31	28	18	14	23
1,2,3-Trichloropropane	<2.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<3.8	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<0.69
1,2-Dibromoethane (EDB)	<1.9	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<0.39
1,2-Dichloroethane	<1.7	<1.7	<1.7	1.7 (Tr)	<1.9	<2.5	<2.5	<1.9	<1.9	<1.9	0.60
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<2.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
1,4-Dichlorobenzene	<1.9	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38
1,4-Dioxane (P-Dioxane)	5.7	6.2	14	11	6.2	4.0	4.2	4.8	3.5	2.2	2.9
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<7.5	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<1.9
Acetone	<11	<11	<11	<11	<14	<50	<50	<15	<15	<15	<3.0
Benzene	<2.1	<2.1	<2.1	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<0.33
Bromodichloromethane	<2.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<0.28
Bromoform	<2.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Bromomethane	<3.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<0.33
Carbon Tetrachloride	<2.4	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<0.46
Chlorobenzene	<1.8	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<0.39
Chloroethane	<2.3	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<0.31
Chloroform	8.2	6.3	11	12	6.3	6.5	5.0	5.7	4.3	3.9	6.5
Chloromethane	<2.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<0.36
cis-1,2-Dichloroethene	90	51	61	73	41	28	40	33	13	5.3	4.3
cis-1,3-Dichloropropene	<1.7	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<0.29
Dibromochloromethane	<1.7	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Dibromomethane	<2.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/21/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<2.4	<2.4	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<0.56
Ethylbenzene	<2.1	<2.1	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
Methyl Ethyl Ketone (2-Butanone)	<8.5	<8.5	<8.5	<8.5	<10	<50	<50	<10	<10	<9.5	<1.9
Methylacryonitrile											
Methylene Chloride	<2.2	<2.2	<2.2	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<0.29
Styrene	<1.9	<1.9	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<0.32
Tetrachloroethene	180	210	210	190	230	200	190	220	160	130	120
Toluene	<1.8	<1.8	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<0.40
trans-1,2-Dichloroethene	<2.2	<2.2	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	<2.1	<1.7	<0.33
trans-1,3-Dichloropropene	<2.0	<2.0	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
Trichloroethene	120	81	90	95	70	57	54	56	41	36	49
Trichlorofluoromethane	19	10	15	12	8.5	6.9	5.3	4.9	4.9 (Tr)	4.1 (Tr)	7.7
Vinyl Acetate	<4.5	<4.5	<4.5	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<0.80
Vinyl Chloride	<2.2	<2.2	<2.2	<2.2	<2.2	<2.5	<2.5	<2.4	<2.4	<2.4	<0.47
Xylenes (total)	<5.6	<5.6	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<1.1
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
1,1,1-Trichloroethane	1,700	2,200	1,300	168	649	12	14	15	<125	6.2	7.8	60	0.99 (Tr)
1,1,2-Trichloro-2,2,2-Trifluoroethane	53	200	76		34	7	<5	<5	<125	4.4	4.6	<1.0	<3
1,1,2-Trichloroethane	<8	<20	<10		<5	<5	<5	<5	<125	<3	1.2	<1.0	<3
1,1-Dichloroethane	100	480	200	52	231	130	443	452	425	190	100	150	110
1,1-Dichloroethene	1,200	1,700	1,300	666	1,740	310	620	559	634	330	170	140	300
1,2,3-Trichloropropane					<5	<5	<5	<5	<125	<5	<1.0	<2.0	<5
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<5	<5	<125	<3	<1.0	<2.0	<5
1,2-Dibromoethane (EDB)					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,2-Dichloroethane	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	0.71	1.2	<3
1,2-Dichloroethene, Total	230	630											
1,2-Dichloropropane	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,4-Dichlorobenzene	<10					<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,4-Dioxane (P-Dioxane)						<200	<57	<57	<1,425			<600	<2,000
2-Chloroethyl Vinyl Ether					<10	<5	<5	<5	<125				
4-Methyl-2-Pentanone	<80	<200	<100		<50	<10	<10	<10	<250				
Acetone	210	<400	<200	<100	<100	<100	<100	<100	<2,500				<100
Benzene	<8	29	11	<5	14	6	23	14	<25	8.8	6.1	8.7	5.0
Bromodichloromethane	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Bromoform	<40	<100	<50		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Bromomethane								<5	<125	<5	<1.0	<2.0	<5
Carbon Tetrachloride	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chlorobenzene	<8	<20	<10	<5	<5	<5	<5	7.3	<125	5	2.3	<1.0	2.5
Chloroethane	<8	<20	<10		<10	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chloroform	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chloromethane								<5	<125	<3	<0.50	<1.0	<3
cis-1,2-Dichloroethene			280	140	765	330	2,790	2,070	3,360	2,500	430	460	580
cis-1,3-Dichloropropene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Dibromochloromethane	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Dibromomethane					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
Dichlorodifluoromethane (Freon 12)					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Ethylbenzene	<8	<20	<10	7	<5	<5	<5	<5	<125	<3	<0.50	4.7	0.46
Methyl Ethyl Ketone (2-Butanone)	<160	<400	<200	<100	<100	<100	<100	<100	<2,500				
Methylacryonitrile					<100	<35							
Methylene Chloride	140	<100	<50	<5	15	<5	<5	<5	<125	8.7	<1.0	<2.0	<5
Styrene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Tetrachloroethene	1,100	1,200	1,100	608	1,780	240	119	134	109 (Tr)	170	92	180	92
Toluene	14	<40	<20	<5	<5	<5	<5	<5	<125	<3	<0.50	7.1	1.2
trans-1,2-Dichloroethene			<10	<5	6	2.1 (Tr)	<5	6.8	<125	15	6.3	6.2	2.7
trans-1,3-Dichloropropene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Trichloroethene	230	400	210	156	682	95	47.8	78	40 (Tr)	41	56	110	22
Trichlorofluoromethane		80	77	8	35	<5	<5	<5	<125	<3	2.1	1.8	<3
Vinyl Acetate	<80	<200	<100		<50	<50	<50	<50	<1,250				
Vinyl Chloride	<8	<20	<10	<10	<10	<5	<5	<5	<125	<3	0.92	1.7	2.1 (Tr)
Xylenes (total)	100	120	49	<5	<5	<5	70.6	5.9	<125	<5	1.3	12	2.5
xylenes(m,p)						<5	<5						
xylenes(o)						<5	70.6						

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	1.3	29	3.1	3.8	3.6	2.2	<2.5	2.8	1.7	4.1	<1.2	<1.2	4.7
1,1,2-Trichloro-2,2,2-Trifluoroethane	1.9	4.8	8.2	11	8.5	27	19	5.9 (Tr)	3.2	5.0 (Tr)	4.4 (Tr)	4.9 (Tr)	3.6 (Tr)
1,1,2-Trichloroethane	<3	0.59	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	<0.50	<0.90
1,1-Dichloroethane	78	99	150	46	28	51	94	30	49	30	41	34	25
1,1-Dichloroethene	140	200	200	130	73	140	67	81	94	56	74	77	53
1,2,3-Trichloropropane	<5	<1.0	<5	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<1.0	<3	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<5.0	<5.0	<3.8
1,2-Dibromoethane (EDB)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.50	<0.50	<1.1
1,2-Dichloroethane	0.66	0.54	<3	<0.50	0.19 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	<1.1
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<2.0	<2.0	<0.95
1,4-Dichlorobenzene	<3	0.08	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<1.6	<1.6	<0.85
1,4-Dioxane (P-Dioxane)	<2,000	93	200	68	29		24	11	12	4.3	9.6	14	11
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<50	<50	<50	<8.0	<8.0	<8.0	<4.8
Acetone	<100	<20	<100	<20	<20	<20	<50	<50	<50	<14	<14	<14	<9.0
Benzene	3.0	3.9	9.6	2.4	1.1	3.2	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	1.2 (Tr)
Bromodichloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<1.3	<1.3	<0.95
Bromoform	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<4.3	<4.3	<0.75
Bromomethane	<5	<1.0	<5	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<1.8	<1.8	<1.4
Carbon Tetrachloride	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.5
Chlorobenzene	2.2	2	3.0	0.91	0.5	1.2	<2.5	<2.5	<2.5	0.95 (Tr)	1.2 (Tr)	0.90 (Tr)	1.3 (Tr)
Chloroethane	<3	<0.50	<3	0.24	<0.50	0.43 (Tr)	<5	<5	<5	<1.7	<1.7	<1.7	<1.2
Chloroform	<3	0.51	<3	0.54	0.85	1.4	1.1 (Tr)	1.4 (Tr)	<2.5	<1.8	<1.8	<1.8	<0.80
Chloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<1.5	<1.5	<1.8
cis-1,2-Dichloroethene	1,000	500	410	150	93	230	22	150	480	380	420	290	400
cis-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<1.3	<1.3	<1.1
Dibromochloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.65	<0.65	<1.2
Dibromomethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.1

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<2.2	<2.2	<1.9
Ethylbenzene	0.92	0.09	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<1.1	<1.1	<0.70
Methyl Ethyl Ketone (2-Butanone)		<20	<100	<20	<20	<20	<50	<50	<50	<8.5	<8.5	<8.5	<12
Methylacryonitrile													
Methylene Chloride	3.5	0.53	11	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	9.2 (Tr)	<3.6	<1.1
Styrene	0.57	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<1.0	<1.0	<0.70
Tetrachloroethene	61	85	150	150	100	170	130	87	81	56	69	55	66
Toluene	3.9	1.2	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	1.9 (Tr)	<0.50	<0.90
trans-1,2-Dichloroethene	3.5	5.5	2.8	2.1	0.7	2.1	<2.5	1.2 (Tr)	2.0	<1.8	<1.8	<1.8	1.3 (Tr)
trans-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.55	<0.55	<0.90
Trichloroethene	16	60	100	81	59	110	72	40	20	32	28	34	22
Trichlorofluoromethane	0.46	1.6	4.4	4.9	3.5	12	8.3	2.4 (Tr)	<5	<2.4	<2.4	<2.4	<2.8
Vinyl Acetate							<50	<50	<50	<11	<11	<11	<2.3
Vinyl Chloride	<3	0.62	14	7.9	3.9	11	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.4
Xylenes (total)	11	0.79	2.0	0.55	<1.0	1.1	<7.5	<7.5	<7.5	<2.0	<2.0	<2.0	<2.9
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
1,1,1-Trichloroethane	3,100	140	39	<50	176	88	9,300	2,670	1,540	1,000	780	NS	1,000	1,300
1,1,2-Trichloro-2,2,2-Trifluoroethane	630	130	19	<50	<5	32	40	<50	<50	<100	9.4	NS	<0.50	20
1,1,2-Trichloroethane	<100	<2.0	<5	<50	<5	<5	6.2	<50	<50	<50	<5	NS	1.1	1.1
1,1-Dichloroethane	190	16	36	64	640	302	1,640	468	290	190	200	NS	140	120
1,1-Dichloroethene	3,100	150	<5	<50	475	291	2,420	856	500	350	210	NS	240	280
1,2,3-Trichloropropane			<5	<50	<5	<5	<5	<50	<50	<50	<10	NS	<0.50	<5
1,2-Dibromo-3-Chloropropane (DBCP)			<5	<50	<5	<5	<5	<50	<50	<100	<10	NS	<1.0	<5
1,2-Dibromoethane (EDB)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,2-Dichloroethane	190	9.4	<5	<50	70	35	164	169	<50	<50	24	NS	23	24
1,2-Dichloropropane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dichlorobenzene	<10		<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dioxane (P-Dioxane)			<57	<570	<57	<57	<57	<570	<570			NS	<300	<2,000
2-Chloroethyl Vinyl Ether	<100	<2.0	<5	<50	<5	<5	<5	<50	<50			NS		
4-Methyl-2-Pentanone	<250	<5	<10	<100	<10		<10	<100	<100			NS		
Acetone	<500	15	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS	<20	58
Benzene	<100	<2.0	<5	<50	11	6.7	9.4	<10	<10	<50	<5	NS	2.5	1.4
Bromodichloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromoform	<100	<2.0	5.2	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromomethane								<50	<50	<100	<10	NS	<1.0	<5
Carbon Tetrachloride	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chlorobenzene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroethane	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroform	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.5	2.0
Chloromethane								<50	<50	<50	<5	NS	<0.50	<3
cis-1,2-Dichloroethene	160	35	86	202	1,150	611	1,770	683	494	290	250	NS	280	320
cis-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromochloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromomethane			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dichlorodifluoromethane (Freon 12)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Ethylbenzene	<100	<2.0	<5	<50	<5	34	22	<50	<50	<50	<5	NS	3.4	1.7
Methyl Ethyl Ketone (2-Butanone)	<500	<10	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
Methylene Chloride	13,000	<10	<5	<50	<5	6.9	<5	3,510	104	<100	<10	NS	100	160
Styrene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Tetrachloroethene	6,300	<500	<5	<50	413	237	4,150	1,430	1,200	850	420	NS	610	710
Toluene	350	<2.0	<5	<50	<5	77	422	257	130	88	58	NS	49	27
trans-1,2-Dichloroethene	<100	<2.0	14	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.4	3.3
trans-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Trichloroethene	900	170	87	<50	205	180	687	586	342	220	140	NS	130	190
Trichlorofluoromethane	<250	59	6.1	<50	13	5.8	48	<50	<50	<50	7.0	NS	13	9.8
Vinyl Acetate	<250	<5	<50	<500	<50	<50	<50	<500	<500			NS		
Vinyl Chloride	<250	<5	<5	<50	53	92	947	375	256	150	190	NS	90	67
Xylenes (total)	130	<2.0	<5	<50	<5	52	71	<50	<50	<100	<10	NS	9.9	5.9
xylenes(m,p)				<50	<5		36.4					NS		
xylenes(o)				<50	<5		34.6					NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
1,1,1-Trichloroethane	900	1,300	270	3,100	820	210	4,000	5,900	5,300	2,200	1,100	870	680	250
1,1,2-Trichloro-2,2,2-Trifluoroethane	18	12	7.3	17	14	7.1 (Tr)	15	53	<65	70 (Tr)	56 (Tr)	54	44	38
1,1,2-Trichloroethane	1.8	2.2	0.71	<5	1.2	<2.5	<2.5	<50	<10	<10	<5.0	<1.8	<8.0	<4
1,1-Dichloroethane	290	320	96	270	210	120	190	610	700	580	600	670	490	270
1,1-Dichloroethene	420	530	82	490	250	120	450	1,000	1,500	860	500	510	530	270
1,2,3-Trichloropropane	<1.0	<10	<1.0	<10	<1.0	<2.5	<2.5	<50	<27	<27	<14	<2.4	<8.2	<4.1
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<10	<1.0	<10	<1.0	<10	<10	<200	<100	<100	<50	<7.6	<16	<7.6
1,2-Dibromoethane (EDB)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<10	<10	<5.0	<2.1	<7.6	<3.8
1,2-Dichloroethane	38	44	18	28	19	13	25	66	53	42 (Tr)	33	29	27	14
1,2-Dichloropropane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<39	<39	<20	<1.9	<8.0	<4
1,4-Dichlorobenzene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<31	<31	<16	<1.7	<7.4	<3.7
1,4-Dioxane (P-Dioxane)	200	130	120	150		24	21	110	94	69	150	170	92	120
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone						<50	<50	<1,000	<160	<160	<80	<9.6	<30	<15
Acetone	<20	<200	<20	<200	<20	<50	<50	840	<280	380 (Tr)	230 (Tr)	210	97 (Tr)	22 (Tr)
Benzene	4	4.7	4.4	3.3	2.7	1.8 (Tr)	2.4 (Tr)	<50	<38	<38	<19	4.7 (Tr)	<8.4	<4.2
Bromodichloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<26	<26	<13	<1.9	<8.0	<4
Bromoform	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<86	<86	<43	<1.5	<8.2	<4.1
Bromomethane	<1.0	<10	<1.0	<10	<1.0	<5	<5	<100	<35	<35	<18	<2.7	<13	<6.1
Carbon Tetrachloride	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<36	<36	<18	<2.9	<9.6	<4.8
Chlorobenzene	0.49	<5	<0.50	<5	0.44 (Tr)	<2.5	<2.5	<50	<10	<10	<5.0	<1.7	<7.2	<3.6
Chloroethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<33	<33	<17	<2.3	<9.2	6.4 (Tr)
Chloroform	1.8	2.1	0.94	2 (Tr)	1.4	1.1 (Tr)	1.8 (Tr)	<50	<35	<35	<18	5.8	<8.0	5.3
Chloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<30	<30	<15	<3.6	<8.0	<4
cis-1,2-Dichloroethene	450	520	130	430	360	170	320	1,600	2,300	1,200	910	930	750	350
cis-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<26	<26	<13	<2.1	<6.8	<3.4
Dibromochloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<13	<13	<6.5	<2.3	<6.6	<3.3
Dibromomethane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<29	<29	<15	<2.2	<7.8	<3.9
Dichlorodifluoromethane (Freon 12)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<43	<43	<22	<3.7	<9.6	<4.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
Ethylbenzene	7.8	6.1	5.9	3 (Tr)	0.48 (Tr)	<2.5	<2.5	<50	<22	<22	<11	3.1 (Tr)	<8.2	<4.1
Methyl Ethyl Ketone (2-Butanone)	8.8	<200	<20	<200	<20	<50	<50	<1,000	<170	<170	<85	25 (Tr)	<34	<17
Methylene Chloride	48	<10	<1.0	28	7.8	<10	40	1,000	490	520	44 (Tr)	78	43	16 (Tr)
Styrene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<20	<20	<10	<1.4	<7.4	<3.7
Tetrachloroethene	550	590	270	1,300	670	270	2,900	2,100	3,300	2,200	1,400	960	520	290
Toluene	88	80	71	48	8	<2.5	2.4 (Tr)	81	100	110	75	48	56	10
trans-1,2-Dichloroethene	18	3.6	4	1.7 (Tr)	7.4	<2.5	2.8	<50	<36	<36	<18	2.6 (Tr)	<8.6	<4.3
trans-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<11	<11	<5.5	<1.8	<7.8	<3.9
Trichloroethene	160	230	82	270	130	81	330	480	390	470	330	180	190	110
Trichlorofluoromethane	9.3	6.5	2.4	11	6.4	2.5 (Tr)	6.2	<100	<47	<47	<24	14	14 (Tr)	9.5 (Tr)
Vinyl Acetate						<50	<50	<1,000	<220	<220	<110	<4.6	<18	<9
Vinyl Chloride	160	190	99	120	61	38	47	140	120	150	160	140	87	44
Xylenes (total)	19	17	8.2	6.4 (Tr)	2.3	<7.5	<7.5	<150	<40	<40	<20	7.4 (Tr)	<22	<11
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
1,1,1-Trichloroethane	150	170	23	4.5	100	160	130	<2.3	330
1,1,2-Trichloro-2,2,2-Trifluoroethane	43	50	54	32	66	46	26	17	50
1,1,2-Trichloroethane	<4.0	<4.0	<3.4	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	180	260	56	37	150	240	150	61	85
1,1-Dichloroethene	190	200	67	29	170	130	110	30	110
1,2,3-Trichloropropane	<4.1	<4.1	<3.9	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<7.6	<7.7	<2.0	<2.0	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<3.8	<3.8	<1.0	<1.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	8.2	13	3.8 (Tr)	3.6	8.8	15	12	3.5	8.5
1,2-Dichloropropane	<4.0	<4.0	<3.5	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<3.7	<3.4	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	150	170	24	18	62	86	66	15	31
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<15	<15	<19	<10	<10	<9.5	<9.5	<9.5	<9.5
Acetone	<22	<22	<27	<10	<10	64	<15	<15	<15
Benzene	<4.2	<4.2	<3.0	1.2	1.3	1.8	1.7 (Tr)	<1.7	<1.7
Bromodichloromethane	<4.0	<4.0	<3.0	<1.0	<1.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<4.1	<4.1	<2.8	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<6.1	<6.1	<4.0	<1.0	<1.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<4.8	<4.8	<4.3	<0.50	<0.50	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<3.6	<3.6	<3.6	<0.50	<0.50	<2.0	<2.0	<2.0	<2.0
Chloroethane	8.9	<4.6	<3.8	<1.0	<1.0	<1.9	<1.9	<1.6	<1.6
Chloroform	5.8	9.4	7.6	6.0	13	13	6.0	4.3	11
Chloromethane	<4.0	<4.0	<4.1	<1.0	<1.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	210	290	51	14	170	290	170	44	110
cis-1,3-Dichloropropene	<3.4	<3.4	<3.0	<0.50	<0.50	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<3.3	<3.3	<3.2	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<3.9	<3.9	<3.3	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
Dichlorodifluoromethane (Freon 12)	<4.8	<4.8	<6.8	<1.0	<1.0	<3.4	<3.4	<2.8	<2.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
Ethylbenzene	<4.1	<4.1	<3.2	0.61	0.35 (Tr)	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<17	<17	<20	<10	<10	13	<10	31 (Tr)	<9.5
Methylene Chloride	<4.3	<4.3	<3.0	<2.0	3.8	19	<1.5	<1.5	<1.5
Styrene	<3.7	<3.7	<3.2	<0.50	<0.50	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	320	340	250	200	300	280	230	180	440
Toluene	18	21	10	4.1	3.1	15	5.3	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	<4.3	<4.1	0.41 (Tr)	1.3	11	2.4 (Tr)	<1.7	<1.7
trans-1,3-Dichloropropene	<3.9	<3.9	<3.0	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
Trichloroethene	110	130	94	57	140	130	81	46	120
Trichlorofluoromethane	12	12	14	8.1	20	14	8.2	4.8 (Tr)	14
Vinyl Acetate	<9.0	<9.0	<8.5	<10	<10	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	44	44	18	9.4	26	40	25	4.4	6.3
Xylenes (total)	<11	<11	<10	<1.5	<1.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - EW-01 was not sampled because treatment system was down.

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	2,400
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	260
1,1-Dichloroethene	420
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	53
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	18
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	530
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

P:\GIS\mckesson\database\working\McKesson-AppendixC\Appendix C -- MPE-5.rpt

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
Methyl Ethyl Ketone (2-Butanone)	<95
Methylene Chloride	<15
Styrene	<16
Tetrachloroethene	1,600
Toluene	<20
trans-1,2-Dichloroethene	<17
trans-1,3-Dichloropropene	<18
Trichloroethene	820
Trichlorofluoromethane	<24
Vinyl Acetate	<40
Vinyl Chloride	<24
Xylenes (total)	<57

Note:
Values reported as micrograms per liter (ug/L).

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
Dichlorodifluoromethane (Freon 12)					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Ethylbenzene	<8	<20	<10	7	<5	<5	<5	<5	<125	<3	<0.50	4.7	0.46
Methyl Ethyl Ketone (2-Butanone)	<160	<400	<200	<100	<100	<100	<100	<100	<2,500				
Methylacryonitrile					<100	<35							
Methylene Chloride	140	<100	<50	<5	15	<5	<5	<5	<125	8.7	<1.0	<2.0	<5
Styrene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Tetrachloroethene	1,100	1,200	1,100	608	1,780	240	119	134	109 (Tr)	170	92	180	92
Toluene	14	<40	<20	<5	<5	<5	<5	<5	<125	<3	<0.50	7.1	1.2
trans-1,2-Dichloroethene			<10	<5	6	2.1 (Tr)	<5	6.8	<125	15	6.3	6.2	2.7
trans-1,3-Dichloropropene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Trichloroethene	230	400	210	156	682	95	47.8	78	40 (Tr)	41	56	110	22
Trichlorofluoromethane		80	77	8	35	<5	<5	<5	<125	<3	2.1	1.8	<3
Vinyl Acetate	<80	<200	<100		<50	<50	<50	<50	<1,250				
Vinyl Chloride	<8	<20	<10	<10	<10	<5	<5	<5	<125	<3	0.92	1.7	2.1 (Tr)
Xylenes (total)	100	120	49	<5	<5	<5	70.6	5.9	<125	<5	1.3	12	2.5
xylenes(m,p)						<5	<5						
xylenes(o)						<5	70.6						

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	1.3	29	3.1	3.8	3.6	2.2	<2.5	2.8	1.7	4.1	<1.2	<1.2	4.7
1,1,2-Trichloro-2,2,2-Trifluoroethane	1.9	4.8	8.2	11	8.5	27	19	5.9 (Tr)	3.2	5.0 (Tr)	4.4 (Tr)	4.9 (Tr)	3.6 (Tr)
1,1,2-Trichloroethane	<3	0.59	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	<0.50	<0.90
1,1-Dichloroethane	78	99	150	46	28	51	94	30	49	30	41	34	25
1,1-Dichloroethene	140	200	200	130	73	140	67	81	94	56	74	77	53
1,2,3-Trichloropropane	<5	<1.0	<5	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<1.0	<3	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<5.0	<5.0	<3.8
1,2-Dibromoethane (EDB)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.50	<0.50	<1.1
1,2-Dichloroethane	0.66	0.54	<3	<0.50	0.19 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	<1.1
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<2.0	<2.0	<0.95
1,4-Dichlorobenzene	<3	0.08	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<1.6	<1.6	<0.85
1,4-Dioxane (P-Dioxane)	<2,000	93	200	68	29		24	11	12	4.3	9.6	14	11
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<50	<50	<50	<8.0	<8.0	<8.0	<4.8
Acetone	<100	<20	<100	<20	<20	<20	<50	<50	<50	<14	<14	<14	<9.0
Benzene	3.0	3.9	9.6	2.4	1.1	3.2	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	1.2 (Tr)
Bromodichloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<1.3	<1.3	<0.95
Bromoform	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<4.3	<4.3	<0.75
Bromomethane	<5	<1.0	<5	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<1.8	<1.8	<1.4
Carbon Tetrachloride	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.5
Chlorobenzene	2.2	2	3.0	0.91	0.5	1.2	<2.5	<2.5	<2.5	0.95 (Tr)	1.2 (Tr)	0.90 (Tr)	1.3 (Tr)
Chloroethane	<3	<0.50	<3	0.24	<0.50	0.43 (Tr)	<5	<5	<5	<1.7	<1.7	<1.7	<1.2
Chloroform	<3	0.51	<3	0.54	0.85	1.4	1.1 (Tr)	1.4 (Tr)	<2.5	<1.8	<1.8	<1.8	<0.80
Chloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<1.5	<1.5	<1.8
cis-1,2-Dichloroethene	1,000	500	410	150	93	230	22	150	480	380	420	290	400
cis-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<1.3	<1.3	<1.1
Dibromochloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.65	<0.65	<1.2
Dibromomethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.1

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<2.2	<2.2	<1.9
Ethylbenzene	0.92	0.09	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<1.1	<1.1	<0.70
Methyl Ethyl Ketone (2-Butanone)		<20	<100	<20	<20	<20	<50	<50	<50	<8.5	<8.5	<8.5	<12
Methylacryonitrile													
Methylene Chloride	3.5	0.53	11	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	9.2 (Tr)	<3.6	<1.1
Styrene	0.57	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<1.0	<1.0	<0.70
Tetrachloroethene	61	85	150	150	100	170	130	87	81	56	69	55	66
Toluene	3.9	1.2	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	1.9 (Tr)	<0.50	<0.90
trans-1,2-Dichloroethene	3.5	5.5	2.8	2.1	0.7	2.1	<2.5	1.2 (Tr)	2.0	<1.8	<1.8	<1.8	1.3 (Tr)
trans-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.55	<0.55	<0.90
Trichloroethene	16	60	100	81	59	110	72	40	20	32	28	34	22
Trichlorofluoromethane	0.46	1.6	4.4	4.9	3.5	12	8.3	2.4 (Tr)	<5	<2.4	<2.4	<2.4	<2.8
Vinyl Acetate							<50	<50	<50	<11	<11	<11	<2.3
Vinyl Chloride	<3	0.62	14	7.9	3.9	11	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.4
Xylenes (total)	11	0.79	2.0	0.55	<1.0	1.1	<7.5	<7.5	<7.5	<2.0	<2.0	<2.0	<2.9
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
1,1,1-Trichloroethane	3,100	140	39	<50	176	88	9,300	2,670	1,540	1,000	780	NS	1,000	1,300
1,1,2-Trichloro-2,2,2-Trifluoroethane	630	130	19	<50	<5	32	40	<50	<50	<100	9.4	NS	<0.50	20
1,1,2-Trichloroethane	<100	<2.0	<5	<50	<5	<5	6.2	<50	<50	<50	<5	NS	1.1	1.1
1,1-Dichloroethane	190	16	36	64	640	302	1,640	468	290	190	200	NS	140	120
1,1-Dichloroethene	3,100	150	<5	<50	475	291	2,420	856	500	350	210	NS	240	280
1,2,3-Trichloropropane			<5	<50	<5	<5	<5	<50	<50	<50	<10	NS	<0.50	<5
1,2-Dibromo-3-Chloropropane (DBCP)			<5	<50	<5	<5	<5	<50	<50	<100	<10	NS	<1.0	<5
1,2-Dibromoethane (EDB)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,2-Dichloroethane	190	9.4	<5	<50	70	35	164	169	<50	<50	24	NS	23	24
1,2-Dichloropropane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dichlorobenzene	<10		<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
1,4-Dioxane (P-Dioxane)			<57	<570	<57	<57	<57	<570	<570			NS	<300	<2,000
2-Chloroethyl Vinyl Ether	<100	<2.0	<5	<50	<5	<5	<5	<50	<50			NS		
4-Methyl-2-Pentanone	<250	<5	<10	<100	<10		<10	<100	<100			NS		
Acetone	<500	15	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS	<20	58
Benzene	<100	<2.0	<5	<50	11	6.7	9.4	<10	<10	<50	<5	NS	2.5	1.4
Bromodichloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromoform	<100	<2.0	5.2	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Bromomethane								<50	<50	<100	<10	NS	<1.0	<5
Carbon Tetrachloride	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chlorobenzene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroethane	<250	<5	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Chloroform	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.5	2.0
Chloromethane								<50	<50	<50	<5	NS	<0.50	<3
cis-1,2-Dichloroethene	160	35	86	202	1,150	611	1,770	683	494	290	250	NS	280	320
cis-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromochloromethane	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dibromomethane			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Dichlorodifluoromethane (Freon 12)			<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Ethylbenzene	<100	<2.0	<5	<50	<5	34	22	<50	<50	<50	<5	NS	3.4	1.7
Methyl Ethyl Ketone (2-Butanone)	<500	<10	<100	<1,000	<100	<100	<100	<1,000	<1,000			NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/7/95	2/23/96	11/11/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/11/02	6/5/02	9/30/02	12/2/02	3/12/03	6/11/03
Methylene Chloride	13,000	<10	<5	<50	<5	6.9	<5	3,510	104	<100	<10	NS	100	160
Styrene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Tetrachloroethene	6,300	<500	<5	<50	413	237	4,150	1,430	1,200	850	420	NS	610	710
Toluene	350	<2.0	<5	<50	<5	77	422	257	130	88	58	NS	49	27
trans-1,2-Dichloroethene	<100	<2.0	14	<50	<5	<5	<5	<50	<50	<50	<5	NS	1.4	3.3
trans-1,3-Dichloropropene	<100	<2.0	<5	<50	<5	<5	<5	<50	<50	<50	<5	NS	<0.50	<3
Trichloroethene	900	170	87	<50	205	180	687	586	342	220	140	NS	130	190
Trichlorofluoromethane	<250	59	6.1	<50	13	5.8	48	<50	<50	<50	7.0	NS	13	9.8
Vinyl Acetate	<250	<5	<50	<500	<50	<50	<50	<500	<500			NS		
Vinyl Chloride	<250	<5	<5	<50	53	92	947	375	256	150	190	NS	90	67
Xylenes (total)	130	<2.0	<5	<50	<5	52	71	<50	<50	<100	<10	NS	9.9	5.9
xylenes(m,p)				<50	<5		36.4					NS		
xylenes(o)				<50	<5		34.6					NS		

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
1,1,1-Trichloroethane	900	1,300	270	3,100	820	210	4,000	5,900	5,300	2,200	1,100	870	680	250
1,1,2-Trichloro-2,2,2-Trifluoroethane	18	12	7.3	17	14	7.1 (Tr)	15	53	<65	70 (Tr)	56 (Tr)	54	44	38
1,1,2-Trichloroethane	1.8	2.2	0.71	<5	1.2	<2.5	<2.5	<50	<10	<10	<5.0	<1.8	<8.0	<4
1,1-Dichloroethane	290	320	96	270	210	120	190	610	700	580	600	670	490	270
1,1-Dichloroethene	420	530	82	490	250	120	450	1,000	1,500	860	500	510	530	270
1,2,3-Trichloropropane	<1.0	<10	<1.0	<10	<1.0	<2.5	<2.5	<50	<27	<27	<14	<2.4	<8.2	<4.1
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<10	<1.0	<10	<1.0	<10	<10	<200	<100	<100	<50	<7.6	<16	<7.6
1,2-Dibromoethane (EDB)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<10	<10	<5.0	<2.1	<7.6	<3.8
1,2-Dichloroethane	38	44	18	28	19	13	25	66	53	42 (Tr)	33	29	27	14
1,2-Dichloropropane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<39	<39	<20	<1.9	<8.0	<4
1,4-Dichlorobenzene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<31	<31	<16	<1.7	<7.4	<3.7
1,4-Dioxane (P-Dioxane)	200	130	120	150		24	21	110	94	69	150	170	92	120
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone						<50	<50	<1,000	<160	<160	<80	<9.6	<30	<15
Acetone	<20	<200	<20	<200	<20	<50	<50	840	<280	380 (Tr)	230 (Tr)	210	97 (Tr)	22 (Tr)
Benzene	4	4.7	4.4	3.3	2.7	1.8 (Tr)	2.4 (Tr)	<50	<38	<38	<19	4.7 (Tr)	<8.4	<4.2
Bromodichloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<26	<26	<13	<1.9	<8.0	<4
Bromoform	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<86	<86	<43	<1.5	<8.2	<4.1
Bromomethane	<1.0	<10	<1.0	<10	<1.0	<5	<5	<100	<35	<35	<18	<2.7	<13	<6.1
Carbon Tetrachloride	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<36	<36	<18	<2.9	<9.6	<4.8
Chlorobenzene	0.49	<5	<0.50	<5	0.44 (Tr)	<2.5	<2.5	<50	<10	<10	<5.0	<1.7	<7.2	<3.6
Chloroethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<33	<33	<17	<2.3	<9.2	6.4 (Tr)
Chloroform	1.8	2.1	0.94	2 (Tr)	1.4	1.1 (Tr)	1.8 (Tr)	<50	<35	<35	<18	5.8	<8.0	5.3
Chloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<30	<30	<15	<3.6	<8.0	<4
cis-1,2-Dichloroethene	450	520	130	430	360	170	320	1,600	2,300	1,200	910	930	750	350
cis-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<26	<26	<13	<2.1	<6.8	<3.4
Dibromochloromethane	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<13	<13	<6.5	<2.3	<6.6	<3.3
Dibromomethane	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<29	<29	<15	<2.2	<7.8	<3.9
Dichlorodifluoromethane (Freon 12)	<0.50	<5	<0.50	<5	<0.50	<5	<5	<100	<43	<43	<22	<3.7	<9.6	<4.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/4/06
Ethylbenzene	7.8	6.1	5.9	3 (Tr)	0.48 (Tr)	<2.5	<2.5	<50	<22	<22	<11	3.1 (Tr)	<8.2	<4.1
Methyl Ethyl Ketone (2-Butanone)	8.8	<200	<20	<200	<20	<50	<50	<1,000	<170	<170	<85	25 (Tr)	<34	<17
Methylene Chloride	48	<10	<1.0	28	7.8	<10	40	1,000	490	520	44 (Tr)	78	43	16 (Tr)
Styrene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<20	<20	<10	<1.4	<7.4	<3.7
Tetrachloroethene	550	590	270	1,300	670	270	2,900	2,100	3,300	2,200	1,400	960	520	290
Toluene	88	80	71	48	8	<2.5	2.4 (Tr)	81	100	110	75	48	56	10
trans-1,2-Dichloroethene	18	3.6	4	1.7 (Tr)	7.4	<2.5	2.8	<50	<36	<36	<18	2.6 (Tr)	<8.6	<4.3
trans-1,3-Dichloropropene	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<50	<11	<11	<5.5	<1.8	<7.8	<3.9
Trichloroethene	160	230	82	270	130	81	330	480	390	470	330	180	190	110
Trichlorofluoromethane	9.3	6.5	2.4	11	6.4	2.5 (Tr)	6.2	<100	<47	<47	<24	14	14 (Tr)	9.5 (Tr)
Vinyl Acetate						<50	<50	<1,000	<220	<220	<110	<4.6	<18	<9
Vinyl Chloride	160	190	99	120	61	38	47	140	120	150	160	140	87	44
Xylenes (total)	19	17	8.2	6.4 (Tr)	2.3	<7.5	<7.5	<150	<40	<40	<20	7.4 (Tr)	<22	<11
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
1,1,1-Trichloroethane	150	170	23	4.5	100	160	130	<2.3	330
1,1,2-Trichloro-2,2,2-Trifluoroethane	43	50	54	32	66	46	26	17	50
1,1,2-Trichloroethane	<4.0	<4.0	<3.4	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	180	260	56	37	150	240	150	61	85
1,1-Dichloroethene	190	200	67	29	170	130	110	30	110
1,2,3-Trichloropropane	<4.1	<4.1	<3.9	<0.50	<0.50	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<7.6	<7.7	<2.0	<2.0	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<3.8	<3.8	<1.0	<1.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	8.2	13	3.8 (Tr)	3.6	8.8	15	12	3.5	8.5
1,2-Dichloropropane	<4.0	<4.0	<3.5	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<3.7	<3.4	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	150	170	24	18	62	86	66	15	31
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<15	<15	<19	<10	<10	<9.5	<9.5	<9.5	<9.5
Acetone	<22	<22	<27	<10	<10	64	<15	<15	<15
Benzene	<4.2	<4.2	<3.0	1.2	1.3	1.8	1.7 (Tr)	<1.7	<1.7
Bromodichloromethane	<4.0	<4.0	<3.0	<1.0	<1.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<4.1	<4.1	<2.8	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<6.1	<6.1	<4.0	<1.0	<1.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<4.8	<4.8	<4.3	<0.50	<0.50	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<3.6	<3.6	<3.6	<0.50	<0.50	<2.0	<2.0	<2.0	<2.0
Chloroethane	8.9	<4.6	<3.8	<1.0	<1.0	<1.9	<1.9	<1.6	<1.6
Chloroform	5.8	9.4	7.6	6.0	13	13	6.0	4.3	11
Chloromethane	<4.0	<4.0	<4.1	<1.0	<1.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	210	290	51	14	170	290	170	44	110
cis-1,3-Dichloropropene	<3.4	<3.4	<3.0	<0.50	<0.50	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<3.3	<3.3	<3.2	<1.0	<1.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<3.9	<3.9	<3.3	<0.50	<0.50	<1.9	<1.9	<1.9	<1.9
Dichlorodifluoromethane (Freon 12)	<4.8	<4.8	<6.8	<1.0	<1.0	<3.4	<3.4	<2.8	<2.8

Historical Groundwater Analytical Data
Extraction Well EW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/10/08	3/11/09
Ethylbenzene	<4.1	<4.1	<3.2	0.61	0.35 (Tr)	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<17	<17	<20	<10	<10	13	<10	31 (Tr)	<9.5
Methylene Chloride	<4.3	<4.3	<3.0	<2.0	3.8	19	<1.5	<1.5	<1.5
Styrene	<3.7	<3.7	<3.2	<0.50	<0.50	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	320	340	250	200	300	280	230	180	440
Toluene	18	21	10	4.1	3.1	15	5.3	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	<4.3	<4.1	0.41 (Tr)	1.3	11	2.4 (Tr)	<1.7	<1.7
trans-1,3-Dichloropropene	<3.9	<3.9	<3.0	<0.50	<0.50	<1.8	<1.8	<1.8	<1.8
Trichloroethene	110	130	94	57	140	130	81	46	120
Trichlorofluoromethane	12	12	14	8.1	20	14	8.2	4.8 (Tr)	14
Vinyl Acetate	<9.0	<9.0	<8.5	<10	<10	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	44	44	18	9.4	26	40	25	4.4	6.3
Xylenes (total)	<11	<11	<10	<1.5	<1.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - EW-01 was not sampled because treatment system was down.

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	2,400
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	260
1,1-Dichloroethene	420
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	53
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	18
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	530
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

P:\GIS\mckesson\database\working\McKesson-AppendixC\Appendix C -- MPE-5.rpt

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-5
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
Methyl Ethyl Ketone (2-Butanone)	<95
Methylene Chloride	<15
Styrene	<16
Tetrachloroethene	1,600
Toluene	<20
trans-1,2-Dichloroethene	<17
trans-1,3-Dichloropropene	<18
Trichloroethene	820
Trichlorofluoromethane	<24
Vinyl Acetate	<40
Vinyl Chloride	<24
Xylenes (total)	<57

Note:
Values reported as micrograms per liter (ug/L).

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-7
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	1,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	250
1,1-Dichloroethene	380
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	32
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	58
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	570
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-7
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
1,1,1-Trichloroethane	1,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	<39
1,1,2-Trichloroethane	<22
1,1-Dichloroethane	250
1,1-Dichloroethene	380
1,2,3-Trichloropropane	<22
1,2-Dibromo-3-Chloropropane (DBCP)	<35
1,2-Dibromoethane (EDB)	<20
1,2-Dichloroethane	32
1,2-Dichloropropane	<18
1,4-Dichlorobenzene	<19
1,4-Dioxane (P-Dioxane)	58
4-Methyl-2-Pentanone	<95
Acetone	<150
Benzene	<17
Bromodichloromethane	<14
Bromoform	<16
Bromomethane	<17
Carbon Tetrachloride	<23
Chlorobenzene	<20
Chloroethane	<16
Chloroform	<17
Chloromethane	<18
cis-1,2-Dichloroethene	570
cis-1,3-Dichloropropene	<15
Dibromochloromethane	<16
Dibromomethane	<19
Dichlorodifluoromethane (Freon 12)	<28
Ethylbenzene	<22

Historical Groundwater Analytical Data
Multi-Phase Extraction Well MPE-7
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/30/09
Methyl Ethyl Ketone (2-Butanone)	<95
Methylene Chloride	190
Styrene	<16
Tetrachloroethene	930
Toluene	<20
trans-1,2-Dichloroethene	<17
trans-1,3-Dichloropropene	<18
Trichloroethene	310
Trichlorofluoromethane	<24
Vinyl Acetate	<40
Vinyl Chloride	<24
Xylenes (total)	<57

Note:
Values reported as micrograms per liter (ug/L).

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	11/10/99	12/28/00	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02	6/5/02	9/30/02
1,1,1-Trichloroethane	300	260	150	33	167	290	394	<50	282	67	107	55	52	57	2.9
1,1,2-Trichloro-2,2,2-Trifluoroethane		40	19		19	43	29	<50	<5	38	40	<50	<50	32	55
1,1,2-Trichloroethane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,1-Dichloroethane	230	180	93	66	342	400	1,290	123	1,120	294	665	735	1,100	1,200	180
1,1-Dichloroethene	1,100	790	530	626	2,420	750	1,010	24 (Tr)	390	<5	261	297	296	590	66
1,2,3-Trichloropropane					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
1,2-Dibromoethane (EDB)					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,2-Dichloroethane	7	<10	<5	13	51	15	32	<50	12	<5	<5	<50	<50	25	0.63
1,2-Dichloroethene, Total	650	440													
1,2-Dichloropropane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,4-Dichlorobenzene	<10					<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
1,4-Dioxane (P-Dioxane)						100 (Tr)	<570	<570	<57	90	<57	<570	<570		
2-Chloroethyl Vinyl Ether					<10	<5	<50	<50	<5	<5	<5	<50	<50		
4-Methyl-2-Pentanone	<60	<100	<50			<10	<100	<100	<10		<10	<100	<100		
Acetone	<120	<200	<100	<100	<100	<100	<1,000	<1,000	<100	<100	<100	<1,000	<1,000		
Benzene	<6	<10	<5	<5	<5	4.9 (Tr)	<50	<50	<5	<5	<1.0	<10	<10	<10	0.66
Bromodichloromethane	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Bromoform	<30	<50	<25		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Bromomethane												<50	<50	<20	<1.0
Carbon Tetrachloride	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Chlorobenzene	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Chloroethane	<6	<10	<5		<10	<5	<50	<50	<5	<5	<5	<50	<50	<10	2.0
Chloroform	<6	<10	<5	<5	16	2.7 (Tr)	<50	<50	<5	<5	<5	<50	<50	<10	1.7
Chloromethane												<50	<50	<10	<0.50
cis-1,2-Dichloroethene			320	130	550	1,560	1,800	<50	658	1,040	798	982	977	1,300	86
cis-1,3-Dichloropropene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Dibromochloromethane	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Dibromomethane					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	11/10/99	12/28/00	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02	6/5/02	9/30/02
Dichlorodifluoromethane (Freon 12)					<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Ethylbenzene	<6	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Methyl Ethyl Ketone (2-Butanone)	<120	<200	<100	<100	<100	<100	<1,000	<1,000	<100	<100	<100	<1,000	<1,000		
Methylacryonitrile					<100	<35									
Methylene Chloride	<30	<50	<25	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
Styrene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Tetrachloroethene	600	530	350	587	1,440	460	522	<50	342	259	194	132	125	310	85
Toluene	180	<20	<10	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
trans-1,2-Dichloroethene			<5	<5	8	4.7 (Tr)	7.8	<50	<5	<5	<5	<50	<50	<10	0.98
trans-1,3-Dichloropropene	<6	<10	<5		<5	<5	<50	<50	<5	<5	<5	<50	<50	<10	<0.50
Trichloroethene	590	520	360	527	1,410	230	462	<50	217	<5	191	139	116	210	100
Trichlorofluoromethane		30	14	43	103	11	13	<50	13	<5	35	<50	<50	15	28
Vinyl Acetate	<60	<100	<50		<50	<50	<500	<500	<50	<50	<50	<500	<500		
Vinyl Chloride	<6	<10	<5	<10	<10	28	8.3	<50	16	65	58	<50	<50	39	13
Xylenes (total)	13	<10	<5	<5	<5	<5	<50	<50	<5	<5	<5	<50	<50	<20	<1.0
xylenes(m,p)						<5		<50	<5	<5	<5				
xylenes(o)						<5		<50	<5	<5	<5				

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06
1,1,1-Trichloroethane	4.0	2.9	4.0	1.6	0.76	1.8	1.1	2	<2.5	<2.5	<2.5	1.9 (Tr)	<1.2	1.1
1,1,2-Trichloro-2,2,2-Trifluoroethane	57	31	6.7	8.2	41	58	49	58	53	60	6.4	15	30	37
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	<0.10
1,1-Dichloroethane	150	150	150	83	44	110	44	78	27	43	290	240	110	180
1,1-Dichloroethene	55	68	91	58	40	58	34	67	76	85	150	190	96	140
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<1.4	<0.27
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<5.0	<1.0
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.50	<0.10
1,2-Dichloroethane	0.50	1.2	1.4	0.79	0.42	0.73	0.61	0.42 (Tr)	2.8	3.5	5.7	6.6	2.7	3.2
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<2.0	<0.39
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<1.6	<0.31
1,4-Dioxane (P-Dioxane)	<300	<300	<300	23	17	21	14		1.6 (Tr)	2.7	16	21	9.0	45
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone									<50	<50	<50	<8.0	<8.0	<1.6
Acetone		<20	<20	<20	<20	<20	<20	<20	<50	<50	10	<14	<14	<2.8
Benzene	<0.50	0.46	0.74	0.36	0.24	0.19	0.09 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.9	<1.9	<0.38
Bromodichloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<1.3	<0.26
Bromoform	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<4.3	<0.86
Bromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<1.8	<0.35
Carbon Tetrachloride	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.12 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.8	<1.8	<0.36
Chlorobenzene	<0.50	0.33	0.50	0.24	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	0.13 (Tr)
Chloroethane	1.5	0.22	<0.50	<0.50	0.28	0.58	0.44 (Tr)	<0.50	<5	<5	<5	<1.7	<1.7	0.60 (Tr)
Chloroform	2.4	1.5	1.1	1	1.8	2.2	2.4	2.3	3.2	3.9	2.3	2.9	4.0	10
Chloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<1.5	<0.30
cis-1,2-Dichloroethene	68	110	150	100	46	81	29	77	30	46	300	260	98	170
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<1.3	<0.26
Dibromochloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.65	<0.13
Dibromomethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<1.5	<0.29

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	0.07	<0.50	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<2.2	<0.43
Ethylbenzene	<0.50	0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<1.1	<0.22
Methyl Ethyl Ketone (2-Butanone)				<20	<20	<20	<20	<20	<50	<50	<50	<8.5	<8.5	<1.7
Methylacryonitrile														
Methylene Chloride	<1.0	<1.0	<1.0	0.13	<1.0	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	5.8 (Tr)	0.97 (Tr)
Styrene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<1.0	<0.20
Tetrachloroethene	74	120	160	130	99	97	85	96	100	130	140	160	100	130
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.12 (Tr)	<0.50	<2.5	<2.5	<2.5	<0.50	1.5 (Tr)	<0.10
trans-1,2-Dichloroethene	0.74	0.34	1.2	0.67	0.16	0.83	0.17 (Tr)	1.3	<2.5	<2.5	1.1	<1.8	<1.8	0.62
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.55	<0.11
Trichloroethene	90	56	54	41	85	95	100	210	150	140	76	88	82	110
Trichlorofluoromethane	23	16	3.1	3.6	19	23	20	24	22	22	3.7	6.7	8.9	14
Vinyl Acetate									<50	<50	<50	<11	<11	<2.2
Vinyl Chloride	8.2	6.8	12	4.8	1.6	1.2	0.62	0.24 (Tr)	2.1 (Tr)	<2.5	<2.5	<1.4	<1.4	0.53
Xylenes (total)	<1.0	<1.0	<1.0	<1.0	0.58	<1.0	<1.0	<1.0	<7.5	<7.5	<7.5	<2.0	<2.0	<0.40
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/21/08	5/21/08	9/26/08	12/9/08	3/11/09
1,1,1-Trichloroethane	1.7	<4.6	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<2.0	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	82	72	91	98	72	93	170	260	160	150	230	300
1,1,2-Trichloroethane	<0.18	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	300	150	97	100	79	43	33	26	26	55	13	3.1
1,1-Dichloroethene	180	150	130	130	100	110	130	230	150	130	200	210
1,2,3-Trichloropropane	<0.24	<4.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<7.6	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<0.21	<3.8	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	4.1	4.1 (Tr)	3.1	3.7	3.8	2.4 (Tr)	3.2	5.3	4.5	2.9	5.8	5.0
1,2-Dichloroethene, Total												
1,2-Dichloropropane	<0.19	<4.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<0.17	<3.7	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	47	19	33	31	22	15	14	12	19	10	16	16
2-Chloroethyl Vinyl Ether												
4-Methyl-2-Pentanone	<0.96	<15	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	<1.8	26 (Tr)	<11	<11	<11	<14	<50	<50	<15	<15	<15	<15
Benzene	<0.18	<4.2	<2.1	<2.1	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<1.7
Bromodichloromethane	<0.19	<4.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<0.15	<4.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<0.27	<6.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<0.29	<4.8	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	0.26 (Tr)	<3.6	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	1.0	<4.6	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<1.6
Chloroform	25	28	28	28	26	22	34	58	45	32	50	54
Chloromethane	<0.36	<4.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	240	140	96	110	77	44	32	28	35	58	26	14
cis-1,3-Dichloropropene	<0.21	<3.4	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<0.23	<3.3	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<0.22	<3.9	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well MW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/21/08	5/21/08	9/26/08	12/9/08	3/11/09
Dichlorodifluoromethane (Freon 12)	<0.37	<4.8	<2.4	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<0.14	<4.1	<2.1	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<2.3	<17	<8.5	<8.5	<8.5	<10	<50	<50	<10	<10	<9.5	<9.5
Methylacryonitrile												
Methylene Chloride	<0.22	<4.3	<2.2	<2.2	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<1.5
Styrene	<0.14	<3.7	<1.9	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	180	190	190	220	170	190	240	350	270	210	360	360
Toluene	<0.18	<3.6	<1.8	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	1.6	<4.3	<2.2	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	<2.1	<1.7	<1.7
trans-1,3-Dichloropropene	<0.18	<3.9	<2.0	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	170	130	120	130	120	110	150	250	190	150	250	250
Trichlorofluoromethane	27	27	26	26	22	27	44	86	59	49	78	84
Vinyl Acetate	<0.46	<9.0	<4.5	<4.5	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	1.5	<4.3	<2.2	<2.2	<2.2	<2.2	<2.5	<2.5	<2.4	<2.4	<2.4	<2.4
Xylenes (total)	<0.57	<11	<5.6	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)												
xylenes(o)												

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/23/96	2/2/99	9/20/00	10/23/01	2/13/02	6/4/02	9/27/02	12/3/02
1,1,1-Trichloroethane	30	27	37	16	12	8.2	9.6	12	37.1	52	36 (Tr)	34	2.2	1.8
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	30	24		49	30	16	28	<5	<5	<50	17	26	17
1,1,2-Trichloroethane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
1,1-Dichloroethane	20	<5	22	<5	16	7.4	8.5	10	96.9	1,000	1,050	970	35	45
1,1-Dichloroethene	270	67	360	85	103	72	51	83	211	470	644	480	48	60
1,2,3-Trichloropropane					<5			<5	<5	<5	<50	<5	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5		<5	<5	<5	<50	<5	<1.0	<1.0
1,2-Dibromoethane (EDB)					<5			<5	<5	<5	<50	<3	<0.50	<0.50
1,2-Dichloroethane	6	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	4	0.53	0.83
1,2-Dichloroethene, Total	80	47												
1,2-Dichloropropane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
1,4-Dichlorobenzene	<10					<5		<5	<5	<5	<50	<3	<0.50	<0.50
1,4-Dioxane (P-Dioxane)						<5		<200	<57	<57	<570			<300
2-Chloroethyl Vinyl Ether					<10	<2.0	<2.0	<5	<5	<5	<50			
4-Methyl-2-Pentanone	<10	<50	<50		<50	<5	<5	<10	<10	<10	<100			
Acetone	<20	<100	<100	<100	<100	<10	<10	<100	<100	<100	<1,000			
Benzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<1.0	17	<10	5.8	0.57	0.88
Bromodichloromethane	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Bromoform	<5	<25	<25		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Bromomethane										<5	<50	<5	<1.0	<1.0
Carbon Tetrachloride	<1.0	<5	<5		<5	<5	<5	<5	<5	<5	<50	<3	<0.50	<0.50
Chlorobenzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	5.5	<0.50	<0.50
Chloroethane	<1.0	<5	<5		<10	<5	<5	<5	<5	<5	<50	<3	<0.50	<0.50
Chloroform	2	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	0.87	0.92
Chloromethane										<5	<50	<3	<0.50	<0.50
cis-1,2-Dichloroethene			78	15	32	19	32	88	335	2,050	2,230	2,000	79	100
cis-1,3-Dichloropropene	<1.0	<5	5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Dibromomethane					<5			<5	<5	<5	<50	<3	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/1/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/23/96	2/2/99	9/20/00	10/23/01	2/13/02	6/4/02	9/27/02	12/3/02
Dichlorodifluoromethane (Freon 12)					<5			<5	<5	<5	<50	<3	<0.50	<0.50
Ethylbenzene	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<100	<100	<100	<10	<10	<100	<100	<100	<1,000			
Methylacryonitrile					<100			<35						
Methylene Chloride	<5	<25	<25	<5	<5	<10	<10	<5	<5	<5	<50	7.4	<1.0	<1.0
Styrene	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Tetrachloroethene	220	<5	270	197	88	73	60	118	304	100	159	170	190	210
Toluene	6	<10	<10	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
trans-1,2-Dichloroethene			<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	10	0.58	1.3
trans-1,3-Dichloropropene	<1.0	<5	<5		<5	<2.0	<2.0	<5	<5	<5	<50	<3	<0.50	<0.50
Trichloroethene	400	680	700	229	181	150	100	105	134	170	215	210	60	72
Trichlorofluoromethane	10	10	26	41	13	15	7	9.7	<5	<5	<50	4.3	7.4	7.3
Vinyl Acetate	<10	<50	<50		<50	<5	<5	<50	<50	<50	<500			
Vinyl Chloride	<1.0	<5	<5	<10	<10	<5	<5	<5	<5	4.7	<50	5.8	1.6	2.7
Xylenes (total)	<1.0	<5	<5	<5	<5	<2.0	<2.0	<5	<5	<5	<50	<5	<1.0	<1.0
xylenes(m,p)								<5	<5					
xylenes(o)								<5	<5					

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
1,1,1-Trichloroethane	1.3	0.76	0.59	1.1	0.23	<3	0.21 (Tr)	<2.5	<2.5	<2.5	<1.2	0.42 (Tr)	0.65	<1.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	16	8.6	8.2	8.3	4	5.6	3.3	5.1 (Tr)	3.6 (Tr)	21	23	51	130	130
1,1,2-Trichloroethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10	<0.90
1,1-Dichloroethane	45	30	31	54	14	43	24	10	40	25	21	38	49	52
1,1-Dichloroethene	66	45	42	62	21	44	27	32	53	25	31	55	88	86
1,2,3-Trichloropropane	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<10	<10	<10	<5.0	<1.0	<1.0	<3.8
1,2-Dibromoethane (EDB)	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<0.50	<0.10	<0.10	<1.1
1,2-Dichloroethane	0.52	0.60	0.96	0.96	1.2	<3	0.5	<2.5	<2.5	<2.5	<1.9	0.67	1.2	1.2 (Tr)
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<2.0	<0.39	<0.39	<0.95
1,4-Dichlorobenzene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.6	<0.31	<0.31	<0.85
1,4-Dioxane (P-Dioxane)	<300	<300	9.5	14	0.72		8.4	2.4	2.0		2.2	3.3	11	6.7
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone								<50	<50	<50	<8.0	<1.6	<1.6	<4.8
Acetone	<20	<20	<40	<20	<20	<100	<20	<50	<50	14 (Tr)	<14	<2.8	<2.8	<9.0
Benzene	0.88	0.36	0.36	0.91	0.11	<3	0.33 (Tr)	<2.5	<2.5	<2.5	<1.9	0.71	0.66	<0.90
Bromodichloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.3	<0.26	<0.26	<0.95
Bromoform	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<4.3	<0.86	<0.86	<0.75
Bromomethane	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<5	<5	<5	<1.8	<0.35	<0.35	<1.4
Carbon Tetrachloride	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.8	<0.36	<0.36	<1.5
Chlorobenzene	0.26	<0.50	<1.0	<0.50	<0.50	<3	0.09 (Tr)	<2.5	<2.5	<2.5	<0.50	0.15 (Tr)	0.30 (Tr)	<0.85
Chloroethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.7	<0.33	<0.33	<1.2
Chloroform	0.97	0.78	0.6	0.67	0.61	0.55 (Tr)	0.61	<2.5	<2.5	2.2 (Tr)	3.4	6.0	12	13
Chloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<1.5	<0.30	<0.30	<1.8
cis-1,2-Dichloroethene	96	77	79	86	39	91	43	27	69	49	45	71	100	100
cis-1,3-Dichloropropene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.3	<0.26	<0.26	<1.1
Dibromochloromethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<0.65	<0.13	<0.13	<1.2
Dibromomethane	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.5	<0.29	<0.29	<1.1

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
Dichlorodifluoromethane (Freon 12)	0.74	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<5	<5	<5	<2.2	<0.43	<0.43	<1.9
Ethylbenzene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.1	<0.22	<0.22	<0.70
Methyl Ethyl Ketone (2-Butanone)			<40	<20	<20	<100	<20	<50	<50	<50	<8.5	<1.7	<1.7	<12
Methylacryonitrile														
Methylene Chloride	<1.0	<1.0	0.24	<1.0	<1.0	0.9 (Tr)	<1.0	<10	<10	<10	<3.6	<0.72	0.88 (Tr)	<1.1
Styrene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<1.0	<0.20	<0.20	<0.70
Tetrachloroethene	170	200	220	210	300	230	180	140	170	160	160	160	170	190
Toluene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.50	0.77	<0.10	<0.90
trans-1,2-Dichloroethene	0.95	0.56	0.87	1.2	0.36	<3	0.39 (Tr)	<2.5	<2.5	2.6	<1.8	<0.36	0.78	<0.95
trans-1,3-Dichloropropene	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<2.5	<2.5	<2.5	<0.55	<0.11	<0.11	<0.90
Trichloroethene	68	56	69	62	59	52	36	29	39	51	61	99	190	170
Trichlorofluoromethane	7.2	3.8	3.1	3.2	1.7	1.4 (Tr)	0.94	<5	<5	5.5	7.1	15	31	27
Vinyl Acetate								<50	<50	<50	<11	<2.2	<2.2	<2.3
Vinyl Chloride	3.5	1.2	1.5	3.8	0.34	2.5 (Tr)	2.1	<2.5	<2.5	<2.5	<1.4	1.4	1.5	1.6 (Tr)
Xylenes (total)	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<7.5	<7.5	<7.5	<2.0	0.43 (Tr)	<0.40	<2.9
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/21/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<2.3	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<2.0	<2.3	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	64	34	61	47	33	23	19	18	16	14	29
1,1,2-Trichloroethane	<2.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<0.44
1,1-Dichloroethane	46	24	32	41	22	16	26	19	6.9	<1.7	1.0
1,1-Dichloroethene	66	43	59	61	39	27	31	28	18	14	23
1,2,3-Trichloropropane	<2.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<3.8	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<0.69
1,2-Dibromoethane (EDB)	<1.9	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<0.39
1,2-Dichloroethane	<1.7	<1.7	<1.7	1.7 (Tr)	<1.9	<2.5	<2.5	<1.9	<1.9	<1.9	0.60
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<2.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
1,4-Dichlorobenzene	<1.9	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38
1,4-Dioxane (P-Dioxane)	5.7	6.2	14	11	6.2	4.0	4.2	4.8	3.5	2.2	2.9
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<7.5	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<1.9
Acetone	<11	<11	<11	<11	<14	<50	<50	<15	<15	<15	<3.0
Benzene	<2.1	<2.1	<2.1	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<0.33
Bromodichloromethane	<2.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<0.28
Bromoform	<2.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Bromomethane	<3.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<0.33
Carbon Tetrachloride	<2.4	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<0.46
Chlorobenzene	<1.8	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<0.39
Chloroethane	<2.3	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<0.31
Chloroform	8.2	6.3	11	12	6.3	6.5	5.0	5.7	4.3	3.9	6.5
Chloromethane	<2.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<0.36
cis-1,2-Dichloroethene	90	51	61	73	41	28	40	33	13	5.3	4.3
cis-1,3-Dichloropropene	<1.7	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<0.29
Dibromochloromethane	<1.7	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Dibromomethane	<2.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38

Historical Groundwater Analytical Data
Monitoring Well MW-02
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/21/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<2.4	<2.4	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<0.56
Ethylbenzene	<2.1	<2.1	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
Methyl Ethyl Ketone (2-Butanone)	<8.5	<8.5	<8.5	<8.5	<10	<50	<50	<10	<10	<9.5	<1.9
Methylacryonitrile											
Methylene Chloride	<2.2	<2.2	<2.2	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<0.29
Styrene	<1.9	<1.9	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<0.32
Tetrachloroethene	180	210	210	190	230	200	190	220	160	130	120
Toluene	<1.8	<1.8	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<0.40
trans-1,2-Dichloroethene	<2.2	<2.2	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	<2.1	<1.7	<0.33
trans-1,3-Dichloropropene	<2.0	<2.0	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
Trichloroethene	120	81	90	95	70	57	54	56	41	36	49
Trichlorofluoromethane	19	10	15	12	8.5	6.9	5.3	4.9	4.9 (Tr)	4.1 (Tr)	7.7
Vinyl Acetate	<4.5	<4.5	<4.5	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<0.80
Vinyl Chloride	<2.2	<2.2	<2.2	<2.2	<2.2	<2.5	<2.5	<2.4	<2.4	<2.4	<0.47
Xylenes (total)	<5.6	<5.6	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<1.1
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
1,1,1-Trichloroethane	1,700	2,200	1,300	168	649	12	14	15	<125	6.2	7.8	60	0.99 (Tr)
1,1,2-Trichloro-2,2,2-Trifluoroethane	53	200	76		34	7	<5	<5	<125	4.4	4.6	<1.0	<3
1,1,2-Trichloroethane	<8	<20	<10		<5	<5	<5	<5	<125	<3	1.2	<1.0	<3
1,1-Dichloroethane	100	480	200	52	231	130	443	452	425	190	100	150	110
1,1-Dichloroethene	1,200	1,700	1,300	666	1,740	310	620	559	634	330	170	140	300
1,2,3-Trichloropropane					<5	<5	<5	<5	<125	<5	<1.0	<2.0	<5
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<5	<5	<125	<3	<1.0	<2.0	<5
1,2-Dibromoethane (EDB)					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,2-Dichloroethane	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	0.71	1.2	<3
1,2-Dichloroethene, Total	230	630											
1,2-Dichloropropane	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,4-Dichlorobenzene	<10					<5	<5	<5	<125	<3	<0.50	<1.0	<3
1,4-Dioxane (P-Dioxane)						<200	<57	<57	<1,425			<600	<2,000
2-Chloroethyl Vinyl Ether					<10	<5	<5	<5	<125				
4-Methyl-2-Pentanone	<80	<200	<100		<50	<10	<10	<10	<250				
Acetone	210	<400	<200	<100	<100	<100	<100	<100	<2,500				<100
Benzene	<8	29	11	<5	14	6	23	14	<25	8.8	6.1	8.7	5.0
Bromodichloromethane	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Bromoform	<40	<100	<50		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Bromomethane								<5	<125	<5	<1.0	<2.0	<5
Carbon Tetrachloride	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chlorobenzene	<8	<20	<10	<5	<5	<5	<5	7.3	<125	5	2.3	<1.0	2.5
Chloroethane	<8	<20	<10		<10	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chloroform	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Chloromethane								<5	<125	<3	<0.50	<1.0	<3
cis-1,2-Dichloroethene			280	140	765	330	2,790	2,070	3,360	2,500	430	460	580
cis-1,3-Dichloropropene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Dibromochloromethane	<8	<20	<10	<5	<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Dibromomethane					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
Dichlorodifluoromethane (Freon 12)					<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Ethylbenzene	<8	<20	<10	7	<5	<5	<5	<5	<125	<3	<0.50	4.7	0.46
Methyl Ethyl Ketone (2-Butanone)	<160	<400	<200	<100	<100	<100	<100	<100	<2,500				
Methylacryonitrile					<100	<35							
Methylene Chloride	140	<100	<50	<5	15	<5	<5	<5	<125	8.7	<1.0	<2.0	<5
Styrene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Tetrachloroethene	1,100	1,200	1,100	608	1,780	240	119	134	109 (Tr)	170	92	180	92
Toluene	14	<40	<20	<5	<5	<5	<5	<5	<125	<3	<0.50	7.1	1.2
trans-1,2-Dichloroethene			<10	<5	6	2.1 (Tr)	<5	6.8	<125	15	6.3	6.2	2.7
trans-1,3-Dichloropropene	<8	<20	<10		<5	<5	<5	<5	<125	<3	<0.50	<1.0	<3
Trichloroethene	230	400	210	156	682	95	47.8	78	40 (Tr)	41	56	110	22
Trichlorofluoromethane		80	77	8	35	<5	<5	<5	<125	<3	2.1	1.8	<3
Vinyl Acetate	<80	<200	<100		<50	<50	<50	<50	<1,250				
Vinyl Chloride	<8	<20	<10	<10	<10	<5	<5	<5	<125	<3	0.92	1.7	2.1 (Tr)
Xylenes (total)	100	120	49	<5	<5	<5	70.6	5.9	<125	<5	1.3	12	2.5
xylenes(m,p)						<5	<5						
xylenes(o)						<5	70.6						

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	1.3	29	3.1	3.8	3.6	2.2	<2.5	2.8	1.7	4.1	<1.2	<1.2	4.7
1,1,2-Trichloro-2,2,2-Trifluoroethane	1.9	4.8	8.2	11	8.5	27	19	5.9 (Tr)	3.2	5.0 (Tr)	4.4 (Tr)	4.9 (Tr)	3.6 (Tr)
1,1,2-Trichloroethane	<3	0.59	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.50	<0.50	<0.90
1,1-Dichloroethane	78	99	150	46	28	51	94	30	49	30	41	34	25
1,1-Dichloroethene	140	200	200	130	73	140	67	81	94	56	74	77	53
1,2,3-Trichloropropane	<5	<1.0	<5	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<1.0	<3	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<5.0	<5.0	<3.8
1,2-Dibromoethane (EDB)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.50	<0.50	<1.1
1,2-Dichloroethane	0.66	0.54	<3	<0.50	0.19 (Tr)	<0.50	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	<1.1
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<2.0	<2.0	<0.95
1,4-Dichlorobenzene	<3	0.08	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<1.6	<1.6	<0.85
1,4-Dioxane (P-Dioxane)	<2,000	93	200	68	29		24	11	12	4.3	9.6	14	11
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<50	<50	<50	<8.0	<8.0	<8.0	<4.8
Acetone	<100	<20	<100	<20	<20	<20	<50	<50	<50	<14	<14	<14	<9.0
Benzene	3.0	3.9	9.6	2.4	1.1	3.2	<2.5	<2.5	<2.5	<1.9	<1.9	<1.9	1.2 (Tr)
Bromodichloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<1.3	<1.3	<0.95
Bromoform	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<4.3	<4.3	<0.75
Bromomethane	<5	<1.0	<5	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<1.8	<1.8	<1.4
Carbon Tetrachloride	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.5
Chlorobenzene	2.2	2	3.0	0.91	0.5	1.2	<2.5	<2.5	<2.5	0.95 (Tr)	1.2 (Tr)	0.90 (Tr)	1.3 (Tr)
Chloroethane	<3	<0.50	<3	0.24	<0.50	0.43 (Tr)	<5	<5	<5	<1.7	<1.7	<1.7	<1.2
Chloroform	<3	0.51	<3	0.54	0.85	1.4	1.1 (Tr)	1.4 (Tr)	<2.5	<1.8	<1.8	<1.8	<0.80
Chloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<1.5	<1.5	<1.8
cis-1,2-Dichloroethene	1,000	500	410	150	93	230	22	150	480	380	420	290	400
cis-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<1.3	<1.3	<1.1
Dibromochloromethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.65	<0.65	<1.2
Dibromomethane	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.1

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/11/03	9/16/03	12/19/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<3	<0.50	<3	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<2.2	<2.2	<1.9
Ethylbenzene	0.92	0.09	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<1.1	<1.1	<0.70
Methyl Ethyl Ketone (2-Butanone)		<20	<100	<20	<20	<20	<50	<50	<50	<8.5	<8.5	<8.5	<12
Methylacryonitrile													
Methylene Chloride	3.5	0.53	11	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	9.2 (Tr)	<3.6	<1.1
Styrene	0.57	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<1.0	<1.0	<0.70
Tetrachloroethene	61	85	150	150	100	170	130	87	81	56	69	55	66
Toluene	3.9	1.2	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	1.9 (Tr)	<0.50	<0.90
trans-1,2-Dichloroethene	3.5	5.5	2.8	2.1	0.7	2.1	<2.5	1.2 (Tr)	2.0	<1.8	<1.8	<1.8	1.3 (Tr)
trans-1,3-Dichloropropene	<3	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.55	<0.55	<0.90
Trichloroethene	16	60	100	81	59	110	72	40	20	32	28	34	22
Trichlorofluoromethane	0.46	1.6	4.4	4.9	3.5	12	8.3	2.4 (Tr)	<5	<2.4	<2.4	<2.4	<2.8
Vinyl Acetate							<50	<50	<50	<11	<11	<11	<2.3
Vinyl Chloride	<3	0.62	14	7.9	3.9	11	<2.5	<2.5	<2.5	<1.4	<1.4	<1.4	<1.4
Xylenes (total)	11	0.79	2.0	0.55	<1.0	1.1	<7.5	<7.5	<7.5	<2.0	<2.0	<2.0	<2.9
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/22/08	5/21/08	9/26/08	12/10/08	3/11/09
1,1,1-Trichloroethane	<4.6	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<0.39	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	<4.9	6.5	<5.0	<5.0	<5.0	<10	<10	<3.1	120	120	100
1,1,2-Trichloroethane	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<0.44	<2.2	<2.2
1,1-Dichloroethane	17	21	42	20	44	44	47	41	44	120	45
1,1-Dichloroethene	47	55	95	40	89	79	82	79	180	100	88
1,2,3-Trichloropropane	<4.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<0.43	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<0.69	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<0.39	<2.0	<2.0
1,2-Dichloroethane	<3.3	<1.7	<1.7	<1.7	<1.9	<2.5	<2.5	<1.9	2.1	3.1	1.9 (Tr)
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<4.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<0.35	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<0.38	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	4.4	7.4	25	13	70	49	67	160	34	120	85
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<15	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<1.9	<9.5	<9.5
Acetone	29 (Tr)	<11	<11	<11	<14	<50	<50	<15	<3.0	<15	<15
Benzene	<4.2	<2.1	<2.1	<2.1	<1.5	<2.5	1.6	<1.7	1.6	5.3	<1.7
Bromodichloromethane	<4.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<0.30	<1.4	<1.4
Bromoform	<4.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<0.31	<1.6	<1.6
Bromomethane	<6.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<0.40	<1.7	<1.7
Carbon Tetrachloride	<4.8	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<0.46	<2.3	<2.3
Chlorobenzene	<3.6	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	0.76	<2.0	<2.0
Chloroethane	<4.6	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	2.1	86	66
Chloroform	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.7	23	24	16
Chloromethane	<4.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<0.41	<1.8	<1.8
cis-1,2-Dichloroethene	200	280	610	300	320	260	220	97	150	36	29
cis-1,3-Dichloropropene	<3.4	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<0.30	<1.5	<1.5
Dibromochloromethane	<3.3	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<0.32	<1.6	<1.6
Dibromomethane	<3.9	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<0.38	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/22/08	5/21/08	9/26/08	12/10/08	3/11/09
1,1,1-Trichloroethane	<4.6	<2.3	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<0.39	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	<4.9	6.5	<5.0	<5.0	<5.0	<10	<10	<3.1	120	120	100
1,1,2-Trichloroethane	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<0.44	<2.2	<2.2
1,1-Dichloroethane	17	21	42	20	44	44	47	41	44	120	45
1,1-Dichloroethene	47	55	95	40	89	79	82	79	180	100	88
1,2,3-Trichloropropane	<4.1	<2.1	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<0.43	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<3.8	<3.8	<3.8	<3.9	<10	<10	<3.5	<0.69	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<1.9	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<0.39	<2.0	<2.0
1,2-Dichloroethane	<3.3	<1.7	<1.7	<1.7	<1.9	<2.5	<2.5	<1.9	2.1	3.1	1.9 (Tr)
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<4.0	<2.0	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<0.35	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<1.9	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<0.38	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	4.4	7.4	25	13	70	49	67	160	34	120	85
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<15	<7.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<1.9	<9.5	<9.5
Acetone	29 (Tr)	<11	<11	<11	<14	<50	<50	<15	<3.0	<15	<15
Benzene	<4.2	<2.1	<2.1	<2.1	<1.5	<2.5	1.6	<1.7	1.6	5.3	<1.7
Bromodichloromethane	<4.0	<2.0	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<0.30	<1.4	<1.4
Bromoform	<4.1	<2.1	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<0.31	<1.6	<1.6
Bromomethane	<6.1	<3.1	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<0.40	<1.7	<1.7
Carbon Tetrachloride	<4.8	<2.4	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<0.46	<2.3	<2.3
Chlorobenzene	<3.6	<1.8	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	0.76	<2.0	<2.0
Chloroethane	<4.6	<2.3	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	2.1	86	66
Chloroform	<4.0	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.7	23	24	16
Chloromethane	<4.0	<2.0	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<0.41	<1.8	<1.8
cis-1,2-Dichloroethene	200	280	610	300	320	260	220	97	150	36	29
cis-1,3-Dichloropropene	<3.4	<1.7	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<0.30	<1.5	<1.5
Dibromochloromethane	<3.3	<1.7	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<0.32	<1.6	<1.6
Dibromomethane	<3.9	<2.0	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<0.38	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well MW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/22/08	5/21/08	9/26/08	12/10/08	3/11/09
Dichlorodifluoromethane (Freon 12)	<4.8	<2.4	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<0.68	<2.8	<2.8
Ethylbenzene	<4.1	<2.1	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<0.43	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<17	<8.5	<8.5	<8.5	<10	<50	<50	<10	<2.0	<9.5	<9.5
Methylacryonitrile											
Methylene Chloride	<4.3	<2.2	<2.2	<2.2	<1.5	<10	<10	<1.5	<0.30	<1.5	<1.5
Styrene	<3.7	<1.9	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<0.32	<1.6	<1.6
Tetrachloroethene	58	49	62	59	81	140	120	100	250	220	170
Toluene	<3.6	<1.8	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<0.40	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	<2.2	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	1.8	<1.7	<1.7
trans-1,3-Dichloropropene	<3.9	<2.0	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<0.35	<1.8	<1.8
Trichloroethene	17	34	15	20	25	32	32	17	160	130	120
Trichlorofluoromethane	<6.0	<3	<3.0	<3.0	<3.0	<5.0	<5.0	<3.0	39	36	27
Vinyl Acetate	<9.0	<4.5	<4.5	<4.5	<4.3	<50	<50	<4.3	<0.85	<4.0	<4.0
Vinyl Chloride	<4.3	<2.2	<2.2	<2.2	<2.2	<2.5	7.4	<2.4	6.9	38	<2.4
Xylenes (total)	<11	<5.6	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<1.1	<5.7	<5.7
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/95	3/5/99	9/20/00	10/23/01	2/14/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/16/03	12/18/03	3/19/04	6/16/04
1,1,1-Trichloroethane	22	6.1	190	13	7.5	4.1	<0.50	<0.50	0.44 (Tr)	2.0	0.61	0.35	0.15	<0.50
1,1,2-Trichloro-2,2,2-Trifluoroethane	<5	<5	4.7	<5	<5	<0.50	24	15	20	31	17	17	15	13
1,1,2-Trichloroethane	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	<5	<5	60	10	3.6 (Tr)	4.4	0.65	<0.50	0.27 (Tr)	0.68	0.32	0.38	0.39	0.57
1,1-Dichloroethene	38	41	<5	11	7.8	8.8	14	12	10	15	10	12	11	12
1,2,3-Trichloropropane		<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<5	<5	<5	<5	<0.50	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)		<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.29	0.22	0.39	0.77	0.57	0.53
1,2-Dichloropropane	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)	<5	<100	<57	<57	<57			<300	<300	<300	<2.0	1.8	1.7	
2-Chloroethyl Vinyl Ether	<50	<5	<5	<5	<5									
4-Methyl-2-Pentanone	<30	<10	<10	<10	<10									
Acetone	<50	<100	<100	<100	<100				<20	<20	<20	<20	<20	<20
Benzene	<5	<5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromoform	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromomethane				<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	0.18	0.08	<0.50	0.17	<0.50
Chlorobenzene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroethane	<30	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	<5	<5	<5	<5	<5	<0.50	0.84	0.83	0.66	0.99	0.6	0.73	0.71	0.75
Chloromethane				<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	11	<5	9.1	19	4.7 (Tr)	4.5	11	14	4.7	5.0	6.5	17	11	13
cis-1,3-Dichloropropene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromochloromethane	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromomethane		<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane (Freon 12)		<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/95	3/5/99	9/20/00	10/23/01	2/14/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/16/03	12/18/03	3/19/04	6/16/04
Ethylbenzene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<50	<100	<100	<100	<100						<20	<20	<20	<20
Methylacryonitrile		<35												
Methylene Chloride	23	<5	118	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	206	166	122	20	26	33	150	190	92	89	130	190	180	180
Toluene	<5	<5	17	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.23	0.14	0.15 (Tr)
trans-1,3-Dichloropropene	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	164	161	77	8.6	9.7	13	90	73	70	93	59	80	75	68
Trichlorofluoromethane	59	<5	<5	<5	<5	<0.50	13	7.0	10	16	7.9	8.0	7.6	5.8
Vinyl Acetate	<30	<50	<50	<50	<50									
Vinyl Chloride	<30	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Xylenes (total)	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.39	<1.0	<1.0
xylenes(m,p)		<5	<5											
xylenes(o)		<5	<5											

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/13/05	3/7/06	6/13/06	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07
1,1,1-Trichloroethane	0.09 (Tr)	<2.5	<2.5	<2.5	9.5	0.64	0.47 (Tr)	<0.62	<2.3	<0.46	<0.46	<0.46	<2.0	<2.5
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	18	10	14	55	96	99	52	68	86	88	120	73	49
1,1,2-Trichloroethane	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10	<0.36	<2.0	<0.4	<0.40	<0.40	<1.7	<2.5
1,1-Dichloroethane	0.34 (Tr)	<2.5	<2.5	<2.5	<1.9	0.37 (Tr)	0.53	0.60 (Tr)	<1.8	0.68	0.43	0.63	<1.9	<2.5
1,1-Dichloroethene	10	12	10	6.2	18	31	36	22	42	52	56	79	46	23
1,2,3-Trichloropropane	<1.0	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27	<0.48	<2.1	<0.41	<0.41	<0.41	<2.0	<2.5
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<10	<10	<10	<5.0	<1.0	<1.0	<1.6	<3.8	<0.76	<0.76	<0.76	<3.9	<10
1,2-Dibromoethane (EDB)	<0.50	<5	<5	<5	<0.50	<0.10	<0.10	<0.42	<1.9	<0.38	<0.38	<0.38	<1.9	<5.0
1,2-Dichloroethane	0.24 (Tr)	<2.5	<2.5	<2.5	<1.9	<0.38	0.59	0.52 (Tr)	<1.7	0.94	1.3	2.1	<1.9	<2.5
1,2-Dichloropropane	<0.50	<2.5	<2.5	<2.5	<2.0	<0.39	<0.39	<0.38	<2.0	<0.4	<0.40	<0.40	<1.8	<2.5
1,4-Dichlorobenzene	<0.50	<2.5	<2.5	<2.5	<1.6	<0.31	<0.31	<0.34	<1.9	<0.37	<0.37	<0.37	<1.7	<2.5
1,4-Dioxane (P-Dioxane)	0.76 (Tr)	<1.9	<1.9		<0.20	0.23 (Tr)	1.3	1.3 (Tr)	2.2	2.7	5.1	6.5	3.4	1.8
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone		<50	<50	<50	<8.0	<1.6	<1.6	<2.0	<7.5	<1.5	<1.5	<1.5	<9.5	<50
Acetone	<20	<50	<50	10 (Tr)	<14	<2.8	<2.8	<3.6	<11	<2.2	<2.2	<2.2	<14	<50
Benzene	<0.50	<2.5	<2.5	<2.5	<1.9	<0.38	<0.38	<0.36	<2.1	<0.42	<0.42	<0.42	<1.5	<2.5
Bromodichloromethane	<0.50	<5	<5	<5	<1.3	<0.26	<0.26	<0.38	<2.0	<0.4	<0.40	<0.40	<1.5	<5.0
Bromoform	<0.50	<5	<5	<5	<4.3	<0.86	<0.86	<0.30	<2.1	<0.41	<0.41	<0.41	<1.4	<5.0
Bromomethane	<1.0	<5	<5	<5	<1.8	<0.35	<0.35	<0.54	<3.1	<0.61	<0.61	<0.61	<2.0	<5.0
Carbon Tetrachloride	0.1 (Tr)	<2.5	<2.5	<2.5	<1.8	<0.36	0.44 (Tr)	<0.58	<2.4	<0.48	<0.48	<0.48	<2.2	<2.5
Chlorobenzene	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10	<0.34	<1.8	<0.36	<0.36	<0.36	<1.8	<2.5
Chloroethane	<0.50	<5	<5	<5	<1.7	<0.33	<0.33	<0.46	<2.3	<0.46	<0.46	<0.46	<1.9	<5.0
Chloroform	0.64	<2.5	<2.5	<2.5	3.3	5.1	6.6	5.1	11	10	13	21	8.8	5.0
Chloromethane	<0.50	<5	<5	<5	<1.5	<0.30	<0.30	<0.72	<2.0	<0.4	<0.40	<0.40	<2.1	<5.0
cis-1,2-Dichloroethene	5.7	4.5	5.8	4.6	3.5	4.7	5.4	4.1	6.0	7.9	8.0	11	9.3	4.8
cis-1,3-Dichloropropene	<0.50	<2.5	<2.5	<2.5	<1.3	<0.26	<0.26	<0.42	<1.7	<0.34	<0.34	<0.34	<1.5	<2.5
Dibromochloromethane	<0.50	<5	<5	<5	<0.65	<0.13	<0.13	<0.46	<1.7	<0.33	<0.33	<0.33	<1.6	<5.0
Dibromomethane	<0.50	<2.5	<2.5	<2.5	<1.5	<0.29	<0.29	<0.44	<2.0	<0.39	<0.39	<0.39	<1.7	<2.5
Dichlorodifluoromethane (Freon 12)	<0.50	<5	<5	<5	<2.2	<0.43	<0.43	<0.74	<2.4	<0.48	<0.48	<0.48	<3.4	<5.0

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/13/05	3/7/06	6/13/06	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07
Ethylbenzene	<0.50	<2.5	<2.5	<2.5	<1.1	<0.22	<0.22	<0.28	<2.1	<0.41	<0.41	<0.41	<1.6	<2.5
Methyl Ethyl Ketone (2-Butanone)	<20	<50	<50	<50	<8.5	<1.7	<1.7	<4.6	<8.5	<1.7	<1.7	<1.7	<10	<50
Methylacryonitrile														
Methylene Chloride	<1.0	<10	<10	<10	<3.6	<0.72	<0.72	<0.44	<2.2	<0.43	<0.43	<0.43	<1.5	<10
Styrene	<0.50	<2.5	<2.5	<2.5	<1.0	<0.20	<0.20	<0.28	<1.9	<0.37	<0.37	<0.37	<1.6	<2.5
Tetrachloroethene	120	100	110	94	76	90	99	78	94	150	200	220	190	130
Toluene	<0.50	<2.5	<2.5	<2.5	<0.50	0.15 (Tr)	<0.10	<0.36	<1.8	<0.36	<0.36	<0.36	<1.6	<2.5
trans-1,2-Dichloroethene	<0.50	<2.5	<2.5	<2.5	<1.8	<0.36	<0.36	<0.38	<2.2	<0.43	<0.43	<0.43	<2.1	<2.5
trans-1,3-Dichloropropene	<0.50	<2.5	<2.5	<2.5	<0.55	<0.11	<0.11	<0.36	<2.0	<0.39	<0.39	<0.39	<1.5	<2.5
Trichloroethene	51	53	50	53	130	180	160	120	130	160	150	190	120	87
Trichlorofluoromethane	7	7.8	3.7 (Tr)	5.4	22	30	30	13	23	31	27	45	21	14
Vinyl Acetate		<50	<50	<50	<11	<2.2	<2.2	<0.92	<4.5	<0.9	<0.90	<0.90	<4.3	<50
Vinyl Chloride	<0.50	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27	<0.54	<2.2	<0.43	<0.43	<0.43	<2.2	<2.5
Xylenes (total)	<1.0	<7.5	<7.5	<7.5	<2.0	<0.40	<0.40	<1.1	<5.6	<1.1	<1.1	<1.1	<5.2	<7.5
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/21/08	5/20/08	9/24/08	12/8/08	3/10/09
1,1,1-Trichloroethane	<0.50	<0.39	<0.39	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	40	22	35	28	38
1,1,2-Trichloroethane	<0.50	<0.44	<0.44	<0.44	<0.44
1,1-Dichloroethane	<0.50	0.96	<0.37	<0.34	0.34 (Tr)
1,1-Dichloroethene	23	16	17	20	30
1,2,3-Trichloropropane	<0.50	<0.43	<0.43	<0.43	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<2.0	<0.69	<0.69	<0.69	<0.69
1,2-Dibromoethane (EDB)	<1.0	<0.39	<0.39	<0.39	<0.39
1,2-Dichloroethane	0.60	0.53	0.43 (Tr)	0.56	0.92
1,2-Dichloropropane	<0.50	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	<0.50	<0.38	<0.38	<0.38	<0.38
1,4-Dioxane (P-Dioxane)	1.1	1.8	1.7	1.9	3.6
2-Chloroethyl Vinyl Ether					
4-Methyl-2-Pentanone	<10	<1.9	<1.9	<1.9	<1.9
Acetone	<10	<3.0	<3.0	<3.0	<3.0
Benzene	<0.50	<0.33	<0.33	<0.33	<0.33
Bromodichloromethane	<1.0	<0.30	<0.30	<0.28	<0.28
Bromoform	<1.0	<0.31	<0.31	<0.31	<0.31
Bromomethane	<1.0	<0.40	<0.40	<0.33	<0.33
Carbon Tetrachloride	<0.50	<0.46	<0.46	<0.46	<0.46
Chlorobenzene	<0.50	<0.39	<0.39	<0.39	<0.39
Chloroethane	<1.0	<0.38	<0.38	<0.31	<0.31
Chloroform	5.3	4.1	3.0	4.7	9.8
Chloromethane	<1.0	<0.41	<0.41	<0.36	<0.36
cis-1,2-Dichloroethene	3.6	5.4	4.7	4.5	3.4
cis-1,3-Dichloropropene	<0.50	<0.30	<0.30	<0.29	<0.29
Dibromochloromethane	<1.0	<0.32	<0.32	<0.31	<0.31
Dibromomethane	<0.50	<0.38	<0.38	<0.38	<0.38
Dichlorodifluoromethane (Freon 12)	<1.0	<0.68	<0.68	<0.56	<0.56

Historical Groundwater Analytical Data
Monitoring Well MW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/21/08	5/20/08	9/24/08	12/8/08	3/10/09
Ethylbenzene	<0.50	<0.43	<0.43	<0.43	<0.43
Methyl Ethyl Ketone (2-Butanone)	<10	<2.0	<2.0	<1.9	<1.9
Methylacryonitrile					
Methylene Chloride	<2.0	<0.30	<0.30	<0.29	<0.29
Styrene	<0.50	<0.32	<0.32	<0.32	<0.32
Tetrachloroethene	100	120	120	140	100
Toluene	<0.50	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethene	<0.50	<0.41	<0.41	<0.33	<0.33
trans-1,3-Dichloropropene	<0.50	<0.35	<0.35	<0.35	<0.35
Trichloroethene	95	85	89	68	77
Trichlorofluoromethane	13	8.9	13	11	11
Vinyl Acetate	<10	<0.85	<0.85	<0.80	<0.80
Vinyl Chloride	<0.50	<0.47	<0.47	<0.47	<0.47
Xylenes (total)	<1.5	<1.1	<1.1	<1.1	<1.1
xylenes(m,p)					
xylenes(o)					

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	10/23/01	2/12/02	6/4/02	9/27/02	12/3/02	3/11/03	6/10/03	9/17/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/10/05
1,1,1-Trichloroethane	23	668	58	2.2	1.7	500	790	900	6.9	23	6.6	2.8	4.3	3,600
1,1,2-Trichloro-2,2,2-Trifluoroethane	<5	<50	13	17	6.7	24	47	8.6	4.4	24	5.3	15	17	15 (Tr)
1,1,2-Trichloroethane	<5	<50	<3	<0.50	<0.50	1.0	1.8	2.1	<3	0.27	<0.50	0.28 (Tr)	<2.5	<5
1,1-Dichloroethane	210	<50	680	100	67	340	940	340	120	110	52	400	490	430
1,1-Dichloroethene	87	758	100	56	83	290	1,200	370	110	78	97	230	410	1,200
1,2,3-Trichloropropane	<5	<50	<5	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<1.0	<1.0	<2.5	<5
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<50	<5	<1.0	<1.0	<2.0	<1.0	<1.0	<3	<1.0	<1.0	<1.0	<10	<20
1,2-Dibromoethane (EDB)	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
1,2-Dichloroethane	21	<50	70	6.7	4.8	18	14	47	15	15	3.2	12	93	45
1,2-Dichloropropane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
1,4-Dichlorobenzene	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
1,4-Dioxane (P-Dioxane)	<57	<570			<300	180	360	320	180	170	35	140	120	50
2-Chloroethyl Vinyl Ether	<5	<50												
4-Methyl-2-Pentanone	<10	<100											<50	<100
Acetone	<100	<1,000				15	<20	<20	<100	<20	<20	<20	<50	<100
Benzene	4.5	11	17	4.0	2.0	4.0	13	7.9	2.9	3.2	0.67	6	6.4	2.0 (Tr)
Bromodichloromethane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
Bromoform	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
Bromomethane	<5	<50	<5	<1.0	<1.0	<2.0	<1.0	<1.0	<5	<1.0	<1.0	<1.0	<5	<10
Carbon Tetrachloride	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
Chlorobenzene	<5	<50	<3	0.67	<0.50	0.63	2.6	0.7	<3	0.81	0.16 (Tr)	1.7	<2.5	<5
Chloroethane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	1.6	<5	<10
Chloroform	<5	<50	<3	0.87	0.88	0.86	1.4	2	0.62	1.1	0.96	1.3	3.1	2.7 (Tr)
Chloromethane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
cis-1,2-Dichloroethene	280	1,430	320	93	110	440	1,800	530	170	180	99	390	780	760
cis-1,3-Dichloropropene	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
Dibromochloromethane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
Dibromomethane	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
Dichlorodifluoromethane (Freon 12)	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<5	<10
Ethylbenzene	<5	<50	24	2.6	1.6	5.8	1.6	3.6	1.8	<0.50	<0.50	<0.50	<2.5	<5
Methyl Ethyl Ketone (2-Butanone)	<100	<1,000						<20	<100	<20	<20	<20	<50	<100

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	10/23/01	2/12/02	6/4/02	9/27/02	12/3/02	3/11/03	6/10/03	9/17/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/10/05
Methylene Chloride	<5	<50	14	<1.0	<1.0	4.7	0.94	6.2	7.1	<1.0	0.17 (Tr)	0.21 (Tr)	<10	5.4 (Tr)
Styrene	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
Tetrachloroethene	66	613	86	160	190	540	2,000	140	320	52	220	140	200	1,900
Toluene	38	96	130	14	2.4	50	6.5	11	4.2	0.3	<0.50	<0.50	<2.5	<5
trans-1,2-Dichloroethene	<5	<50	6.3	1.5	2.1	10	50	9.2	<3	2.2	0.43 (Tr)	3.5	2.7	4.8 (Tr)
trans-1,3-Dichloropropene	<5	<50	<3	<0.50	<0.50	<1.0	<0.50	<0.50	<3	<0.50	<0.50	<0.50	<2.5	<5
Trichloroethene	30	216	44	54	67	190	560	49	77	99	55	89	170	530
Trichlorofluoromethane	<5	<50	<3	3.8	2.3	4.9	15	3.8	1.3	5.3	1.8	4.2	5.6	13
Vinyl Acetate	<50	<500											<50	<100
Vinyl Chloride	330	1,370	650	200	73	380	83	260	190	41	15	99	200	19
Xylenes (total)	6.8	<50	24	3.0	<1.0	12	13	4.1	<5	0.92	<1.0	0.94 (Tr)	<7.5	<15

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08
1,1,1-Trichloroethane	1,600	190	130	120	81	57	140	150	11	10	3.0	4.5	8.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	45 (Tr)	<33	31 (Tr)	<6.5	26	<25	28	13	10 (Tr)	8.8 (Tr)	10 (Tr)	30	9.1
1,1,2-Trichloroethane	<50	<5.0	<2.0	<1.0	<1.8	<20	<4	<4.0	<4.0	<1.7	<2.5	0.39 (Tr)	<2.2
1,1-Dichloroethane	770	850	530	760	800	680	770	520	390	190	88	270	870
1,1-Dichloroethene	1,300	720	690	570	440	400	340	540	190	82	39	170	460
1,2,3-Trichloropropane	<50	<14	<5.4	<2.7	<2.4	<21	<4.1	<4.1	<4.1	<2.0	<2.5	<0.50	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<200	<50	<20	<10	<7.6	<38	<7.6	<7.6	<7.6	<3.9	<10	<2.0	<3.5
1,2-Dibromoethane (EDB)	<100	<5.0	<2.0	<1.0	<2.1	<19	<3.8	<3.8	<3.8	<1.9	<5.0	<1.0	<2.0
1,2-Dichloroethane	<50	<19	<7.6	4.6 (Tr)	4.3 (Tr)	<17	37	22	3.4 (Tr)	6.9	4.7	14	48
1,2-Dichloropropane	<50	<20	<7.8	<3.9	<1.9	<20	<4	<4.0	<4.0	<1.8	<2.5	<0.50	<1.8
1,4-Dichlorobenzene	<50	<16	<6.2	<3.1	<1.7	<19	<3.7	<3.7	<3.7	<1.7	<2.5	<0.50	<1.9
1,4-Dioxane (P-Dioxane)		120	110	460	270	180	360	640	550	130	44	100	370
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone	<1,000	<80	<32	<16	<9.6	<75	<15	<15	<15	<9.5	<50	<10	<9.5
Acetone	300 (Tr)	<140	<56	<28	<18	140 (Tr)	<22	<22	<22	<14	<50	<10	<15
Benzene	<50	32	18	22	27	25	14	18	13	4.2	<2.5	1.4	3.3
Bromodichloromethane	<100	<13	<5.2	<2.6	<1.9	<20	<4	<4.0	<4.0	<1.5	<5.0	<1.0	<1.5
Bromoform	<100	<43	<18	<8.6	<1.5	<21	<4.1	<4.1	<4.1	<1.4	<5.0	<1.0	<1.6
Bromomethane	<100	<18	<7.0	<3.5	<2.7	<31	<6.1	<6.1	<6.1	<2.0	<5.0	<1.0	<2.0
Carbon Tetrachloride	<50	<18	<7.2	<3.6	<2.9	<24	<4.8	<4.8	<4.8	<2.2	<2.5	<0.50	<2.3
Chlorobenzene	<50	7.0 (Tr)	4.8 (Tr)	5.1	3.9 (Tr)	<18	<3.6	5.6	5.6	<1.8	<2.5	0.68	<2.0
Chloroethane	<100	<17	15 (Tr)	<3.3	32	120	6 (Tr)	120	250	5.1	<5.0	<1.0	<1.9
Chloroform	<50	<18	<7.0	3.6 (Tr)	1.9 (Tr)	<20	<4	<4.0	<4.0	<1.7	2.8	6.1	3.2
Chloromethane	<100	<15	<6.0	<3.0	<3.6	<20	<4	<4.0	<4.0	<2.1	<5.0	<1.0	<2.1
cis-1,2-Dichloroethene	1,300	2,000	830	1,700	1,400	1,400	730	690	220	50	68	260	980
cis-1,3-Dichloropropene	<50	<13	<5.2	<2.6	<2.1	<17	<3.4	<3.4	<3.4	<1.5	<2.5	<0.50	<1.5
Dibromochloromethane	<100	<6.5	<2.6	<1.3	<2.3	<17	<3.3	<3.3	<3.3	<1.6	<5.0	<1.0	<1.6
Dibromomethane	<50	<15	<5.8	<2.9	<2.2	<20	<3.9	<3.9	<3.9	<1.7	<2.5	<0.50	<1.9
Dichlorodifluoromethane (Freon 12)	<100	<22	<8.6	<4.3	<3.7	<24	<4.8	<4.8	<4.8	<3.4	<5.0	<1.0	<3.4

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08
Ethylbenzene	<50	<11	<4.4	<2.2	<1.4	<21	<4.1	<4.1	<4.1	<1.6	<2.5	<0.50	<2.2
Methyl Ethyl Ketone (2-Butanone)	<1,000	<85	<34	<17	<23	<85	<17	<17	<17	<10	<50	<10	<10
Methylene Chloride	<200	<36	<15	<7.2	<2.2	<22	<4.3	<4.3	<4.3	<1.5	<10	<2.0	<1.5
Styrene	<50	<10	<4.0	<2.0	<1.4	<19	<3.7	<3.7	<3.7	<1.6	<2.5	<0.50	<1.6
Tetrachloroethene	2,000	430	490	380	210	260	210	460	150	210	180	170	180
Toluene	<50	<5.0	<2.0	<1.0	<1.8	<18	<3.6	<3.6	<3.6	<1.6	<2.5	<0.50	<2.0
trans-1,2-Dichloroethene	<50	<18	<7.2	5.9	3.8 (Tr)	<22	<4.3	<4.3	<4.3	<2.1	<2.5	0.96	2.6
trans-1,3-Dichloropropene	<50	<5.5	<2.2	<1.1	<1.8	<20	<3.9	<3.9	<3.9	<1.5	<2.5	<0.50	<1.8
Trichloroethene	420	130	110	120	65	64	120	140	51	54	46	100	220
Trichlorofluoromethane	<100	<24	10 (Tr)	9.1 (Tr)	<5.5	<30	6.7 (Tr)	7.6	<6.0	3.2 (Tr)	<5.0	8.3	3.2
Vinyl Acetate	<1,000	<110	<44	<22	<4.6	<45	<9	<9.0	<9.0	<4.3	<50	<10	<4.3
Vinyl Chloride	<50	190	150	110	170	96	260	130	67	78	41	62	67
Xylenes (total)	<150	21 (Tr)	<8.0	<4.0	<5.7	<56	<11	<11	<11	<5.2	<7.5	<1.5	<5.7

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/26/08	12/10/08	3/11/09
1,1,1-Trichloroethane	1.3	1.8	<4.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	33	44	160
1,1,2-Trichloroethane	<0.44	<0.44	<4.4
1,1-Dichloroethane	170	780	110
1,1-Dichloroethene	140	330	170
1,2,3-Trichloropropane	<0.43	<0.43	<4.3
1,2-Dibromo-3-Chloropropane (DBCP)	<0.69	<0.69	<6.9
1,2-Dibromoethane (EDB)	<0.39	<0.39	<3.9
1,2-Dichloroethane	3.1	25	6.7
1,2-Dichloropropane	<0.35	<0.35	<3.5
1,4-Dichlorobenzene	<0.38	<0.38	<3.8
1,4-Dioxane (P-Dioxane)	29	92	26
2-Chloroethyl Vinyl Ether			
4-Methyl-2-Pentanone	<1.9	<1.9	<19
Acetone	<3.0	<3.0	<30
Benzene	0.34 (Tr)	1.2	<3.3
Bromodichloromethane	<0.30	<0.28	<2.8
Bromoform	<0.31	<0.31	<3.1
Bromomethane	<0.40	<0.33	<3.3
Carbon Tetrachloride	<0.46	<0.46	<4.6
Chlorobenzene	<0.39	0.83	<3.9
Chloroethane	<0.38	0.36 (Tr)	<3.1
Chloroform	4.3	12	34
Chloromethane	<0.41	<0.36	<3.6
cis-1,2-Dichloroethene	200	780	110
cis-1,3-Dichloropropene	<0.30	<0.29	<2.9
Dibromochloromethane	<0.32	<0.31	<3.1
Dibromomethane	<0.38	<0.38	<3.8
Dichlorodifluoromethane (Freon 12)	<0.68	<0.56	<5.6
Ethylbenzene	<0.43	<0.43	<4.3
Methyl Ethyl Ketone (2-Butanone)	<2.0	<1.9	<19

Historical Groundwater Analytical Data
Monitoring Well MW-05
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/26/08	12/10/08	3/11/09
Methylene Chloride	<0.30	<0.29	<2.9
Styrene	<0.32	<0.32	<3.2
Tetrachloroethene	150	310	230
Toluene	<0.40	<0.40	<4.0
trans-1,2-Dichloroethene	0.72	2.1	<3.3
trans-1,3-Dichloropropene	<0.35	<0.35	<3.5
Trichloroethene	75	170	180
Trichlorofluoromethane	7.5	14	47
Vinyl Acetate	<0.85	<0.80	<8.0
Vinyl Chloride	13	11	<4.7
Xylenes (total)	<1.1	<1.1	<11

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-06
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/16/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
1,1,1-Trichloroethane	14	17	10	5.8	12	2.7 (Tr)	5	4.9	5.1	<10	2.1 (Tr)	3.5	3.1	<1.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	48	59	46	44	57	30	19	19	14 (Tr)	12 (Tr)	50	51	<3.3	29
1,1,2-Trichloroethane	1.0	2.7	1.5	<5	0.74	<3	<0.50	<2.5	<5	<10	<0.50	0.90 (Tr)	<0.50	<0.90
1,1-Dichloroethane	620	1,400	770	310	800	130	180	820	660	570	330	600	480	280
1,1-Dichloroethene	650	1,200	640	440	420	260	260	430	640	270	240	270	290	200
1,2,3-Trichloropropane	<5	<1.0	<1.0	<10	<1.0	<3	<1.0	<2.5	<5	<10	<1.4	<1.4	<1.4	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<5	<1.0	<1.0	<10	<1.0	<5	<1.0	<10	<20	<40	<5.0	<5.0	<5.0	<3.8
1,2-Dibromoethane (EDB)	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<0.50	<0.50	<0.50	<1.1
1,2-Dichloroethane	56	130	69	10	42	3.6	4.8	4.2	75	39	11	16	12	9.4
1,2-Dichloropropane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<2.0	<2.0	<2.0	<0.95
1,4-Dichlorobenzene	<3	0.12	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<1.6	<1.6	<1.6	<0.85
1,4-Dioxane (P-Dioxane)	660	1,500	490	89	160		110	70	110		130	280	590	240
4-Methyl-2-Pentanone		2.6						<50	<100	<200	<8.0	<8.0	<8.0	<4.8
Acetone	<100	<20	<20	<200	<20	<100	<20	<50	<100	<200	<14	<14	<14	<9.0
Benzene	16	27	18	7.3	11	0.85 (Tr)	0.44 (Tr)	9.1	5.2	4.8 (Tr)	4.1	5.6	4.6	3.3
Bromodichloromethane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<1.3	<1.3	<1.3	<0.95
Bromoform	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<4.3	<4.3	<4.3	<0.75
Bromomethane	<5	<1.0	<1.0	<10	<1.0	<5	<1.0	<5	<10	<20	<1.8	<1.8	<1.8	<1.4
Carbon Tetrachloride	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<1.8	<1.8	<1.8	<1.5
Chlorobenzene	4.5	9.3	5.6	<5	4.9	<3	0.44 (Tr)	2.2 (Tr)	2.7 (Tr)	4.6 (Tr)	1.7 (Tr)	3.3	2.7	1.4 (Tr)
Chloroethane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	5.6	<10	<20	<1.7	<1.7	<1.7	<1.2
Chloroform	3.3	4.6	3.3	1.9	3.3	1.1 (Tr)	1.5	1.7 (Tr)	3.3 (Tr)	<10	4.6	4.9	8.5	2.9
Chloromethane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<1.5	<1.5	<1.5	<1.8
cis-1,2-Dichloroethene	1,300	2,800	1,500	620	1,300	290	290	630	930	580	380	460	590	350
cis-1,3-Dichloropropene	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<1.3	<1.3	<1.3	<1.1
Dibromochloromethane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<0.65	<0.65	<0.65	<1.2
Dibromomethane	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<1.5	<1.5	<1.5	<1.1
Dichlorodifluoromethane (Freon 12)	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<5	<10	<20	<2.2	<2.2	<2.2	<1.9
Ethylbenzene	23	43	39	<5	3	<3	<0.50	<2.5	<5	10	<1.1	<1.1	<1.1	<0.70

Historical Groundwater Analytical Data
Monitoring Well MW-06
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/16/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
Methyl Ethyl Ketone (2-Butanone)			<20	<200	<20	<100	<20	<50	<100	<200	<8.5	<8.5	<8.5	<12
Methylene Chloride	9.6	0.48	0.47	<10	0.4	1.1 (Tr)	0.22 (Tr)	<10	<20	<40	<3.6	6.4 (Tr)	<3.6	<1.1
Styrene	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<1.0	<1.0	<1.0	<0.70
Tetrachloroethene	460	550	360	300	320	390	210	190	350	210	160	170	180	150
Toluene	31	75	44	1.8	12	<3	<0.50	<2.5	2.2 (Tr)	12	1.2 (Tr)	4.4	1.3 (Tr)	<0.90
trans-1,2-Dichloroethene	11	91	64	2.8	130	2.5 (Tr)	3.1	1.6 (Tr)	3.4 (Tr)	<10	<1.8	<1.8	2.3 (Tr)	1.2 (Tr)
trans-1,3-Dichloropropene	<3	<0.50	<0.50	<5	<0.50	<3	<0.50	<2.5	<5	<10	<0.55	<0.55	<0.55	<0.90
Trichloroethene	310	320	240	190	260	160	130	150	250	120	180	130	120	76
Trichlorofluoromethane	14	16	10	10	22	7.5	6.6	5.6	5.7 (Tr)	<20	18	11	6.5	4.0 (Tr)
Vinyl Acetate								<50	<100	<200	<11	<11	<11	<2.3
Vinyl Chloride	390	810	520	77	370	6.9	12	53	98	170	60	220	83	42
Xylenes (total)	30	60	39	<10	7.3	<5	<1.0	<7.5	<15	24 (Tr)	<2.0	2.5 (Tr)	<2.0	<2.9

Historical Groundwater Analytical Data
Monitoring Well MW-06
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/19/08	9/26/08	12/10/08	3/11/09
1,1,1-Trichloroethane	<4.6	<4.6	<4.6	<4.6	<2.0	<2.5	2.8	<2.0	<2.0	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	22	17 (Tr)	12	11 (Tr)	13	14	14	15	17	4.6 (Tr)	<3.9
1,1,2-Trichloroethane	<4.0	<4	<4.0	<4.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	240	310	260	320	230	170	240	170	150	270	360
1,1-Dichloroethene	190	230	190	190	170	140	160	130	46	63	49
1,2,3-Trichloropropane	<4.1	<4.1	<4.1	<4.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<7.6	<7.6	<7.6	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<3.8	<3.8	<3.8	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	4.4 (Tr)	8.4	7.8	9.1	6.9	5.0	5.5	6.2	<1.9	<1.9	4.3
1,2-Dichloropropane	<4.0	<4	<4.0	<4.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<3.7	<3.7	<3.7	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	82	220	260	410	140	49	29	43	36	22	46
4-Methyl-2-Pentanone	<15	<15	<15	<15	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	27 (Tr)	<22	<22	<22	<14	<50	<50	<15	<15	<15	<15
Benzene	<4.2	<4.2	<4.2	<4.2	3.3	<2.5	<2.5	<1.7	<1.7	<1.7	<1.7
Bromodichloromethane	<4.0	<4	<4.0	<4.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<4.1	<4.1	<4.1	<4.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<6.1	<6.1	<6.1	<6.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<4.8	<4.8	<4.8	<4.8	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<3.6	<3.6	<3.6	<3.6	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	<4.6	<4.6	<4.6	<4.6	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<1.6
Chloroform	<4.0	<4	<4.0	<4.0	<1.7	1.8 (Tr)	<2.5	3.1	4.3	<1.7	2.4 (Tr)
Chloromethane	<4.0	<4	<4.0	<4.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	330	390	310	340	290	270	320	240	190	260	420
cis-1,3-Dichloropropene	<3.4	<3.4	<3.4	<3.4	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<3.3	<3.3	<3.3	<3.3	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<3.9	<3.9	<3.9	<3.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
Dichlorodifluoromethane (Freon 12)	<4.8	<4.8	<4.8	<4.8	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<4.1	<4.1	<4.1	<4.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2

Historical Groundwater Analytical Data
Monitoring Well MW-06
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/19/08	9/26/08	12/10/08	3/11/09
Methyl Ethyl Ketone (2-Butanone)	<17	<17	<17	<17	<10	<50	<50	<10	<10	<9.5	<9.5
Methylene Chloride	<4.3	<4.3	<4.3	<4.3	<1.5	<10	<10	<1.5	<1.5	<1.5	<1.5
Styrene	<3.7	<3.7	<3.7	<3.7	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	120	180	260	200	190	140	150	230	110	59	18
Toluene	<3.6	<3.6	<3.6	<3.6	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	<4.3	<4.3	<4.3	<2.1	<2.5	<2.5	<2.1	18	<1.7	2.6
trans-1,3-Dichloropropene	<3.9	<3.9	<3.9	<3.9	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	64	96	91	90	77	70	77	85	71	28	26
Trichlorofluoromethane	<6.0	<6	<6.0	<6.0	<3.0	<5.0	<5.0	3.1	4.7 (Tr)	<2.4	<2.4
Vinyl Acetate	<9.0	<9	<9.0	<9.0	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	33	59	51	88	47	3.8	4.6	3.4	<2.4	4.6	<2.4
Xylenes (total)	<11	<11	<11	<11	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/15/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06
1,1,1-Trichloroethane	2.4	1.4	2.4	<5		<0.50	0.58	<2.5	<2.5	<2.5	<1.2	0.60	1.5
1,1,2-Trichloro-2,2,2-Trifluoroethane	12	10	14	13		<0.50	8.1	20	4.2 (Tr)	5.0 (Tr)	19	64	31
1,1,2-Trichloroethane	0.21	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10
1,1-Dichloroethane	94	98	120	110		3.3	38	97	65	53	49	51	14
1,1-Dichloroethene	130	110	160	140		4.3	60	160	81	49	47	81	39
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<10		<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<10		<1.0	<1.0	<10	<10	<10	<5.0	<1.0	<1.0
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<0.50	<0.10	<0.10
1,2-Dichloroethane	14	7.4	12	5.6		1.3	1.9	2.6	6.2	2.2 (Tr)	<1.9	1.5	1.1
1,2-Dichloropropane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<0.39	<0.39
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<0.31	<0.31
1,4-Dioxane (P-Dioxane)	<300	<300	43	30			20	14	4.4		4.2	7.9	9.6
4-Methyl-2-Pentanone								<50	<50	<50	<8.0	<1.6	<1.6
Acetone	81	<20	<20	<200		<20	<20	<50	<50	13 (Tr)	<14	<2.8	<2.8
Benzene	3.1	1.6	2.6	2.2		<0.50	0.31 (Tr)	0.95 (Tr)	1.3 (Tr)	<2.5	<1.9	0.47 (Tr)	<0.38
Bromodichloromethane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<1.3	<0.26	<0.26
Bromoform	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<4.3	<0.86	<0.86
Bromomethane	<1.0	<1.0	<1.0	<10		<1.0	<1.0	<5	<5	<5	<1.8	<0.35	<0.35
Carbon Tetrachloride	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.8	<0.36	<0.36
Chlorobenzene	0.58	0.34	0.46	<5		<0.50	0.13 (Tr)	<2.5	<2.5	<2.5	<0.50	0.13 (Tr)	<0.10
Chloroethane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<1.7	<0.33	<0.33
Chloroform	0.85	0.57	0.97	0.93		0.28 (Tr)	0.6	<2.5	1.1 (Tr)	<2.5	<1.8	2.9	3.7
Chloromethane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<1.5	<0.30	<0.30
cis-1,2-Dichloroethene	210	190	250	250		20	87	220	110	93	77	85	29
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<0.26	<0.26
Dibromochloromethane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<0.65	<0.13	<0.13
Dibromomethane	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<0.29	<0.29
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<5	<5	<5	<2.2	<0.43	<0.43
Ethylbenzene	0.46	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<0.22	<0.22

Historical Groundwater Analytical Data
Monitoring Well MW-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/03	6/10/03	9/17/03	12/18/03	3/19/04	6/15/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06
Methyl Ethyl Ketone (2-Butanone)			<20	<200		<20	<20	<50	<50	<50	<8.5	<1.7	<1.7
Methylene Chloride	<1.0	<1.0	0.18	<10		<1.0	<1.0	<10	<10	<10	<3.6	<0.72	0.81 (Tr)
Styrene	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<0.20	<0.20
Tetrachloroethene	220	250	300	280		110	220	230	190	130	110	130	170
Toluene	0.28	<0.50	0.11	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10
trans-1,2-Dichloroethene	3.3	3.7	4.3	1.6		<0.50	0.66	<2.5	<2.5	<2.5	<1.8	0.40 (Tr)	<0.36
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<5		<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.11	<0.11
Trichloroethene	86	73	100	90		31	52	77	48	33	61	170	81
Trichlorofluoromethane	2.4	1.8	2.4	1.9		<0.50	1.5	3.4 (Tr)	<5	<5	6.3	23	9.7
Vinyl Acetate								<50	<50	<50	<11	<2.2	<2.2
Vinyl Chloride	12	7.0	10	7.8		<0.50	2.3	15	22	6.6	4.4	2.9	1.2
Xylenes (total)	1.3	<1.0	0.34	<10		<1.0	<1.0	<7.5	<7.5	<7.5	<2.0	<0.40	<0.40

Historical Groundwater Analytical Data
Monitoring Well MW-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/14/06	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/19/08	9/26/08	12/10/08	3/11/09
1,1,1-Trichloroethane	0.71	<2.3	<0.46	<2.3	<2.3	<2.0	<2.5	<2.5	<2.0	<2.0	<2.3	<2.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	9.1 (Tr)	7.1	<5.0	<5.0	<5.0	<10	<10	<3.1	6.0 (Tr)	6.5 (Tr)	10
1,1,2-Trichloroethane	<0.18	<2.0	<0.4	<2.0	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	62	60	57	38	37	7.5	22	35	30	38	85	28
1,1-Dichloroethene	63	49	64	35	34	14	33	31	25	9.3	41	24
1,2,3-Trichloropropane	<0.24	<2.1	<0.41	<2.1	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<3.8	<0.76	<3.8	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<0.21	<1.9	<0.38	<1.9	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	2.7	2.8	3.5	3.1	2.9	<1.9	3.2	5.1	4.4	<1.9	2.3 (Tr)	<1.9
1,2-Dichloropropane	<0.19	<2.0	<0.4	<2.0	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<0.17	<1.9	<0.37	<1.9	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	7.5	8.0	11	14	10	2.2	4.3	3.7	9.1	9.6	25	17
4-Methyl-2-Pentanone	<0.96	<7.5	<1.5	<7.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	<1.8	12 (Tr)	<2.2	<11	<11	<14	<50	<50	<15	<15	<15	<15
Benzene	0.82	<2.1	0.8	<2.1	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<1.7
Bromodichloromethane	<0.19	<2.0	<0.4	<2.0	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<0.15	<2.1	<0.41	<2.1	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<0.27	<3.1	<0.61	<3.1	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<0.29	<2.4	<0.48	<2.4	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	0.17 (Tr)	<1.8	<0.36	<1.8	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	<0.23	<2.3	<0.46	<2.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<1.6
Chloroform	4.0	<2.0	1.8	<2.0	<2.0	<1.7	<2.5	<2.5	<1.7	<1.7	<1.7	1.9 (Tr)
Chloromethane	<0.36	<2.0	<0.4	<2.0	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	100	92	100	66	68	20	42	59	51	43	95	31
cis-1,3-Dichloropropene	<0.21	<1.7	<0.34	<1.7	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<0.23	<1.7	<0.33	<1.7	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<0.22	<2.0	<0.39	<2.0	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
Dichlorodifluoromethane (Freon 12)	<0.37	<2.4	<0.48	<2.4	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<0.14	<2.1	<0.41	<2.1	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<2.3	<8.5	1.9 (Tr)	<8.5	<8.5	<10	<50	<50	<10	<10	<9.5	<9.5
Methylene Chloride	<0.22	<2.2	<0.43	<2.2	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<1.5

Historical Groundwater Analytical Data
Monitoring Well MW-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/14/06	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/19/08	9/26/08	12/10/08	3/11/09
Styrene	<0.14	<1.9	<0.37	<1.9	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	170	140	200	230	280	220	280	310	250	160	190	120
Toluene	<0.18	<1.8	<0.36	<1.8	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	0.75	<2.2	0.45 (Tr)	<2.2	<2.2	<2.1	<2.5	<2.5	<2.1	3.9	<1.7	<1.7
trans-1,3-Dichloropropene	<0.18	<2.0	<0.39	<2.0	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	64	43	64	45	62	38	45	55	46	35	45	30
Trichlorofluoromethane	3.3	<3.0	1.8	<3.0	<3.0	<3.0	<5.0	<5.0	<3.0	<3.0	<2.4	<2.4
Vinyl Acetate	<0.46	<4.5	<0.9	<4.5	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	5.5	4.1	4.8	4.0	3.2	<2.2	9.0	11	3.2	<2.4	<2.4	<2.4
Xylenes (total)	<0.57	<5.6	<1.1	<5.6	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well MW-08s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/9/06	6/15/06	9/21/06	12/4/06	3/19/07	6/25/07	9/26/07	12/12/07	2/20/08	5/20/08	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	1.5	<0.31	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.39	DRY	<0.46	DRY
1,1,2-Trichloro-2,2,2-Trifluoroethane	<0.65	<0.42	NS	DRY	DRY	NS	NS	<2.0	<2.0	<0.61	DRY	<0.78	DRY
1,1,2-Trichloroethane	<0.10	<0.18	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.44	DRY	<0.44	DRY
1,1-Dichloroethane	0.70	12	NS	DRY	DRY	NS	NS	4.8	8.8	1.0	DRY	5.9	DRY
1,1-Dichloroethene	<0.36	<0.31	NS	DRY	DRY	NS	NS	<0.50	1.4	<0.43	DRY	0.41 (Tr)	DRY
1,2,3-Trichloropropane	<0.27	<0.24	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.43	DRY	<0.43	DRY
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<0.76	NS	DRY	DRY	NS	NS	<2.0	<2.0	<0.69	DRY	<0.69	DRY
1,2-Dibromoethane (EDB)	<0.10	<0.21	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.39	DRY	<0.39	DRY
1,2-Dichloroethane	<0.38	<0.21	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.38	DRY	<0.38	DRY
1,2-Dichloropropane	<0.39	<0.19	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.35	DRY	<0.35	DRY
1,4-Dichlorobenzene	<0.31	<0.17	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.38	DRY	<0.38	DRY
1,4-Dioxane (P-Dioxane)	1.5 (Tr)	20	NS	DRY	DRY	NS	NS	1.1	1.0	1.5	DRY	0.30 (Tr)	DRY
4-Methyl-2-Pentanone	<1.6	<0.96	NS	DRY	DRY	NS	NS	<10	<10	<1.9	DRY	<1.9	DRY
Acetone	3.7 (Tr)	5.5 (Tr)	NS	DRY	DRY	NS	NS	6.0 (Tr)	<10	<3.0	DRY	7.6 (Tr)	DRY
Benzene	<0.38	0.53	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.33	DRY	<0.33	DRY
Bromodichloromethane	<0.26	<0.19	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.30	DRY	<0.28	DRY
Bromoform	<0.86	<0.15	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.31	DRY	<0.31	DRY
Bromomethane	<0.35	<0.27	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.40	DRY	<0.33	DRY
Carbon Tetrachloride	<0.36	<0.29	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.46	DRY	<0.46	DRY
Chlorobenzene	<0.10	<0.17	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.39	DRY	<0.39	DRY
Chloroethane	<0.33	2.2	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.38	DRY	<0.31	DRY
Chloroform	<0.35	<0.16	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.33	DRY	<0.33	DRY
Chloromethane	<0.30	<0.36	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.41	DRY	<0.36	DRY
cis-1,2-Dichloroethene	<0.42	0.34 (Tr)	NS	DRY	DRY	NS	NS	0.64	2.0	<0.36	DRY	0.46 (Tr)	DRY
cis-1,3-Dichloropropene	<0.26	<0.21	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.30	DRY	<0.29	DRY
Dibromochloromethane	<0.13	<0.23	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.32	DRY	<0.31	DRY
Dibromomethane	<0.29	<0.22	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.38	DRY	<0.38	DRY
Dichlorodifluoromethane (Freon 12)	<0.43	<0.37	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.68	DRY	<0.56	DRY
Ethylbenzene	0.24 (Tr)	<0.14	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.43	DRY	<0.43	DRY

Historical Groundwater Analytical Data
Monitoring Well MW-08s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/9/06	6/15/06	9/21/06	12/4/06	3/19/07	6/25/07	9/26/07	12/12/07	2/20/08	5/20/08	9/24/08	12/8/08	3/9/09
Methyl Ethyl Ketone (2-Butanone)	<1.7	<2.3	NS	DRY	DRY	NS	NS	<10	<10	<2.0	DRY	<1.9	DRY
Methylene Chloride	1.3 (Tr)	<0.22	NS	DRY	DRY	NS	NS	<2.0	<2.0	<0.30	DRY	<0.29	DRY
Styrene	<0.20	<0.14	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.32	DRY	<0.32	DRY
Tetrachloroethene	1.6	1.1	NS	DRY	DRY	NS	NS	0.63	0.72	<0.49	DRY	<0.49	DRY
Toluene	0.97	0.29 (Tr)	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.40	DRY	<0.40	DRY
trans-1,2-Dichloroethene	<0.36	<0.19	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.41	DRY	<0.33	DRY
trans-1,3-Dichloropropene	<0.11	<0.18	NS	DRY	DRY	NS	NS	<0.50	<0.50	<0.35	DRY	<0.35	DRY
Trichloroethene	<0.36	0.67	NS	DRY	DRY	NS	NS	<0.50	0.83	1.3	DRY	0.49 (Tr)	DRY
Trichlorofluoromethane	<0.47	<0.55	NS	DRY	DRY	NS	NS	<1.0	<1.0	<0.59	DRY	<0.47	DRY
Vinyl Acetate	<2.2	<0.46	NS	DRY	DRY	NS	NS	<10	<10	<0.85	DRY	<0.80	DRY
Vinyl Chloride	<0.27	6.2	NS	DRY	DRY	NS	NS	<0.50	2.1	<0.47	DRY	<0.47	DRY
Xylenes (total)	1.3 (Tr)	<0.57	NS	DRY	DRY	NS	NS	<1.5	<1.5	<1.1	DRY	<1.1	DRY

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not Sampled

Historical Groundwater Analytical Data
Monitoring Well MW-09s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/6/05	9/19/05	12/12/05	3/7/06	6/15/06	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/19/08
1,1,1-Trichloroethane	5.1	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	9.2	DRY
1,1,2-Trichloro-2,2,2-Trifluoroethane	<4	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<2.0	DRY
1,1,2-Trichloroethane	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
1,1-Dichloroethane	79	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	8.9	DRY
1,1-Dichloroethene	10	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	0.56	DRY
1,2,3-Trichloropropane	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
1,2-Dibromo-3-Chloropropane (DBCP)	<4	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<2.0	DRY
1,2-Dibromoethane (EDB)	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
1,2-Dichloroethane	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
1,2-Dichloropropane	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
1,4-Dichlorobenzene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
1,4-Dioxane (P-Dioxane)	<9.5	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	NS	DRY
4-Methyl-2-Pentanone	<20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<10	DRY
Acetone	<20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<10	DRY
Benzene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Bromodichloromethane	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Bromoform	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Bromomethane	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Carbon Tetrachloride	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Chlorobenzene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Chloroethane	2.3	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Chloroform	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Chloromethane	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
cis-1,2-Dichloroethene	67	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	6.8	DRY
cis-1,3-Dichloropropene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Dibromochloromethane	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Dibromomethane	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Dichlorodifluoromethane (Freon 12)	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Ethylbenzene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY

Historical Groundwater Analytical Data
Monitoring Well MW-09s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/6/05	9/19/05	12/12/05	3/7/06	6/15/06	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/19/08
Methyl Ethyl Ketone (2-Butanone)	<20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<10	DRY
Methylene Chloride	<4	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	0.34 (Tr)	DRY
Styrene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Tetrachloroethene	26	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	13	DRY
Toluene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	0.57	DRY
trans-1,2-Dichloroethene	0.66 (Tr)	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
trans-1,3-Dichloropropene	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Trichloroethene	16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	2.8	DRY
Trichlorofluoromethane	<2.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.0	DRY
Vinyl Acetate	<20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<10	DRY
Vinyl Chloride	<1.0	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<0.50	DRY
Xylenes (total)	<3	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	<1.5	DRY

Historical Groundwater Analytical Data
Monitoring Well MW-09s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	DRY	DRY	5.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	DRY	DRY	<0.78
1,1,2-Trichloroethane	DRY	DRY	<0.44
1,1-Dichloroethane	DRY	DRY	2.2
1,1-Dichloroethene	DRY	DRY	0.33 (Tr)
1,2,3-Trichloropropane	DRY	DRY	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	DRY	DRY	<0.69
1,2-Dibromoethane (EDB)	DRY	DRY	<0.39
1,2-Dichloroethane	DRY	DRY	<0.38
1,2-Dichloropropane	DRY	DRY	<0.35
1,4-Dichlorobenzene	DRY	DRY	<0.38
1,4-Dioxane (P-Dioxane)	DRY	DRY	0.70
4-Methyl-2-Pentanone	DRY	DRY	<1.9
Acetone	DRY	DRY	<3.0
Benzene	DRY	DRY	<0.33
Bromodichloromethane	DRY	DRY	<0.28
Bromoform	DRY	DRY	<0.31
Bromomethane	DRY	DRY	<0.33
Carbon Tetrachloride	DRY	DRY	<0.46
Chlorobenzene	DRY	DRY	<0.39
Chloroethane	DRY	DRY	<0.31
Chloroform	DRY	DRY	<0.33
Chloromethane	DRY	DRY	<0.36
cis-1,2-Dichloroethene	DRY	DRY	2.4
cis-1,3-Dichloropropene	DRY	DRY	<0.29
Dibromochloromethane	DRY	DRY	<0.31
Dibromomethane	DRY	DRY	<0.38
Dichlorodifluoromethane (Freon 12)	DRY	DRY	<0.56
Ethylbenzene	DRY	DRY	<0.43

Historical Groundwater Analytical Data
Monitoring Well MW-09s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/24/08	12/8/08	3/9/09
Methyl Ethyl Ketone (2-Butanone)	DRY	DRY	<1.9
Methylene Chloride	DRY	DRY	<0.29
Styrene	DRY	DRY	<0.32
Tetrachloroethene	DRY	DRY	7.9
Toluene	DRY	DRY	<0.40
trans-1,2-Dichloroethene	DRY	DRY	<0.33
trans-1,3-Dichloropropene	DRY	DRY	<0.35
Trichloroethene	DRY	DRY	2.2
Trichlorofluoromethane	DRY	DRY	<0.47
Vinyl Acetate	DRY	DRY	<0.80
Vinyl Chloride	DRY	DRY	<0.47
Xylenes (total)	DRY	DRY	<1.1

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Historical Groundwater Analytical Data
Monitoring Well MW-10s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/13/04	3/10/05	6/9/05	9/19/05	12/12/05	3/9/06	6/15/06	9/20/06	12/4/06	3/21/07	6/25/07	9/24/07	12/10/07	2/20/08
1,1,1-Trichloroethane	180	3.5	NS	NS	DRY	4.3	58	DRY	DRY	13	NS	DRY	DRY	8.9
1,1,2-Trichloro-2,2,2-Trifluoroethane	<200	<10	NS	NS	DRY	<3.3	<2.1	DRY	DRY	<1.0	NS	DRY	DRY	<2.0
1,1,2-Trichloroethane	<50	<2.5	NS	NS	DRY	<0.50	<0.90	DRY	DRY	<0.40	NS	DRY	DRY	<0.50
1,1-Dichloroethane	1,200	250	NS	NS	DRY	630	340	DRY	DRY	24	NS	DRY	DRY	37
1,1-Dichloroethene	66	6.8	NS	NS	DRY	13	13	DRY	DRY	2.9	NS	DRY	DRY	3.0
1,2,3-Trichloropropane	<50	<2.5	NS	NS	DRY	<1.4	<1.2	DRY	DRY	<0.41	NS	DRY	DRY	<0.50
1,2-Dibromo-3-Chloropropane (DBCP)	<200	<10	NS	NS	DRY	<5.0	<3.8	DRY	DRY	<0.76	NS	DRY	DRY	<2.0
1,2-Dibromoethane (EDB)	<100	<5	NS	NS	DRY	<0.50	<1.1	DRY	DRY	<0.38	NS	DRY	DRY	<1.0
1,2-Dichloroethane	<50	<2.5	NS	NS	DRY	<1.9	1.5 (Tr)	DRY	DRY	<0.33	NS	DRY	DRY	0.52
1,2-Dichloropropane	<50	<2.5	NS	NS	DRY	<2.0	<0.95	DRY	DRY	<0.40	NS	DRY	DRY	<0.50
1,4-Dichlorobenzene	<50	<2.5	NS	NS	DRY	<1.6	<0.85	DRY	DRY	<0.37	NS	DRY	DRY	<0.50
1,4-Dioxane (P-Dioxane)	15	1.9 (Tr)	NS	NS	DRY	5.9	3.9	DRY	DRY	7.0	NS	DRY	DRY	3.2
4-Methyl-2-Pentanone	<1,000	<50	NS	NS	DRY	<8.0	<4.8	DRY	DRY	<1.5	NS	DRY	DRY	<10
Acetone	<1,000	9.6 (Tr)	NS	NS	DRY	<14	<9.0	DRY	DRY	<2.2	NS	DRY	DRY	<10
Benzene	<50	<2.5	NS	NS	DRY	<1.9	<0.90	DRY	DRY	<0.42	NS	DRY	DRY	<0.50
Bromodichloromethane	<100	<5	NS	NS	DRY	<1.3	<0.95	DRY	DRY	<0.40	NS	DRY	DRY	<1.0
Bromoform	<100	<5	NS	NS	DRY	<4.3	<0.75	DRY	DRY	<0.41	NS	DRY	DRY	<1.0
Bromomethane	<100	<5	NS	NS	DRY	<1.8	<1.4	DRY	DRY	<0.61	NS	DRY	DRY	<1.0
Carbon Tetrachloride	<50	<2.5	NS	NS	DRY	<1.8	<1.5	DRY	DRY	<0.48	NS	DRY	DRY	<0.50
Chlorobenzene	<50	<2.5	NS	NS	DRY	1.3 (Tr)	<0.85	DRY	DRY	<0.36	NS	DRY	DRY	<0.50
Chloroethane	<100	<5	NS	NS	DRY	2.6 (Tr)	<1.2	DRY	DRY	<0.46	NS	DRY	DRY	<1.0
Chloroform	<50	<2.5	NS	NS	DRY	<1.8	<0.80	DRY	DRY	<0.40	NS	DRY	DRY	<0.50
Chloromethane	<100	<5	NS	NS	DRY	<1.5	<1.8	DRY	DRY	<0.40	NS	DRY	DRY	<1.0
cis-1,2-Dichloroethene	2,200	260	NS	NS	DRY	600	300	DRY	DRY	16	NS	DRY	DRY	19
cis-1,3-Dichloropropene	<50	<2.5	NS	NS	DRY	<1.3	<1.1	DRY	DRY	<0.34	NS	DRY	DRY	<0.50
Dibromochloromethane	<100	<5	NS	NS	DRY	<0.65	<1.2	DRY	DRY	<0.33	NS	DRY	DRY	<1.0
Dibromomethane	<50	<2.5	NS	NS	DRY	<1.5	<1.1	DRY	DRY	<0.39	NS	DRY	DRY	<0.50
Dichlorodifluoromethane (Freon 12)	<100	<5	NS	NS	DRY	<2.2	<1.9	DRY	DRY	<0.48	NS	DRY	DRY	<1.0
Ethylbenzene	<50	<2.5	NS	NS	DRY	<1.1	<0.70	DRY	DRY	<0.41	NS	DRY	DRY	<0.50

Historical Groundwater Analytical Data
Monitoring Well MW-10s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/13/04	3/10/05	6/9/05	9/19/05	12/12/05	3/9/06	6/15/06	9/20/06	12/4/06	3/21/07	6/25/07	9/24/07	12/10/07	2/20/08
Methyl Ethyl Ketone (2-Butanone)	<1,000	<50	NS	NS	DRY	<8.5	<12	DRY	DRY	<1.7	NS	DRY	DRY	<10
Methylene Chloride	<200	2.8 (Tr)	NS	NS	DRY	<3.6	1.6 (Tr)	DRY	DRY	0.45 (Tr)	NS	DRY	DRY	<2.0
Styrene	<50	<2.5	NS	NS	DRY	<1.0	<0.70	DRY	DRY	<0.37	NS	DRY	DRY	<0.50
Tetrachloroethene	160	9.6	NS	NS	DRY	11	27	DRY	DRY	10	NS	DRY	DRY	10
Toluene	<50	<2.5	NS	NS	DRY	<0.50	<0.90	DRY	DRY	<0.36	NS	DRY	DRY	<0.50
trans-1,2-Dichloroethene	<50	<2.5	NS	NS	DRY	<1.8	<0.95	DRY	DRY	<0.43	NS	DRY	DRY	<0.50
trans-1,3-Dichloropropene	<50	<2.5	NS	NS	DRY	<0.55	<0.90	DRY	DRY	<0.39	NS	DRY	DRY	<0.50
Trichloroethene	25 (Tr)	2.9	NS	NS	DRY	3.8	4.7	DRY	DRY	1.0	NS	DRY	DRY	1.2
Trichlorofluoromethane	<100	<5	NS	NS	DRY	<2.4	<2.8	DRY	DRY	<0.60	NS	DRY	DRY	<1.0
Vinyl Acetate	<1,000	<50	NS	NS	DRY	<11	<2.3	DRY	DRY	<0.90	NS	DRY	DRY	<10
Vinyl Chloride	<50	<2.5	NS	NS	DRY	2.5	<1.4	DRY	DRY	<0.43	NS	DRY	DRY	<0.50
Xylenes (total)	<150	<7.5	NS	NS	DRY	<2.0	<2.9	DRY	DRY	<1.1	NS	DRY	DRY	<1.5

Historical Groundwater Analytical Data
Monitoring Well MW-10s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	DRY	DRY	DRY	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	DRY	DRY	DRY	<0.78
1,1,2-Trichloroethane	DRY	DRY	DRY	<0.44
1,1-Dichloroethane	DRY	DRY	DRY	2.2
1,1-Dichloroethene	DRY	DRY	DRY	<0.29
1,2,3-Trichloropropane	DRY	DRY	DRY	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	DRY	DRY	DRY	<0.69
1,2-Dibromoethane (EDB)	DRY	DRY	DRY	<0.39
1,2-Dichloroethane	DRY	DRY	DRY	<0.38
1,2-Dichloropropane	DRY	DRY	DRY	<0.35
1,4-Dichlorobenzene	DRY	DRY	DRY	<0.38
1,4-Dioxane (P-Dioxane)	DRY	DRY	DRY	2.0
4-Methyl-2-Pentanone	DRY	DRY	DRY	<1.9
Acetone	DRY	DRY	DRY	<3.0
Benzene	DRY	DRY	DRY	<0.33
Bromodichloromethane	DRY	DRY	DRY	<0.28
Bromoform	DRY	DRY	DRY	<0.31
Bromomethane	DRY	DRY	DRY	<0.33
Carbon Tetrachloride	DRY	DRY	DRY	<0.46
Chlorobenzene	DRY	DRY	DRY	<0.39
Chloroethane	DRY	DRY	DRY	<0.31
Chloroform	DRY	DRY	DRY	<0.33
Chloromethane	DRY	DRY	DRY	<0.36
cis-1,2-Dichloroethene	DRY	DRY	DRY	1.6
cis-1,3-Dichloropropene	DRY	DRY	DRY	<0.29
Dibromochloromethane	DRY	DRY	DRY	<0.31
Dibromomethane	DRY	DRY	DRY	<0.38
Dichlorodifluoromethane (Freon 12)	DRY	DRY	DRY	<0.56
Ethylbenzene	DRY	DRY	DRY	<0.43

Historical Groundwater Analytical Data
Monitoring Well MW-10s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/8/08	3/9/09
Methyl Ethyl Ketone (2-Butanone)	DRY	DRY	DRY	<1.9
Methylene Chloride	DRY	DRY	DRY	<0.29
Styrene	DRY	DRY	DRY	<0.32
Tetrachloroethene	DRY	DRY	DRY	<0.49
Toluene	DRY	DRY	DRY	<0.40
trans-1,2-Dichloroethene	DRY	DRY	DRY	<0.33
trans-1,3-Dichloropropene	DRY	DRY	DRY	<0.35
Trichloroethene	DRY	DRY	DRY	<0.38
Trichlorofluoromethane	DRY	DRY	DRY	<0.47
Vinyl Acetate	DRY	DRY	DRY	<0.80
Vinyl Chloride	DRY	DRY	DRY	<0.47
Xylenes (total)	DRY	DRY	DRY	<1.1

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

NS - Not Sampled

Historical Groundwater Analytical Data
Destroyed Vapor Extraction Well (VEW) MW-11s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/9/06	6/15/06
1,1,1-Trichloroethane	440,000	NS
1,1,2-Trichloro-2,2,2-Trifluoroethane	<330	NS
1,1,2-Trichloroethane	730	NS
1,1-Dichloroethane	1,400	NS
1,1-Dichloroethene	22,000	NS
1,2,3-Trichloropropane	<140	NS
1,2-Dibromo-3-Chloropropane (DBCP)	<500	NS
1,2-Dibromoethane (EDB)	<50	NS
1,2-Dichloroethane	10,000	NS
1,2-Dichloropropane	<200	NS
1,4-Dichlorobenzene	<160	NS
1,4-Dioxane (P-Dioxane)	31,000	NS
4-Methyl-2-Pentanone	11,000	NS
Acetone	240,000	NS
Benzene	260	NS
Bromodichloromethane	<130	NS
Bromoform	<430	NS
Bromomethane	<180	NS
Carbon Tetrachloride	<180	NS
Chlorobenzene	<50	NS
Chloroethane	<170	NS
Chloroform	350	NS
Chloromethane	<150	NS
cis-1,2-Dichloroethene	960	NS
cis-1,3-Dichloropropene	<130	NS
Dibromochloromethane	<65	NS
Dibromomethane	<150	NS
Dichlorodifluoromethane (Freon 12)	<220	NS
Ethylbenzene	310	NS

Historical Groundwater Analytical Data
Destroyed Vapor Extraction Well (VEW) MW-11s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/9/06	6/15/06
Methyl Ethyl Ketone (2-Butanone)	31,000	NS
Methylene Chloride	430,000	NS
Styrene	<100	NS
Tetrachloroethene	91,000	NS
Toluene	18,000	NS
trans-1,2-Dichloroethene	<180	NS
trans-1,3-Dichloropropene	<55	NS
Trichloroethene	39,000	NS
Trichlorofluoromethane	<240	NS
Vinyl Acetate	<1,100	NS
Vinyl Chloride	<140	NS
Xylenes (total)	1,200	NS

Notes:

Values reported as micrograms per liter (ug/L).

MW-11s converted to vapor extraction well on 11 September 2006.

NS - Not Sampled

MW-11s was destroyed on 6 January 2009.

Historical Groundwater Analytical Data
Destroyed Monitoring Well MW-12s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/6/05	9/19/05	12/12/05	3/9/06	6/15/06	9/20/06	12/4/06	3/19/07	6/25/07	9/26/07	12/10/07	2/20/08
1,1,1-Trichloroethane	15	DRY	NS	DRY	0.43 (Tr)	NS	NS	NS	DRY	DRY	NS	DRY	0.53
1,1,2-Trichloro-2,2,2-Trifluoroethane	0.77 (Tr)	DRY	NS	DRY	<0.65	NS	NS	NS	DRY	DRY	NS	DRY	<2.0
1,1,2-Trichloroethane	<0.50	DRY	NS	DRY	0.35 (Tr)	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,1-Dichloroethane	13	DRY	NS	DRY	11	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,1-Dichloroethene	24	DRY	NS	DRY	18	NS	NS	NS	DRY	DRY	NS	DRY	1.8
1,2,3-Trichloropropane	<0.50	DRY	NS	DRY	<0.27	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,2-Dibromo-3-Chloropropane (DBCP)	<2.0	DRY	NS	DRY	<1.0	NS	NS	NS	DRY	DRY	NS	DRY	<2.0
1,2-Dibromoethane (EDB)	<1.0	DRY	NS	DRY	<0.10	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
1,2-Dichloroethane	5.5	DRY	NS	DRY	7.8	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,2-Dichloropropane	<0.50	DRY	NS	DRY	<0.39	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,4-Dichlorobenzene	<0.50	DRY	NS	DRY	<0.31	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
1,4-Dioxane (P-Dioxane)	110	DRY	NS	DRY	8.3	NS	NS	NS	DRY	DRY	NS	DRY	3.1
4-Methyl-2-Pentanone	<10	DRY	NS	DRY	<1.6	NS	NS	NS	DRY	DRY	NS	DRY	<10
Acetone	2.3 (Tr)	DRY	NS	DRY	<2.8	NS	NS	NS	DRY	DRY	NS	DRY	2.7 (Tr)
Benzene	<0.50	DRY	NS	DRY	<0.38	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Bromodichloromethane	<1.0	DRY	NS	DRY	<0.26	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Bromoform	<1.0	DRY	NS	DRY	<0.86	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Bromomethane	<1.0	DRY	NS	DRY	<0.35	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Carbon Tetrachloride	<0.50	DRY	NS	DRY	<0.36	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Chlorobenzene	<0.50	DRY	NS	DRY	<0.10	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Chloroethane	<1.0	DRY	NS	DRY	<0.33	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Chloroform	0.91	DRY	NS	DRY	0.64	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Chloromethane	<1.0	DRY	NS	DRY	<0.30	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
cis-1,2-Dichloroethene	18	DRY	NS	DRY	8.9	NS	NS	NS	DRY	DRY	NS	DRY	1.2
cis-1,3-Dichloropropene	<0.50	DRY	NS	DRY	<0.26	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Dibromochloromethane	<1.0	DRY	NS	DRY	<0.13	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Dibromomethane	<0.50	DRY	NS	DRY	<0.29	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Dichlorodifluoromethane (Freon 12)	<1.0	DRY	NS	DRY	<0.43	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Ethylbenzene	<0.50	DRY	NS	DRY	<0.22	NS	NS	NS	DRY	DRY	NS	DRY	<0.50

Historical Groundwater Analytical Data
Destroyed Monitoring Well MW-12s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/6/05	9/19/05	12/12/05	3/9/06	6/15/06	9/20/06	12/4/06	3/19/07	6/25/07	9/26/07	12/10/07	2/20/08
Methyl Ethyl Ketone (2-Butanone)	<10	DRY	NS	DRY	<1.7	NS	NS	NS	DRY	DRY	NS	DRY	<10
Methylene Chloride	1.2 (Tr)	DRY	NS	DRY	<0.72	NS	NS	NS	DRY	DRY	NS	DRY	<2.0
Styrene	<0.50	DRY	NS	DRY	<0.20	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Tetrachloroethene	70	DRY	NS	DRY	32	NS	NS	NS	DRY	DRY	NS	DRY	5.5
Toluene	0.40 (Tr)	DRY	NS	DRY	<0.10	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
trans-1,2-Dichloroethene	0.29 (Tr)	DRY	NS	DRY	<0.36	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
trans-1,3-Dichloropropene	<0.50	DRY	NS	DRY	<0.11	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Trichloroethene	28	DRY	NS	DRY	25	NS	NS	NS	DRY	DRY	NS	DRY	0.79
Trichlorofluoromethane	0.53 (Tr)	DRY	NS	DRY	<0.47	NS	NS	NS	DRY	DRY	NS	DRY	<1.0
Vinyl Acetate	<10	DRY	NS	DRY	<2.2	NS	NS	NS	DRY	DRY	NS	DRY	<10
Vinyl Chloride	<0.50	DRY	NS	DRY	<0.27	NS	NS	NS	DRY	DRY	NS	DRY	<0.50
Xylenes (total)	<1.5	DRY	NS	DRY	<0.40	NS	NS	NS	DRY	DRY	NS	DRY	<1.5

Historical Groundwater Analytical Data
Destroyed Monitoring Well MW-12s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/4/08
1,1,1-Trichloroethane	DRY	DRY	DRY
1,1,2-Trichloro-2,2,2-Trifluoroethane	DRY	DRY	DRY
1,1,2-Trichloroethane	DRY	DRY	DRY
1,1-Dichloroethane	DRY	DRY	DRY
1,1-Dichloroethene	DRY	DRY	DRY
1,2,3-Trichloropropane	DRY	DRY	DRY
1,2-Dibromo-3-Chloropropane (DBCP)	DRY	DRY	DRY
1,2-Dibromoethane (EDB)	DRY	DRY	DRY
1,2-Dichloroethane	DRY	DRY	DRY
1,2-Dichloropropane	DRY	DRY	DRY
1,4-Dichlorobenzene	DRY	DRY	DRY
1,4-Dioxane (P-Dioxane)	DRY	DRY	DRY
4-Methyl-2-Pentanone	DRY	DRY	DRY
Acetone	DRY	DRY	DRY
Benzene	DRY	DRY	DRY
Bromodichloromethane	DRY	DRY	DRY
Bromoform	DRY	DRY	DRY
Bromomethane	DRY	DRY	DRY
Carbon Tetrachloride	DRY	DRY	DRY
Chlorobenzene	DRY	DRY	DRY
Chloroethane	DRY	DRY	DRY
Chloroform	DRY	DRY	DRY
Chloromethane	DRY	DRY	DRY
cis-1,2-Dichloroethene	DRY	DRY	DRY
cis-1,3-Dichloropropene	DRY	DRY	DRY
Dibromochloromethane	DRY	DRY	DRY
Dibromomethane	DRY	DRY	DRY
Dichlorodifluoromethane (Freon 12)	DRY	DRY	DRY
Ethylbenzene	DRY	DRY	DRY

Historical Groundwater Analytical Data
Destroyed Monitoring Well MW-12s
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/4/08
Methyl Ethyl Ketone (2-Butanone)	DRY	DRY	DRY
Methylene Chloride	DRY	DRY	DRY
Styrene	DRY	DRY	DRY
Tetrachloroethene	DRY	DRY	DRY
Toluene	DRY	DRY	DRY
trans-1,2-Dichloroethene	DRY	DRY	DRY
trans-1,3-Dichloropropene	DRY	DRY	DRY
Trichloroethene	DRY	DRY	DRY
Trichlorofluoromethane	DRY	DRY	DRY
Vinyl Acetate	DRY	DRY	DRY
Vinyl Chloride	DRY	DRY	DRY
Xylenes (total)	DRY	DRY	DRY

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

NS - Not Sampled

MW-12s was destroyed on 4 December 2008.

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/2/99	9/20/00	10/24/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
1,1,1-Trichloroethane	2,700	2,000	150	759	<5	410	60	174	10	<5	1	7.1	4.0	6.0
1,1,2-Trichloro-2,2,2-Trifluoroethane		600			8	25	44	13	<5	<5	<1.0	17	11	14
1,1,2-Trichloroethane	<20	<50	<5		<5	<10	<5	10	<5	<5	<1.0	<0.50	<0.50	<0.50
1,1-Dichloroethane	460	400	25	80	<5	69	340	637	31	12	14	100	85	110
1,1-Dichloroethene	6,200	5,700	550	966	<5	370	240	332	24	5.9	2.8	100	98	120
1,2,3-Trichloropropane					<5		<5	<5	<5	<5	<2.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<50	<5	<5	<5	<5	<2.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)					<5		2.1 (Tr)	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
1,2-Dichloroethane	<20	<50	<5	5	<5	<10	<5	9.6	<5	<5	<1.0	0.82	<0.50	1.1
1,2-Dichloroethene, Total	2,500	1,300												
1,2-Dichloropropane	<20	<50	<5		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	<10					<50	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)						<50	140 (Tr)	<57	<57	<57			<300	<300
2-Chloroethyl Vinyl Ether					<10	<10	<5	<5	<5	<5				
4-Methyl-2-Pentanone	<200	<500	<50	<50		25	<10	<10	<10	<10				
Acetone	<400	<1,000	<100	<100	<100	580	<100	<100	<100	<100				<20
Benzene	13	120	10	6	<5	<10	3.1 (Tr)	7.7	<1.0	<1.0	<1.0	2.6	2.1	2.8
Bromodichloromethane	<20	<50	<5		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Bromoform	<100	<250	<25		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Bromomethane									<5	<5	<2.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<20	<50	<5		<5	<25	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Chlorobenzene	<20	<50	<5	<5	<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	0.60
Chloroethane	<20	<50	<5		<10	<25	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Chloroform	34	<50	<5	<5	<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Chloromethane									<5	<5	<1.0	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene			110	360	<5	330	440	1,920	103	61	76	270	260	250
cis-1,3-Dichloropropene	<20	<50	<5		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Dibromochloromethane	<20	<50	<5	<5	<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Dibromomethane					<5		<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/24/90	2/11/91	2/2/94	6/28/95	9/1/95	2/2/99	9/20/00	10/24/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
Dichlorodifluoromethane (Freon 12)					<5		<5	<5	<5	<5	<1.0	<0.50	<0.50	0.78
Ethylbenzene	<20	<50	<5	<5	<5	<10	3.7 (Tr)	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<400	<1,000	<100	<100	<100	<50	<100	<100	<100	<100				
Methylacryonitrile					<100		<35							
Methylene Chloride	1,400	640	<25	54	<5	89	<5	<5	34	<5	3.2	<1.0	<1.0	<1.0
Styrene	<20	<50	<5		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Tetrachloroethene	4,100	4,300	410	662	<5	400	190	261	86	11	7.5	99	95	100
Toluene	93	<100	<10	<5	<5	<10	7.9	5.6	<5	<5	<1.0	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene			<5	<5	<5	<10	<5	5.9	<5	<5	<1.0	6.0	4.6	4.2
trans-1,3-Dichloropropene	<20	<50	<5		<5	<10	<5	<5	<5	<5	<1.0	<0.50	<0.50	<0.50
Trichloroethene	4,300	4,200	400	609	<5	180	150	202	37	3.1 (Tr)	7.8	59	51	94
Trichlorofluoromethane	200	80	25	53	<5	<25	12	<5	<5	<5	<1.0	0.99	1.6	2.6
Vinyl Acetate	<200	<500	<50		<50	<25	<50	<50	<50	<50				
Vinyl Chloride	<20	<50	<5	12	<10	<25	18	<5	11	7.9	7.9	38	27	43
Xylenes (total)	77	52	<5	<5	<5	<10	13	<5	<5	<5	<2.0	<1.0	<1.0	<1.0
xylenes(m,p)							2.5 (Tr)	<5						
xylenes(o)							10.5	<5						

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/17/03	12/18/03	3/19/04	6/15/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
1,1,1-Trichloroethane	3.3	3.7	1.5	0.49	3.9	0.41 (Tr)	<2.5	1.9 (Tr)	<2.5	<1.2	2.2	4.7	3.2
1,1,2-Trichloro-2,2,2-Trifluoroethane	13	22	8.1	1.7	51	2.9	3.5 (Tr)	8.0 (Tr)	39	48	82	16	35
1,1,2-Trichloroethane	<0.50	1.6	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.50	<0.10	<0.10	<0.90
1,1-Dichloroethane	230	160	100	19	770	9.6	1.9 (Tr)	120	50	54	77	110	56
1,1-Dichloroethene	110	110	96	37	860	27	19	96	33	39	66	61	38
1,2,3-Trichloropropane	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<2.5	<2.5	<2.5	<1.4	<0.27	<0.27	<1.2
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<10	<10	<10	<5.0	<1.0	<1.0	<3.8
1,2-Dibromoethane (EDB)	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<0.50	<0.10	<0.10	<1.1
1,2-Dichloroethane	1.5	1.6	1.5	1.4	4.9	0.7	<2.5	2.0 (Tr)	<2.5	<1.9	0.90	1.5	<1.1
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<2.0	<0.39	<0.39	<0.95
1,4-Dichlorobenzene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.6	<0.31	<0.31	<0.85
1,4-Dioxane (P-Dioxane)	<300	33	32	13		10	1.2 (Tr)	6.6		3.5	19	17	4.5
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<50	<50	<50	<8.0	<1.6	<1.6	<4.8
Acetone	<20	<20	<200	<20	<20	<20	<50	<50	12 (Tr)	<14	<2.8	<2.8	<9.0
Benzene	2.7	2.8	2.0	0.41	24	0.2 (Tr)	<2.5	1.5 (Tr)	<2.5	<1.9	0.60	0.93	<0.90
Bromodichloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<1.3	<0.26	<0.26	<0.95
Bromoform	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<4.3	<0.86	<0.86	<0.75
Bromomethane	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<5	<5	<5	<1.8	<0.35	<0.35	<1.4
Carbon Tetrachloride	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.8	<0.36	<0.36	<1.5
Chlorobenzene	0.65	0.63	<5	<0.50	4.1	<0.50	<2.5	<2.5	<2.5	<0.50	0.14 (Tr)	0.26 (Tr)	<0.85
Chloroethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<1.7	<0.33	<0.33	<1.2
Chloroform	0.53	0.7	<5	0.43	1.1	0.58	<2.5	<2.5	2.1 (Tr)	2.9	3.8	4.6	3.7
Chloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<1.5	<0.30	<0.30	<1.8
cis-1,2-Dichloroethene	330	280	230	56	1,500	35	10	230	100	71	120	190	110
cis-1,3-Dichloropropene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.3	<0.26	<0.26	<1.1
Dibromochloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<0.65	<0.13	<0.13	<1.2
Dibromomethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.5	<0.29	<0.29	<1.1

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/17/03	12/18/03	3/19/04	6/15/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<5	<5	<5	<2.2	<0.43	<0.43	<1.9
Ethylbenzene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.1	<0.22	<0.22	<0.70
Methyl Ethyl Ketone (2-Butanone)		<20	<200	<20	<20	<20	<50	<50	<50	<8.5	<1.7	<1.7	<12
Methylacryonitrile													
Methylene Chloride	<1.0	0.18	<10	<1.0	<1.0	<1.0	<10	<10	<10	<3.6	<0.72	0.88 (Tr)	<1.1
Styrene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<1.0	<0.20	<0.20	<0.70
Tetrachloroethene	280	220	260	270	260	210	170	240	110	100	160	180	140
Toluene	0.17	0.1	<5	<0.50	0.34 (Tr)	<0.50	<2.5	<2.5	<2.5	<0.50	0.53	<0.10	<0.90
trans-1,2-Dichloroethene	4.6	4.4	<5	0.24	12	0.31 (Tr)	<2.5	<2.5	<2.5	<1.8	0.60	0.76	<0.95
trans-1,3-Dichloropropene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<2.5	<2.5	<2.5	<0.55	<0.11	<0.11	<0.90
Trichloroethene	110	110	86	62	220	34	28	75	85	120	170	98	120
Trichlorofluoromethane	4.9	7.7	<5	0.38	<0.50	0.43 (Tr)	<5	<5	12	16	27	3.4	8.8
Vinyl Acetate							<50	<50	<50	<11	<2.2	<2.2	<2.3
Vinyl Chloride	49	39	19	3.2	120	0.75	<2.5	8.5	4.1	3.3	3.1	4.2	5.6
Xylenes (total)	0.50	0.42	<10	<1.0	1.9	<1.0	<7.5	<7.5	<7.5	<2.0	<0.40	<0.40	<2.9
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<2.3	0.75	<0.46	<2.3	<2.0	<2.5	<2.5	<2.0	4.5	<2.3	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	84	80	11	66	<10	<10	<3.1	5.1 (Tr)	4.0 (Tr)	4.8
1,1,2-Trichloroethane	<2.0	<0.4	<0.40	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<0.44
1,1-Dichloroethane	64	69	38	42	40	47	43	61	12	<1.7	33
1,1-Dichloroethene	29	76	59	27	56	15	10	17	18	7.9	22
1,2,3-Trichloropropane	<2.1	<0.41	<0.41	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<3.8	<0.76	<0.76	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<0.69
1,2-Dibromoethane (EDB)	<1.9	<0.38	<0.38	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<0.39
1,2-Dichloroethane	<1.7	1.1	0.95	<1.7	<1.9	<2.5	<2.5	<1.9	<1.9	<1.9	0.91
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<2.0	<0.4	<0.40	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
1,4-Dichlorobenzene	<1.9	<0.37	<0.37	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38
1,4-Dioxane (P-Dioxane)	6.4	9.2	15	12	7.5	4.6	5.4	6.0	3.8	2.0	6.2
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<7.5	<1.5	<1.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<1.9
Acetone	<11	<2.2	<2.2	<11	<14	<50	<50	<15	<15	<15	<3.0
Benzene	<2.1	0.55	<0.42	<2.1	<1.5	<2.5	<2.5	<1.7	<1.7	<1.7	<0.33
Bromodichloromethane	<2.0	<0.4	<0.40	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<0.28
Bromoform	<2.1	<0.41	<0.41	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Bromomethane	<3.1	<0.61	<0.61	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<0.33
Carbon Tetrachloride	<2.4	<0.48	<0.48	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<0.46
Chlorobenzene	<1.8	<0.36	<0.36	<1.8	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<0.39
Chloroethane	<2.3	<0.46	<0.46	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<0.31
Chloroform	2.8	10	8.1	2.6	7.9	<2.5	<2.5	<1.7	2.0 (Tr)	<1.7	1.7
Chloromethane	<2.0	<0.4	<0.40	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<0.36
cis-1,2-Dichloroethene	81	82	44	45	47	59	65	91	21	6.8	36
cis-1,3-Dichloropropene	<1.7	<0.34	<0.34	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<0.29
Dibromochloromethane	<1.7	<0.33	<0.33	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<0.31
Dibromomethane	<2.0	<0.39	<0.39	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<0.38

Historical Groundwater Analytical Data
Monitoring Well SB-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<2.4	<0.48	<0.48	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<0.56
Ethylbenzene	<2.1	<0.41	<0.41	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<0.43
Methyl Ethyl Ketone (2-Butanone)	<8.5	2 (Tr)	<1.7	<8.5	<10	<50	<50	<10	<10	<9.5	<1.9
Methylacryonitrile											
Methylene Chloride	<2.2	<0.43	<0.43	<2.2	<1.5	<10	<10	<1.5	<1.5	<1.5	<0.29
Styrene	<1.9	<0.37	<0.37	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<0.32
Tetrachloroethene	120	150	190	200	250	350	290	300	220	180	160
Toluene	<1.8	<0.36	<0.36	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<0.40
trans-1,2-Dichloroethene	<2.2	0.49 (Tr)	<0.43	<2.2	<2.1	<2.5	<2.5	<2.1	<2.1	<1.7	<0.33
trans-1,3-Dichloropropene	<2.0	<0.39	<0.39	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<0.35
Trichloroethene	64	150	130	56	110	55	51	61	40	29	40
Trichlorofluoromethane	4.9 (Tr)	26	21	3.0 (Tr)	20	<5.0	<5.0	<3.0	<3.0	<2.4	1.6
Vinyl Acetate	<4.5	<0.9	<0.90	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<0.80
Vinyl Chloride	11	8.1	5.3	5.6	3.7	6.2	<2.5	<2.4	<2.4	<2.4	<0.47
Xylenes (total)	<5.6	<1.1	<1.1	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<1.1
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/24/90	2/12/91	2/3/94	6/29/95	2/3/99	9/20/00	10/26/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
1,1,1-Trichloroethane	17,000	3,600	6,000	1,420	3,790	64	22.3	41	17	15	8.1	5.2	5.6
1,1,2-Trichloro-2,2,2-Trifluoroethane		200			209	23	10	<5	<5	42	18	11	20
1,1,2-Trichloroethane	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
1,1-Dichloroethane	150	45	<30	85	210	310	60.2	70	47	38	410	540	73
1,1-Dichloroethene	10,000	3,300	3,600	1,610	6,920	510	267	473	231	170	180	130	190
1,2,3-Trichloropropane					<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)					<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
1,2-Dichloroethane	<50	<40	<30	<5	<5	2.9 (Tr)	<5	<5	<5	<3	<0.50	3.3	0.43
1,2-Dichloroethene, Total	<50	<40											
1,2-Dichloropropane	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	<10					<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)						140 (Tr)	<57	<57	<57			<300	<300
2-Chloroethyl Vinyl Ether					<10	<5	<5	<5	<5				
4-Methyl-2-Pentanone	<500	<400	<300			<10	<10	<10	<10				
Acetone	<1,000	<800	<600	<100	<100	<100	<100	<100	<100				<20
Benzene	<50	<40	<30	<5	<5	52	<1.0	3.1	1.5	<3	24	29	3.9
Bromodichloromethane	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Bromoform	<250	<200	<150		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Bromomethane								<5	<5	<5	<1.0	<1.0	<1.0
Carbon Tetrachloride	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Chlorobenzene	<50	<40	<30	<5	<5	<5	<5	<5	<5	<3	5.7	5.6	1.6
Chloroethane	<50	<40	<30		<10	<5	<5	<5	<5	<3	15	14	1.8
Chloroform	<50	<40	<30	<5	<5	<5	<5	<5	<5	<3	<0.50	<0.50	0.49
Chloromethane								<5	<5	<3	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene			<30	260	474	840	168	280	207	170	480	250	260
cis-1,3-Dichloropropene	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Dibromochloromethane	<50	<40	<30	<5	<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Dibromomethane					<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/24/90	2/12/91	2/3/94	6/29/95	2/3/99	9/20/00	10/26/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
Dichlorodifluoromethane (Freon 12)					<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Ethylbenzene	<50	<40	<30	<5	<5	15	<5	<5	<5	<3	44	49	<0.50
Methyl Ethyl Ketone (2-Butanone)	<1,000	<800	<600	<100	<100	<100	<100	<100	<100				
Methylacryonitrile					<100	<35							
Methylene Chloride	<250	<200	<150	<5	<5	8.7	<5	<5	<5	7.1	<1.0	<1.0	2.4
Styrene	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Tetrachloroethene	6,700	3,600	3,300	1,570	6,710	220	178	465	217	260	170	130	200
Toluene	500	<80	<60	<5	<5	18	<5	<5	<5	<3	150	340	0.18
trans-1,2-Dichloroethene			<30	<5	<5	3.6 (Tr)	<5	<5	<5	<3	3.2	4.1	4.3
trans-1,3-Dichloropropene	<50	<40	<30		<5	<5	<5	<5	<5	<3	<0.50	<0.50	<0.50
Trichloroethene	1,100	760	680	488	1,180	110	113	245	118	110	50	57	120
Trichlorofluoromethane	140	40		25	93	5.9	<5	<5	<5	8.7	4.4	4.4	8.8
Vinyl Acetate	<500	<400	<300		<50	<50	<50	<50	<50				
Vinyl Chloride	<50	<40	<30	<10	<10	200	10	5.4	<5	<3	120	100	53
Xylenes (total)	<50	<40	<30	<5	<5	260	<5	<5	<5	<5	67	110	1.1
xylenes(m,p)						110	<5						
xylenes(o)						150	<5						

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/16/03	12/19/03	3/22/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	8.9	12	26	4.3	5	17	5.8	1.3	3.5	2.0 (Tr)	<1.2	2.1	3.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	15	14	12	13	10	32	16	40	12	4.4 (Tr)	8.2 (Tr)	10	8.2
1,1,2-Trichloroethane	<0.50	<20	<5	<0.50	<0.50	0.26 (Tr)	<2.5	<1.0	<1.0	<0.50	<0.50	0.13 (Tr)	<0.18
1,1-Dichloroethane	39	880	420	380	330	350	210	51	48	50	48	49	44
1,1-Dichloroethene	170	240	280	480	160	330	190	60	98	89	73	69	87
1,2,3-Trichloropropane	<1.0	<30	<10	<1.0	<1.0	<1.0	<2.5	<1.0	<1.0	<1.4	<1.4	<0.27	<0.24
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<30	<10	<1.0	<1.0	<1.0	<10	<4	<4	<5.0	<5.0	<1.0	<0.76
1,2-Dibromoethane (EDB)	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<0.50	<0.50	<0.10	<0.21
1,2-Dichloroethane	0.36	5.3	2.3	<0.50	1.5	3.1	1.9 (Tr)	0.62 (Tr)	0.54 (Tr)	<1.9	<1.9	<0.38	0.34 (Tr)
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<0.50	<20	<5	<0.50	<0.50	<0.50	<2.5	<1.0	<1.0	<2.0	<2.0	<0.39	<0.19
1,4-Dichlorobenzene	<0.50	<20	<5	<0.50	0.09 (Tr)	0.22 (Tr)	<2.5	<1.0	<1.0	<1.6	<1.6	<0.31	<0.17
1,4-Dioxane (P-Dioxane)	<300	580	420	300	290	370	42	27		23	19	47	30
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<50	<20	<20	<8.0	18 (Tr)	<1.6	<0.96
Acetone	<20	600	<200	<20	<20	<20	9.4 (Tr)	<20	4.0 (Tr)	<14	<14	<2.8	<1.8
Benzene	2.3	41	14	8.5	20	11	7.4	2.9	1.9	2.9	2.3 (Tr)	2.4	1.9
Bromodichloromethane	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<1.3	<1.3	<0.26	<0.19
Bromoform	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<4.3	<4.3	<0.86	<0.15
Bromomethane	<1.0	<30	<10	<1.0	<1.0	<1.0	<5	<2.0	<2.0	<1.8	<1.8	<0.35	<0.27
Carbon Tetrachloride	<0.50	<20	<5	<0.50	<0.50	<0.50	<2.5	<1.0	<1.0	<1.8	<1.8	<0.36	<0.29
Chlorobenzene	0.85	8.7	<5	1.6	2.8	4.2	1.3 (Tr)	0.66 (Tr)	1.1	1.3 (Tr)	1.1 (Tr)	0.98	0.81
Chloroethane	<0.50	<20	<5	2.6	2.7	2.3	<5	9.5	<2.0	<1.7	3.0 (Tr)	5.2	0.97 (Tr)
Chloroform	0.42	2.1	<5	0.68	0.56	0.91	<2.5	1.6	0.78 (Tr)	<1.8	<1.8	1.5	1.1
Chloromethane	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<1.5	<1.5	<0.30	<0.36
cis-1,2-Dichloroethene	150	280	990	580	150	820	560	37	270	260	130	94	130
cis-1,3-Dichloropropene	<0.50	<20	<5	<0.50	<0.50	<0.50	<2.5	<1.0	<1.0	<1.3	<1.3	<0.26	<0.21
Dibromochloromethane	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<0.65	<0.65	<0.13	<0.23
Dibromomethane	<0.50	<20	<5	<0.50	<0.50	<0.50	<2.5	<1.0	<1.0	<1.5	<1.5	<0.29	<0.22

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/16/03	12/19/03	3/22/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<0.50	<20	<5	<0.50	<0.50	<0.50	<5	<2.0	<2.0	<2.2	<2.2	<0.43	<0.37
Ethylbenzene	<0.50	140	70	26	75	94	18	1.8	<1.0	<1.1	<1.1	<0.22	<0.14
Methyl Ethyl Ketone (2-Butanone)		96	<200	<20	<20	<20	<50	<20	<20	<8.5	<8.5	<1.7	<2.3
Methylacryonitrile													
Methylene Chloride	1.7	6.9	42	<1.0	0.44 (Tr)	0.27 (Tr)	<10	<4	<4	<3.6	6.3 (Tr)	0.81 (Tr)	0.25 (Tr)
Styrene	<0.50	<20	<5	<0.50	<0.50	3.1	<2.5	<1.0	<1.0	<1.0	<1.0	<0.20	<0.14
Tetrachloroethene	250	230	250	590	140	260	220	100	110	160	140	130	170
Toluene	0.17	1,500	36	150	300	17	2.4 (Tr)	1.5	<1.0	<0.50	1.6 (Tr)	<0.10	<0.18
trans-1,2-Dichloroethene	2.4	4	1.8	4.2	1.5	7.8	1.7 (Tr)	0.42 (Tr)	2.5	<1.8	<1.8	1.4	1.7
trans-1,3-Dichloropropene	<0.50	<20	<5	<0.50	<0.50	<0.50	<2.5	<1.0	<1.0	<0.55	<0.55	<0.11	<0.18
Trichloroethene	110	72	100	200	40	99	150	93	50	59	54	62	74
Trichlorofluoromethane	5.4	5.5	2.7	2.4	2.4	3.6	<5	14	4.1	<2.4	2.6 (Tr)	3.4	2.1
Vinyl Acetate							<50	<20	<20	<11	<11	<2.2	<0.46
Vinyl Chloride	4.4	110	570	460	110	460	250	9.1	7.1	20	33	14	12
Xylenes (total)	<1.0	500	64	34	140	38	<7.5	5.0	<3	<2.0	3.4 (Tr)	<0.40	<0.57
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<2.3	1.4	1.0	<0.46	<0.39	0.56	0.82	<2.0	<2.0	<2.3	1.3
1,1,2-Trichloro-2,2,2-Trifluoroethane	5.2 (Tr)	3.7	6.0	3.2	2.6	16	24	51	39	48	31
1,1,2-Trichloroethane	<2.0	<0.4	<0.40	<0.40	<0.34	<0.50	<0.50	<2.2	<2.2	<2.2	<0.44
1,1-Dichloroethane	42	26	36	31	54	170	89	25	390	110	510
1,1-Dichloroethene	62	50	91	79	64	140	70	60	230	70	140
1,2,3-Trichloropropane	<2.1	<0.41	<0.41	<0.41	<0.39	<0.50	<0.50	<2.2	<2.2	<2.2	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<3.8	<0.76	<0.76	<0.76	<0.77	<2.0	<2.0	<3.5	<3.5	<3.5	<0.69
1,2-Dibromoethane (EDB)	<1.9	<0.38	<0.38	<0.38	<0.38	<1.0	<1.0	<2.0	<2.0	<2.0	<0.39
1,2-Dichloroethane	<1.7	<0.33	<0.33	<0.33	0.42 (Tr)	1.4	1.4	<1.9	2.6	<1.9	2.0
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<2.0	<0.4	<0.40	<0.40	<0.35	<0.50	<0.50	<1.8	<1.8	<1.8	<0.35
1,4-Dichlorobenzene	<1.9	<0.37	<0.37	<0.37	<0.34	<0.50	<0.50	<1.9	<1.9	<1.9	<0.38
1,4-Dioxane (P-Dioxane)	36	39	38	33	65	210	130	60	290	48	120
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<7.5	56	<1.5	<1.5	51	<10	3.0 (Tr)	<9.5	<9.5	<9.5	<1.9
Acetone	15 (Tr)	<2.2	<2.2	<2.2	33	<10	<10	<15	<15	<15	<3.0
Benzene	<2.1	1.4	1.6	1.2	3.4	3.6	6.6	<1.7	11	2.7	6.6
Bromodichloromethane	<2.0	<0.4	<0.40	<0.40	<0.30	<1.0	<1.0	<1.5	<1.5	<1.4	<0.28
Bromoform	<2.1	<0.41	<0.41	<0.41	<0.28	<1.0	<1.0	<1.6	<1.6	<1.6	<0.31
Bromomethane	<3.1	<0.61	<0.61	<0.61	<0.40	<1.0	<1.0	<2.0	<2.0	<1.7	<0.33
Carbon Tetrachloride	<2.4	<0.48	<0.48	<0.48	<0.43	<0.50	<0.50	<2.3	<2.3	<2.3	<0.46
Chlorobenzene	<1.8	0.53	0.65	0.49 (Tr)	1.3	1.5	2.2	<2.0	2.6	<2.0	1.2
Chloroethane	<2.3	3.2	1.2	0.76 (Tr)	12	55	160	26	40	<1.6	1.1
Chloroform	<2.0	0.49 (Tr)	0.54	0.46 (Tr)	<0.33	2.3	4.8	13	7.3	9.2	3.0
Chloromethane	<2.0	<0.4	<0.40	<0.40	<0.41	<1.0	<1.0	<2.1	<2.1	<1.8	<0.36
cis-1,2-Dichloroethene	88	62	120	100	140	110	59	45	450	150	600
cis-1,3-Dichloropropene	<1.7	<0.34	<0.34	<0.34	<0.30	<0.50	<0.50	<1.5	<1.5	<1.5	<0.29
Dibromochloromethane	<1.7	<0.33	<0.33	<0.33	<0.32	<1.0	<1.0	<1.6	<1.6	<1.6	<0.31
Dibromomethane	<2.0	<0.39	<0.39	<0.39	<0.33	<0.50	<0.50	<1.9	<1.9	<1.9	<0.38

Historical Groundwater Analytical Data
Monitoring Well SB-07
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<2.4	<0.48	<0.48	<0.48	<0.68	<1.0	<1.0	<3.4	<3.4	<2.8	<0.56
Ethylbenzene	2.3 (Tr)	2	<0.41	<0.41	5.7	1.4	7.0	<2.2	40	4.4	<0.43
Methyl Ethyl Ketone (2-Butanone)	<8.5	2 (Tr)	<1.7	<1.7	7.5 (Tr)	<10	<10	<10	<10	<9.5	<1.9
Methylacryonitrile											
Methylene Chloride	<2.2	<0.43	<0.43	<0.43	<0.30	0.84 (Tr)	0.51 (Tr)	<1.5	<1.5	<1.5	<0.29
Styrene	<1.9	<0.37	<0.37	<0.37	<0.32	<0.50	<0.50	<1.6	1.8 (Tr)	<1.6	<0.32
Tetrachloroethene	120	140	170	170	130	190	160	180	160	160	120
Toluene	<1.8	<0.36	<0.36	<0.36	2.3	0.95	8.8	<2.0	15	2.1 (Tr)	4.4
trans-1,2-Dichloroethene	<2.2	0.87	1.7	1.7	1.6	1.1	0.80	<2.1	2.4 (Tr)	<1.7	2.3
trans-1,3-Dichloropropene	<2.0	<0.39	<0.39	<0.39	<0.30	<0.50	<0.50	<1.8	<1.8	<1.8	<0.35
Trichloroethene	48	42	65	61	42	120	57	85	89	96	48
Trichlorofluoromethane	<3.0	1.2	1.9	1.4	1.0	4.3	6.8	14	8.7	13	5.6
Vinyl Acetate	<4.5	<0.9	<0.90	<0.90	<0.85	<10	<10	<4.3	<4.3	<4.0	<0.80
Vinyl Chloride	6.6	5.7	9.6	6.2	9.1	55	20	5.6	290	61	230
Xylenes (total)	<5.6	4.1	<1.1	<1.1	21	1.8	9.7	<5.7	17	<5.7	6.3
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
1,1,1-Trichloroethane	2,900	2,400	1,800	591	6,680	170	55	74	59	210	32	20	33
1,1,2-Trichloro-2,2,2-Trifluoroethane			79		137	77	13	<5	<50	38	20	22	21
1,1,2-Trichloroethane	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
1,1-Dichloroethane	160	<25	85	68	466	200	700	149	217	580	110	57	170
1,1-Dichloroethene	3,600	1,800	1,700	1,220	16,400	990	218	959	1,560	2,900	170	80	480
1,2,3-Trichloropropane					<5	<5	<5	<5	<50	<5	<1.0	<1.0	<2.0
1,2-Dibromo-3-Chloropropane (DBCP)					<100	<5	<5	<5	<50	<5	<1.0	<1.0	<2.0
1,2-Dibromoethane (EDB)					<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
1,2-Dichloroethane	<20	<25	<20	<5	37	18	6.3	8.8	<50	11	0.74	<0.50	2.0
1,2-Dichloroethene, Total	83	<25											
1,2-Dichloropropane	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
1,4-Dichlorobenzene	<10					<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
1,4-Dioxane (P-Dioxane)						45 (Tr)	<57	<57	<570			<300	<600
2-Chloroethyl Vinyl Ether					<10	<5	<5	<5	<50				
4-Methyl-2-Pentanone	<200	<250	<200	<50		<10	116	<10	<100				
Acetone	<400	<500	<400	<100	<100	<100	<100	<100	<1,000				<40
Benzene	<20	<25	<20	<5	26	6	55	3.2	<10	11	1.1	<0.50	3.4
Bromodichloromethane	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Bromoform	<100	<125	<100		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Bromomethane								<5	<50	<5	<1.0	<1.0	<2.0
Carbon Tetrachloride	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Chlorobenzene	<20	<25	<20	<5	<5	<5	<5	<5	<50	3.8	<0.50	<0.50	0.62
Chloroethane	<20	<25	<20		<10	<5	<5	<5	<50	10	<0.50	<0.50	<1.0
Chloroform	<20	<25	<20	<5	16	2.5 (Tr)	<5	<5	<50	3.4	0.68	0.72	0.98
Chloromethane								<5	<50	<3	<0.50	<0.50	<1.0
cis-1,2-Dichloroethene			<20	44	176	<5	881	344	990	2,600	220	94	410
cis-1,3-Dichloropropene	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Dibromochloromethane	<20	<25	<20	<5	<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Dibromomethane					<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/3/94	6/28/95	2/2/99	9/20/00	10/26/01	2/13/02	6/4/02	9/30/02	12/4/02	3/12/03
Dichlorodifluoromethane (Freon 12)					<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Ethylbenzene	<20	<25	<20	<5	<5	<5	41	<5	<50	<3	<0.50	<0.50	0.73
Methyl Ethyl Ketone (2-Butanone)	<400	<500	<400	<100	<100	<100	<100	<100	<1,000				
Methylacryonitrile					<100	<35							
Methylene Chloride	410	<125	<100	<5	<5	<5	<5	<5	<50	21	<1.0	<1.0	<2.0
Styrene	<20	<25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Tetrachloroethene	2,800	1,600	1,400	1,320	15,800	960	95	1,270	1,430	4,200	140	160	460
Toluene	<40	<50	<40	<5	<5	<5	331	<5	<50	<3	<0.50	<0.50	0.49
trans-1,2-Dichloroethene			<20	<5	9	<5	5.4	<5	<50	27	3.1	1.0	1.2
trans-1,3-Dichloropropene	<20	25	<20		<5	<5	<5	<5	<50	<3	<0.50	<0.50	<1.0
Trichloroethene	830	<25	390	461	3,440	350	33	382	393	1,100	90	85	100
Trichlorofluoromethane	190			17	152	27	<5	<5	<50	30	6.0	6.4	7.2
Vinyl Acetate	<200	<250	<200		<50	2.1 (Tr)	<50	<50	<500				
Vinyl Chloride	<20	<25	<20	<10	7	5.1	1,630	9.7	<50	18	4.3	3.3	17
Xylenes (total)	<20	<25	<20	<5	<5	190	310	<5	<50	<5	<1.0	<1.0	1.3
xylenes(m,p)						<5	95						
xylenes(o)						5.1	214						

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/16/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	27	26	15	6	15	42	690	77	5.0	3.9	3.3	7.8	7.2
1,1,2-Trichloro-2,2,2-Trifluoroethane	21	19	25	32	31	42	13	20 (Tr)	21	8.8 (Tr)	6.8 (Tr)	8.6	12
1,1,2-Trichloroethane	0.34	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<0.50	<0.50	<0.10	<0.18
1,1-Dichloroethane	110	100	120	75	200	830	92	140	32	35	28	120	67
1,1-Dichloroethene	430	190	75	64	160	190	320	240	91	100	57	140	210
1,2,3-Trichloropropane	<1.0	<1.0	<5	<1.0	<10	<1.0	<2.5	<5	<2.5	<1.4	<1.4	<0.27	<0.24
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<3	<1.0	<10	<1.0	<10	<20	<10	<5.0	<5.0	<1.0	<0.76
1,2-Dibromoethane (EDB)	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<0.50	<0.50	<0.10	<0.21
1,2-Dichloroethane	2.2	0.99	<3	0.74	1.7 (Tr)	2	3.1	2.2 (Tr)	1.5	<1.9	<1.9	2.0	0.86
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<2.0	<2.0	<0.39	<0.19
1,4-Dichlorobenzene	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.6	<1.6	<0.31	<0.17
1,4-Dioxane (P-Dioxane)	<300	180	27	17	23	65	4.6	12	14	9.2	7.1	110	31
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone													
Acetone	<20	<20	<100	<20	<200	<20	<50	<100	<50	<8.0	<8.0	95	<0.96
Benzene	2.4	1	1.0	0.6	1.5	5.2	<2.5	2.2 (Tr)	<2.5	<1.9	<1.9	9.0	0.33 (Tr)
Bromodichloromethane	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<1.3	<1.3	<0.26	<0.19
Bromoform	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<4.3	<4.3	<0.86	<0.15
Bromomethane	<1.0	<1.0	<5	<1.0	<10	<1.0	<5	<10	<5	<1.8	<1.8	<0.35	<0.27
Carbon Tetrachloride	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.8	<1.8	<0.36	<0.29
Chlorobenzene	0.53	0.25	<3	<0.50	<5	2.3	<2.5	<5	<2.5	<0.50	<0.50	2.3	0.76
Chloroethane	0.99	<0.50	<3	<0.50	<5	0.76	<5	<10	<5	<1.7	2.1 (Tr)	60	6.5
Chloroform	0.77	0.8	0.71	1.1	<5	0.96	<2.5	<5	1.8	<1.8	<1.8	1.5	1.9
Chloromethane	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<1.5	<1.5	<0.30	<0.36
cis-1,2-Dichloroethene	280	180	180	110	390	1,200	180	380	48	100	78	110	190
cis-1,3-Dichloropropene	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.3	<1.3	<0.26	<0.21
Dibromochloromethane	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<0.65	<0.65	<0.13	<0.23
Dibromomethane	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.5	<1.5	<0.29	<0.22

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/16/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<3	<0.50	<5	<0.50	<5	<10	<5	<2.2	<2.2	<0.43	<0.37
Ethylbenzene	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.1	<1.1	11	<0.14
Methyl Ethyl Ketone (2-Butanone)		<20	<100	<20	<200	<20	<50	<100	<50	<8.5	<8.5	43	<2.3
Methylacryonitrile													
Methylene Chloride	0.68	0.3	5.2	<1.0	2 (Tr)	0.57 (Tr)	3.6 (Tr)	<20	<10	<3.6	6.9 (Tr)	1.0 (Tr)	0.89 (Tr)
Styrene	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<1.0	<1.0	<0.20	<0.14
Tetrachloroethene	630	79	350	440	290	430	660	400	200	210	130	180	290
Toluene	0.21	0.39	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<0.50	0.85 (Tr)	64	<0.18
trans-1,2-Dichloroethene	2.1	1.9	<3	1.1	0.9 (Tr)	8.4	<2.5	<5	<2.5	<1.8	<1.8	1.2	2.4
trans-1,3-Dichloropropene	<0.50	<0.50	<3	<0.50	<5	<0.50	<2.5	<5	<2.5	<0.55	<0.55	<0.11	<0.18
Trichloroethene	100	64	83	210	110	120	180	85	99	79	53	98	150
Trichlorofluoromethane	5.7	4.8	7.0	12	10	9.5	8.2	5.6 (Tr)	7.6	3.8 (Tr)	<2.4	3.7	6.0
Vinyl Acetate							<50	<100	<50	<11	<11	<2.2	<0.46
Vinyl Chloride	12	4.6	3.8	3.5	6.8	23	7.3	3.9 (Tr)	4.0	16	4.8	2.3	1.8
Xylenes (total)	0.33	<1.0	<5	<1.0	<10	0.69 (Tr)	<7.5	<15	<7.5	<2.0	<2.0	47	<0.57
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/22/06	12/5/06	3/21/07	6/27/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/11/09
1,1,1-Trichloroethane	<4.6	3.3	2.2	1.8	<2.0	11	2.5	<2.0	8.8	120	26
1,1,2-Trichloro-2,2,2-Trifluoroethane	5.3 (Tr)	6.2	7.0	8.0	<5.0	42	42	28	85	52	52
1,1,2-Trichloroethane	<4.0	<0.4	<0.40	<0.40	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	21	19	52	65	72	380	240	340	580	35	55
1,1-Dichloroethene	120	66	130	180	47	160	150	100	230	110	85
1,2,3-Trichloropropane	<4.1	<0.41	<0.41	<0.41	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<0.76	<0.76	<0.76	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<3.8	<0.38	<0.38	<0.38	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	<3.3	0.42 (Tr)	0.69	0.92	<1.9	<2.5	<2.5	2.2	2.6	2.4 (Tr)	2.0 (Tr)
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<4.0	<0.4	<0.40	<0.40	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<3.7	<0.37	<0.37	<0.37	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	13	22	110	51	72	59	75	370	39	6.7	12
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<15	<1.5	<1.5	<1.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	25 (Tr)	<2.2	<2.2	<2.2	<14	<50	<50	<15	<15	<15	<15
Benzene	<4.2	<0.42	0.80	0.43 (Tr)	6.8	4.3	1.8	7.7	3.9	<1.7	<1.7
Bromodichloromethane	<4.0	<0.4	<0.40	<0.40	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<4.1	<0.41	<0.41	<0.41	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<6.1	<0.61	<0.61	<0.61	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<4.8	<0.48	<0.48	<0.48	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<3.6	<0.36	1.1	0.92	<1.8	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	<4.6	4.2	11	8.1	50	<5.0	<5.0	8.7	<1.9	<1.6	<1.6
Chloroform	<4.0	0.66	0.68	0.82	<1.7	7.2	8.7	6.6	16	13	11
Chloromethane	<4.0	<0.4	<0.40	<0.40	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	35	44	170	190	32	710	370	130	970	78	79
cis-1,3-Dichloropropene	<3.4	<0.34	<0.34	<0.34	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<3.3	<0.33	<0.33	<0.33	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<3.9	<0.39	<0.39	<0.39	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well SB-10
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/22/06	12/5/06	3/21/07	6/27/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/11/09
Dichlorodifluoromethane (Freon 12)	<4.8	<0.48	<0.48	<0.48	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<4.1	<0.41	<0.41	<0.41	13	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<17	1.9 (Tr)	<1.7	<1.7	<10	<50	<50	<10	<10	<9.5	<9.5
Methylacryonitrile											
Methylene Chloride	<4.3	<0.43	0.70 (Tr)	0.95 (Tr)	<1.5	<10	<10	<1.5	<1.5	<1.5	<1.5
Styrene	<3.7	<0.37	<0.37	<0.37	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	180	110	160	210	120	200	190	130	270	320	260
Toluene	<3.6	<0.36	<0.36	<0.36	22	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	<4.3	0.58	1.6	2.4	<2.1	<2.5	<2.5	<2.1	3.8	<1.7	<1.7
trans-1,3-Dichloropropene	<3.9	<0.39	<0.39	<0.39	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	72	41	82	110	30	72	89	82	110	120	96
Trichlorofluoromethane	<6.0	2.5	1.7	2.4	<3.0	9.8	9.4	8.1	24	18	14
Vinyl Acetate	<9.0	<0.9	<0.90	<0.90	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	<4.3	1.6	1.6	3.1	<2.2	18	9.4	65	15	<2.4	<2.4
Xylenes (total)	<11	<1.1	<1.1	<1.1	23	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Destroyed Monitoring Well SB-13
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/2/94	6/28/95
1,1,1-Trichloroethane	170	16	140	80	1,240
1,1,2-Trichloro-2,2,2-Trifluoroethane		30	28		75
1,1,2-Trichloroethane	<10	<2.0	<2.0		<5
1,1-Dichloroethane	66	4	28	34	89
1,1-Dichloroethene	630	62	360	346	826
1,2,3-Trichloropropane					<5
1,2-Dibromo-3-Chloropropane (DBCP)					<100
1,2-Dibromoethane (EDB)					<5
1,2-Dichloroethane	53	4	23	30	225
1,2-Dichloroethene, Total	150	9			
1,2-Dichloropropane	<10	<2.0	<2.0		<5
1,4-Dichlorobenzene	<10				
2-Chloroethyl Vinyl Ether					<10
4-Methyl-2-Pentanone	<100	<20	<20		
Acetone	<200	<40	<40	<100	<100
Benzene	10	<2.0	4	<5	6
Bromodichloromethane	<10	<2.0	<2.0		<5
Bromoform	<50	<40	<10		<5
Carbon Tetrachloride	<10	<2.0	<2.0		<5
Chlorobenzene	<10	<2.0	<2.0	<5	<5
Chloroethane	<10	<2.0	<2.0		<10
Chloroform	<10	<2.0	<2.0	<5	8
cis-1,2-Dichloroethene			40	45	93
cis-1,3-Dichloropropene	<10	<2.0	<2.0		<5
Dibromochloromethane	12	<2.0	<2.0	<5	<5
Dibromomethane					<5
Dichlorodifluoromethane (Freon 12)					<5
Ethylbenzene	<10	<2.0	<2.0	<5	<5
Methyl Ethyl Ketone (2-Butanone)	<200	<40	<40	<100	<100
Methylacryonitrile					<100
Methylene Chloride	700	<10	<10	<5	65

Historical Groundwater Analytical Data
Destroyed Monitoring Well SB-13
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/24/90	2/11/91	2/2/94	6/28/95
Styrene	<10	<2.0	<2.0		<5
Tetrachloroethene	510	96	300	419	682
Toluene	<20	<4	<4	<5	34
trans-1,2-Dichloroethene			<2.0	<5	<5
trans-1,3-Dichloropropene	<10	<2.0	<2.0		<5
Trichloroethene	870	220	340	375	797
Trichlorofluoromethane		6	27	34	30
Vinyl Acetate	<100	<20	<20		<50
Vinyl Chloride	<10	<2.0	<2.0	<10	<10
Xylenes (total)	<10	<2.0	<2.0	<5	<5

Notes:

Monitoring Well SB-13 was destroyed in 1995 during removal of the underground storage tanks (USTs).

Values reported as micrograms per liter (ug/L).

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/25/90	2/13/91	2/3/94	6/29/95	2/23/96	2/3/99	11/10/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02
1,1,1-Trichloroethane	65,000	25,000	23,000	16,800	8,560	<1,000	250	1,870	27 (Tr)	278	132	2,510	650	66
1,1,2-Trichloro-2,2,2-Trifluoroethane					<500	110	87	<200	<50	<5	42	49	<500	<50
1,1,2-Trichloroethane	<500	<250	<250		<500	11	<5	<200	<50	<5	8.4	13.3	<500	<50
1,1-Dichloroethane	<500	<250	<250	184	<500	470	990	918	1,060	2,300	2,110	3,140	2,860	1,570
1,1-Dichloroethene	5,500	6,300	2,900	5,010	4,760	<1,000	1,820	2,750	528	1,390	1,840	2,420	1,100	801
1,2,3-Trichloropropane					<500		<5	<200	<50	<5	<5	<5	<500	<50
1,2-Dibromo-3-Chloropropane (DBCP)					<10,000		<5	<200	<50	<5	<5	<5	<500	<50
1,2-Dibromoethane (EDB)					<500		<5	<200	<50	<5	<5	<5	<500	<50
1,2-Dichloroethane	<500	600	<250	237	<500	240	83	271	357	221	652	615	<500	140
1,2-Dichloroethene, Total	<500	1,000												
1,2-Dichloropropane	<500	<250	<250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
1,4-Dichlorobenzene	<10				<5		<5	<200	<50	<5	<5	<5	<500	<50
1,4-Dioxane (P-Dioxane)							140 (Tr)	<2,280	<570	<57	1,750	<57	<5,700	<570
2-Chloroethyl Vinyl Ether					<1,000	<5	<5	<200	<50	<5	<5	<5	<500	<50
4-Methyl-2-Pentanone	<5,000	<2,500	<2,500			20	<10	<400	<100	<10		<10	<1,000	<100
Acetone	<10,000	<5,000	<5,000	718	<10,000	210	<100	<4,000	<1,000	<100	<100	<100	<10,000	<1,000
Benzene	<500	<250	<250	12	<500	46	26	42	<50	47	83	109	<100	32
Bromodichloromethane	<500	<250	<250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Bromoform	<2,500	<1,250	<1,250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Bromomethane													<500	<50
Carbon Tetrachloride	<500	<250	<250		<500	<12.5	<5	<200	<50	<5	<5	<5	<500	<50
Chlorobenzene	<500	<250	<250	<5	<500	<5	<5	<200	<50	15	12	11	<500	<50
Chloroethane	<500	<250	<250		<1,000	<12.5	<5	<200	<50	<5	<5	<5	<500	<50
Chloroform	<500	<250	<250	9	<500	13	7.7	12	<50	7.2	13	<5	<500	<50
Chloromethane													<500	<50
cis-1,2-Dichloroethene			1,000	220	1,090	<1,000	2,520	2,960	<50	3,460	4,720	8,470	4,280	1,600
cis-1,3-Dichloropropene	<500	<250	<250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Dibromochloromethane	<500	<250	<250	<5	<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Dibromomethane					<500		<5	<200	<50	<5	<5	<5	<500	<50

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/25/90	2/13/91	2/3/94	6/29/95	2/23/96	2/3/99	11/10/99	12/28/99	1/17/00	2/28/00	9/21/00	10/24/01	2/14/02
Dichlorodifluoromethane (Freon 12)					<500		<5	<200	<50	<5	<5	<5	<500	<50
Ethylbenzene	<500	<250	<250	43	<500	18	23	<200	<50	9.6	129	240	<500	62
Methyl Ethyl Ketone (2-Butanone)	<10,000	<5,000	<5,000	481	<10,000	<25	<100	<4,000	<1,000	<100	<100	<100	<10,000	<1,000
Methylacryonitrile					<10,000		<35							
Methylene Chloride	13,000	45,000	4,000	14,900	4,700	480	3 (Tr)	276	<50	<5	<5	<5	<500	<50
Styrene	<500	<250	<250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Tetrachloroethene	45,000	19,000	15,000	15,000	10,500	<1,000	720	1,510	103	360	353	86.4	576	561
Toluene	1,000	2,000	<500	553	<500	360	60	<200	<50	131	127	2,580	1,570	420
trans-1,2-Dichloroethene			<250	<5	<500	7.9	7.5	12	<50	12	27	<5	<500	<50
trans-1,3-Dichloropropene	<500	<250	<250		<500	<5	<5	<200	<50	<5	<5	<5	<500	<50
Trichloroethene	7,200	5,300	2,700	2,060	3,910	650	610	762	<50	238	199	1,300	1,700	445
Trichlorofluoromethane				124	<500	88	19	29	<50	12	9.5	33	<500	<50
Vinyl Acetate	<5,000	<2,500	<2,500		<5,000	<12.5	<50	<2,000	<500	<50	<50	<50	<5,000	<500
Vinyl Chloride	<500	<250	<250	<10	<1,000	24	38	123 (Tr)	397	345	2,800	2,590	5,580	3,730
Xylenes (total)	<500	500	<250	234	<500	53	100	<200	<50	22	275	511	<500	108
xylenes(m,p)							68		<50			294		
xylenes(o)							30		<50			228		

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/5/02	9/30/02	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05
1,1,1-Trichloroethane	110	3.3	0.80	11	20,000	8.1	4.9	1.6	2.9 (Tr)	4	7.0	19	17,000	34,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	<50	7.5	8.2	6.5	18	6.7	18	17	14	20	5.3 (Tr)	19	<400	<330
1,1,2-Trichloroethane	<50	0.58	<0.50	<3	24	2.8	<5	0.22	<5	0.77	<2.5	<2.5	<100	55 (Tr)
1,1-Dichloroethane	2,000	170	88	370	930	550	160	88	100	230	210	170	4,200	6,300
1,1-Dichloroethene	790	90	70	130	3,600	100	210	60	140	230	180	230	6,000	12,000
1,2,3-Trichloropropane	<100	<1.0	<1.0	<5	<50	<1.0	<10	<1.0	<10	<1.0	<2.5	<2.5	<100	<140
1,2-Dibromo-3-Chloropropane (DBCP)	<100	<1.0	<1.0	<5	<50	<1.0	<10	<1.0	<10	<1.0	<10	<10	<400	<500
1,2-Dibromoethane (EDB)	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<50
1,2-Dichloroethane	190	10	4.8	18	440	67	9.8	5.3	6.4	30	29	6.9	500	1,400
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<200
1,4-Dichlorobenzene	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<160
1,4-Dioxane (P-Dioxane)			<300	<1,000	<20,000	740	130	84	120		48	19	520	1,500
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone											<50	<50	<2,000	<800
Acetone				<100	3,200	<20	<200	<20	<200	<20	<50	<50	9,800	8,500
Benzene	51	7.2	2.7	12	24	19	4.4	1.5	1.2 (Tr)	1.5	1.1 (Tr)	1.5 (Tr)	68	<190
Bromodichloromethane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<130
Bromoform	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<430
Bromomethane	<100	2.5	<1.0	<5	<50	<1.0	<10	<1.0	<10	<1.0	<5	<5	<200	<180
Carbon Tetrachloride	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<180
Chlorobenzene	<50	<0.50	<0.50	2.0	<30	4.1	<5	<0.50	<5	0.83	<2.5	<2.5	<100	<50
Chloroethane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<170
Chloroform	<50	1.1	0.87	1.3	19	2.1	1.4	0.77	<5	1.4	1.8 (Tr)	1.3 (Tr)	<100	<180
Chloromethane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<150
cis-1,2-Dichloroethene	2,000	120	89	330	4,200	640	350	98	200	330	270	270	8,100	23,000
cis-1,3-Dichloropropene	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<130
Dibromochloromethane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<65
Dibromomethane	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<150

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/5/02	9/30/02	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/15/04	12/13/04	3/11/05	6/8/05	9/21/05
Dichlorodifluoromethane (Freon 12)	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<5	<5	<200	<220
Ethylbenzene	80	8.8	3.9	19	27	87	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<110
Methyl Ethyl Ketone (2-Butanone)					570	<20	<200	<20	21 (Tr)	<20	<50	<50	1,100	1,300 (Tr)
Methylacryonitrile														
Methylene Chloride	100	<1.0	<1.0	<5	10,000	0.25	<10	<1.0	2.3 (Tr)	<1.0	<10	<10	8,000	27,000
Styrene	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<100
Tetrachloroethene	560	210	230	150	220	220	300	190	300	200	130	210	1,200	1,800
Toluene	560	53	15	95	450	410	2.4	0.33	<5	<0.50	<2.5	<2.5	300	650
trans-1,2-Dichloroethene	<50	5.5	3.5	2.6	16	8.9	<5	1.9	1.1 (Tr)	4.4	1.1 (Tr)	1.3 (Tr)	<100	<180
trans-1,3-Dichloropropene	<50	<0.50	<0.50	<3	<30	<0.50	<5	<0.50	<5	<0.50	<2.5	<2.5	<100	<55
Trichloroethene	240	71	61	35	240	69	99	84	79	84	120	91	1,300	3,100
Trichlorofluoromethane	<50	2.0	1.3	1.4	42	1.3	3.4	3.5	3 (Tr)	5.4	2.3 (Tr)	3.7 (Tr)	100	<240
Vinyl Acetate											<50	<50	<2,000	<1,100
Vinyl Chloride	2,400	650	260	550	570	730	120	65	38	47	15	22	2,500	2,100
Xylenes (total)	120	9.2	3.6	24	50	150	<10	0.73	<10	<1.0	<7.5	<7.5	<300	500 (Tr)
xylenes(m,p)														
xylenes(o)														

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/14/05	3/9/06	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/22/08	5/21/08	9/25/08	12/10/08	3/11/09
1,1,1-Trichloroethane	4,500	770	380	140	<23	16	12	<3.9	0.44 (Tr)	2.8	9.5	1.1	<2.3	3.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	78 (Tr)	<65	49	28 (Tr)	<25	<10	<10	<10	19	5.7	23	28	19	150
1,1,2-Trichloroethane	<10	15 (Tr)	5.6 (Tr)	<20	<20	<4.0	<4.0	<3.4	<0.50	<0.50	4.5	<0.44	<2.2	<0.44
1,1-Dichloroethane	5,500	2,700	1,500	2,100	840	570	1,100	220	8.0	8.6	120	210	63	90
1,1-Dichloroethene	3,500	770	430	360	79	100	85	24	27	25	93	160	55	170
1,2,3-Trichloropropane	<27	<27	<4.8	<21	<21	<4.1	<4.1	<3.9	<0.50	<0.50	<0.43	<0.43	<2.2	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<100	<100	<16	<38	<38	<7.6	<7.6	<7.7	<2.0	<2.0	<0.69	<0.69	<3.5	<0.69
1,2-Dibromoethane (EDB)	<10	<10	<4.2	<19	<19	<3.8	<3.8	<3.8	<1.0	<1.0	<0.39	<0.39	<2.0	<0.39
1,2-Dichloroethane	370	580	160	230	21	20	36	4.8 (Tr)	0.85	<0.50	7.1	8.1	<1.9	7.5
1,2-Dichloroethene, Total														
1,2-Dichloropropane	<39	<39	<3.8	<20	<20	<4.0	<4.0	<3.5	<0.50	<0.50	<0.35	<0.35	<1.8	<0.35
1,4-Dichlorobenzene	<31	<31	<3.4	<19	<19	<3.7	<3.7	<3.4	<0.50	<0.50	<0.38	<0.38	<1.9	<0.38
1,4-Dioxane (P-Dioxane)	550	1,800	690	1,100	470	580	1,700	100	5.4	1.6	61	46	15	17
2-Chloroethyl Vinyl Ether														
4-Methyl-2-Pentanone	<160	<160	<20	<75	<75	<15	<15	<19	<10	<10	<1.9	<1.9	<9.5	<1.9
Acetone	1,600	4,000	<36	210 (Tr)	<110	<22	<22	<27	<10	4.9 (Tr)	<3.0	<3.0	<15	<3.0
Benzene	79	110	35	78	22	17	30	4.8 (Tr)	<0.50	<0.50	0.81	0.69	<1.7	<0.33
Bromodichloromethane	<26	<26	<3.8	<20	<20	<4.0	<4.0	<3.0	<1.0	<1.0	<0.30	<0.30	<1.4	<0.28
Bromoform	<86	<86	<3.0	<21	<21	<4.1	<4.1	<2.8	<1.0	<1.0	<0.31	<0.31	<1.6	<0.31
Bromomethane	<35	<35	<5.4	<31	<31	<6.1	<6.1	<4.0	<1.0	<1.0	<0.40	<0.40	<1.7	<0.33
Carbon Tetrachloride	<36	<36	<5.8	<24	<24	<4.8	<4.8	<4.3	<0.50	<0.50	<0.46	<0.46	<2.3	<0.46
Chlorobenzene	<10	12 (Tr)	4.4 (Tr)	<18	<18	<3.6	5.3	<3.6	<0.50	<0.50	<0.39	<0.39	<2.0	<0.39
Chloroethane	<33	<33	<4.6	<23	<23	<4.6	<4.6	<3.8	<1.0	<1.0	<0.38	<0.38	<1.6	<0.31
Chloroform	<35	<35	5.4 (Tr)	<20	<20	<4.0	<4.0	<3.3	4.9	0.71	5.6	4.4	8.7	34
Chloromethane	<30	<30	<7.2	<20	<20	<4.0	<4.0	<4.1	<1.0	<1.0	<0.41	<0.41	<1.8	<0.36
cis-1,2-Dichloroethene	2,600	930	1,000	480	89	58	100	35	14	4.0	73	270	58	63
cis-1,3-Dichloropropene	<26	<26	<4.2	<17	<17	<3.4	<3.4	<3.0	<0.50	<0.50	<0.30	<0.30	<1.5	<0.29
Dibromochloromethane	<13	<13	<4.6	<17	<17	<3.3	<3.3	<3.2	<1.0	<1.0	<0.32	<0.32	<1.6	<0.31
Dibromomethane	<29	<29	<4.4	<20	<20	<3.9	<3.9	<3.3	<0.50	<0.50	<0.38	<0.38	<1.9	<0.38

Historical Groundwater Analytical Data
Monitoring Well SB-17
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/14/05	3/9/06	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/26/07	12/12/07	2/22/08	5/21/08	9/25/08	12/10/08	3/11/09
Dichlorodifluoromethane (Freon 12)	<43	<43	<7.4	<24	<24	<4.8	<4.8	<6.8	<1.0	<1.0	<0.68	<0.68	<2.8	<0.56
Ethylbenzene	170	160	41	94	<21	4.6 (Tr)	40	<3.2	<0.50	<0.50	<0.43	<0.43	<2.2	<0.43
Methyl Ethyl Ketone (2-Butanone)	460 (Tr)	940 (Tr)	<46	<85	<85	<17	<17	<20	<10	<10	<2.0	<2.0	<9.5	<1.9
Methylacryonitrile														
Methylene Chloride	140 (Tr)	<72	<4.4	<22	<22	<4.3	<4.3	<3.0	<2.0	<2.0	0.83	<0.30	<1.5	0.41 (Tr)
Styrene	<20	<20	<2.8	<19	<19	<3.7	<3.7	<3.2	<0.50	<0.50	<0.32	<0.32	<1.6	<0.32
Tetrachloroethene	190	190	140	140	51	110	59	89	120	43	150	180	120	190
Toluene	1,800	2,200	280	720	35	6.8	90	3.7 (Tr)	<0.50	<0.50	<0.40	<0.40	<2.0	<0.40
trans-1,2-Dichloroethene	<36	<36	11	<22	<22	<4.3	4.4 (Tr)	<4.1	<0.50	<0.50	0.95	1.5	<1.7	1.3
trans-1,3-Dichloropropene	<11	<11	<3.6	<20	<20	<3.9	<3.9	<3.0	<0.50	<0.50	<0.35	<0.35	<1.8	<0.35
Trichloroethene	350	350	190	160	46	61	32	45	36	9.0	87	88	60	160
Trichlorofluoromethane	66 (Tr)	<47	<11	<30	<30	<6.0	<6.0	<5.9	5.4	1.9	6.6	6.3	8.1	47
Vinyl Acetate	<220	<220	<9.2	<45	<45	<9.0	<9.0	<8.5	<10	<10	<0.85	<0.85	<4.0	<0.80
Vinyl Chloride	4,700	1,300	490	390	140	120	85	98	2.2	0.72	20	8.5	<2.4	0.63
Xylenes (total)	490	380	65	140	<56	<11	26	<10	<1.5	<1.5	<1.1	<1.1	<5.7	<1.1
xylenes(m,p)														
xylenes(o)														

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/12/91	2/2/94	6/27/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	6/26/02	12/2/02	3/10/03	6/9/03	9/17/03
1,1,1-Trichloroethane	3	<5	<5	<5	<5	2.8 (Tr)	2.7 (Tr)	1.8	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloro-2,2,2-Trifluoroethane			38	<5	<5	<5	<5	<0.50	19	21	38	15	31
1,1,2-Trichloroethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	3.5	3.8	7.1	2.8	6.2
1,2,3-Trichloropropane			<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)			<100	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.20	0.13	<0.50
1,2-Dichloropropane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene				<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)				<200	<57	<57	<57			<300	<300	<300	<2.0
2-Chloroethyl Vinyl Ether			<10	<5	<5	<5	<5						
4-Methyl-2-Pentanone	<10			<10	<10	<10	<10						
Acetone	<20	<100	<100	<100	<100	<100	<100				<20	<20	<20
Benzene	<1.0	<5	<5	<5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromoform	<5		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromomethane						<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	0.33
Chlorobenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroethane	<1.0		<10	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	0.51	0.68	0.27	0.55
Chloromethane						<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	2.6	2.5	2.8	0.63	2.5
cis-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromomethane			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane (Freon 12)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/12/91	2/2/94	6/27/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	6/26/02	12/2/02	3/10/03	6/9/03	9/17/03
Ethylbenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20		<100	<100	<100	<100	<100						<20
Methylacryonitrile			<100	<35									
Methylene Chloride	<5	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	7	<5	<5	<5	<5	4.5 (Tr)	5.4	4.4	32	31	41	17	34
Toluene	11	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	12	11	<5	<5	11	1.1 (Tr)	2.8 (Tr)	1.2	79	66	110	47	90
Trichlorofluoromethane			<5	<5	<5	<5	<5	<0.50	9.3	9.9	18	7.6	15
Vinyl Acetate	<10		<50	<50	<50	<50	<50						
Vinyl Chloride	<1.0	<10	<10	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Xylenes (total)	<1.0	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
xylenes(m,p)				<5	<5								
xylenes(o)				<5	<5								

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/18/03	3/19/04	6/16/04	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/13/05	3/8/06	6/14/06	9/20/06	12/4/06
1,1,1-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.23	<0.23	<0.23	<0.31	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	38	42	52	47	80	84	54	30	22	15	9.9	3.8	7.2
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.10	<0.10	<0.10	<0.18	<0.40	<0.4
1,1-Dichloroethane	<0.50	<0.50	<0.50	<0.50	0.20 (Tr)	<2.5	<0.50	<0.37	<0.37	<0.37	<0.16	<0.35	<0.35
1,1-Dichloroethene	6.3	7	9.6	10	33	22	8.0	5.5	3.6	2.9	1.6	0.99	1.6
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<0.50	<2.5	<0.50	<0.27	<0.27	<0.27	<0.24	<0.41	<0.41
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<1.0	<1.0	<1.0	<0.76	<0.76	<0.76
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.10	<0.10	<0.10	<0.21	<0.38	<0.38
1,2-Dichloroethane	<0.50	0.18	<0.50	0.13 (Tr)	0.23 (Tr)	<2.5	<0.50	<0.38	<0.38	<0.38	<0.21	<0.33	<0.33
1,2-Dichloropropane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.39	<0.39	<0.39	<0.19	<0.40	<0.4
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.31	<0.31	<0.31	<0.17	<0.37	<0.37
1,4-Dioxane (P-Dioxane)	<2.0	1.1		1.2 (Tr)	<1.9	<1.9		<0.20	<0.20	0.23 (Tr)	<0.41	<0.41	<0.41
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone					<10	<50	<10	<1.6	<1.6	<1.6	<0.96	<1.5	<1.5
Acetone	<20	<20	<20	<20	<10	<50	<10	<2.8	<2.8	<2.8	<1.8	<2.2	<2.2
Benzene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.38	<0.38	<0.38	<0.18	<0.42	<0.42
Bromodichloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.26	<0.26	<0.26	<0.19	<0.40	<0.4
Bromoform	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.86	<0.86	<0.86	<0.15	<0.41	<0.41
Bromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<5	<1.0	<0.35	<0.35	<0.35	<0.27	<0.61	<0.61
Carbon Tetrachloride	0.30	0.43	0.42 (Tr)	0.39 (Tr)	0.44 (Tr)	<2.5	<0.50	<0.36	<0.36	<0.36	<0.29	<0.48	<0.48
Chlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.10	<0.10	<0.10	<0.17	<0.36	<0.36
Chloroethane	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.33	<0.33	<0.33	<0.23	<0.46	<0.46
Chloroform	0.47	0.58	0.54	0.65	2.0	1.2 (Tr)	0.57	0.41 (Tr)	<0.35	0.41 (Tr)	0.25 (Tr)	<0.40	<0.4
Chloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.30	<0.30	<0.30	<0.36	<0.40	<0.4
cis-1,2-Dichloroethene	1.9	2	1.9	1.7	3.8	3.3	1.2	0.79	0.47 (Tr)	0.71	0.22 (Tr)	<0.39	<0.39
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.26	<0.26	<0.26	<0.21	<0.34	<0.34
Dibromochloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.13	<0.13	<0.13	<0.23	<0.33	<0.33
Dibromomethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.29	<0.29	<0.29	<0.22	<0.39	<0.39
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	<0.50	<1.0	<5	<1.0	<0.43	<0.43	<0.43	<0.37	<0.48	<0.48

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/18/03	3/19/04	6/16/04	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/13/05	3/8/06	6/14/06	9/20/06	12/4/06
Ethylbenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.22	<0.22	<0.22	<0.14	<0.41	<0.41
Methyl Ethyl Ketone (2-Butanone)	<20	<20	<20	<20	<10	<50	<10	<1.7	<1.7	<1.7	<2.3	<1.7	<1.7
Methylacryonitrile													
Methylene Chloride	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<0.72	<0.72	1.1 (Tr)	<0.22	<0.43	<0.43
Styrene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.20	<0.20	<0.20	<0.14	<0.37	<0.37
Tetrachloroethene	37	39	42	45	92	69	35	19	13	12	6.5	3.1	5.3
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.10	<0.10	<0.10	<0.18	<0.36	<0.36
trans-1,2-Dichloroethene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.36	<0.36	<0.36	<0.19	<0.43	<0.43
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.11	<0.11	<0.11	<0.18	<0.39	<0.39
Trichloroethene	76	89	97	110	190	180	98	54	37	29	17	8.3	16
Trichlorofluoromethane	20	20	22	20	42	30	23	13	7.5	5.0	3.1	1.4	2.4
Vinyl Acetate					<10	<50	<10	<2.2	<2.2	<2.2	<0.46	<0.90	<0.9
Vinyl Chloride	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.27	<0.27	<0.27	<0.27	<0.43	<0.43
Xylenes (total)	<1.0	<1.0	<1.0	<1.0	<1.5	<7.5	<1.5	<0.40	<0.40	<0.40	<0.57	<1.1	<1.1
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	9/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/24/08	12/8/08	3/10/09
1,1,1-Trichloroethane	<0.46	<0.46	<0.39	<0.50	<0.50	<0.39	<0.39	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	13	2.6	35	92	98	120	64	93	180
1,1,2-Trichloroethane	<0.40	<0.40	<0.34	<0.50	<0.50	<0.44	<0.44	<0.44	<0.44
1,1-Dichloroethane	<0.35	<0.35	<0.37	<0.50	<0.50	<0.37	<0.37	<0.34	0.42 (Tr)
1,1-Dichloroethene	2.5	0.55	7.6	20	29	36	21	48	110
1,2,3-Trichloropropane	<0.41	<0.41	<0.39	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<0.76	<0.77	<2.0	<2.0	<0.69	<0.69	<0.69	<0.69
1,2-Dibromoethane (EDB)	<0.38	<0.38	<0.38	<1.0	<1.0	<0.39	<0.39	<0.39	<0.39
1,2-Dichloroethane	<0.33	<0.33	<0.38	<0.50	<0.50	<0.38	<0.38	<0.38	0.77
1,2-Dichloropropane	<0.40	<0.40	<0.35	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	<0.37	<0.37	<0.34	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,4-Dioxane (P-Dioxane)	<0.19	<0.19	0.40 (Tr)	0.70	0.90	1.5	0.80	1.4	3.7
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<1.5	<1.5	<1.9	<10	<10	<1.9	<1.9	<1.9	<1.9
Acetone	<2.2	<2.2	<2.7	<10	<10	<3.0	<3.0	<3.0	<3.0
Benzene	<0.42	<0.42	<0.30	<0.50	<0.50	<0.33	<0.33	<0.33	<0.33
Bromodichloromethane	<0.40	<0.40	<0.30	<1.0	<1.0	<0.30	<0.30	<0.28	<0.28
Bromoform	<0.41	<0.41	<0.28	<1.0	<1.0	<0.31	<0.31	<0.31	<0.31
Bromomethane	<0.61	<0.61	<0.40	<1.0	<1.0	<0.40	<0.40	<0.33	<0.33
Carbon Tetrachloride	<0.48	<0.48	<0.43	<0.50	0.43 (Tr)	<0.46	0.55	<0.46	<0.46
Chlorobenzene	<0.36	<0.36	<0.36	<0.50	<0.50	<0.39	<0.39	<0.39	<0.39
Chloroethane	<0.46	<0.46	<0.38	<1.0	<1.0	<0.38	<0.38	<0.31	<0.31
Chloroform	<0.40	<0.40	0.41 (Tr)	1.8	2.9	4.0	1.8	4.6	10
Chloromethane	<0.40	<0.40	<0.41	<1.0	<1.0	<0.41	<0.41	<0.36	<0.36
cis-1,2-Dichloroethene	<0.39	<0.39	1.1	2.3	2.9	3.2	2.3	3.6	4.4
cis-1,3-Dichloropropene	<0.34	<0.34	<0.30	<0.50	<0.50	<0.30	<0.30	<0.29	<0.29
Dibromochloromethane	<0.33	<0.33	<0.32	<1.0	<1.0	<0.32	<0.32	<0.31	<0.31
Dibromomethane	<0.39	<0.39	<0.33	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Dichlorodifluoromethane (Freon 12)	<0.48	<0.48	<0.68	<1.0	<1.0	<0.68	<0.68	<0.56	<0.56

Historical Groundwater Analytical Data
Monitoring Well SB-17A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	9/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/24/08	12/8/08	3/10/09
Ethylbenzene	<0.41	<0.41	<0.32	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
Methyl Ethyl Ketone (2-Butanone)	<1.7	<1.7	<2.0	<10	<10	<2.0	<2.0	<1.9	<1.9
Methylacryonitrile									
Methylene Chloride	<0.43	<0.43	<0.30	<2.0	<2.0	<0.30	<0.30	<0.29	<0.29
Styrene	<0.37	<0.37	<0.32	<0.50	<0.50	<0.32	<0.32	<0.32	<0.32
Tetrachloroethene	9.5	1.8	24	60	75	83	51	120	170
Toluene	<0.36	<0.36	<0.32	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethene	<0.43	<0.43	<0.41	<0.50	<0.50	<0.41	<0.41	<0.33	<0.33
trans-1,3-Dichloropropene	<0.39	<0.39	<0.30	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
Trichloroethene	26	6.2	70	160	200	140	140	160	160
Trichlorofluoromethane	4.3	0.80 (Tr)	13	26	36	39	24	38	55
Vinyl Acetate	<0.90	<0.90	<0.85	<10	<10	<0.85	<0.85	<0.80	<0.80
Vinyl Chloride	<0.43	<0.43	<0.43	<0.50	<0.50	<0.47	<0.47	<0.47	<0.47
Xylenes (total)	<1.1	<1.1	<1.0	<1.5	<1.5	<1.1	<1.1	<1.1	<1.1
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/12/91	2/2/94	6/27/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/17/03
1,1,1-Trichloroethane	<1.0	<5	<5	<5	<5	2.2 (Tr)	4.7 (Tr)	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloro-2,2,2-Trifluoroethane			<5	<5	<5	<5	<5	2	1.2	1.9	1.6	0.81	0.47
1,1,2-Trichloroethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	0.5	<0.50	0.51	0.40 (Tr)	0.26	0.26
1,2,3-Trichloropropane			<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)			<100	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloropropane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene				<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)				<200	<57	<57	<57			<300	<300	<300	<2.0
2-Chloroethyl Vinyl Ether			<10	<5	<5	<5	<5						
4-Methyl-2-Pentanone	<10			<10	<10	<10	<10						
Acetone	<20	<100	<100	<100	<100	<100	<100				<20	<20	<20
Benzene	<1.0	<5	<5	<5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromoform	<5		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromomethane						<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.13	<0.50	0.22
Chlorobenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroethane	<1.0		<10	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	<1.0	<5	<5	<5	<5	<5	<5	0.68	0.82	0.83	0.50	0.60	0.79
Chloromethane						<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.20	0.22 (Tr)	0.11
cis-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromomethane			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane (Freon 12)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/12/91	2/2/94	6/27/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/17/03
Ethylbenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20		<100	<100	<100	<100	<100						<20
Methylacryonitrile			<100	<35									
Methylene Chloride	<5	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	5	<5	<5	<5	14	4.7 (Tr)	6.4	3.6	2.7	3.8	2.8	2.5	1.4
Toluene	3	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	33	29	22	15	31	22	15	34	41	36	22	28	46
Trichlorofluoromethane			<5	<5	<5	<5	<5	0.91	0.66	0.85	0.68	0.37	0.23
Vinyl Acetate	<10		<50	<50	<50	<50	<50						
Vinyl Chloride	<1.0	<10	<10	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Xylenes (total)	<1.0	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
xylenes(m,p)				<5	<5								
xylenes(o)				<5	<5								

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/18/03	3/19/04	6/16/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06	9/20/06	12/4/06
1,1,1-Trichloroethane	0.32	0.37	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.31	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	0.64	1.2	1.3	0.58	2.1	4.5	5.1	7.1	4.1	<0.65	5.7	4.9	5.3
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.10	<0.10	<0.10	<0.18	<0.40	<0.4
1,1-Dichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.37	<0.37	<0.37	<0.16	<0.35	<0.35
1,1-Dichloroethene	0.25	0.51	0.45 (Tr)	0.24 (Tr)	0.65	1.7	1.3	1.5	0.97	0.96	1.4	1.4	1.5
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.27	<0.27	<0.27	<0.24	<0.41	<0.41
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0	<0.76	<0.76	<0.76
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.10	<0.10	<0.10	<0.21	<0.38	<0.38
1,2-Dichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	<0.38	<0.38	<0.21	<0.33	<0.33
1,2-Dichloropropane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.39	<0.39	<0.39	<0.19	<0.40	<0.4
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.31	<0.31	<0.31	<0.17	<0.37	<0.37
1,4-Dioxane (P-Dioxane)	<2.0	<2.0		<2.0	<1.9	<1.9		<0.20	<0.20	<0.20	<0.41	<0.41	<0.41
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone					<10	<10	<10	<1.6	<1.6	<1.6	<0.96	<1.5	<1.5
Acetone	<20	<20	<20	<20	<10	<10	<10	<2.8	<2.8	<2.8	<1.8	<2.2	<2.2
Benzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	0.53	<0.38	<0.18	<0.42	<0.42
Bromodichloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.26	<0.26	<0.26	<0.19	<0.40	<0.4
Bromoform	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.86	<0.86	<0.86	<0.15	<0.41	<0.41
Bromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.35	<0.35	<0.35	<0.27	<0.61	<0.61
Carbon Tetrachloride	0.19	0.09	<0.50	0.19 (Tr)	<0.50	<0.50	<0.50	<0.36	<0.36	0.53	0.38 (Tr)	<0.48	<0.48
Chlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.10	<0.10	<0.10	<0.17	<0.36	<0.36
Chloroethane	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.33	<0.33	<0.33	<0.23	<0.46	<0.46
Chloroform	0.65	0.56	0.85	0.73	0.90	0.91	0.73	0.94	0.90	0.92	1.0	0.86	0.78
Chloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.30	<0.30	<0.30	<0.36	<0.40	<0.4
cis-1,2-Dichloroethene	<0.50	0.25	0.32 (Tr)	0.15 (Tr)	0.28 (Tr)	0.69	0.52	0.64	<0.42	0.54	0.50	0.54	0.46 (Tr)
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.26	<0.26	<0.26	<0.21	<0.34	<0.34
Dibromochloromethane	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.13	<0.13	<0.13	<0.23	<0.33	<0.33
Dibromomethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.22	<0.39	<0.39
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.43	<0.43	<0.43	<0.37	<0.48	<0.48

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/18/03	3/19/04	6/16/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/13/05	3/8/06	6/14/06	9/20/06	12/4/06
Ethylbenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	0.22 (Tr)	<0.22	<0.14	<0.41	<0.41
Methyl Ethyl Ketone (2-Butanone)	<20	<20	<20	<20	<10	<10	<10	<1.7	<1.7	<1.7	<2.3	<1.7	<1.7
Methylacryonitrile													
Methylene Chloride	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<0.72	<0.72	<0.72	<0.22	<0.43	<0.43
Styrene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.20	<0.20	<0.20	<0.14	<0.37	<0.37
Tetrachloroethene	2.0	3.2	3.8	2	3.4	8.1	7.9	9.5	6.3	6.0	7.2	6.8	6.7
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.10	1.5	<0.10	<0.18	<0.36	<0.36
trans-1,2-Dichloroethene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.36	<0.36	<0.36	<0.19	<0.43	<0.43
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.11	<0.11	<0.11	<0.18	<0.39	<0.39
Trichloroethene	40	28	45	39	55	44	39	56	58	56	59	53	57
Trichlorofluoromethane	0.35	0.66	0.57	0.34 (Tr)	0.98 (Tr)	2.2	2.2	3.1	1.8	1.7	2.0	2.2	2.3
Vinyl Acetate					<10	<10	<10	<2.2	<2.2	<2.2	<0.46	<0.90	<0.9
Vinyl Chloride	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.27	<0.27	<0.27	<0.27	<0.43	<0.43
Xylenes (total)	<1.0	<1.0	<1.0	<1.0	<1.5	<1.5	<1.5	<0.40	1.1 (Tr)	<0.40	<0.57	<1.1	<1.1
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<0.46	<0.46	<0.39	<0.50	<0.50	<0.39	<0.39	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	6.1	6.9	5.2	2.8	5.9	5.4	4.8	2.2	11
1,1,2-Trichloroethane	<0.40	<0.40	<0.34	<0.50	<0.50	<0.44	<0.44	<0.44	<0.44
1,1-Dichloroethane	<0.35	<0.35	<0.37	<0.50	<0.50	<0.37	<0.37	<0.34	<0.34
1,1-Dichloroethene	1.6	2.0	1.4	0.88	1.7	1.8	1.5	0.87	3.4
1,2,3-Trichloropropane	<0.41	<0.41	<0.39	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<0.76	<0.77	<2.0	<2.0	<0.69	<0.69	<0.69	<0.69
1,2-Dibromoethane (EDB)	<0.38	<0.38	<0.38	<1.0	<1.0	<0.39	<0.39	<0.39	<0.39
1,2-Dichloroethane	<0.33	<0.33	<0.38	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,2-Dichloropropane	<0.40	<0.40	<0.35	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	<0.37	<0.37	<0.34	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,4-Dioxane (P-Dioxane)	<0.19	<0.19	<0.22	<0.50	<0.50	<0.22	<0.22	<0.21	0.30 (Tr)
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<1.5	<1.5	<1.9	<10	<10	<1.9	<1.9	<1.9	<1.9
Acetone	<2.2	<2.2	<2.7	<10	<10	<3.0	<3.0	<3.0	<3.0
Benzene	<0.42	<0.42	<0.30	<0.50	<0.50	<0.33	<0.33	<0.33	<0.33
Bromodichloromethane	<0.40	<0.40	<0.30	<1.0	<1.0	<0.30	<0.30	<0.28	<0.28
Bromoform	<0.41	<0.41	<0.28	<1.0	<1.0	<0.31	<0.31	<0.31	<0.31
Bromomethane	<0.61	<0.61	<0.40	<1.0	<1.0	<0.40	<0.40	<0.33	<0.33
Carbon Tetrachloride	<0.48	<0.48	<0.43	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46
Chlorobenzene	<0.36	<0.36	<0.36	<0.50	<0.50	<0.39	<0.39	<0.39	<0.39
Chloroethane	<0.46	<0.46	<0.38	<1.0	<1.0	<0.38	<0.38	<0.31	<0.31
Chloroform	0.71	0.84	0.73	0.72	0.74	0.89	0.89	0.70	1.1
Chloromethane	<0.40	<0.40	<0.41	<1.0	<1.0	<0.41	<0.41	<0.36	<0.36
cis-1,2-Dichloroethene	0.53	0.70	0.40 (Tr)	<0.50	0.48 (Tr)	0.51	0.38 (Tr)	<0.34	0.60
cis-1,3-Dichloropropene	<0.34	<0.34	<0.30	<0.50	<0.50	<0.30	<0.30	<0.29	<0.29
Dibromochloromethane	<0.33	<0.33	<0.32	<1.0	<1.0	<0.32	<0.32	<0.31	<0.31
Dibromomethane	<0.39	<0.39	<0.33	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Dichlorodifluoromethane (Freon 12)	<0.48	<0.48	<0.68	<1.0	<1.0	<0.68	<0.68	<0.56	<0.56

Historical Groundwater Analytical Data
Monitoring Well SB-17B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/20/07	6/26/07	9/25/07	12/11/07	2/21/08	5/20/08	9/25/08	12/9/08	3/10/09
Ethylbenzene	<0.41	<0.41	<0.32	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
Methyl Ethyl Ketone (2-Butanone)	<1.7	<1.7	<2.0	<10	<10	<2.0	<2.0	<1.9	<1.9
Methylacryonitrile									
Methylene Chloride	<0.43	<0.43	<0.30	<2.0	<2.0	<0.30	<0.30	<0.29	<0.29
Styrene	<0.37	<0.37	<0.32	<0.50	<0.50	<0.32	<0.32	<0.32	<0.32
Tetrachloroethene	7.9	8.5	6.6	5.1	8.0	8.9	6.7	4.1	12
Toluene	<0.36	<0.36	<0.32	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethene	<0.43	<0.43	<0.41	<0.50	<0.50	<0.41	<0.41	<0.33	<0.33
trans-1,3-Dichloropropene	<0.39	<0.39	<0.30	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
Trichloroethene	44	55	61	66	52	53	69	52	62
Trichlorofluoromethane	2.4	2.6	2.2	1.3	2.6	2.9	2.3	1.1	3.5
Vinyl Acetate	<0.90	<0.90	<0.85	<10	<10	<0.85	<0.85	<0.80	<0.80
Vinyl Chloride	<0.43	<0.43	<0.43	<0.50	<0.50	<0.47	<0.47	<0.47	<0.47
Xylenes (total)	<1.1	<1.1	<1.0	<1.5	<1.5	<1.1	<1.1	<1.1	<1.1
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/25/90	2/13/91	2/3/94	6/29/95	2/3/99	9/21/00	10/24/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
1,1,1-Trichloroethane	36,000	12,000	28,000	4,570	869	6,780	69.8	1,070	337	310	1,100	590	200
1,1,2-Trichloro-2,2,2-Trifluoroethane					<50	310	<5	<250	<125	78	50	<0.50	22
1,1,2-Trichloroethane	<500	<100	<200		<50	6.5	<5	<250	<125	3.2	1.3	<0.50	0.44
1,1-Dichloroethane	200	120	<200	302	85	440 (Tr)	50.8	490	294	660	180	90	120
1,1-Dichloroethene	20,000	4,000	11,000	6,190	1,120	4,790	200	2,590	1,750	2,900	510	200	200
1,2,3-Trichloropropane					<50	<5	<5	<250	<125	<5	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<1,000	<5	<5	<250	<125	<5	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)					<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
1,2-Dichloroethane	<500	150	460	<5	<50	320	<5	<250	<125	57	13	3.9	4.3
1,2-Dichloroethene, Total	540	<100											
1,2-Dichloropropane	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	<10				<5	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)						240	<57	<2,850	<1,425			<300	<300
2-Chloroethyl Vinyl Ether					<100	<5	<5	<250	<125				
4-Methyl-2-Pentanone	<5,000	<1,000	<2,000			<10	<10	<500	<250				
Acetone	<10,000	<2,000	<4,000	<100	<1,000	<100	<100	<5,000	<2,500				<20
Benzene	<500	<100	<200	<5	<50	11	<1.0	<50	<25	14	3.0	1.6	1.8
Bromodichloromethane	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Bromoform	<2,500	<500	<1,000		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Bromomethane								<250	<125	<5	<1.0	<1.0	<1.0
Carbon Tetrachloride	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Chlorobenzene	<500	<100	<200	<5	<50	<5	<5	<250	<125	<3	0.55	<0.50	0.39
Chloroethane	<500	<100	<200		<100	<5	<5	<250	<125	5.8	<0.50	<0.50	0.20
Chloroform	<500	<100	<200	<5	<50	6.7	<5	<250	<125	8	1.4	1.1	0.87
Chloromethane								<250	<125	<3	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene			<200	170	98	1,240	132	1,100	608	1,200	390	260	270
cis-1,3-Dichloropropene	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Dibromochloromethane	<500	<100	<200	<5	<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Dibromomethane					<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/2/90	10/25/90	2/13/91	2/3/94	6/29/95	2/3/99	9/21/00	10/24/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03
Dichlorodifluoromethane (Freon 12)					<50	<5	<5	<250	<125	<3	<0.50	<0.50	0.73
Ethylbenzene	<500	<100	<200	<5	<50	37	<5	<250	<125	<3	2.2	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<10,000	<2,000	<4,000	<100	<1,000	<100	<100	<5,000	<2,500				
Methylacryonitrile					<1,000	<35							
Methylene Chloride	19,000	6,700	29,000	851	<50	4,120	<5	<250	<125	11	<1.0	<1.0	0.22
Styrene	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Tetrachloroethene	19,000	8,600	19,000	4,300	1,450	9,700	138	3,760	2,700	5,100	1,500	880	350
Toluene	<1,000	310	820	<5	<50	460	<5	<250	<125	<3	9.2	2.0	1.0
trans-1,2-Dichloroethene			<200	<5	<50	6	<5	<250	<125	12	2.9	3.3	2.8
trans-1,3-Dichloropropene	<500	<100	<200		<50	<5	<5	<250	<125	<3	<0.50	<0.50	<0.50
Trichloroethene	3,200	1,400	2,400	997	285	1,900	93	1,500	923	1,500	340	160	140
Trichlorofluoromethane				75	<50	120	<5	<250	<125	52	16	12	6.8
Vinyl Acetate	<5,000	<1,000	<2,000		<500	<50	<50	<2,500	<1,250				
Vinyl Chloride	<500	<100	<200	<10	<100	17	<5	<250	<125	14	25	42	10
Xylenes (total)	<500	<100	<200	<5	<50	300	<5	<250	<125	<5	16	1.8	3.1
xylenes(m,p)						180	<5						
xylenes(o)						120	<5						

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/18/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/11/05	6/7/05	9/20/05	12/14/05	3/9/06	6/15/06
1,1,1-Trichloroethane	68	550	3,600	4,000	1,700	3,400	6,100	1,900	49	38	64	49	33
1,1,2-Trichloro-2,2,2-Trifluoroethane	23	41	33	41	22	25	21 (Tr)	38 (Tr)	34	15	28	26 (Tr)	27 (Tr)
1,1,2-Trichloroethane	0.39	1.4	<5	2.4	1.6	3.7	<25	<50	<2.5	<0.50	<0.50	<2.0	<3.6
1,1-Dichloroethane	200	540	580	690	630	450	990	840	140	300	470	280	270
1,1-Dichloroethene	440	770	1,700	1,100	1,100	1,000	1,700	1,300	140	160	310	300	210
1,2,3-Trichloropropane	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<25	<50	<2.5	<1.4	<1.4	<5.4	<4.8
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<100	<200	<10	<5.0	<5.0	<20	<16
1,2-Dibromoethane (EDB)	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<0.50	<0.50	<2.0	<4.2
1,2-Dichloroethane	3.2	11	41	33	24	34	110	<50	1.3 (Tr)	3.9	3.8	<7.6	<4.2
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<2.0	<2.0	<7.8	<3.8
1,4-Dichlorobenzene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<1.6	<1.6	<6.2	<3.4
1,4-Dioxane (P-Dioxane)	150	92	160	240	140	120	130	24		72	61	350	160
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<500	<1,000	<50	<8.0	<8.0	<32	<20
Acetone	<20	<20	<200	<20	<20	<20	<500	<1,000	36 (Tr)	<14	<14	<56	<36
Benzene	5.1	5.5	4.1	3.2	2.2	3.7	<25	<50	7.6	11	14	<7.6	6.4 (Tr)
Bromodichloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<1.3	<1.3	<5.2	<3.8
Bromoform	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<4.3	<4.3	<18	<3.0
Bromomethane	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<50	<100	<5	<1.8	<1.8	<7.0	<5.4
Carbon Tetrachloride	<0.50	<0.50	<5	0.26	<0.50	<0.50	<25	<50	<2.5	<1.8	<1.8	<7.2	<5.8
Chlorobenzene	0.77	1.3	<5	0.41	0.32 (Tr)	0.93	<25	<50	1.1 (Tr)	2.5	3.4	<2.0	<3.4
Chloroethane	0.92	1.2	<5	<0.50	<0.50	<0.50	<50	<100	<5	<1.7	<1.7	<6.6	<4.6
Chloroform	0.89	1.7	2.0	1.8	1.4	1.9	<25	<50	1.2 (Tr)	<1.8	<1.8	<7.0	<3.2
Chloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<1.5	<1.5	<6.0	<7.2
cis-1,2-Dichloroethene	600	980	1,400	630	1,100	1,100	1,900	1,200	210	300	1,100	570	530
cis-1,3-Dichloropropene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<1.3	<1.3	<5.2	<4.2
Dibromochloromethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<0.65	<0.65	<2.6	<4.6
Dibromomethane	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<1.5	<1.5	<5.8	<4.4

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/10/03	9/18/03	12/19/03	3/22/04	6/17/04	9/14/04	12/13/04	3/11/05	6/7/05	9/20/05	12/14/05	3/9/06	6/15/06
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<50	<100	<5	<2.2	<2.2	<8.6	<7.4
Ethylbenzene	0.33	0.23	9.1	1.8	1.2	0.24 (Tr)	<25	<50	1.1 (Tr)	<1.1	<1.1	<4.4	<2.8
Methyl Ethyl Ketone (2-Butanone)		<20	<200	<20	<20	<20	<500	<1,000	<50	<8.5	<8.5	<34	<46
Methylacryonitrile													
Methylene Chloride	0.41	2.6	28	6.9	3.7	18	240	<200	<10	<3.6	6.0 (Tr)	<15	<4.4
Styrene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<1.0	<1.0	<4.0	<2.8
Tetrachloroethene	520	1,500	4,000	3,300	1,200	1,900	2,400	1,800	150	210	220	180	170
Toluene	0.22	1.2	52	13	12	1.2	<25	<50	11	0.55 (Tr)	1.2 (Tr)	<2.0	<3.6
trans-1,2-Dichloroethene	10	5.4	3.3	4	2.1	3.9	<25	<50	1.4 (Tr)	<1.8	1.9 (Tr)	<7.2	<3.8
trans-1,3-Dichloropropene	<0.50	<0.50	<5	<0.50	<0.50	<0.50	<25	<50	<2.5	<0.55	<0.55	<2.2	<3.6
Trichloroethene	110	470	500	530	360	530	910	460	88	83	89	88	63
Trichlorofluoromethane	6.4	11	26	17	12	17	<50	<100	13	4.6 (Tr)	7.6	<9.4	<11
Vinyl Acetate							<500	<1,000	<50	<11	<11	<44	<9.2
Vinyl Chloride	5.9	16	140	430	420	91	320	55	76	97	150	9.6 (Tr)	74
Xylenes (total)	0.96	5	46	9.3	6.9	6	<75	<150	25	11	2.0 (Tr)	<8.0	<11
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/27/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	24	43	8.7	15	26	350	4.3	6.7	920	98	720
1,1,2-Trichloro-2,2,2-Trifluoroethane	17 (Tr)	20 (Tr)	15	8.9 (Tr)	50	43	83	120	71	8.9 (Tr)	14
1,1,2-Trichloroethane	<8.0	<4	<0.40	<2.0	<1.7	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,1-Dichloroethane	300	290	79	150	430	590	160	440	600	130	64
1,1-Dichloroethene	210	340	100	160	380	340	110	200	980	62	170
1,2,3-Trichloropropane	<8.2	<4.1	<0.41	<2.1	<2.0	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
1,2-Dibromo-3-Chloropropane (DBCP)	<16	<7.6	<0.76	<3.8	<3.9	<10	<10	<3.5	<3.5	<3.5	<3.5
1,2-Dibromoethane (EDB)	<7.6	<3.8	<0.38	<1.9	<1.9	<5.0	<5.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	<6.6	<3.3	0.99	2.5	2.3 (Tr)	16	2.1	3.0	13	14	5.4
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<8.0	<4	<0.40	<2.0	<1.8	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
1,4-Dichlorobenzene	<7.4	<3.7	<0.37	<1.9	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9
1,4-Dioxane (P-Dioxane)	83	150	120	240	180	76	25	58	38	110	22
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<30	<15	<1.5	<7.5	<9.5	<50	<50	<9.5	<9.5	<9.5	<9.5
Acetone	54 (Tr)	<22	<2.2	<11	<14	<50	<50	<15	<15	<15	<15
Benzene	<8.4	8	1.4	3.0	7.6	2.2 (Tr)	<2.5	1.9	2.7	<1.7	<1.7
Bromodichloromethane	<8.0	<4	<0.40	<2.0	<1.5	<5.0	<5.0	<1.5	<1.5	<1.4	<1.4
Bromoform	<8.2	<4.1	<0.41	<2.1	<1.4	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Bromomethane	<13	<6.1	<0.61	<3.1	<2.0	<5.0	<5.0	<2.0	<2.0	<1.7	<1.7
Carbon Tetrachloride	<9.6	<4.8	<0.48	<2.4	<2.2	<2.5	<2.5	<2.3	<2.3	<2.3	<2.3
Chlorobenzene	<7.2	<3.6	<0.36	<1.8	1.8 (Tr)	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
Chloroethane	<9.2	<4.6	1.3	<2.3	<1.9	<5.0	<5.0	<1.9	<1.9	<1.6	<1.6
Chloroform	<8.0	<4	1.1	<2.0	8.0	6.2	18	24	11	2.6	3.2
Chloromethane	<8.0	<4	<0.40	<2.0	<2.1	<5.0	<5.0	<2.1	<2.1	<1.8	<1.8
cis-1,2-Dichloroethene	310	740	130	270	920	820	210	660	1,100	110	160
cis-1,3-Dichloropropene	<6.8	<3.4	<0.34	<1.7	<1.5	<2.5	<2.5	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<6.6	<3.3	<0.33	<1.7	<1.6	<5.0	<5.0	<1.6	<1.6	<1.6	<1.6
Dibromomethane	<7.8	<3.9	<0.39	<2.0	<1.7	<2.5	<2.5	<1.9	<1.9	<1.9	<1.9

Historical Groundwater Analytical Data
Monitoring Well SB-20
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/27/07	9/25/07	12/12/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<9.6	<4.8	<0.48	<2.4	<3.4	<5.0	<5.0	<3.4	<3.4	<2.8	<2.8
Ethylbenzene	<8.2	<4.1	<0.41	<2.1	<1.6	<2.5	<2.5	<2.2	<2.2	<2.2	<2.2
Methyl Ethyl Ketone (2-Butanone)	<34	<17	<1.7	<8.5	<10	<50	<50	<10	<10	<9.5	<9.5
Methylacryonitrile											
Methylene Chloride	<8.6	<4.3	<0.43	<2.2	<1.5	<10	<10	<1.5	48	<1.5	<1.5
Styrene	<7.4	<3.7	<0.37	<1.9	<1.6	<2.5	<2.5	<1.6	<1.6	<1.6	<1.6
Tetrachloroethene	210	300	190	200	270	530	240	290	960	230	710
Toluene	<7.2	<3.6	<0.36	<1.8	<1.6	<2.5	<2.5	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	<8.6	<4.3	0.47	<2.2	<2.1	<2.5	<2.5	<2.1	2.9	<1.7	<1.7
trans-1,3-Dichloropropene	<7.8	<3.9	<0.39	<2.0	<1.5	<2.5	<2.5	<1.8	<1.8	<1.8	<1.8
Trichloroethene	54	82	61	59	88	220	110	150	410	69	140
Trichlorofluoromethane	<12	<6	2.1	<3.0	12	7.9	22	31	19	2.8 (Tr)	5.9
Vinyl Acetate	<18	<9	<0.90	<4.5	<4.3	<50	<50	<4.3	<4.3	<4.0	<4.0
Vinyl Chloride	120	77	33	37	14	46	4.0	8.3	29	28	<2.4
Xylenes (total)	<22	<11	<1.1	<5.6	<5.2	<7.5	<7.5	<5.7	<5.7	<5.7	<5.7
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/14/91	2/3/94	6/29/95	2/23/96	2/3/99	11/10/99	12/28/00	1/17/00	2/28/00	9/22/00	10/24/01	2/14/02	6/5/02
1,1,1-Trichloroethane	71,000	87,000	94,000	47,000	89,000	<50,000	44,300	196,000	32,200	67,000	273,000	87,600	88,200	24,300	45,000
1,1,2-Trichloro-2,2,2-Trifluoroethane					<500	<12.5	340	1,050	<500	<50	950	514	<500	<500	120
1,1,2-Trichloroethane	<300	<1,000	<500		<500	46	23	<250	<500	53	<250	45	<500	<500	<50
1,1-Dichloroethane	460	<1,000	<500	540	1,250	<500	1,600	4,040	1,430	2,350	4,300	1,710	1,130	356 (Tr)	1,000
1,1-Dichloroethene	17,000	8,200	10,000	10,300	22,100	<5,000	14,300	67,400	17,700	7,620	74,000	21,600	15,200	5,290	10,000
1,2,3-Trichloropropane					<500		<5	<250	<500	<50	<250	<5	<500	<500	<100
1,2-Dibromo-3-Chloropropane (DBCP)					<10,000		<5	<250	<500	<50	<250	<5	<500	<500	<100
1,2-Dibromoethane (EDB)					<500		<5	<250	<500	<50	<250	<5	<500	<500	<50
1,2-Dichloroethane	<300	<1,000	1,300	1,250	2,340	<5	400 (Tr)	<250	1,210	<50	1,700	533	<500	<500	330
1,2-Dichloroethene, Total	930	2,500													
1,2-Dichloropropane	<300	<1,000	<500		<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
1,4-Dichlorobenzene	<10						<5	<250	<500	<50	<250	<5	<500	<500	<50
1,4-Dioxane (P-Dioxane)							400	<2,850	<5,700	<570	<2,850	<57	<5,700	<5,700	
2-Chloroethyl Vinyl Ether					<1,000	<5	<5	<250	<500	<50	<250	<5	<500	<500	
4-Methyl-2-Pentanone	<3,000	<10,000	<5,000			<12.5	100	<500	<1,000	<100		<10	<1,000	<1,000	
Acetone	<6,000	<20,000	<10,000	1,230	<10,000	<5,000	<100	<5,000	<10,000	<1,000	<5,000	<100	<10,000	<10,000	
Benzene	<300	<1,000	<500	<5	<500	35	30	<250	<500	53	<250	50	<100	<100	<50
Bromodichloromethane	<300	<1,000	<500		<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Bromoform	<1,500	<5,000	<2,500		<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Bromomethane													<500	<500	<100
Carbon Tetrachloride	<300	<1,000	<500		<500	<12.5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Chlorobenzene	<300	<1,000	<500	<5	<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Chloroethane	<300	<1,000	<500		<1,000	<12.5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Chloroform	<300	<1,000	<500	58	<500	36	8.9	<250	<500	<50	<250	<5	<500	<500	<50
Chloromethane													<500	<500	<50
cis-1,2-Dichloroethene			600	320	885	<1,000	2,600	7,110	<500	12,700	8,930	5,860	3,460	1,500	2,700
cis-1,3-Dichloropropene	<300	<1,000	<500		<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Dibromochloromethane	<300	<1,000	<500	<5	<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Dibromomethane					<500		<5	<250	<500	<50	<250	<5	<500	<500	<50
Dichlorodifluoromethane (Freon 12)					<500		<5	<250	<500	<50	<250	<5	<500	<500	<50
Ethylbenzene	440	<1,000	<500	103	<500	68	46	<250	<500	102	707	110	<500	<500	57

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/14/91	2/3/94	6/29/95	2/23/96	2/3/99	11/10/99	12/28/00	1/17/00	2/28/00	9/22/00	10/24/01	2/14/02	6/5/02
Methyl Ethyl Ketone (2-Butanone)	<6,000	<20,000	<10,000	<100	<10,000	<1,000	2,700	<5,000	<10,000	<1,000	<5,000	<100	<10,000	<10,000	
Methylacryonitrile					<10,000		<35								
Methylene Chloride	88,000	54,000	93,000	48,700	96,800	<10,000	11,000	<250	29,500	14,700	35,400	8,190	4,650	<500	2,800
Styrene	<300	<1,000	<500		<500	10	8.5	<250	<500	<50	<250	<5	<500	<500	<50
Tetrachloroethene	24,000	27,000	40,000	12,200	22,800	<5,000	8,400	27,000	8,260	<50	34,000	12,500	4,330	3,200	12,000
Toluene	1,600	2,600	2,500	2,120	3,620	<1,000	1,400	7,930	3,170	2,560	12,800	4,570	4,080	531	2,100
trans-1,2-Dichloroethene			<500	<5	<500	14	14	<250	<500	<50	<250	<5	<500	<500	<50
trans-1,3-Dichloropropene	<300	<1,000	<500		<500	<5	<5	<250	<500	<50	<250	<5	<500	<500	<50
Trichloroethene	5,800	7,100	5,000	1,560	15,300	<5,000	2,800	13,700	4,070	4,280	14,300	6,010	23,100	8,100	6,700
Trichlorofluoromethane				464	<500	380	360 (Tr)	<250	<500	232	1,860	607	<500	<500	320
Vinyl Acetate	<3,000	<10,000	<5,000		<5,000	<12.5	<50	<2,500	<5,000	<500	<2,500	<50	<5,000	<5,000	
Vinyl Chloride	<300	<1,000	<500	<10	<1,000	12	170	2,920	490 (Tr)	1,570	1,230	370	640	228 (Tr)	650
Xylenes (total)	<300	<1,000	<500	589	<500	280	250	<250	<500	432	885	300	<500	<500	260
xylenes(m,p)							170		<500						
xylenes(o)							80		<500						

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/30/02	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/23/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/23/06
1,1,1-Trichloroethane	14,000	8,600	4,200	29,000	20,000	7,500	16,000	22,000	26,000	21,000	31,000	25,000	5,900	2,500	35,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	<200	<3	<10	57	37	31	51	35	24 (Tr)	<1,000	<1,000	180	69 (Tr)	<65	<220
1,1,2-Trichloroethane	<200	<3	<10	25	15	4.0	11	12	<30	<250	<250	<250	<10	<10	<110
1,1-Dichloroethane	200	250	470	1,800	640	380	370	1,100	520	790	2,500	2,200	840	510	840
1,1-Dichloroethene	2,500	1,600	1,700	10,000	6,300	790	2,000	2,900	1,500	1,800	8,300	8,000	2,000	820	10,000
1,2;3-Trichloropropane	<300	<5	<20	<50	<1.0	<30	<1.0	<10	<50	<250	<250	<250	<27	<27	<100
1,2-Dibromo-3-Chloropropane (DBCP)	<300	<5	<20	<30	<1.0	<20	<1.0	<10	<50	<1,000	<1,000	<1,000	<100	<100	<400
1,2-Dibromoethane (EDB)	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<10	<10	<75
1,2-Dichloroethane	<200	43	50	270	210	59	120	200	84	<250	290	150	60	40 (Tr)	400
1,2-Dichloroethene, Total															
1,2-Dichloropropane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<39	<39	<85
1,4-Dichlorobenzene	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<31	<31	<55
1,4-Dioxane (P-Dioxane)		<2,000	<6,000	<20,000	1,200	150	81	830	440	93	310	291	93	68	3,300
2-Chloroethyl Vinyl Ether															
4-Methyl-2-Pentanone							16			<5,000	<5,000	<5,000	<160	<160	<420
Acetone			<400	3,300	5,300	<500	<20	2,600	<1,000	<5,000	5,400	1,500	600 (Tr)	<280	1,600 (Tr)
Benzene	<200	4.7	4.3	20	9.4	4.1	6.8	10	6	<250	<250	<250	<38	<38	<60
Bromodichloromethane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<26	<26	<85
Bromoform	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<86	<86	<90
Bromomethane	<300	<5	<20	<50	<1.0	<30	<1.0	<10	<50	<500	<500	<500	<35	<35	<140
Carbon Tetrachloride	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<36	<36	<90
Chlorobenzene	<200	<3	<10	2.5	1.1	<20	0.49	<5	<30	<250	<250	<250	<10	<10	<75
Chloroethane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<33	<33	<100
Chloroform	<200	<3	1.8	12	8.1	3.2	8.6	10	<30	<250	<250	<250	<35	<35	<70
Chloromethane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<30	<30	<120
cis-1,2-Dichloroethene	470	370	610	6,000	1,400	1,100	320	1,900	1,000	1,300	4,500	3,800	1,400	1,000	4,500
cis-1,3-Dichloropropene	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<26	<26	<65
Dibromochloromethane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<13	<13	<75
Dibromomethane	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<29	<29	<90
Dichlorodifluoromethane (Freon 12)	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<500	<500	<500	<43	<43	<180
Ethylbenzene	<200	18	11	49	31	8.3	12	12	10 (Tr)	<250	<250	<250	<22	<22	<75

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/30/02	12/4/02	3/12/03	6/11/03	9/16/03	12/18/03	3/22/04	6/17/04	9/23/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/23/06
Methyl Ethyl Ketone (2-Butanone)				570	660	<500	<20	410	<1,000	<5,000	<5,000	<5,000	<170	<170	<450
Methylacryonitrile															
Methylene Chloride	<300	330	510	7,500	3,000	460	9,300	6,700	1,100	1,400	12,000	3,200	2,400	520	2,000
Styrene	<200	<3	<10	<30	3.1	<20	<0.50	3.6 (Tr)	5.5 (Tr)	<250	<250	<250	<20	<20	<80
Tetrachloroethene	4,000	3,000	1,200	4,400	2,900	1,700	1,600	3,700	7,200	8,000	13,000	10,000	4,000	2,400	6,600
Toluene	460	400	280	2,100	980	260	260	620	500	250 (Tr)	1,000	1,600	330	82	3,100
trans-1,2-Dichloroethene	<200	4.8	<10	18	38	<20	7.1	12	<30	<250	<250	<250	<36	<36	<80
trans-1,3-Dichloropropene	<200	<3	<10	<30	<0.50	<20	<0.50	<5	<30	<250	<250	<250	<11	<11	<95
Trichloroethene	1,300	1,600	430	3,900	3,000	1,100	780	1,400	1,700	1,800	3,100	3,900	1,500	530	3,100
Trichlorofluoromethane	<200	100	37	200	100	19	66	59	48	<500	<500	190	51 (Tr)	<47	<70
Vinyl Acetate										<5,000	<5,000	<5,000	<220	<220	<420
Vinyl Chloride	280	320	490	460	340	150	250	450	110	250	350	200	160	150	320
Xylenes (total)	<300	97	36	180	130	46	110	73	70	<750	<750	<750	66 (Tr)	<40	260 (Tr)
xylenes(m,p)															170 (Tr)
xylenes(o)															87 (Tr)

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/21/06	12/6/06	3/23/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/31/08
1,1,1-Trichloroethane	7,600	4,500	3,500	730	2,100	970	3,900	2,600	2,500	7,900	300
1,1,2-Trichloro-2,2,2-Trifluoroethane	58 (Tr)	<98	<98	61	89	92	68 (Tr)	55	<61	<31	<7.8
1,1,2-Trichloroethane	<18	<80	<80	<8.0	<8.0	<6.8	<25	<0.50	<44	<22	<4.4
1,1-Dichloroethane	1,200	510	740	390	610	400	700	320	490	170	57
1,1-Dichloroethene	3,300	1,800	1,200	460	1,000	720	1,400	1,300	810	880	73
1,2,3-Trichloropropane	<24	<82	<82	<8.2	<8.2	<7.8	<25	<0.50	<43	<22	<4.3
1,2-Dibromo-3-Chloropropane (DBCP)	<76	<160	<160	<16	<16	<16	<100	<2.0	<69	<35	<6.9
1,2-Dibromoethane (EDB)	<21	<76	<76	<7.6	<7.6	<7.6	<50	<1.0	<39	<20	<3.9
1,2-Dichloroethane	77	<66	<66	12	36	29	150	20	63	72	19
1,2-Dichloroethene, Total											
1,2-Dichloropropane	<19	<80	<80	<8.0	<8.0	<7.0	<25	<0.50	<35	<18	<3.5
1,4-Dichlorobenzene	<17	<74	<74	<7.4	<7.4	<6.8	<25	<0.50	<38	<19	<3.8
1,4-Dioxane (P-Dioxane)	390	120	270	100	220	130	370	180	340	230	190
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<96	<300	<300	<30	<30	<38	<500	2.4 (Tr)	<190	<95	<19
Acetone	490 (Tr)	1,000 (Tr)	2,100	72	280	380	5,200	21	1,600	800	53 (Tr)
Benzene	<18	<84	<84	<8.4	<8.4	<6.0	<25	1.7	<33	<17	<3.3
Bromodichloromethane	<19	<80	<80	<8.0	<8.0	<6.0	<50	<1.0	<30	<15	<2.8
Bromoform	<15	<82	<82	<8.2	<8.2	<5.6	<50	<1.0	<31	<16	<3.1
Bromomethane	<27	<130	<130	<13	<13	<8.0	<50	<1.0	<40	<20	<3.3
Carbon Tetrachloride	<29	<96	<96	<9.6	<9.6	<8.6	<25	<0.50	<46	<23	<4.6
Chlorobenzene	<17	<72	<72	<7.2	<7.2	<7.2	<25	<0.50	<39	<20	<3.9
Chloroethane	<23	<92	<92	<9.2	<9.2	<7.6	<50	<1.0	<38	<19	<3.1
Chloroform	<16	<80	<80	19	21	21	21 (Tr)	8.5	<33	<17	<3.3
Chloromethane	<36	<80	<80	<8.0	<8.0	<8.2	<50	<1.0	<41	<21	<3.6
cis-1,2-Dichloroethene	2,900	1,300	1,100	640	940	640	1,100	320	970	680	910
cis-1,3-Dichloropropene	<21	<68	<68	<6.8	<6.8	<6.0	<25	<0.50	<30	<15	<2.9
Dibromochloromethane	<23	<66	<66	<6.6	<6.6	<6.4	<50	<1.0	<32	<16	<3.1
Dibromomethane	<22	<78	<78	<7.8	<7.8	<6.6	<25	<0.50	<38	<19	<3.8

Historical Groundwater Analytical Data
Destroyed Extraction Well SB-23
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	6/15/06	9/21/06	12/6/06	3/23/07	6/27/07	9/24/07	12/10/07	2/20/08	5/21/08	9/25/08	12/31/08
Dichlorodifluoromethane (Freon 12)	<37	<96	<96	<9.6	<9.6	<14	<50	<1.0	<68	<34	<5.6
Ethylbenzene	14 (Tr)	<82	<82	<8.2	<8.2	<6.4	<25	1.1	<43	<22	<4.3
Methyl Ethyl Ketone (2-Butanone)	<230	<340	<340	<34	44 (Tr)	<40	270 (Tr)	2.5 (Tr)	<200	<100	<19
Methylacryonitrile											
Methylene Chloride	1,700	1,600	1,300	150	390	340	5,400	110	1,700	880	6.2 (Tr)
Styrene	<14	<74	<74	<7.4	<7.4	<6.4	<25	<0.50	<32	<16	<3.2
Tetrachloroethene	2,700	2,100	2,600	730	1,300	1,300	4,300	3,200	650	3,900	1,000
Toluene	550	280	210	52	130	79	160	20	120	35	<4.0
trans-1,2-Dichloroethene	<19	<86	<86	<8.6	<8.6	<8.2	<25	2.8	<41	<21	<3.3
trans-1,3-Dichloropropene	<18	<78	<78	<7.8	<7.8	<6.0	<25	<0.50	<35	<18	<3.5
Trichloroethene	720	610	670	230	430	280	460	590	480	960	250
Trichlorofluoromethane	<55	<120	<120	19	30	32	<50	40	<59	<30	<4.7
Vinyl Acetate	<46	<180	<180	<18	<18	<17	<500	<10	<85	<43	<8.0
Vinyl Chloride	78	110	150	20	110	140	130	62	140	<24	8.2
Xylenes (total)	<57	<220	<220	<22	<22	<21	<75	6.4	<110	<57	14 (Tr)
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

SB-23 was destroyed on 7 January 2009.

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/14/91	2/2/94	6/27/95	2/1/99	3/5/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03
1,1,1-Trichloroethane	12	<5	<5	<5	<5	<5	11	8.3	6.3	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloro-2,2,2-Trifluoroethane			<5	<5	<5	24	<5	<5	<0.50	3.3	7.8	11	16
1,1,2-Trichloroethane	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	<1.0	<5	57	<5	<5	<5	3.4 (Tr)	3.4	3.9	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	2	<5	8	<5	<5	6.9	2.8 (Tr)	3.0	3.6	0.64	<0.50	2.0	3.1
1,2,3-Trichloropropane			<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)			<100	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)			<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	0.13
1,2-Dichloropropane	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene				<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)				120 (Tr)	<100	<57	<57	<57			<300	<300	<300
2-Chloroethyl Vinyl Ether			<10	<5	<5	<5	<5	<5					
4-Methyl-2-Pentanone	<10			<10	<10	<10	<10	<10					
Acetone	<20	<100	<100	<100	<100	<100	<100	<100				<20	<20
Benzene	<1.0	<5	<5	<5	<5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Bromoform	<5		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Bromomethane							<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.17	0.19
Chlorobenzene	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroethane	<1.0		<10	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.31	0.32
Chloromethane							<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	<1.0	<5	8	<5	<5	<5	2.8 (Tr)	2.8 (Tr)	2.4	<0.50	0.73	0.74	0.66
cis-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromomethane			<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane (Freon 12)			<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/14/91	2/2/94	6/27/95	2/1/99	3/5/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03
Ethylbenzene	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<100	<100	<100	<100	<100	<100					
Methylacryonitrile			<100	<35	<35								
Methylene Chloride	<5	<5	<5	<5	<5	<5	<5	<5	1.6	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	13	<5	84	<5	<5	21	19	17	19	6.5	12	12	17
Toluene	10	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	7	8	27	<5	<5	129	11	12	8.6	19	34	41	53
Trichlorofluoromethane			<5	<5	<5	16	<5	<5	<0.50	1.6	3.4	4.9	8.2
Vinyl Acetate	<10		<50	<50	<50	<50	<50	<50					
Vinyl Chloride	<1.0	<10	<10	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50
Xylenes (total)	<1.0	<5	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0
xylenes(m,p)				<5	<5	<5							
xylenes(o)				<5	<5	<5							

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/18/04	6/16/04	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/12/05	3/7/06	6/13/06
1,1,1-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	0.25 (Tr)	<0.23	<0.23	<0.31
1,1,2-Trichloro-2,2,2-Trifluoroethane	19	34	57	54	31	37	58	45	35	36	25	13
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.10	<0.10	<0.10	<0.18
1,1-Dichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.37	<0.37	<0.37	<0.16
1,1-Dichloroethene	2.9	5.7	9.7	8.5	5.2	7.3	12	7.9	6.5	6.0	4.3	2.2
1,2,3-Trichloropropane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.27	<0.27	<0.27	<0.24
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<1.0	<1.0	<1.0	<1.0	<4	<4	<4	<1.0	<1.0	<1.0	<0.76
1,2-Dibromoethane (EDB)	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.10	<0.10	<0.10	<0.21
1,2-Dichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.38	<0.38	<0.38	<0.21
1,2-Dichloropropane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.39	<0.39	<0.39	<0.19
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.31	<0.31	<0.31	<0.17
1,4-Dioxane (P-Dioxane)	<2.0	0.61	<2.0		0.9 (Tr)	<1.9	<1.9		<0.20	<0.20	0.39 (Tr)	<0.41
2-Chloroethyl Vinyl Ether												
4-Methyl-2-Pentanone						<20	<20	<20	<1.6	<1.6	<1.6	<0.96
Acetone	<20	<20	<20	<20	<20	<20	<20	4.1 (Tr)	<2.8	<2.8	<2.8	<1.8
Benzene	<0.50	<0.50	0.08	<0.50	<0.50	<1.0	<1.0	<1.0	<0.38	<0.38	<0.38	<0.18
Bromodichloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.26	<0.26	<0.26	<0.19
Bromoform	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.86	<0.86	<0.86	<0.15
Bromomethane	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<0.35	<0.35	<0.35	<0.27
Carbon Tetrachloride	0.18	0.20	0.4	0.37 (Tr)	0.34 (Tr)	<1.0	<1.0	<1.0	<0.36	<0.36	<0.36	<0.29
Chlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.10	<0.10	<0.10	<0.17
Chloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.33	<0.33	<0.33	<0.23
Chloroform	0.31	0.46	0.65	0.58	0.39 (Tr)	0.48 (Tr)	0.70 (Tr)	0.50 (Tr)	0.44 (Tr)	0.41 (Tr)	0.44 (Tr)	0.29 (Tr)
Chloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.30	<0.30	<0.30	<0.36
cis-1,2-Dichloroethene	0.54	1.6	2.2	2.4	1.4	1.6	2.2	1.4	0.95	0.84	0.82	0.37 (Tr)
cis-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.26	<0.26	<0.26	<0.21
Dibromochloromethane	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.13	<0.13	<0.13	<0.23
Dibromomethane	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.29	<0.29	<0.29	<0.22
Dichlorodifluoromethane (Freon 12)	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.43	<0.43	<0.43	<0.37

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/18/04	6/16/04	9/13/04	12/9/04	3/9/05	6/6/05	9/19/05	12/12/05	3/7/06	6/13/06
Ethylbenzene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.22	<0.22	<0.22	<0.14
Methyl Ethyl Ketone (2-Butanone)	<20	<20	<20	<20	<20	<20	<20	<20	<1.7	<1.7	<1.7	<2.3
Methylacryonitrile												
Methylene Chloride	<1.0	<1.0	<1.0	<1.0	<1.0	<4	<4	<4	<0.72	<0.72	<0.72	<0.22
Styrene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<0.14
Tetrachloroethene	15	28	47	45	31	30	45	35	25	21	17	8.1
Toluene	0.17	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.10	<0.10	0.19 (Tr)	<0.18
trans-1,2-Dichloroethene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.36	<0.36	<0.36	<0.19
trans-1,3-Dichloropropene	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.11	<0.11	<0.11	<0.18
Trichloroethene	43	70	110	100	66	78	110	83	68	59	40	22
Trichlorofluoromethane	8	16	27	24	14	16	22	16	14	13	9.3	3.8
Vinyl Acetate						<20	<20	<20	<2.2	<2.2	<2.2	<0.46
Vinyl Chloride	<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.27	<0.27	<0.27	<0.27
Xylenes (total)	<1.0	0.51	<1.0	<1.0	<1.0	<3	<3	<3	<0.40	<0.40	<0.40	<0.57
xylenes(m,p)												
xylenes(o)												

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/20/08	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	<0.46	<0.46	<0.46	<0.46	<0.39	<0.50	<0.50	<0.39	<0.39	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	5.2	4.1	4.4	2.8	4.4	23	33	79	85	85	91
1,1,2-Trichloroethane	<0.40	<0.4	<0.40	<0.40	<0.34	<0.50	<0.50	<0.44	<0.44	<0.44	<0.44
1,1-Dichloroethane	<0.35	<0.35	<0.35	<0.35	<0.37	<0.50	<0.50	<0.37	<0.37	<0.34	<0.34
1,1-Dichloroethene	1.1	0.89	0.84	0.50	0.82	3.9	8.6	26	30	31	33
1,2,3-Trichloropropane	<0.41	<0.41	<0.41	<0.41	<0.39	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<0.76	<0.76	<0.76	<0.77	<2.0	<2.0	<0.69	<0.69	<0.69	<0.69
1,2-Dibromoethane (EDB)	<0.38	<0.38	<0.38	<0.38	<0.38	<1.0	<1.0	<0.39	<0.39	<0.39	<0.39
1,2-Dichloroethane	<0.33	<0.33	<0.33	<0.33	<0.38	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,2-Dichloropropane	<0.40	<0.4	<0.40	<0.40	<0.35	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	<0.37	<0.37	<0.37	<0.37	<0.34	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,4-Dioxane (P-Dioxane)	<0.41	<0.41	<0.19	<0.19	<0.22	<0.50	0.30 (Tr)	1.3	1.0	1.5	1.4
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<1.5	<1.5	<1.5	<1.5	<1.9	<10	<10	<1.9	<1.9	<1.9	<1.9
Acetone	<2.2	<2.2	<2.2	<2.2	<2.7	<10	<10	<3.0	<3.0	<3.0	<3.0
Benzene	<0.42	<0.42	<0.42	<0.42	<0.30	<0.50	<0.50	<0.33	<0.33	<0.33	<0.33
Bromodichloromethane	<0.40	<0.4	<0.40	<0.40	<0.30	<1.0	<1.0	<0.30	<0.30	<0.28	<0.28
Bromoform	<0.41	<0.41	<0.41	<0.41	<0.28	<1.0	<1.0	<0.31	<0.31	<0.31	<0.31
Bromomethane	<0.61	<0.61	<0.61	<0.61	<0.40	<1.0	<1.0	<0.40	<0.40	<0.33	<0.33
Carbon Tetrachloride	<0.48	<0.48	<0.48	<0.48	<0.43	<0.50	<0.50	<0.46	<0.46	<0.46	0.47 (Tr)
Chlorobenzene	<0.36	<0.36	<0.36	<0.36	<0.36	<0.50	<0.50	<0.39	<0.39	<0.39	<0.39
Chloroethane	<0.46	<0.46	<0.46	<0.46	<0.38	<1.0	<1.0	<0.38	<0.38	<0.31	<0.31
Chloroform	<0.40	<0.4	<0.40	<0.40	<0.33	<0.50	0.68	3.0	3.0	3.4	2.9
Chloromethane	<0.40	<0.4	<0.40	<0.40	<0.41	<1.0	<1.0	<0.41	<0.41	<0.36	<0.36
cis-1,2-Dichloroethene	<0.39	<0.39	<0.39	<0.39	<0.36	0.56	0.89	2.2	2.7	2.8	2.8
cis-1,3-Dichloropropene	<0.34	<0.34	<0.34	<0.34	<0.30	<0.50	<0.50	<0.30	<0.30	<0.29	<0.29
Dibromochloromethane	<0.33	<0.33	<0.33	<0.33	<0.32	<1.0	<1.0	<0.32	<0.32	<0.31	<0.31
Dibromomethane	<0.39	<0.39	<0.39	<0.39	<0.33	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Dichlorodifluoromethane (Freon 12)	<0.48	<0.48	<0.48	<0.48	<0.68	<1.0	<1.0	<0.68	<0.68	<0.56	<0.56

Historical Groundwater Analytical Data
Monitoring Well SB-23A
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/20/06	12/4/06	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/20/08	9/24/08	12/8/08	3/9/09
Ethylbenzene	<0.41	<0.41	<0.41	<0.41	<0.32	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
Methyl Ethyl Ketone (2-Butanone)	<1.7	1.7 (Tr)	<1.7	<1.7	<2.0	<10	<10	<2.0	<2.0	<1.9	<1.9
Methylacryonitrile											
Methylene Chloride	<0.43	<0.43	<0.43	<0.43	<0.30	<2.0	<2.0	<0.30	<0.30	<0.29	<0.29
Styrene	<0.37	<0.37	<0.37	<0.37	<0.32	<0.50	<0.50	<0.32	<0.32	<0.32	<0.32
Tetrachloroethene	4.1	2.9	3.7	2.3	2.9	15	24	58	62	77	77
Toluene	<0.36	<0.36	<0.36	<0.36	<0.32	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethene	<0.43	<0.43	<0.43	<0.43	<0.41	<0.50	<0.50	<0.41	<0.41	<0.33	<0.33
trans-1,3-Dichloropropene	<0.39	<0.39	<0.39	<0.39	<0.30	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
Trichloroethene	11	8.8	10	6.2	8.6	44	71	150	160	180	150
Trichlorofluoromethane	2.0	1.4	1.7	1.0	1.2	7.2	11	26	30	32	27
Vinyl Acetate	<0.90	<0.9	<0.90	<0.90	<0.85	<10	<10	<0.85	<0.85	<0.80	<0.80
Vinyl Chloride	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	<0.50	<0.47	<0.47	<0.47	<0.47
Xylenes (total)	<1.1	<1.1	<1.1	<1.1	<1.0	<1.5	<1.5	<1.1	<1.1	<1.1	<1.1
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/14/91	2/2/94	6/28/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/16/03
1,1,1-Trichloroethane	17	<5	<5	<5	<5	34	17	16	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloro-2,2,2-Trifluoroethane			<5	36	<5	<5	<5	1.8	29	31	44	39	37
1,1,2-Trichloroethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	<1.0	<5	90	<5	<5	4 (Tr)	<5	4.2	<0.50	<0.50	<0.50	0.10	0.1
1,1-Dichloroethene	2	<5	9	4.5 (Tr)	<5	9.5	4.9 (Tr)	7.7	6.2	6.4	6.9	8.3	7
1,2,3-Trichloropropane			<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)			<100	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane (EDB)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	<1.0	<5	5	<5	<5	<5	<5	0.67	<0.50	<0.50	<0.50	0.19	0.16
1,2-Dichloropropane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene				<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dioxane (P-Dioxane)				<200	<57	<57	<57			<300	<300	<300	<2.0
2-Chloroethyl Vinyl Ether			<10	<5	<5	<5	<5						
4-Methyl-2-Pentanone	<10			<10	<10	<10	<10						
Acetone	<20	<100	<100	<100	<100	<100	<100				<20	<20	<20
Benzene	<1.0	<5	<5	<5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromoform	<5		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromomethane						<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	0.40	0.40	0.43
Chlorobenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroethane	<1.0		<10	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	<1.0	<5	<5	<5	<5	<5	<5	<0.50	0.63	0.75	0.85	0.67	0.73
Chloromethane						<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	<1.0	<5	12	<5	<5	14	6.4	6.3	0.88	1.1	1.2	0.88	0.92
cis-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromochloromethane	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dibromomethane			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/14/91	2/2/94	6/28/95	2/2/99	9/19/00	10/26/01	2/12/02	6/3/02	9/26/02	12/2/02	3/10/03	6/9/03	9/16/03
Dichlorodifluoromethane (Freon 12)			<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<100	<100	<100	<100	<100						<20
Methylacryonitrile			<100	<35									
Methylene Chloride	<5	<5	<5	<5	<5	<5	<5	1.4	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	17	10	18	24	8.9	23	13	18	28	28	33	<0.50	30
Toluene	10	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<1.0	<5	<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,3-Dichloropropene	<1.0		<5	<5	<5	<5	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	67	110	25	135	21	22	9.9	16	99	97	120	120	110
Trichlorofluoromethane			<5	14	<5	<5	<5	0.94	16	15	22	22	17
Vinyl Acetate	<10		<50	<50	<50	<50	<50						
Vinyl Chloride	<1.0	<10	<10	<5	<5	<5	<5	0.73	<0.50	<0.50	<0.50	<0.50	<0.50
Xylenes (total)	<1.0	<5	<5	<5	<5	<5	<5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
xylenes(m,p)				<5	<5								
xylenes(o)				<5	<5								

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/03	3/19/04	6/16/04	9/13/04	12/9/04	3/11/05	6/6/05	9/19/05	12/12/05	3/7/06	6/13/06	9/20/06	12/4/06
1,1,1-Trichloroethane	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.2	1.1	<0.23	<0.31	<2.3	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	NS	33	46	31	42	27	27	43	50	43	55	32	41
1,1,2-Trichloroethane	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.50	<0.10	<0.10	<0.18	<2.0	<0.4
1,1-Dichloroethane	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.9	<0.37	<0.37	<0.16	<1.8	<0.35
1,1-Dichloroethene	NS	7	9	6.6	9.6	6.2	4.8	8.7	9.8	7.8	10	7.2	9.8
1,2,3-Trichloropropane	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.4	<0.27	<0.27	<0.24	<2.1	<0.41
1,2-Dibromo-3-Chloropropane (DBCP)	NS	<1.0	<1.0	<1.0	<4	<4	<4	<5.0	<1.0	<1.0	<0.76	<3.8	<0.76
1,2-Dibromoethane (EDB)	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.50	<0.10	<0.10	<0.21	<1.9	<0.38
1,2-Dichloroethane	NS	0.16	<0.50	0.16 (Tr)	<1.0	<1.0	<1.0	<1.9	<0.38	<0.38	<0.21	<1.7	<0.33
1,2-Dichloropropane	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<2.0	<0.39	<0.39	<0.19	<2.0	<0.4
1,4-Dichlorobenzene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.6	<0.31	<0.31	<0.17	<1.9	<0.37
1,4-Dioxane (P-Dioxane)	NS	4.4		1	<1.9	<2.0		<0.20	0.25 (Tr)	0.58 (Tr)	0.54 (Tr)	0.51 (Tr)	0.6 (Tr)
2-Chloroethyl Vinyl Ether	NS												
4-Methyl-2-Pentanone	NS				<20	<20	<20	<8.0	<1.6	<1.6	<0.96	<7.5	<1.5
Acetone	NS	<20	<20	<20	<20	<20	<20	<14	<2.8	<2.8	<1.8	<11	<2.2
Benzene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.9	0.66	<0.38	<0.18	<2.1	<0.42
Bromodichloromethane	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<1.3	<0.26	<0.26	<0.19	<2.0	<0.4
Bromoform	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<4.3	<0.86	<0.86	<0.15	<2.1	<0.41
Bromomethane	NS	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<1.8	<0.35	<0.35	<0.27	<3.1	<0.61
Carbon Tetrachloride	NS	0.4	0.37 (Tr)	0.41 (Tr)	<1.0	<1.0	<1.0	<1.8	0.45 (Tr)	0.61	0.39 (Tr)	<2.4	<0.48
Chlorobenzene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.50	<0.10	<0.10	<0.17	<1.8	<0.36
Chloroethane	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<1.7	<0.33	<0.33	<0.23	<2.3	<0.46
Chloroform	NS	0.63	0.79	0.64	0.76 (Tr)	0.72 (Tr)	0.62 (Tr)	<1.8	0.84	0.84	0.85	<2.0	0.69
Chloromethane	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<1.5	<0.30	<0.30	<0.36	<2.0	<0.4
cis-1,2-Dichloroethene	NS	1.2	1.7	1.6	1.9	1.5	1.7	2.2 (Tr)	2.1	2.1	2.3	<2.0	2.1
cis-1,3-Dichloropropene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.3	<0.26	<0.26	<0.21	<1.7	<0.34
Dibromochloromethane	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<0.65	<0.13	<0.13	<0.23	<1.7	<0.33
Dibromomethane	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.5	<0.29	<0.29	<0.22	<2.0	<0.39
Dichlorodifluoromethane (Freon 12)	NS	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<2.2	<0.43	<0.43	<0.37	<2.4	<0.48

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/03	3/19/04	6/16/04	9/13/04	12/9/04	3/11/05	6/6/05	9/19/05	12/12/05	3/7/06	6/13/06	9/20/06	12/4/06
Ethylbenzene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.1	<0.22	<0.22	<0.14	<2.1	<0.41
Methyl Ethyl Ketone (2-Butanone)	NS	<20	<20	<20	<20	<20	<20	<8.5	<1.7	<1.7	<2.3	<8.5	<1.7
Methylacryonitrile	NS												
Methylene Chloride	NS	<1.0	<1.0	<1.0	<4	<4	<4	<3.6	<0.72	1.0 (Tr)	<0.22	<2.2	<0.43
Styrene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.0	<0.20	<0.20	<0.14	<1.9	<0.37
Tetrachloroethene	NS	32	43	37	37	28	31	43	48	43	48	33	41
Toluene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.50	1.4	<0.10	<0.18	<1.8	<0.36
trans-1,2-Dichloroethene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.8	<0.36	<0.36	<0.19	<2.2	<0.43
trans-1,3-Dichloropropene	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<0.55	<0.11	<0.11	<0.18	<2.0	<0.39
Trichloroethene	NS	110	110	100	120	110	77	120	130	110	130	88	110
Trichlorofluoromethane	NS	18	22	15	19	11	11	20	19	15	20	13	18
Vinyl Acetate	NS				<20	<20	<20	<11	<2.2	<2.2	<0.46	<4.5	<0.9
Vinyl Chloride	NS	<0.50	<0.50	<0.50	<1.0	<1.0	<1.0	<1.4	<0.27	<0.27	<0.27	<2.2	<0.43
Xylenes (total)	NS	<1.0	<1.0	<1.0	<3	<3	<3	<2.0	0.77 (Tr)	<0.40	<0.57	<5.6	<1.1
xylenes(m,p)	NS												
xylenes(o)	NS												

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/20/08	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	<0.46	<0.46	<0.39	<0.50	<0.50	<0.39	<0.39	<0.46	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	46	61	74	77	51	66	72	67	50
1,1,2-Trichloroethane	<0.40	<0.40	<0.34	<0.50	<0.50	<0.44	<0.44	<0.44	<0.44
1,1-Dichloroethane	<0.35	<0.35	<0.37	<0.50	<0.50	<0.37	<0.37	<0.34	<0.34
1,1-Dichloroethene	10	12	17	15	13	16	20	19	24
1,2,3-Trichloropropane	<0.41	<0.41	<0.39	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<0.76	<0.76	<0.77	<2.0	<2.0	<0.69	<0.69	<0.69	<0.69
1,2-Dibromoethane (EDB)	<0.38	<0.38	<0.38	<1.0	<1.0	<0.39	<0.39	<0.39	<0.39
1,2-Dichloroethane	<0.33	<0.33	<0.38	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,2-Dichloropropane	<0.40	<0.40	<0.35	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	<0.37	<0.37	<0.34	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
1,4-Dioxane (P-Dioxane)	0.87	1.2	1.1	0.60	0.40 (Tr)	0.90	0.80	1.1	1.3
2-Chloroethyl Vinyl Ether									
4-Methyl-2-Pentanone	<1.5	<1.5	<1.9	<10	<10	<1.9	<1.9	<1.9	<1.9
Acetone	<2.2	<2.2	<2.7	<10	<10	<3.0	<3.0	<3.0	<3.0
Benzene	<0.42	<0.42	<0.30	<0.50	<0.50	<0.33	<0.33	<0.33	<0.33
Bromodichloromethane	<0.40	<0.40	<0.30	<1.0	<1.0	<0.30	<0.30	<0.28	<0.28
Bromoform	<0.41	<0.41	<0.28	<1.0	<1.0	<0.31	<0.31	<0.31	<0.31
Bromomethane	<0.61	<0.61	<0.40	<1.0	<1.0	<0.40	<0.40	<0.33	<0.33
Carbon Tetrachloride	<0.48	<0.48	<0.43	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46
Chlorobenzene	<0.36	<0.36	<0.36	<0.50	<0.50	<0.39	<0.39	<0.39	<0.39
Chloroethane	<0.46	<0.46	<0.38	<1.0	<1.0	<0.38	<0.38	<0.31	<0.31
Chloroform	0.74	0.99	0.97	1.1	0.98	1.2	1.8	2.1	4.1
Chloromethane	<0.40	<0.40	<0.41	<1.0	<1.0	<0.41	<0.41	<0.36	<0.36
cis-1,2-Dichloroethene	1.9	2.3	2.6	2.4	2.0	2.7	3.1	2.8	3.0
cis-1,3-Dichloropropene	<0.34	<0.34	<0.30	<0.50	<0.50	<0.30	<0.30	<0.29	<0.29
Dibromochloromethane	<0.33	<0.33	<0.32	<1.0	<1.0	<0.32	<0.32	<0.31	<0.31
Dibromomethane	<0.39	<0.39	<0.33	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Dichlorodifluoromethane (Freon 12)	<0.48	<0.48	<0.68	<1.0	<1.0	<0.68	<0.68	<0.56	<0.56

Historical Groundwater Analytical Data
Monitoring Well SB-23B
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/19/07	6/25/07	9/24/07	12/10/07	2/21/08	5/20/08	9/24/08	12/8/08	3/9/09
Ethylbenzene	<0.41	<0.41	<0.32	<0.50	<0.50	<0.43	<0.43	<0.43	<0.43
Methyl Ethyl Ketone (2-Butanone)	<1.7	<1.7	<2.0	<10	<10	<2.0	<2.0	<1.9	<1.9
Methylacryonitrile									
Methylene Chloride	<0.43	<0.43	<0.30	<2.0	<2.0	<0.30	<0.30	<0.29	<0.29
Styrene	<0.37	<0.37	<0.32	<0.50	<0.50	<0.32	<0.32	<0.32	<0.32
Tetrachloroethene	47	54	55	60	44	57	63	62	67
Toluene	<0.36	<0.36	<0.32	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethene	<0.43	<0.43	<0.41	<0.50	<0.50	<0.41	<0.41	<0.33	<0.33
trans-1,3-Dichloropropene	<0.39	<0.39	<0.30	<0.50	<0.50	<0.35	<0.35	<0.35	<0.35
Trichloroethene	110	140	140	150	130	160	170	150	140
Trichlorofluoromethane	18	31	28	27	21	26	30	29	21
Vinyl Acetate	<0.90	<0.90	<0.85	<10	<10	<0.85	<0.85	<0.80	<0.80
Vinyl Chloride	<0.43	<0.43	<0.43	<0.50	<0.50	<0.47	<0.47	<0.47	<0.47
Xylenes (total)	<1.1	<1.1	<1.0	<1.5	<1.5	<1.1	<1.1	<1.1	<1.1
xylenes(m,p)									
xylenes(o)									

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not sampled because well was damaged during site operations.

Historical Groundwater Analytical Data
Destroyed Monitoring Well SB-25
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/13/91	2/3/94	6/29/95	9/1/95	2/23/96
1,1,1-Trichloroethane	2,000	1,800	1,100	1,320	4,930	<5000	<1000
1,1,2-Trichloro-2,2,2-Trifluoroethane					<500	<13000	<25
1,1,2-Trichloroethane	<200	<120	<500		<500	<5000	61
1,1-Dichloroethane	740	<120	<500	558	4,930	<5000	<1000
1,1-Dichloroethene	9,200	7,600	6,500	2,950	13,800	<13000	<5000
1,2,3-Trichloropropane					<500		
1,2-Dibromo-3-Chloropropane (DBCP)					<10000	<5000	
1,2-Dibromoethane (EDB)					<500		
1,2-Dichloroethane	<200	160	<500	364	4,360	<5000	<1000
1,2-Dichloroethene, Total	1,900	1,500					
1,2-Dichloropropane	<200	<120	<500		<500	<5000	<10
1,4-Dichlorobenzene	<10					<5000	
1,4-Dioxane (P-Dioxane)						<5000	
2-Chloroethyl Vinyl Ether					<1000	<5000	<10
4-Methyl-2-Pentanone	<2000	<1200	<5000			<13000	<1000
Acetone	5,700	4,900	<10000	14,200	681,000	220,000	<50000
Benzene	210	<120	<500	63	<500	<5000	450
Bromodichloromethane	<200	<120	<500		<500	<5000	<10
Bromoform	<1000	<620	<2500		<500	<5000	<10
Carbon Tetrachloride	<200	<120	<500		<500	<13000	<25
Chlorobenzene	<200	<120	<500	7	<500	<5000	48
Chloroethane	<200	<120	<500		<1000	<13000	<25
Chloroform	<200	<120	<500	<5	<500	<5000	220
cis-1,2-Dichloroethene			<500	450	2,620	<5000	<1000
cis-1,3-Dichloropropene	<200	<120	<500		<500	<5000	<10
Dibromochloromethane	<200	<120	<500	<5	<500	<5000	<10
Dibromomethane					<500		
Dichlorodifluoromethane (Freon 12)					<500		
Ethylbenzene	<200	<120	<500	224	1,190	<5000	1,100
Methyl Ethyl Ketone (2-Butanone)	<4000	<2500	<10000	728	21,200	<25000	<10000
Methylacryonitrile					<10000		

Historical Groundwater Analytical Data
Destroyed Monitoring Well SB-25
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/13/91	2/3/94	6/29/95	9/1/95	2/23/96
Methylene Chloride	72,000	25,000	46,000	34,300	269,000	290,000	<50000
Styrene	<200	<120	<500		<500	<5000	<10
Tetrachloroethene	7,000	5,100	5,500	3,960	8,080	<5000	<1000
Toluene	1,800	1,600	940	2,590	19,900	11,000	<1000
trans-1,2-Dichloroethene			<500	<5	<500	<5000	29
trans-1,3-Dichloropropene	<200	<120	<500		<500	<5000	<10
Trichloroethene	4,200	4,200	3,300	<5	10,700	5,600	<5000
Trichlorofluoromethane				100	<500	<13000	190
Vinyl Acetate	<2000	<1200	<5000		<5000	<13000	<25
Vinyl Chloride	<200	<120	<500	76	<1000	<13000	80
Xylenes (total)	<200	400	<500	1,270	4,710	<5000	3,600

Notes:

Monitoring Well SB-25 was destroyed in 1995 during removal of the underground storage tanks (USTs).

Values reported as micrograms per liter (ug/L).

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/12/91	2/3/94	6/29/95	9/1/95	2/3/99	9/21/00	10/23/01	2/13/02	9/27/02	12/2/02	6/10/03
1,1,1-Trichloroethane	5,200	4,600	3,000	2,100	15,900	13,000	780	212	32	18 (Tr)	11	DRY	6.7
1,1,2-Trichloro-2,2,2-Trifluoroethane		700			<500	<500	19	47	<5	<50	19	DRY	9.2
1,1,2-Trichloroethane	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
1,1-Dichloroethane	290	450	250	242	1,550	770	9,600	1,630	1,210	1,570	810	DRY	550
1,1-Dichloroethene	5,500	4,200	3,300	3,310	3,300	1,900	1,000	1,000	470	424	74	DRY	110
1,2,3-Trichloropropane					<500		<5	<5	<5	<50	<1.0	DRY	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)					<10,000	<500	<5	<5	<5	<50	<1.0	DRY	<1.0
1,2-Dibromoethane (EDB)					<500		<5	<5	<5	<50	<0:50	DRY	<0.50
1,2-Dichloroethane	<20	<25	<20	<5	<500	<200	8.5	<5	<5	<50	<0.50	DRY	0.83
1,2-Dichloroethene, Total	780	660										DRY	
1,2-Dichloropropane	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
1,4-Dichlorobenzene	<10					<500	<5	<5	<5	<50	<0.50	DRY	<0.50
1,4-Dioxane (P-Dioxane)						<500	340	<57	<57	<570		DRY	59
2-Chloroethyl Vinyl Ether					<1,000	<200	<5	<5	<5	<50		DRY	
4-Methyl-2-Pentanone	<200	<250	<200			<500	<10	<10	<10	<100		DRY	
Acetone	<400	<500	<400	<100	17,300	<1,000	<100	<100	<100	<1,000		DRY	<20
Benzene	51	56	41	24	<500	<200	41	26	12	<10	6.0	DRY	4.4
Bromodichloromethane	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
Bromoform	<100	<125	<100		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
Bromomethane									<5	<50	<1.0	DRY	<1.0
Carbon Tetrachloride	<20	<25	<20		<500	<500	<5	<5	<5	<50	<0.50	DRY	<0.50
Chlorobenzene	<20	<25	<20	<5	<500	<200	<5	<5	<5	<50	2.4	DRY	2.0
Chloroethane	<20	<25	<20		<1,000	<500	<5	<5	<5	<50	0.68	DRY	<0.50
Chloroform	21	<25	<20	<5	<500	<200	<5	<5	<5	<50	<0.50	DRY	0.13
Chloromethane									<5	<50	<0.50	DRY	<0.50
cis-1,2-Dichloroethene			520	990	12,800	7,900	7,600	2,930	1,320	1,270	260	DRY	350
cis-1,3-Dichloropropene	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
Dibromochloromethane	<20	<25	<20	<5	<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	8/3/90	10/25/90	2/12/91	2/3/94	6/29/95	9/1/95	2/3/99	9/21/00	10/23/01	2/13/02	9/27/02	12/2/02	6/10/03
Dibromomethane					<500		<5	<5	<5	<50	<0.50	DRY	<0.50
Dichlorodifluoromethane (Freon 12)					<500		<5	<5	<5	<50	<0.50	DRY	<0.50
Ethylbenzene	<20	<25	<20	<5	654	280	440	<5	<5	<50	<0.50	DRY	<0.50
Methyl Ethyl Ketone (2-Butanone)	<400	<500	<400	<100	15,700	<1,000	<100	<100	<100	<1,000		DRY	
Methylacryonitrile					<10,000		<35					DRY	
Methylene Chloride	<100	<125	<100	543	<500	<1,000	3.7 (Tr)	<5	<5	<50	<1.0	DRY	<1.0
Styrene	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
Tetrachloroethene	3,100	2,600	2,200	1,480	<500	<200	18	120	48	39 (Tr)	25	DRY	42
Toluene	110	<50	<40	16	2,430	890	1,940	<5	<5	<50	<0.50	DRY	0.22
trans-1,2-Dichloroethene			<20	<5	<500	<200	9.2	<5	<5	<50	5.2	DRY	15
trans-1,3-Dichloropropene	<20	<25	<20		<500	<200	<5	<5	<5	<50	<0.50	DRY	<0.50
Trichloroethene	4,100	4,100	3,100	1,680	<500	<200	4.8 (Tr)	121	44	20 (Tr)	11	DRY	19
Trichlorofluoromethane	270	80		52	<500	<500	<5	7.6	<5	<50	0.53	DRY	0.83
Vinyl Acetate	<200	<250	<200		<5,000	<500	<50	<50	<50	<500		DRY	
Vinyl Chloride	78	<25	<20	91	<1,000	<500	160	196	160	245	110	DRY	69
Xylenes (total)	<20	<25	<20	38	2,450	870	1,880	9.1	6.3	<50	1.8	DRY	0.57
xylenes(m,p)							1,060	<5				DRY	
xylenes(o)							820	9.1				DRY	

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/17/03	12/19/03	3/22/04	6/17/04	9/17/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06
1,1,1-Trichloroethane	4.1	3.9	4.5	4.4	2.7	<5	3.9 (Tr)	16	<2.3	<2.3	<2.3	<3.1	<4.6
1,1,2-Trichloro-2,2,2-Trifluoroethane	5.3	4.0	13	8.1	5.1	3.2 (Tr)	<20	2.9	<6.5	<6.5	<6.5	<4.2	<4.9
1,1,2-Trichloroethane	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<1.0	<1.0	<1.0	<1.8	<4.0
1,1-Dichloroethane	270	320	380	610	360	350	610	440	490	600	650	500	330
1,1-Dichloroethene	30	47	70	160	79	89	170	110	120	130	150	120	84
1,2,3-Trichloropropane	<1.0	<5	<1.0	<2.0	<1.0	<5	<5	<5	<2.7	<2.7	<2.7	<2.4	<4.1
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<5	<1.0	<2.0	<1.0	<20	<20	<20	<10	<10	<10	<7.6	<7.6
1,2-Dibromoethane (EDB)	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<1.0	<1.0	<1.0	<2.1	<3.8
1,2-Dichloroethane	<0.50	<3	<0.50	0.88 (Tr)	0.72	<5	<5	<5	<3.8	<3.8	<3.8	<2.1	<3.3
1,2-Dichloroethene, Total													
1,2-Dichloropropane	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<3.9	<3.9	<3.9	<1.9	<4.0
1,4-Dichlorobenzene	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<3.1	<3.1	<3.1	<1.7	<3.7
1,4-Dioxane (P-Dioxane)	31	48	86	69	56	14	26	27	22	28	58	50	27
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone						<100	<100	<100	<16	<16	<16	<9.6	<15
Acetone	<20	<100	<20	<40	<20	18 (Tr)	<100	20	<28	<28	<28	<18	28 (Tr)
Benzene	1.9	2.0	6.1	5.4	2.7	1.7 (Tr)	3.4 (Tr)	2.2	<3.8	<3.8	<3.8	<1.8	<4.2
Bromodichloromethane	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<2.6	<2.6	<2.6	<1.9	<4.0
Bromoform	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<8.6	<8.6	<8.6	<1.5	<4.1
Bromomethane	<1.0	<5	<1.0	<2.0	<1.0	<10	<10	<10	<3.5	<3.5	<3.5	<2.7	<6.1
Carbon Tetrachloride	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<3.6	<3.6	<3.6	<2.9	<4.8
Chlorobenzene	0.67	0.88	1.9	1.5	1.1	<5	1.6 (Tr)	<5	1.0 (Tr)	<1.0	1.3 (Tr)	<1.7	<3.6
Chloroethane	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<3.3	<3.3	<3.3	<2.3	<4.6
Chloroform	<0.50	<3	<0.50	0.38 (Tr)	0.22 (Tr)	<5	<5	<5	<3.5	<3.5	<3.5	<1.6	<4.0
Chloromethane	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<3.0	<3.0	<3.0	<3.6	<4.0
cis-1,2-Dichloroethene	110	180	340	480	220	240	530	430	420	500	570	460	250
cis-1,3-Dichloropropene	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<2.6	<2.6	<2.6	<2.1	<3.4
Dibromochloromethane	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<1.3	<1.3	<1.3	<2.3	<3.3
Dibromomethane	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<2.9	<2.9	<2.9	<2.2	<3.9

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/17/03	12/19/03	3/22/04	6/17/04	9/17/04	12/13/04	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06
Dichlorodifluoromethane (Freon 12)	<0.50	<3	<0.50	<1.0	<0.50	<10	<10	<10	<4.3	<4.3	<4.3	<3.7	<4.8
Ethylbenzene	<0.50	<3	<0.50	<1.0	0.25 (Tr)	<5	<5	<5	<2.2	<2.2	<2.2	<1.4	<4.1
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<20	<40	<20	<100	<100	<100	<17	<17	<17	<23	<17
Methylacryonitrile													
Methylene Chloride	0.13	11	<1.0	<2.0	<1.0	4.9 (Tr)	<20	6.1	<7.2	20	<7.2	<2.2	<4.3
Styrene	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<2.0	<2.0	<2.0	<1.4	<3.7
Tetrachloroethene	17	26	60	41	30	26	37	34	31	33	32	29	25
Toluene	0.13	<3	0.25	0.64 (Tr)	0.75	<5	<5	<5	<1.0	<1.0	<1.0	<1.8	<3.6
trans-1,2-Dichloroethene	6.8	1.6	12	1.5	0.61	<5	<5	<5	<3.6	<3.6	<3.6	<1.9	<4.3
trans-1,3-Dichloropropene	<0.50	<3	<0.50	<1.0	<0.50	<5	<5	<5	<1.1	<1.1	<1.1	<1.8	<3.9
Trichloroethene	7.1	13	36	23	18	15	26	22	22	27	29	23	15
Trichlorofluoromethane	0.28	<3	1.2	0.76 (Tr)	0.33 (Tr)	<10	<10	<10	<4.7	<4.7	<4.7	<5.5	<6.0
Vinyl Acetate						<100	<100	<100	<22	<22	<22	<4.6	<9.0
Vinyl Chloride	34	37	88	77	61	15	31	23	24	14	22	13	12
Xylenes (total)	<1.0	<5	0.77	1.2 (Tr)	1.1	<15	<15	<15	<4.0	<4.0	<4.0	<5.7	<11
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/5/06	3/21/07	6/27/07	9/26/07	12/11/07	2/20/08	5/20/08	9/24/08	12/8/08	3/9/09
1,1,1-Trichloroethane	<4.6	<2.3	<2.3	<0.39	<0.50	<0.50	<0.39	NS	DRY	<0.46
1,1,2-Trichloro-2,2,2-Trifluoroethane	<4.9	<5.0	<5.0	1.1 (Tr)	<2.0	<2.0	<0.61	NS	DRY	<0.78
1,1,2-Trichloroethane	<4	<2.0	<2.0	<0.34	<0.50	<0.50	<0.44	NS	DRY	<0.44
1,1-Dichloroethane	200	150	130	92	79	110	120	NS	DRY	180
1,1-Dichloroethene	50	32	24	16	14	19	22	NS	DRY	12
1,2,3-Trichloropropane	<4.1	<2.1	<2.1	<0.39	<0.50	<0.50	<0.43	NS	DRY	<0.43
1,2-Dibromo-3-Chloropropane (DBCP)	<7.6	<3.8	<3.8	<0.77	<2.0	<2.0	<0.69	NS	DRY	<0.69
1,2-Dibromoethane (EDB)	<3.8	<1.9	<1.9	<0.38	<1.0	<1.0	<0.39	NS	DRY	<0.39
1,2-Dichloroethane	<3.3	<1.7	<1.7	<0.38	<0.50	<0.50	<0.38	NS	DRY	<0.38
1,2-Dichloroethene, Total								NS	DRY	
1,2-Dichloropropane	<4	<2.0	<2.0	<0.35	<0.50	<0.50	<0.35	NS	DRY	<0.35
1,4-Dichlorobenzene	<3.7	<1.9	<1.9	<0.34	<0.50	<0.50	<0.38	NS	DRY	<0.38
1,4-Dioxane (P-Dioxane)	29	35	18	9.6	4.7	14	16	NS	DRY	17
2-Chloroethyl Vinyl Ether								NS	DRY	
4-Methyl-2-Pentanone	<15	<7.5	<7.5	<1.9	<10	<10	<1.9	NS	DRY	<1.9
Acetone	<22	<11	<11	<2.7	<10	<10	<3.0	NS	DRY	<3.0
Benzene	<4.2	<2.1	<2.1	0.36 (Tr)	<0.50	<0.50	<0.33	NS	DRY	<0.33
Bromodichloromethane	<4	<2.0	<2.0	<0.30	<1.0	<1.0	<0.30	NS	DRY	<0.28
Bromoform	<4.1	<2.1	<2.1	<0.28	<1.0	<1.0	<0.31	NS	DRY	<0.31
Bromomethane	<6.1	<3.1	<3.1	<0.40	<1.0	<1.0	<0.40	NS	DRY	<0.33
Carbon Tetrachloride	<4.8	<2.4	<2.4	<0.43	<0.50	<0.50	<0.46	NS	DRY	<0.46
Chlorobenzene	<3.6	<1.8	<1.8	<0.36	<0.50	<0.50	<0.39	NS	DRY	<0.39
Chloroethane	<4.6	<2.3	<2.3	<0.38	<1.0	<1.0	<0.38	NS	DRY	<0.31
Chloroform	<4	<2.0	<2.0	<0.33	<0.50	<0.50	<0.33	NS	DRY	<0.33
Chloromethane	<4	<2.0	<2.0	<0.41	<1.0	<1.0	<0.41	NS	DRY	<0.36
cis-1,2-Dichloroethene	140	94	67	44	34	46	60	NS	DRY	110
cis-1,3-Dichloropropene	<3.4	<1.7	<1.7	<0.30	<0.50	<0.50	<0.30	NS	DRY	<0.29
Dibromochloromethane	<3.3	<1.7	<1.7	<0.32	<1.0	<1.0	<0.32	NS	DRY	<0.31
Dibromomethane	<3.9	<2.0	<2.0	<0.33	<0.50	<0.50	<0.38	NS	DRY	<0.38

Historical Groundwater Analytical Data
Monitoring Well SB-32
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	12/5/06	3/21/07	6/27/07	9/26/07	12/11/07	2/20/08	5/20/08	9/24/08	12/8/08	3/9/09
Dichlorodifluoromethane (Freon 12)	<4.8	<2.4	<2.4	<0.68	<1.0	<1.0	<0.68	NS	DRY	<0.56
Ethylbenzene	<4.1	<2.1	<2.1	<0.32	<0.50	<0.50	<0.43	NS	DRY	<0.43
Methyl Ethyl Ketone (2-Butanone)	<17	<8.5	<8.5	<2.0	<10	<10	<2.0	NS	DRY	<1.9
Methylacryonitrile								NS	DRY	
Methylene Chloride	<4.3	<2.2	<2.2	<0.30	<2.0	<2.0	<0.30	NS	DRY	<0.29
Styrene	<3.7	<1.9	<1.9	<0.32	<0.50	<0.50	<0.32	NS	DRY	<0.32
Tetrachloroethene	17	14	15	15	16	16	15	NS	DRY	7.7
Toluene	<3.6	<1.8	<1.8	<0.32	<0.50	<0.50	<0.40	NS	DRY	<0.40
trans-1,2-Dichloroethene	<4.3	<2.2	<2.2	0.44 (Tr)	<0.50	<0.50	<0.41	NS	DRY	0.40 (Tr)
trans-1,3-Dichloropropene	<3.9	<2.0	<2.0	<0.30	<0.50	<0.50	<0.35	NS	DRY	<0.35
Trichloroethene	9.5	6.5	7.7	5.5	5.7	5.7	6.5	NS	DRY	6.4
Trichlorofluoromethane	<6	<3.0	<3.0	<0.59	<1.0	<1.0	<0.59	NS	DRY	<0.47
Vinyl Acetate	<9	<4.5	<4.5	<0.85	<10	<10	<0.85	NS	DRY	<0.80
Vinyl Chloride	9.8	5.0	5.6	7.3	1.5	<0.50	0.84	NS	DRY	<0.47
Xylenes (total)	<11	<5.6	<5.6	<1.0	<1.5	<1.5	<1.1	NS	DRY	<1.1
xylenes(m,p)								NS	DRY	
xylenes(o)								NS	DRY	

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not Sampled

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/13/91	2/3/94	6/29/95	2/23/96	2/3/99	9/23/00	10/26/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03	6/10/03
1,1,1-Trichloroethane	40,000	20,100	23,200	19,000	860	442	342	174	170	69	39	82	95
1,1,2-Trichloro-2,2,2-Trifluoroethane	250		<500	460	240	56	<5	<125	34	80	35	48	45
1,1,2-Trichloroethane	<250		<500	<200	<5	11	<5	<125	<5	<0.50	<0.50	1.4	0.95
1,1-Dichloroethane	<250	471	1,140	960	670	826	1,220	747	700	260	180	520	780
1,1-Dichloroethene	14,000	11,800	20,500	14,000	1,610	1,260	898	880	850	420	180	820	790
1,2,3-Trichloropropane			<500		<5	<5	<5	<125	<10	<1.0	<1.0	<2.0	<1.0
1,2-Dibromo-3-Chloropropane (DBCP)			<10,000		<5	<5	<5	<125	<10	<1.0	<1.0	<2.0	<1.0
1,2-Dibromoethane (EDB)			<500		<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
1,2-Dichloroethane	<250	239	<500	260	12	78	8.6	<125	14	1.4	1.3	4.4	4.4
1,2-Dichloropropane	<250		<500	<200	<5	<5	7	<125	<5	<0.50	<0.50	<1.0	<0.50
1,4-Dichlorobenzene					<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	0.080
1,4-Dioxane (P-Dioxane)					160 (Tr)	<57	<57	<1,425			<300	550	440
2-Chloroethyl Vinyl Ether			<1,000	<200	<5	<5	<5	<125					
4-Methyl-2-Pentanone	<2,500			<500	47	<10	<10	<250					
Acetone	<5,000	<100	<10,000	3,800	<100	<100	<100	<2,500				<40	<20
Benzene	<250	50	<500	<200	25	8.5	19	<25	9.2	3.4	3.0	17	17
Bromodichloromethane	<250		<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Bromoform	<1,250		<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Bromomethane							<5	<125	<10	<1.0	<1.0	<2.0	<1.0
Carbon Tetrachloride	<250		<500	<500	<5	58	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Chlorobenzene	<250	<5	<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	1.8	2.8
Chloroethane	<250		<1,000	<500	<5	<5	<5	<125	23	1.7	1.5	4.2	3.9
Chloroform	<250	<5	<500	<200	2 (Tr)	<5	<5	<125	<5	1.1	0.73	1.0	0.97
Chloromethane							<5	<125	<5	<0.50	<0.50	<1.0	<0.50
cis-1,2-Dichloroethene	<250	640	887	1,600	1,990	1,620	1,750	1,420	1,600	500	390	1,200	2,000
cis-1,3-Dichloropropene	<250		<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Dibromochloromethane	<250	<5	<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Dibromomethane			<500		<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	2/13/91	2/3/94	6/29/95	2/23/96	2/3/99	9/23/00	10/26/01	2/13/02	6/4/02	9/27/02	12/3/02	3/11/03	6/10/03
Dichlorodifluoromethane (Freon 12)			<500		<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Ethylbenzene	<250	82	<500	<200	62	<5	5.6	<125	7.1	1.5	1.1	9.9	12
Methyl Ethyl Ketone (2-Butanone)	<5,000	<100	<10,000	<1,000	380	<100	<100	<2,500					
Methylacryonitrile			<10,000		<35								
Methylene Chloride	17,000	5,670	2,950	3,000	10	<5	<5	<125	25	<1.0	<1.0	4.7	0.90
Styrene	<250		<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Tetrachloroethene	13,000	9,570	24,700	<30,000	3,090	3,930	1,790	3,100	3,500	310	250	610	660
Toluene	1,900	1,340	526	<200	77	<5	10	<125	<5	<0.50	<0.50	4.3	7.8
trans-1,2-Dichloroethene	<250	<5	<500	<200	7	80	<5	<125	15	4.3	4.2	9.0	40
trans-1,3-Dichloropropene	<250		<500	<200	<5	<5	<5	<125	<5	<0.50	<0.50	<1.0	<0.50
Trichloroethene	1,900	5,000	4,210	3,500	1,020	432	664	370	390	170	100	260	220
Trichlorofluoromethane		81	<500	<500	46	<5	<5	<125	<5	12	6.0	11	10
Vinyl Acetate	<2,500		<5,000	<500	<50	<50	<50	<1,250					
Vinyl Chloride	<250	<1.0	<1,000	<500	10	<5	11	<125	8.4	5.5	5.1	32	12
Xylenes (total)	1,200	571	<500	<200	190	<5	39	<125	23	9.1	6.0	35	65
xylenes(m,p)					44	<5							
xylenes(o)					150	<5							

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/14/05	3/8/06	6/14/06
1,1,1-Trichloroethane	70	20	49	38	38	32	260	620	520	110	20	26	83
1,1,2-Trichloro-2,2,2-Trifluoroethane	58	23	89	38	38	36	86	180	100	57 (Tr)	52	<6.5	77
1,1,2-Trichloroethane	<0.50	<3	<0.50	<0.50	<0.50	0.17 (Tr)	<10	<10	<25	<5.0	<2.0	<1.0	<1.8
1,1-Dichloroethane	500	260	950	510	510	550	2,700	4,500	1,600	1,100	730	850	1,600
1,1-Dichloroethene	350	140	230	240	240	380	1,100	3,600	1,700	1,000	550	420	870
1,2,3-Trichloropropane	<1.0	<5	<1.0	<1.0	<1.0	<1.0	<10	<10	<25	<14	<5.4	<2.7	<2.4
1,2-Dibromo-3-Chloropropane (DBCP)	<1.0	<3	<1.0	<1.0	<1.0	<1.0	<40	<40	<100	<50	<20	<10	<7.6
1,2-Dibromoethane (EDB)	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<5.0	<2.0	<1.0	<2.1
1,2-Dichloroethane	1.8	0.88	4.4	1.9	1.9	2.6	4.6 (Tr)	8.6 (Tr)	<25	<19	<7.6	5.2	5.5
1,2-Dichloropropane	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<20	<7.8	<3.9	<1.9
1,4-Dichlorobenzene	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<16	<6.2	<3.1	<1.7
1,4-Dioxane (P-Dioxane)	140	87	250	51	51	270	82	95		340	270	720	530
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone							<200	<200	<500	<80	<32	<16	<9.6
Acetone	<20	<100	<20	<20	<20	<20	<200	41 (Tr)	<500	<140	<56	<28	<18
Benzene	4.8	2.7	14	4.8	4.8	5.8	35	86	79	21 (Tr)	7.6 (Tr)	9.9	18
Bromodichloromethane	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<13	<5.2	<2.6	<1.9
Bromoform	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<43	<18	<8.6	<1.5
Bromomethane	<1.0	<5	<1.0	<1.0	<1.0	<1.0	<20	<20	<50	<18	<7.0	<3.5	<2.7
Carbon Tetrachloride	<0.50	3.5	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<18	<7.2	<3.6	<2.9
Chlorobenzene	1.2	0.60	3.8	0.85	0.85	1.2	<10	11	9.5 (Tr)	<5.0	<2.0	2.1 (Tr)	3.9 (Tr)
Chloroethane	1.5	<3	3.3	0.54	0.54	0.41 (Tr)	<20	<20	<50	<17	<6.6	<3.3	<2.3
Chloroform	0.82	0.60	<0.50	0.69	0.69	0.7	<10	<10	<25	<18	<7.0	<3.5	<1.6
Chloromethane	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<15	<6.0	<3.0	<3.6
cis-1,2-Dichloroethene	970	450	2,200	1,000	1,000	900	4,700	10,000	4,200	1,800	800	990	3,600
cis-1,3-Dichloropropene	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<13	<5.2	<2.6	<2.1
Dibromochloromethane	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<6.5	<2.6	<1.3	<2.3
Dibromomethane	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<15	<5.8	<2.9	<2.2

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/16/03	12/18/03	3/22/04	6/17/04	6/17/04	9/14/04	12/10/04	3/10/05	6/7/05	9/20/05	12/14/05	3/8/06	6/14/06
Dichlorodifluoromethane (Freon 12)	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<20	<20	<50	<22	<8.6	<4.3	<3.7
Ethylbenzene	2.5	<3	14	1	1	<0.50	<10	28	220	17 (Tr)	<4.4	<2.2	14
Methyl Ethyl Ketone (2-Butanone)	<20	<100	<20	<20	<20	<20	<200	<200	<500	<85	<34	<17	<23
Methylacryonitrile													
Methylene Chloride	0.42	7.5	<1.0	0.36 (Tr)	0.36 (Tr)	0.29 (Tr)	10 (Tr)	12 (Tr)	<100	<36	<15	<7.2	<2.2
Styrene	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<10	<4.0	<2.0	<1.4
Tetrachloroethene	270	320	290	380	380	380	940	1,500	880	380	200	220	370
Toluene	0.49	<3	2.7	0.18 (Tr)	0.18 (Tr)	0.11 (Tr)	<10	99	430	23 (Tr)	<2.0	<1.0	8.5
trans-1,2-Dichloroethene	9.8	1.7	18	2.1	2.1	4.1	6.6 (Tr)	13	<25	<18	<7.2	4.3 (Tr)	4.6 (Tr)
trans-1,3-Dichloropropene	<0.50	<3	<0.50	<0.50	<0.50	<0.50	<10	<10	<25	<5.5	<2.2	<1.1	<1.8
Trichloroethene	110	95	140	100	100	150	320	660	440	150	130	120	180
Trichlorofluoromethane	8.7	4.3	11	5.6	5.6	6.1	21	43	21 (Tr)	<24	<9.4	6.4 (Tr)	6.2 (Tr)
Vinyl Acetate							<200	<200	<500	<110	<44	<22	<4.6
Vinyl Chloride	9.5	8.0	40	9.5	9.5	29	190	85	72	36	28	22	63
Xylenes (total)	9.7	2.4	31	2.3	2.3	4.7	28 (Tr)	650	660	90	<8.0	<4.0	59
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
1,1,1-Trichloroethane	<46	<23	40	14	<7.8	<10	73	14	12	89	210
1,1,2-Trichloro-2,2,2-Trifluoroethane	56 (Tr)	29 (Tr)	58	33 (Tr)	39 (Tr)	24 (Tr)	120	48	35	25	61
1,1,2-Trichloroethane	<40	<20	<8.0	<8.0	<6.8	<10	<0.50	<8.8	<4.4	<4.4	<4.4
1,1-Dichloroethane	1,200	1,100	1,100	640	390	460	4,400	960	990	770	1,100
1,1-Dichloroethene	770	480	520	500	240	160	620	340	300	360	470
1,2,3-Trichloropropane	<41	<21	<8.2	<8.2	<7.8	<10	<0.50	<8.6	<4.3	<4.3	<4.3
1,2-Dibromo-3-Chloropropane (DBCP)	<76	<38	<16	<16	<16	<40	<2.0	<14	<6.9	<6.9	<6.9
1,2-Dibromoethane (EDB)	<38	<19	<7.6	<7.6	<7.6	<20	<1.0	<7.8	<3.9	<3.9	<3.9
1,2-Dichloroethane	<33	<17	<6.6	<6.6	<7.6	<10	4.4	<7.6	<3.8	<3.8	<3.8
1,2-Dichloropropane	<40	<20	<8.0	<8.0	<7.0	<10	<0.50	<7.0	<3.5	<3.5	<3.5
1,4-Dichlorobenzene	<37	<19	<7.4	<7.4	<6.8	<10	<0.50	<7.6	<3.8	<3.8	<3.8
1,4-Dioxane (P-Dioxane)	470	640	500	900	100	59	200	210	83	47	29
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone	<150	<75	<30	<30	<38	<200	<10	<38	<19	<19	<19
Acetone	300 (Tr)	<110	<44	<44	<54	<200	<10	<60	<30	<30	<30
Benzene	<42	<21	11	<8.4	<6.0	<10	19	<6.6	<3.3	<3.3	5.2
Bromodichloromethane	<40	<20	<8.0	<8.0	<6.0	<20	<1.0	<6.0	<3.0	<2.8	<2.8
Bromoform	<41	<21	<8.2	<8.2	<5.6	<20	<1.0	<6.2	<3.1	<3.1	<3.1
Bromomethane	<61	<31	<13	<13	<8.0	<20	<1.0	<8.0	<4.0	<3.3	<3.3
Carbon Tetrachloride	<48	<24	<9.6	<9.6	<8.6	<10	<0.50	<9.2	<4.6	<4.6	<4.6
Chlorobenzene	<36	<18	<7.2	<7.2	<7.2	<10	12	<7.8	<3.9	<3.9	<3.9
Chloroethane	<46	<23	<9.2	<9.2	<7.6	<20	2.6	<7.6	<3.8	<3.1	<3.1
Chloroform	<40	<20	<8.0	<8.0	<6.6	<10	4.4	<6.6	<3.3	<3.3	<3.3
Chloromethane	<40	<20	<8.0	<8.0	<8.2	<20	<1.0	<8.2	<4.1	<3.6	<3.6
cis-1,2-Dichloroethene	1,700	770	1,800	920	440	520	6,500	970	890	770	1,700
cis-1,3-Dichloropropene	<34	<17	<6.8	<6.8	<6.0	<10	<0.50	<6.0	<3.0	<2.9	<2.9
Dibromochloromethane	<33	<17	<6.6	<6.6	<6.4	<20	<1.0	<6.4	<3.2	<3.1	<3.1
Dibromomethane	<39	<20	<7.8	<7.8	<6.6	<10	<0.50	<7.6	<3.8	<3.8	<3.8

Historical Groundwater Analytical Data
Monitoring Well SB-36
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	9/21/06	12/5/06	3/20/07	6/26/07	9/25/07	12/11/07	2/22/08	5/21/08	9/25/08	12/9/08	3/10/09
Dichlorodifluoromethane (Freon 12)	<48	<24	<9.6	<9.6	<14	<20	<1.0	<14	<6.8	<5.6	<5.6
Ethylbenzene	<41	<21	18	<8.2	<6.4	<10	8.0	<8.6	<4.3	<4.3	<4.3
Methyl Ethyl Ketone (2-Butanone)	<170	<85	<34	<34	<40	<200	<10	<40	<20	<19	<19
Methylacryonitrile											
Methylene Chloride	<43	<22	<8.6	<8.6	<6.0	<40	0.79 (Tr)	<6.0	<3.0	<2.9	<2.9
Styrene	<37	<19	<7.4	<7.4	<6.4	<10	<0.50	<6.4	<3.2	<3.2	<3.2
Tetrachloroethene	280	200	320	190	200	170	350	230	210	270	350
Toluene	<36	<18	<7.2	<7.2	<6.4	<10	2.9	<8.0	<4.0	<4.0	<4.0
trans-1,2-Dichloroethene	<43	<22	<8.6	<8.6	<8.2	<10	9.2	<8.2	<4.1	<3.3	3.3 (Tr)
trans-1,3-Dichloropropene	<39	<20	<7.8	<7.8	<6.0	<10	<0.50	<7.0	<3.5	<3.5	<3.5
Trichloroethene	140	110	110	83	81	66	110	110	83	83	77
Trichlorofluoromethane	<60	<30	<12	<12	<12	<20	13	<12	6.1 (Tr)	9.2 (Tr)	13
Vinyl Acetate	<90	<45	<18	<18	<17	<200	2.5 (Tr)	<17	<8.5	<8.0	<8.0
Vinyl Chloride	<43	61	37	27	18	10	120	42	43	42	60
Xylenes (total)	<110	<56	40	<22	<21	<30	6.1	<23	<11	<11	<11
xylenes(m,p)											
xylenes(o)											

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/12/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
1,1,1-Trichloroethane	205,000	94,100	394,000	516,000	290,000	139,000	118,000	360,000	180,000	150,000	190,000	67,000	150,000	770,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	365	<1,000	<250	1,320	100	<2,500	<500	490	330	280	190	52	170	330 (Tr)
1,1,2-Trichloroethane	<250	<1,000	<250	429	<5	<2,500	<500	180	160	49	120	38	89	<500
1,1-Dichloroethane	3,020	<1,000	825	<250	2,360	<2,500	<500	5,100	1,300	840	1,800	650	300	1,800
1,1-Dichloroethene	31,000	3,760	27,800	61,500	26,700	11,800	8,140	24,000	19,000	11,000	17,000	6,800	4,000	38,000
1,2,3-Trichloropropane	<250	<1,000	<250	<250	<5	<2,500	<500	<100	<10	<10	<30	<10	<1.0	<500
1,2-Dibromo-3-Chloropropane (DBCP)	<250	<1,000	<250	<250	<5	<2,500	<500	<100	<10	<10	<30	<10	<1.0	<2,000
1,2-Dibromoethane (EDB)	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<1,000
1,2-Dichloroethane	1,800	<1,000	1,200	9,550	4,320	<2,500	<500	1,500	1,200	730	2,100	650	280	2,000
1,2-Dichloropropane	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
1,4-Dichlorobenzene	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
1,4-Dioxane (P-Dioxane)	<2,850	<11,400	<2,850	75,500	<57	<28,500	<5,700	9,900	24	2,200	10,000	7,500		16
2-Chloroethyl Vinyl Ether	<250	<1,000	<250	<250	<5	<2,500	<500							
4-Methyl-2-Pentanone	<500	<2,000	1,160		<10	<5,000	<1,000	600	140		1,400	340		<10,000
Acetone	<5,000	<20,000	<5,000	<5,000	<100	<500	<10,000	43,000	<200	<200	250,000	49,000	<20	<10,000
Benzene	<250	<1,000	<250	195	130	<2,500	<100	100	79	35	62	26	23	<500
Bromodichloromethane	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<1,000
Bromoform	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<1,000
Bromomethane								<100	<10	<10	<30	<10	<1.0	<1,000
Carbon Tetrachloride	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
Chlorobenzene	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	1.4	<20	<5	1.3	<500
Chloroethane	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	0.63	<1,000
Chloroform	<250	<1,000	150	349	<5	<2,500	<500	79	82	30	76	30	16	<500
Chloromethane								<50	<5	<5	<20	<5	0.36 (Tr)	<1,000
cis-1,2-Dichloroethene	2,580	<1,000	391	4,500	<5	4,540	4,120	7,600	6,900	4,700	6,600	3,300	1,900	7,700
cis-1,3-Dichloropropene	<250	<1,000	<250	<250	6,150	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
Dibromochloromethane	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<1,000
Dibromomethane	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
Dichlorodifluoromethane (Freon 12)	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<1,000
Ethylbenzene	<250	<1,000	390	1,680	380	<2,500	<500	560	510	450	310	120	300	560
Methyl Ethyl Ketone (2-Butanone)	<20,000	11,500	11,900	<5,000	<100	<50,000	<10,000	3,500	<200	<200	7,600	3,900	<20	<10,000

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/12/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
Methylene Chloride	96,700	17,400	31,700	294,000	152,000	37,700	57,900	73,000	65,000	30,000	70,000	33,000	5,900	44,000
Styrene	<250	<1,000	<250	101	79	<2,500	<500	48	<5	<5	<20	16	<0.50	<500
Tetrachloroethene	32,200	30,500	68,700	58,900	45,000	20,300	7,000	95,000	50,000	66,000	37,000	9,800	74,000	520,000
Toluene	8,610	5,930	11,700	13,700	12,000	5,120	4,020	16,000	8,500	7,400	7,900	3,000	7,900	26,000
trans-1,2-Dichloroethene	<250	<1,000	<250	252	<5	<2,500	<500	93	66	39	140	23	35	<500
trans-1,3-Dichloropropene	<250	<1,000	<250	<250	<5	<2,500	<500	<50	<5	<5	<20	<5	<0.50	<500
Trichloroethene	14,600	5,460	18,900	23,800	18,600	11,700	24,100	25,000	19,000	19,000	14,000	8,400	10,000	41,000
Trichlorofluoromethane	599	<1,000	711	746	580	<2,500	<500	810	540	320	380	110	130	650 (Tr)
Vinyl Acetate	<2,500	<10,000	<2,500	<2,500	<50	<25,000	<5,000							<10,000
Vinyl Chloride	<250	<1,000	63	407	670	<2,500	<500	1,100	910	510	810	340	29	<500
Xylenes (total)	718	<1,000	1,660	2,310	1,020	<2,500	<500	2,400	2,200	1,900	1,300	510	1,900	3,000
xylenes(m,p)		<1,000												
xylenes(o)		<1,000												

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/5/06	3/21/07	6/27/07	9/24/07	12/10/07	3/28/08
1,1,1-Trichloroethane	730,000	350,000	260,000	210,000	420,000	200,000	3,600	1,800	2,100	2,400	1,000	1,900	690
1,1,2-Trichloro-2,2,2-Trifluoroethane	<20,000	<20,000	<3,300	<3,300	<3,300	<2,100	<98	43 (Tr)	51 (Tr)	<50	<50	<100	14 (Tr)
1,1,2-Trichloroethane	<5,000	<5,000	<500	<500	<500	<900	<80	<20	<20	<20	<17	<25	<5.0
1,1-Dichloroethane	3,600 (Tr)	2,300	<1,900	<1,900	<1,900	2,000 (Tr)	350	250	300	340	190	200	170
1,1-Dichloroethene	71,000	30,000	25,000	19,000	31,000	28,000	340	310	360	340	350	510	200
1,2,3-Trichloropropane	<5,000	<5,000	<1,400	<1,400	<1,400	<1,200	<82	<21	<21	<21	<20	<25	<5.0
1,2-Dibromo-3-Chloropropane (DBCP)	<20,000	<20,000	<5,000	<5,000	<5,000	<3,800	<160	<38	<38	<38	<39	<100	<20
1,2-Dibromoethane (EDB)	<10,000	<10,000	<500	<500	<500	<1,100	<76	<19	<19	<19	<19	<50	<10
1,2-Dichloroethane	5,900	3,800	2,200 (Tr)	<1,900	2,300 (Tr)	1,800 (Tr)	<66	25	35	48	<19	21 (Tr)	7.8
1,2-Dichloropropane	<5,000	<5,000	<2,000	<2,000	<2,000	<950	<80	<20	<20	<20	<18	<25	<5.0
1,4-Dichlorobenzene	<5,000	<5,000	<1,600	<1,600	<1,600	<850	<74	<19	<19	<19	<17	<25	<5.0
1,4-Dioxane (P-Dioxane)	4,300	260	1,800	1,800	7,700	5,800	91	220	390	530	170	150	76
2-Chloroethyl Vinyl Ether													
4-Methyl-2-Pentanone	<100,000	<100,000	<8,000	<8,000	<8,000	<4,800	<300	<75	<75	<75	<95	<500	<100
Acetone	290,000	110,000	67,000	66,000	80,000	73,000	850 (Tr)	840	910	1,800	520	390 (Tr)	310
Benzene	<5,000	<5,000	<1,900	<1,900	<1,900	<900	<84	<21	<21	<21	<15	<25	<5.0
Bromodichloromethane	<10,000	<10,000	<1,300	<1,300	<1,300	<950	<80	<20	<20	<20	<15	<50	<10
Bromoform	<10,000	<10,000	<4,300	<4,300	<4,300	<750	<82	<21	<21	<21	<14	<50	<10
Bromomethane	<10,000	<10,000	<1,800	<1,800	<1,800	<1,400	<130	<31	<31	<31	<20	<50	<10
Carbon Tetrachloride	<5,000	<5,000	<1,800	<1,800	<1,800	<1,500	<96	<24	<24	<24	<22	<25	<5.0
Chlorobenzene	<5,000	<5,000	<500	<500	<500	<850	<72	<18	<18	<18	<18	<25	<5.0
Chloroethane	<10,000	<10,000	<1,700	<1,700	<1,700	<1,200	<92	<23	<23	<23	<19	<50	<10
Chloroform	<5,000	<5,000	<1,800	<1,800	<1,800	<800	<80	<20	<20	<20	<17	<25	<5.0
Chloromethane	<10,000	<10,000	<1,500	<1,500	<1,500	<1,800	<80	<20	<20	<20	<21	<50	<10
cis-1,2-Dichloroethene	13,000	7,500	4,600	4,200	5,400	5,400	260	200	310	280	160	150	180
cis-1,3-Dichloropropene	<5,000	<5,000	<1,300	<1,300	<1,300	<1,100	<68	<17	<17	<17	<15	<25	<5.0
Dibromochloromethane	<10,000	<10,000	<650	<650	<650	<1,200	<66	<17	<17	<17	<16	<50	<10
Dibromomethane	<5,000	<5,000	<1,500	<1,500	<1,500	<1,100	<78	<20	<20	<20	<17	<25	<5.0
Dichlorodifluoromethane (Freon 12)	<10,000	<10,000	<2,200	<2,200	<2,200	<1,900	<96	<24	<24	<24	<34	<50	<10

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/21/06	12/5/06	3/21/07	6/27/07	9/24/07	12/10/07	3/28/08
Ethylbenzene	<5,000	<5,000	<1,100	<1,100	<1,100	<700	<82	<21	<21	<21	<16	<25	<5.0
Methyl Ethyl Ketone (2-Butanone)	<100,000	<100,000	<8,500	<8,500	<8,500	<12,000	<340	<85	110 (Tr)	150 (Tr)	<100	<500	24 (Tr)
Methylene Chloride	370,000	160,000	110,000	110,000	130,000	110,000	790	1,100	1,800	1,900	1,100	1,200	390
Styrene	<5,000	<5,000	<1,000	<1,000	<1,000	<700	<74	<19	<19	<19	<16	<25	<5.0
Tetrachloroethene	120,000	120,000	75,000	57,000	82,000	60,000	3,900	1,000	770	700	410	520	320
Toluene	21,000	20,000	12,000	9,900	19,000	10,000	190	99	110	110	59	58	29
trans-1,2-Dichloroethene	<5,000	<5,000	<1,800	<1,800	<1,800	<950	<86	<22	<22	<22	<21	<25	<5.0
trans-1,3-Dichloropropene	<5,000	<5,000	<550	<550	<550	<900	<78	<20	<20	<20	<15	<25	<5.0
Trichloroethene	42,000	27,000	22,000	23,000	33,000	18,000	450	310	420	360	300	310	140
Trichlorofluoromethane	<10,000	<10,000	<2,400	<2,400	<2,400	<2,800	<120	<30	<30	<30	<30	<50	<10
Vinyl Acetate	<100,000	<100,000	<11,000	<11,000	<11,000	<2,300	<180	<45	<45	<45	<43	<500	<100
Vinyl Chloride	<5,000	<5,000	1,700 (Tr)	<1,400	1,500 (Tr)	<1,400	<86	140	130	80	56	81	29
Xylenes (total)	<15,000	<15,000	<2,000	<2,000	3,200 (Tr)	<2,900	<220	<56	<56	<56	<52	<75	<15
xylenes(m,p)													
xylenes(o)													

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/20/08	9/25/08	12/31/08
1,1,1-Trichloroethane	1,400	1,600	7,600
1,1,2-Trichloro-2,2,2-Trifluoroethane	14	8.7 (Tr)	<7.8
1,1,2-Trichloroethane	<4.4	<4.4	<4.4
1,1-Dichloroethane	180	140	76
1,1-Dichloroethene	330	210	350
1,2,3-Trichloropropane	<4.3	<4.3	<4.3
1,2-Dibromo-3-Chloropropane (DBCP)	<6.9	<6.9	<6.9
1,2-Dibromoethane (EDB)	<3.9	<3.9	<3.9
1,2-Dichloroethane	10	7.2	40
1,2-Dichloropropane	<3.5	<3.5	<3.5
1,4-Dichlorobenzene	<3.8	<3.8	<3.8
1,4-Dioxane (P-Dioxane)	83	65	37
2-Chloroethyl Vinyl Ether			
4-Methyl-2-Pentanone	<19	<19	<19
Acetone	330	34 (Tr)	58 (Tr)
Benzene	<3.3	<3.3	760
Bromodichloromethane	<3.0	<3.0	<2.8
Bromoform	<3.1	<3.1	<3.1
Bromomethane	<4.0	<4.0	25
Carbon Tetrachloride	<4.6	<4.6	<4.6
Chlorobenzene	<3.9	<3.9	<3.9
Chloroethane	<3.8	<3.8	<3.1
Chloroform	<3.3	<3.3	<3.3
Chloromethane	<4.1	<4.1	<3.6
cis-1,2-Dichloroethene	180	120	120
cis-1,3-Dichloropropene	<3.0	<3.0	<2.9
Dibromochloromethane	<3.2	<3.2	<3.1
Dibromomethane	<3.8	<3.8	<3.8
Dichlorodifluoromethane (Freon 12)	<6.8	<6.8	<5.6

Historical Groundwater Analytical Data
Destroyed Extraction Well PS-INJ
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/20/08	9/25/08	12/31/08
Ethylbenzene	<4.3	<4.3	36
Methyl Ethyl Ketone (2-Butanone)	26	<20	<19
Methylene Chloride	520	120	880
Styrene	<3.2	<3.2	9.5
Tetrachloroethene	690	1,000	2,800
Toluene	66	45	710
trans-1,2-Dichloroethene	<4.1	<4.1	<3.3
trans-1,3-Dichloropropene	<3.5	<3.5	<3.5
Trichloroethene	200	220	870
Trichlorofluoromethane	<5.9	6.0 (Tr)	<4.7
Vinyl Acetate	<8.5	<8.5	<8.0
Vinyl Chloride	41	58	36
Xylenes (total)	<11	<11	180
xylenes(m,p)			
xylenes(o)			

Notes:

Values reported as micrograms per liter (ug/L).

Blank spaces indicate constituent not analyzed.

PS-INJ was destroyed on 7 January 2009.

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/11/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
1,1,1-Trichloroethane	499,000	1,060,000	482,000	940,000	495,000	155,000	697,000	580,000						
1,1,2-Trichloro-2,2,2-Trifluoroethane	648	<1,000	<250	473	700	<250	<500	280						
1,1,2-Trichloroethane	470	<1,000	324	406	430	<250	<500	470						
1,1-Dichloroethane	2,840	3,550	2,050	3,600	1,490	2,730	3,440	3,400						
1,1-Dichloroethene	47,300	26,300	12,600	60,900	39,700	52,000	<500	59,000						
1,2,3-Trichloropropane	<250	<1,000	<250	<250	<5	<250	<500	<100						
1,2-Dibromo-3-Chloropropane (DBCP)	<250	<1,000	<250	<250	<5	<250	<500	<100						
1,2-Dibromoethane (EDB)	<250	<1,000	<250	<250	<5	<250	<500	<50						
1,2-Dichloroethane	11,000	12,200	5,100	13,100	6,270	8,830	9,020	6,300						
1,2-Dichloropropane	<250	<1,000	<250	<250	<5	<250	<500	<50						
1,4-Dichlorobenzene	<250	<1,000	<250	<250	<5	<250	<500	<50						
1,4-Dioxane (P-Dioxane)	<2,850	<11,400	<2,850	53,800	<57	<2,850	<5,700	65,000						
2-Chloroethyl Vinyl Ether	<250	<1,000	<250	<250	<5	<250	<500							
4-Methyl-2-Pentanone	<500	5,830	2,110		<10	<250	3,690	3,200.0						
Acetone	<5,000	<20,000	<5,000	<5,000	<100	<5,000	<10,000	280,000						
Benzene	<250	<1,000	<250	<250	150	177	<100	170						
Bromodichloromethane	<250	<1,000	<250	<250	<5	<250	<500	<50						
Bromoform	<250	<1,000	<250	<250	<5	<250	<500	<50						
Bromomethane								<100						
Carbon Tetrachloride	<250	<1,000	<250	<250	<5	<250	<500	<50						
Chlorobenzene	<250	<1,000	<250	<250	<5	<250	<500	<50						
Chloroethane	<250	<1,000	<250	<250	<5	<250	<500	<50						
Chloroform	337	<1,000	<250	362	<5	<250	<500	230						
Chloromethane								<50						
cis-1,2-Dichloroethene	2,240	3,300	<250	2,380	3,180	6,720	14,100	14,000						
cis-1,3-Dichloropropene	<250	<1,000	<250	<250	<5	<250	<500	<50						
Dibromochloromethane	<250	<1,000	<250	<250	<5	<250	<500	<50						
Dibromomethane	<250	<1,000	<250	<250	<5	<250	<500	<50						
Dichlorodifluoromethane (Freon 12)	<250	<1,000	<250	<250	<5	<250	<500	<50						

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/11/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
Ethylbenzene	<250	<1,000	380	1,680	330	304	<500	300						
Methyl Ethyl Ketone (2-Butanone)	37,000	26,300	15,600	34,600 (Tr)	<100	<5,000	26,900	33,000						
Methylene Chloride	560,000	528,000	45,300	532,000	242,000	250,000	288,000	360,000						
Styrene	<250	<1,000	<250	<250	150	<250	<500	130						
Tetrachloroethene	43,200	171,000	84,300	<250	44,900	49,400	54,100	64,000						
Toluene	12,000	24,600	16,600	18,700	12,900	15,500	14,800	18,000						
trans-1,2-Dichloroethene	<250	<1,000	<250	<250	<5	<250	<500	280						
trans-1,3-Dichloropropene	<250	<1,000	<250	<250	<5	<250	<500	<50						
Trichloroethene	27,300	32,000	24,300	<250	22,200	34,100	35,500	31,000						
Trichlorofluoromethane	2,120	<1,000	805	1,840	1,390	<250	1,140	1,500						
Vinyl Acetate	<2,500	<10,000	<2,500	<2,500	<50	<2,500	<5,000							
Vinyl Chloride	<250	<1,000	1,020	520	430	660	1,050	1,900						
Xylenes (total)	958	2,658	1,860	2,490	900	688	1,040	1,300						

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/14/06	9/22/06	12/4/06	3/21/07	6/27/07	9/24/07	12/10/07	2/20/08
1,1,1-Trichloroethane						670,000	730,000	NS	670,000	410,000	NS	NS	NS
1,1,2-Trichloro-2,2,2-Trifluoroethane						<420	<9,800	NS	<20,000	<20,000	NS	NS	NS
1,1,2-Trichloroethane						550	<8,000	NS	<8,000	<8,000	NS	NS	NS
1,1-Dichloroethane						3,600	<7,000	NS	<7,000	<7,000	NS	NS	NS
1,1-Dichloroethene						97,000	110,000	NS	98,000	39,000	NS	NS	NS
1,2,3-Trichloropropane						<240	<8,200	NS	<8,200	<8,200	NS	NS	NS
1,2-Dibromo-3-Chloropropane (DBCP)						<760	<16,000	NS	<16,000	<16,000	NS	NS	NS
1,2-Dibromoethane (EDB)						<210	<7,600	NS	<7,600	<7,600	NS	NS	NS
1,2-Dichloroethane						11,000	14,000	NS	12,000	<6,600	NS	NS	NS
1,2-Dichloropropane						<190	<8,000	NS	<8,000	<8,000	NS	NS	NS
1,4-Dichlorobenzene						<170	<7,400	NS	<7,400	<7,400	NS	NS	NS
1,4-Dioxane (P-Dioxane)						19,000	15,000	NS	74,000	13,000	NS	NS	NS
2-Chloroethyl Vinyl Ether								NS			NS	NS	NS
4-Methyl-2-Pentanone						5,800 (Tr)	<30,000	NS	<30,000	<30,000	NS	NS	NS
Acetone						570,000	840,000	NS	710,000	11,0000 (Tr)	NS	NS	NS
Benzene						260 (Tr)	<8,400	NS	<8,400	<8,400	NS	NS	NS
Bromodichloromethane						<190	<8,000	NS	<8,000	<8,000	NS	NS	NS
Bromoform						<150	<8,200	NS	<8,200	<8,200	NS	NS	NS
Bromomethane						<270	<13,000	NS	<13,000	<13,000	NS	NS	NS
Carbon Tetrachloride						<290	<9,600	NS	<9,600	<9,600	NS	NS	NS
Chlorobenzene						<170	<7,200	NS	<7,200	<7,200	NS	NS	NS
Chloroethane						<230	<9,200	NS	<9,200	<9,200	NS	NS	NS
Chloroform						400 (Tr)	<8,000	NS	<8,000	<8,000	NS	NS	NS
Chloromethane						<360	<8,000	NS	<8,000	<8,000	NS	NS	NS
cis-1,2-Dichloroethene						11,000	20,000	NS	13,000	<7,800	NS	NS	NS
cis-1,3-Dichloropropene						<210	<6,800	NS	<6,800	<6,800	NS	NS	NS
Dibromochloromethane						<230	<6,600	NS	<6,600	<6,600	NS	NS	NS
Dibromomethane						<220	<7,800	NS	<7,800	<7,800	NS	NS	NS
Dichlorodifluoromethane (Freon 12)						<370	<9,600	NS	<9,600	<9,600	NS	NS	NS
Ethylbenzene						330 (Tr)	<8,200	NS	<8,200	<8,200	NS	NS	NS
Methyl Ethyl Ketone (2-Butanone)						71,000	82,000 (Tr)	NS	110,000 (Tr)	<34,000	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/14/06	9/22/06	12/4/06	3/21/07	6/27/07	9/24/07	12/10/07	2/20/08
Methylene Chloride						1,100,000	970,000	NS	950,000	180,000	NS	NS	NS
Styrene						<140	<7,400	NS	<7,400	<7,400	NS	NS	NS
Tetrachloroethene						83,000	110,000	NS	100,000	63,000	NS	NS	NS
Toluene						21,000	26,000	NS	26,000	14,000	NS	NS	NS
trans-1,2-Dichloroethene						230 (Tr)	<8,600	NS	<8,600	<8,600	NS	NS	NS
trans-1,3-Dichloropropene						<180	<7,800	NS	<7,800	<7,800	NS	NS	NS
Trichloroethene						40,000	55,000	NS	43,000	27,000	NS	NS	NS
Trichlorofluoromethane						1,200	<12,000	NS	<12,000	<12,000	NS	NS	NS
Vinyl Acetate						<460	<18,000	NS	<18,000	<18,000	NS	NS	NS
Vinyl Chloride						3,100	<8,600	NS	<8,600	<8,600	NS	NS	NS
Xylenes (total)						1,200 (Tr)	<22,000	NS	<22,000	<22,000	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/21/08	9/24/08	12/5/08
1,1,1-Trichloroethane	NS	NS	NS
1,1,2-Trichloro-2,2,2-Trifluoroethane	NS	NS	NS
1,1,2-Trichloroethane	NS	NS	NS
1,1-Dichloroethane	NS	NS	NS
1,1-Dichloroethene	NS	NS	NS
1,2,3-Trichloropropane	NS	NS	NS
1,2-Dibromo-3-Chloropropane (DBCP)	NS	NS	NS
1,2-Dibromoethane (EDB)	NS	NS	NS
1,2-Dichloroethane	NS	NS	NS
1,2-Dichloropropane	NS	NS	NS
1,4-Dichlorobenzene	NS	NS	NS
1,4-Dioxane (P-Dioxane)	NS	NS	NS
2-Chloroethyl Vinyl Ether	NS	NS	NS
4-Methyl-2-Pentanone	NS	NS	NS
Acetone	NS	NS	NS
Benzene	NS	NS	NS
Bromodichloromethane	NS	NS	NS
Bromoform	NS	NS	NS
Bromomethane	NS	NS	NS
Carbon Tetrachloride	NS	NS	NS
Chlorobenzene	NS	NS	NS
Chloroethane	NS	NS	NS
Chloroform	NS	NS	NS
Chloromethane	NS	NS	NS
cis-1,2-Dichloroethene	NS	NS	NS
cis-1,3-Dichloropropene	NS	NS	NS
Dibromochloromethane	NS	NS	NS
Dibromomethane	NS	NS	NS
Dichlorodifluoromethane (Freon 12)	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S1
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/21/08	9/24/08	12/5/08
Ethylbenzene	NS	NS	NS
Methyl Ethyl Ketone (2-Butanone)	NS	NS	NS
Methylene Chloride	NS	NS	NS
Styrene	NS	NS	NS
Tetrachloroethene	NS	NS	NS
Toluene	NS	NS	NS
trans-1,2-Dichloroethene	NS	NS	NS
trans-1,3-Dichloropropene	NS	NS	NS
Trichloroethene	NS	NS	NS
Trichlorofluoromethane	NS	NS	NS
Vinyl Acetate	NS	NS	NS
Vinyl Chloride	NS	NS	NS
Xylenes (total)	NS	NS	NS

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not Sampled

PS-S1 was destroyed on 8 December 2008.

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/11/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
1,1,1-Trichloroethane	449,000	1,110,000	670,000	812,000	511,000	150,000	539,000	510,000						
1,1,2-Trichloro-2,2,2-Trifluoroethane	644	<1,000	<50	1,620	670	<250	<500	150						
1,1,2-Trichloroethane	<250	<1,000	<50	417	<5	<250	<500	470						
1,1-Dichloroethane	2,460	2,140	2,290	3,590	3,280	3,750	3,610	4,700						
1,1-Dichloroethene	38,600	78,700	37,800	90,000	60,100	55,600	37,700	71,000						
1,2,3-Trichloropropane	<250	<1,000	<50	<250	<5	<250	<500	<100						
1,2-Dibromo-3-Chloropropane (DBCP)	<250	<1,000	<50	<250	<5	<250	<500	<100						
1,2-Dibromoethane (EDB)	<250	<1,000	<50	<250	<5	<250	<500	<50						
1,2-Dichloroethane	9,610	<1,000	8,880	15,400	10,900	16,500	16,200	9,400						
1,2-Dichloropropane	<250	<1,000	<50	<250	<5	<250	<500	<50						
1,4-Dichlorobenzene	<250	<1,000	<50	<250	<5	<250	<500	<50						
1,4-Dioxane (P-Dioxane)	<2,850	<11,400	<570	<2,850	<57	<2,850	<5,700	12,000						
2-Chloroethyl Vinyl Ether	<250	<1,000	<50	<250	<5	<250	<500							
4-Methyl-2-Pentanone	<500	9,640	5,740		<10	<500	7,070	5,400.0						
Acetone	<5,000	<20,000	<1,000	<5,000	<100	<5,000	<10,000	180,000						
Benzene	<250	<1,000	<50	<250	200	<50	<100	170						
Bromodichloromethane	<250	<1,000	<50	<250	<5	<250	<500	<50						
Bromoform	<250	<1,000	<50	<250	<5	<250	<500	<50						
Bromomethane								<100						
Carbon Tetrachloride	<250	<1,000	<50	<250	<5	<250	<500	<50						
Chlorobenzene	<250	<1,000	<50	<250	<5	<250	<500	<50						
Chloroethane	<250	<1,000	<50	<250	<5	<250	<500	<50						
Chloroform	295	<1,000	<50	450	<5	395	<500	330						
Chloromethane								<50						
cis-1,2-Dichloroethene	1,490	<1,000	<500	2,300	8,450	3,700	6,740	10,000						
cis-1,3-Dichloropropene	<250	<1,000	<50	<250	<5	<250	<500	<50						
Dibromochloromethane	<250	<1,000	<50	<250	<5	<250	<500	<50						
Dibromomethane	<250	<1,000	<50	<250	<5	<250	<500	<50						
Dichlorodifluoromethane (Freon 12)	<250	<1,000	<50	<250	<5	<250	<500	<50						
Ethylbenzene	<250	<1,000	242 (Tr)	1,130	280	260	<500	240						
Methyl Ethyl Ketone (2-Butanone)	40,000	<20,000	52,600 (Tr)	54,700 (Tr)	<100	<5,000	40,900	25,000						

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	11/11/99	12/28/99	1/17/00	2/28/00	9/22/00	10/24/01	2/11/02	6/11/03	9/18/03	12/19/03	3/31/04	6/17/04	9/15/04	12/13/04
Methylene Chloride	800,000	1,110,000	855,000	892,000	600,000	426,000	479,000	540,000						
Styrene	<250	<1,000	<50	<250	120	<250	<500	110						
Tetrachloroethene	39,500	116,000	74,300	<250	38,800	42,000	46,800	60,000						
Toluene	12,100	18,000	15,900	16,600	12,900	12,800	11,400	16,000						
trans-1,2-Dichloroethene	<250	<1,000	<50	332	<5	<250	<500	<50						
trans-1,3-Dichloropropene	<250	<1,000	<50	<250	<5	<250	<500	<50						
Trichloroethene	23,700	31,400	32,000	33,700	25,200	31,800	33,200	33,000						
Trichlorofluoromethane	1,930	<1,000	<50	1,910	1,280	<250	<500	1,100						
Vinyl Acetate	<2,500	<10,000	<500	<2,500	<50	<2,500	<5,000							
Vinyl Chloride	<250	<1,000	364	530	460	540	558	930						
Xylenes (total)	913	1,560	1,340	1,640	770	536	<500	1,100						

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/24/07	12/10/07	2/20/08
1,1,1-Trichloroethane						640,000	570,000	470,000	570,000	590,000	NS	NS	NS
1,1,2-Trichloro-2,2,2-Trifluoroethane						<420	<4,900	<4,900	<10,000	<20,000	NS	NS	NS
1,1,2-Trichloroethane						570	<4,000	<4,000	<4,000	<8,000	NS	NS	NS
1,1-Dichloroethane						7,200	8,100	7,600	6,600	<7,000	NS	NS	NS
1,1-Dichloroethene						150,000	140,000	130,000	140,000	110,000	NS	NS	NS
1,2,3-Trichloropropane						<240	<4,100	<4,100	<4,100	<8,200	NS	NS	NS
1,2-Dibromo-3-Chloropropane (DBCP)						<760	<7,600	<7,600	<7,600	<16,000	NS	NS	NS
1,2-Dibromoethane (EDB)						<210	<3,800	<3,800	<3,800	<7,600	NS	NS	NS
1,2-Dichloroethane						13,000	14,000	13,000	13,000	11,000	NS	NS	NS
1,2-Dichloropropane						<190	<4,000	<4,000	<4,000	<8,000	NS	NS	NS
1,4-Dichlorobenzene						<170	<3,700	<3,700	<3,700	<7,400	NS	NS	NS
1,4-Dioxane (P-Dioxane)						24,000	13,000	26,000	44,000	16,000	NS	NS	NS
2-Chloroethyl Vinyl Ether											NS	NS	NS
4-Methyl-2-Pentanone						5,600 (Tr)	<15,000	<15,000	<15,000	<30,000	NS	NS	NS
Acetone						490,000	730,000	620,000	410,000	300,000	NS	NS	NS
Benzene						360 (Tr)	<4,200	<4,200	<4,200	<8,400	NS	NS	NS
Bromodichloromethane						<190	<4,000	<4,000	<4,000	<8,000	NS	NS	NS
Bromoform						<150	<4,100	<4,100	<4,100	<8,200	NS	NS	NS
Bromomethane						<270	<6,100	<6,100	<6,100	<13,000	NS	NS	NS
Carbon Tetrachloride						<290	<4,800	<4,800	<4,800	<9,600	NS	NS	NS
Chlorobenzene						<170	<3,600	<3,600	<3,600	<7,200	NS	NS	NS
Chloroethane						<230	<4,600	<4,600	<4,600	<9,200	NS	NS	NS
Chloroform						440 (Tr)	<4,000	<4,000	<4,000	<8,000	NS	NS	NS
Chloromethane						<360	<4,000	<4,000	<4,000	<8,000	NS	NS	NS
cis-1,2-Dichloroethene						20,000	24,000	23,000	19,000	14,000	NS	NS	NS
cis-1,3-Dichloropropene						<210	<3,400	<3,400	<3,400	<6,800	NS	NS	NS
Dibromochloromethane						<230	<3,300	<3,300	<3,300	<6,600	NS	NS	NS
Dibromomethane						<220	<3,900	<3,900	<3,900	<7,800	NS	NS	NS
Dichlorodifluoromethane (Freon 12)						<370	<4,800	<4,800	<4,800	<9,600	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/11/05	6/8/05	9/21/05	12/14/05	3/9/06	6/15/06	9/22/06	12/6/06	3/21/07	6/27/07	9/24/07	12/10/07	2/20/08
Ethylbenzene						310 (Tr)	<4,100	<4,100	<4,100	<8,200	NS	NS	NS
Methyl Ethyl Ketone (2-Butanone)						62,000	72,000 (Tr)	71,000	55,000 (Tr)	<34,000	NS	NS	NS
Methylene Chloride						680,000	630,000	470,000	590,000	360,000	NS	NS	NS
Styrene						<140	<3,700	<3,700	<3,700	<7,400	NS	NS	NS
Tetrachloroethene						85,000	85,000	66,000	83,000	68,000	NS	NS	NS
Toluene						25,000	21,000	20,000	23,000	23,000	NS	NS	NS
trans-1,2-Dichloroethene						200 (Tr)	<4,300	<4,300	<4,300	<8,600	NS	NS	NS
trans-1,3-Dichloropropene						<180	<3,900	<3,900	<3,900	<7,800	NS	NS	NS
Trichloroethene						45,000	45,000	37,000	38,000	40,000	NS	NS	NS
Trichlorofluoromethane						1,700	<6,000	<6,000	<6,000	<12,000	NS	NS	NS
Vinyl Acetate						<460	<9,000	<9,000	<9,000	<18,000	NS	NS	NS
Vinyl Chloride						2,400	<4,300	<4,300	<4,300	<8,600	NS	NS	NS
Xylenes (total)						1,200 (Tr)	<11,000	<11,000	<11,000	<22,000	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/5/08
1,1,1-Trichloroethane	NS	NS	NS
1,1,2-Trichloro-2,2,2-Trifluoroethane	NS	NS	NS
1,1,2-Trichloroethane	NS	NS	NS
1,1-Dichloroethane	NS	NS	NS
1,1-Dichloroethene	NS	NS	NS
1,2,3-Trichloropropane	NS	NS	NS
1,2-Dibromo-3-Chloropropane (DBCP)	NS	NS	NS
1,2-Dibromoethane (EDB)	NS	NS	NS
1,2-Dichloroethane	NS	NS	NS
1,2-Dichloropropane	NS	NS	NS
1,4-Dichlorobenzene	NS	NS	NS
1,4-Dioxane (P-Dioxane)	NS	NS	NS
2-Chloroethyl Vinyl Ether	NS	NS	NS
4-Methyl-2-Pentanone	NS	NS	NS
Acetone	NS	NS	NS
Benzene	NS	NS	NS
Bromodichloromethane	NS	NS	NS
Bromoform	NS	NS	NS
Bromomethane	NS	NS	NS
Carbon Tetrachloride	NS	NS	NS
Chlorobenzene	NS	NS	NS
Chloroethane	NS	NS	NS
Chloroform	NS	NS	NS
Chloromethane	NS	NS	NS
cis-1,2-Dichloroethene	NS	NS	NS
cis-1,3-Dichloropropene	NS	NS	NS
Dibromochloromethane	NS	NS	NS
Dibromomethane	NS	NS	NS
Dichlorodifluoromethane (Freon 12)	NS	NS	NS
Ethylbenzene	NS	NS	NS
Methyl Ethyl Ketone (2-Butanone)	NS	NS	NS

Historical Groundwater Analytical Data
Destroyed Monitoring Well PS-S2
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	5/19/08	9/24/08	12/5/08
Methylene Chloride	NS	NS	NS
Styrene	NS	NS	NS
Tetrachloroethene	NS	NS	NS
Toluene	NS	NS	NS
trans-1,2-Dichloroethene	NS	NS	NS
trans-1,3-Dichloropropene	NS	NS	NS
Trichloroethene	NS	NS	NS
Trichlorofluoromethane	NS	NS	NS
Vinyl Acetate	NS	NS	NS
Vinyl Chloride	NS	NS	NS
Xylenes (total)	NS	NS	NS

Notes:

Values reported as micrograms per liter (ug/L).

Tr - Trace concentrations estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not Sampled

PS-S2 was destroyed on 9 December 2008.

Historical Groundwater Analytical Data
Destroyed Monitoring Well PIMW-01
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/25/86
1,1,1-Trichloroethane	880,000
1,1,2-Trichloro-2,2,2-Trifluoroethane	500
1,1,2-Trichloroethane	<500
1,1-Dichloroethane	2,500
1,1-Dichloroethene	32,000
1,2-Dichloroethane	<500
1,2-Dichloropropane	<500
1,4-Dichlorobenzene	<1500
2-Chloroethyl Vinyl Ether	<500
Acetone	430,000
Benzene	<500
Bromodichloromethane	<500
Bromoform	<500
Bromomethane	<500
Carbon Tetrachloride	<500
Chlorobenzene	<500
Chloroethane	<500
Chloroform	<500
Chloromethane	<500
Dibromochloromethane	<500
Ethylbenzene	<1000
Methyl Ethyl Ketone (2-Butanone)	210,000
Methylene Chloride	430,000
Tetrachloroethene	110,000
Toluene	18,000
trans-1,2-Dichloroethene	<500
Trichloroethene	4,500
Vinyl Chloride	<500

Notes:

Values reported as micrograms per liter (ug/L).

PIMW-01 was destroyed on 5 December 2008.

Historical Groundwater Analytical Data
Destroyed Monitoring Well PIMW-03
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/25/86
1,1,1-Trichloroethane	220,000
1,1,2-Trichloroethane	<500
1,1-Dichloroethane	<500
1,1-Dichloroethene	7,500
1,2-Dichloroethane	<500
1,2-Dichloropropane	<500
1,4-Dichlorobenzene	<1500
2-Chloroethyl Vinyl Ether	<500
Acetone	23,000
Benzene	<500
Bromodichloromethane	<500
Bromoform	<500
Bromomethane	<500
Carbon Tetrachloride	<500
Chlorobenzene	<500
Chloroethane	<500
Chloroform	<500
Chloromethane	<500
Dibromochloromethane	<500
Ethylbenzene	<1000
Methyl Ethyl Ketone (2-Butanone)	<5000
Methylene Chloride	67,000
Tetrachloroethene	22,000
Toluene	<500
trans-1,2-Dichloroethene	<500
Trichloroethene	1,500
Vinyl Chloride	<500

Notes:

Values reported as micrograms per liter (ug/L).

PIMW-03 was destroyed on 4 December 2008.

Historical Groundwater Analytical Data
Destroyed Monitoring Well PIMW-04
Former McKesson Chemical Company Facility
Santa Fe Springs, California

Date Sampled	3/25/86
1,1,1-Trichloroethane	740,000
1,1,2-Trichloroethane	<500
1,1-Dichloroethane	5,000
1,1-Dichloroethene	34,000
1,2-Dichloroethane	11,000
1,2-Dichloropropane	<500
1,4-Dichlorobenzene	<1500
2-Chloroethyl Vinyl Ether	<500
Acetone	160,000
Benzene	<500
Bromodichloromethane	<500
Bromoform	<500
Bromomethane	<500
Carbon Tetrachloride	<500
Chlorobenzene	<500
Chloroethane	<500
Chloroform	<500
Chloromethane	<500
Dibromochloromethane	<500
Ethylbenzene	<1000
Methyl Ethyl Ketone (2-Butanone)	<5000
Methylene Chloride	730,000
Tetrachloroethene	96,000
Toluene	38,000
trans-1,2-Dichloroethene	<500
Trichloroethene	31,000
Vinyl Chloride	<500

Notes:

Values reported as micrograms per liter (ug/L) unless otherwise noted.

PIMW-04 was destroyed on 6 December 2008.

Historical Grour er Analytical Data
Monitoring ell MW-05
Former McKesson Facility
Santa Fe Springs, California

Date Sampled	10/23/2001	2/12/2002	6/4/2002	9/27/2002	12/3/2002	3/11/2003	6/10/2003	9/17/2003	12/19/2003	3/22/2004	6/17/2004	9/14/2004	12/13/2004	3/10/2005	6/7/2005	9/20/2005
1,1,1-Trichloroethane	23	668	58	2.2	1.7	500	790	900	6.9	23	6.6	2.8	4.3	3600	1600	190
1,1,2-Trichloro-2,2,2-Trifluoromethane	<5	<50	13	17	6.7	24	47	8.6	4.4	24	5.3	15	17	15	45	<33
1,1,2-Trichloroethane	<5	<50	<3	<0.5	<0.5	1	1.8	2.1	<3	0.27	<0.5	0.28	<2.5	<5	<50	<5
1,1-Dichloroethane	210	<50	680	100	67	340	940	340	120	110	52	400	490	430	770	850
1,1-Dichloroethene	87	758	100	56	83	290	1200	370	110	78	97	230	410	1200	1300	720
1,2,3-Trichloropropane	<5	<50	<5	<1	<1	<2	<1	<1	<5	<1	<1	<1	<2.5	<5	<50	<14
1,2-Dibromo-3-Chloropropane	<5	<50	<5	<1	<1	<2	<1	<1	<5	<1	<1	<1	<10	<20	<200	<50
1,2-Dibromoethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<5
1,2-Dichloroethane	21	<50	70	6.7	4.8	18	14	47	15	15	3.2	12	93	45	<50	<19
1,2-Dichloropropane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<20
1,2,4-Trimethylbenzene	<5	<50	16	0.59	<0.5	20	8.7	2.8	<3	<0.5	<0.5	<0.5	<5	<10	<100	<22
1,3,5-Trimethylbenzene	<5	<50	<3	<0.5	<0.5	4.8	1.7	0.62	<3	<0.5	<0.5	<0.5	<5	<10	<100	<18
1,4-Dichlorobenzene	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<16
1,4-Dioxane	<57	<570			<300	180 (Tr)	360	320	180	170	35	140	120	50	72	120
2-Chloroethyl Vinyl Ether	<5	<50														
4-Methyl-2-Pentanone	<10	<100														
Acetone	<100	<1000				15 (Tr)	<20	<20	<100	<20	<20	<20	<50	<100	300	<140
Benzene	4.5	11	17	4.0	2.0	4.0	13	7.9	2.9	3.2	0.67	6	6.4	7	<50	32
Bromodichloromethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<13
Bromoform	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<43
Bromomethane	<5	<50	<5	<1	<1	<2	<1	<1	<5	<1	<1	<1	<5	<10	<100	<18
Carbon Tetrachloride	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<18
Chlorobenzene	<5	<50	<3	0.67	<0.5	0.63 (Tr)	2.6	0.7	<3	0.81	0.16	1.7	<2.5	<5	<50	7
Chloroethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	1.6	<5	<10	<100	<17
Chloroform	<5	<50	<3	0.87	0.88	0.86 (Tr)	1.4	2	0.62	1.1	0.96	1.3	3.1	2.7	<50	<18
Chloromethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<15
cis-1,2-Dichloroethene	280	1430	320	93	110	440	1800	530	170	180	99	390	780	760	1300	2000
cis-1,3-Dichloropropene	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<13
Dibromochloromethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<6.5
Dibromomethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<15
Dichlorodifluoromethane	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<5	<10	<100	<22
Ethylbenzene	<5	<50	24	2.6	1.6	5.8	1.6	3.6	1.8	<0.5	<0.5	<0.5	<2.5	<5	<50	<11
Methyl Ethyl Ketone	<100	<1000						<20	<100	<20	<20	<20	<50	<100	<1000	<85
Methylene Chloride	<5	<50	14	<1	<1	4.7	0.94	6.2	7.1	<1	0.17	0.21	<10	5.4	<200	<36
Styrene	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<10
Tetrachloroethene	66	613	86	160	190	540	2000	140	320	52	220	140	200	1900	2000	430
Toluene	38	96	130	14	2.4	50	6.5	11	4.2	0.3	<0.5	<0.5	<2.5	<5	<50	<5
trans-1,2-Dichloroethene	<5	<50	6.3	1.5	2.1	10	50	9.2	<3	2.2	0.43	3.5	2.7	4.8	<50	<18

Historical Groun :r Analytical Data
Monitoring ,vell MW-05
Former McKesson Facility
Santa Fe Springs, California

Date Sampled	10/23/2001	2/12/2002	6/4/2002	9/27/2002	12/3/2002	3/11/2003	6/10/2003	9/17/2003	12/19/2003	3/22/2004	6/17/2004	9/14/2004	12/13/2004	3/10/2005	6/7/2005	9/20/2005
trans-1,3-Dichloropropene	<5	<50	<3	<0.5	<0.5	<1	<0.5	<0.5	<3	<0.5	<0.5	<0.5	<2.5	<5	<50	<5.5
Trichloroethene	30	216	44	54	67	190	560	49	77	99	55	89	170	530	420	130
Trichlorofluoromethane	<5	<50	<3	3.8	2.3	4.9	15	3.8	1.3	5.3	1.8	4.2	5.6	13	<100	<24
Vinyl Acetate	<50	<500														
Vinyl Chloride	330	1370	650	200	73	380	83	260	190	41	35	99	200	19	<50	190
Xylenes (total)	6.8	<50	24	3.0	<1	12	13	4.1	<5	0.92	<1	0.94	<7.5	<15	<150	21

Notes:

Values reported as micrograms per liter (ug/L) unless otherwise noted.

Tr - Trace concentration estimated by laboratory.

Blank spaces indicate constituent not analyzed.

Historical Ground er Analytical Data
Monitoring Well MW-07
Former McKesson Facility
Santa Fe Springs, California

Date Sampled	3/11/2003	6/10/2003	9/17/2003	12/18/2003	3/18/2004	6/15/2004	9/14/2004	12/10/2004	3/10/2005	6/7/2005	9/20/2005
1,1,1-Trichloroethane	2.4	1.4	2.4	<5	NS	<0.5	0.58	<2.5	<2.5	<2.5	<1.2
1,1,2-Trichloro-2,2,2-Trifluoroethane	12	10	14	13	NS	<0.5	8.1	20	4.2	5	19
1,1,2-Trichloroethane	0.21 (Tr)	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5
1,1-Dichloroethane	94	98	120	110	NS	3.3	38	97	65	53	49
1,1-Dichloroethene	130	110	160	140	NS	4.3	60	160	81	49	47
1,2,3-Trichloropropane	<1	<1	<1	<10	NS	<1	<1	<2.5	<2.5	<2.5	<1.4
1,2-Dibromo-3-Chloropropane	<1	<1	<1	<10	NS	<1	<1	<10	<10	<10	<5
1,2-Dibromoethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<0.5
1,2-Dichloroethane	14	7.4	12	5.6	NS	1.3	1.9	2.6	6.2	2.2	<1.9
1,2-Dichloropropane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<2
1,2,4-Trimethylbenzene	0.35	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<2.2
1,3,5-Trimethylbenzene	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<1.8
1,4-Dichlorobenzene	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1.6
1,4-Dioxane	<300	<300	43	30	NS	300	20	14	4.4	7.3	4.2
2-Chloroethyl Vinyl Ether											
4-Methyl-2-Pentanone											
Acetone	81	<20	<20	<200	NS	<20	<20	<50	<50	13	<14
Benzene	3.1	1.6	2.6	2.2	NS	<0.5	0.31	0.95	1.3	<5	<1.9
Bromodichloromethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<1.3
Bromoform	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<4.3
Bromomethane	<1	<1	<1	<10	NS	<1	<1	<5	<5	<5	<1.8
Carbon Tetrachloride	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1.8
Chlorobenzene	0.58	0.34	0.46	<5	NS	<0.5	0.13	<2.5	<2.5	<2.5	<0.5
Chloroethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<1.7
Chloroform	0.85	0.57	0.97	0.93	NS	0.28	0.6	<2.5	1.1	<5	<1.8
Chloromethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<1.5
cis-1,2-Dichloroethene	210	190	250	250	NS	20	87	220	110	93	77
cis-1,3-Dichloropropene	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1.3
Dibromochloromethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<0.65
Dibromomethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1.5
Dichlorodifluoromethane	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<5	<5	<5	<2.2
Ethylbenzene	0.46 (Tr)	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1.1
Methyl Ethyl Ketone			<20	<200	NS	<20	<20	<50	<50	<50	<8.5
Methylene Chloride	<1	<1	0.18	<10	NS	<1	<1	<10	<10	<10	<3.6
Styrene	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<1

Historical Groun er Analytical Data
Monitoring Well MW-07
Former McKesson Facility
Santa Fe Springs, California

Date Sampled	3/11/2003	6/10/2003	9/17/2003	12/18/2003	3/18/2004	6/15/2004	9/14/2004	12/10/2004	3/10/2005	6/7/2005	9/20/2005
Tetrachloroethene	220	250	300	280	NS	110	220	230	190	130	110
Toluene	0.28 (Tr)	<0.5	0.11	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5
trans-1,2-Dichloroethene	3.3	3.7	4.3	1.6	NS	<0.5	0.66	<2.5	<2.5	<2.5	<1.8
trans-1,3-Dichloropropene	<0.5	<0.5	<0.5	<5	NS	<0.5	<0.5	<2.5	<2.5	<2.5	<0.55
Trichloroethene	86	73	100	90	NS	31	52	77	48	33	61
Trichlorofluoromethane	2.4	1.8	2.4	1.9	NS	<0.5	1.5	3.4	<5	<5	6.3
Vinyl Acetate											
Vinyl Chloride	12	7	10	7.8	NS	<0.5	2.3	15	22	6.6	4.4
Xylenes (total)	1.3	<1	0.34	<10	NS	<1	<1	<7.5	<7.5	<7.5	<2

Notes:

Values reported as micrograms per liter (ug/L) unless otherwise noted.

Tr - Trace concentration estimated by laboratory.

Blank spaces indicate constituent not analyzed.

NS - Not Sampled.


McKesson Well MW-02
Concentration (micrograms per liter)
1,000
100
10
1
0
May-90
May-92
May-94
May-96
May-98
May-00
May-02
May-04
May-06
May-08
May-10
Date
TCE
PCE
Freon 11
Freon 113
1,4-dioxane

Table 5

Groundwater Analytical Results
Volatile Organic Compounds

Oil Field Reclamation Project
Santa Fe Springs, California

Description	Date	Benzene µg/l	Toluene µg/l	Ethyl-benzene µg/l	Xylenes µg/l	Acetone µg/l	Chloro-methane µg/l	1,1-DCA µg/l	1,1-DCE µg/l	cis-1,2-DCE µg/l	Methylene Chloride µg/l	PCE µg/l	1,1,1-TCA µg/l	TCE µg/l	Vinyl Chloride µg/l
MW-1	3/94	2 **	5	14	45	< 25	< 10	< 5	< 5	< 5	< 5	20	< 5	15	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	11	< 5	10	< 10
	4/95	2.3**	1.7**	1.5**	5.8**	< 25	< 10	< 5	< 5	< 5	< 5	9.1	< 5	9	< 10
MW-2	3/94	< 5	2**	7	21	< 25	< 10	2**	16	< 5	< 5	30	< 5	30	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	6	48	< 5	< 5	16	< 5	33	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	4.0**	30	< 5	< 5	24	< 5	27	< 10
MW-3	3/94	< 5	4**	11	34	< 25	< 10	2**	21	2**	< 5	58	< 5	39	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	24	< 5	< 5	28	< 5	32	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	4.1**	39	2.2**	< 5	38	< 5	50	< 10
MW-4	3/94	< 20	< 20	10	40	< 120	< 50	30	570	20	30	830	110	300	< 50
	10/94	< 50	< 50	< 50	< 50	< 120	< 50	< 50	180	< 50	< 50	330	< 50	140	< 100
	4/95	< 50	< 50	< 50	< 50	< 250	< 100	25**	370	< 50	< 50	600	33**	240	< 100
MW-5	3/94	< 20	< 20	< 20	10	< 120	< 50	20	480	10	30	780	100	260	< 50
	10/94	< 125	< 125	< 125	< 125	< 625	< 250	< 125	380	< 125	< 125	630	< 125	200	< 250
	4/95	< 50	< 50	< 50	< 50	< 250	< 100	< 50	470	< 50	< 50	700	90	220	< 100
MW-6	3/94	< 10	< 10	9	24	< 50	< 20	9	170	6	< 10	240	9	180	< 20
	10/94	< 50	< 50	< 50	< 50	< 250	< 50	< 50	110	< 50	< 50	130	< 50	140	< 100
	4/95	< 50	< 50	< 50	< 50	< 250	< 100	< 50	270	< 50	< 50	400	< 50	180	< 100
MCL		1	100*	680	1750	NR	NR	5	6	6	40*	5	200	5	0.5

Table 5
(continued)

Groundwater Analytical Results
Volatile Organic Compounds

Oil Field Reclamation Project
Santa Fe Springs, California

Description	Date	Benzene µg/l	Toluene µg/l	Ethyl-benzene µg/l	Xylenes µg/l	Acetone µg/l	Chloro-methane µg/l	1,1-DCA µg/l	1,1-DCE µg/l	cis-1,2-DCE µg/l	Methylene Chloride µg/l	PCE µg/l	1,1,1-TCA µg/l	TCE µg/l	Vinyl Chloride µg/l
MW--7	3/94	5	3**	10	32	< 25	< 10	< 5	< 5	< 5	< 5	12	< 5	< 5	< 10
	10/94	< 5	< 5	5.4	23.7	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	3.8**	3.4**	4.3**	21.4	< 25	< 10	< 5	3.8**	< 5	< 5	14	< 5	7.7	< 10
MW-8	3/94	< 5	2**	7	24	< 25	< 10	< 5	< 5	< 5	< 5	20	< 5	14	< 10
	10/94	< 5	< 5	8	39	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	26	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
MW-9	3/94	26	5	10	32	< 50	< 20	220	< 10	33	20	22	< 10	< 10	150
	10/94	< 50	< 50	< 50	79	< 250	< 50	180	< 50	< 50	< 50	< 50	< 50	< 50	120
	4/95	63	7.2	2.5**	4.3**	34	< 10	58	< 5	16	< 5	< 5	< 5	< 5	53
MW-10	3/94	610	20	180	80	< 120	30	160	< 20	110	30	30	< 20	< 20	250
	10/94	370	< 50	640	< 50	< 250	< 100	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 100
	4/95	380	< 50	970	< 50	< 250	< 100	32**	< 50	17**	< 50	< 50	< 50	< 50	< 100
MW-11	3/94	< 5	2**	7	25	< 25	< 10	< 5	11	7	< 5	13	15	< 5	< 10
	10/94	10	< 5	< 5	5.2	< 25	< 10	< 5	11	< 5	< 5	< 5	< 5	8.7	< 10
	4/95	4.8**	< 5	< 5	< 5	< 25	< 10	< 5	1.7**	< 5	< 5	< 5	< 5	4.9**	< 10
MW-12	3/94	1800	1600	2700	9300	< 500	< 200	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 200
	10/94	2200	1300	4500	20600	< 2500	< 1000	< 500	< 500	< 500	< 500	< 500	< 500	< 500	< 1000
	4/95	1300	440**	2900	13200	< 2500	< 1000	< 500	< 500	< 500	< 500	< 500	< 500	< 500	< 1000
MCL		1	100*	680	1750	NR	NR	5	6	6	40*	5	200	5	0.5

Table 5
(continued)

Groundwater Analytical Results
Volatile Organic Compounds

Oil Field Reclamation Project
Santa Fe Springs, California

Description	Date	Benzene µg/l	Toluene µg/l	Ethyl-benzene µg/l	Xylenes µg/l	Acetone µg/l	Chloro-methane µg/l	1,1-DCA µg/l	1,1-DCE µg/l	cis-1,2-DCE µg/l	Methylene Chloride µg/l	PCE µg/l	1,1,1-TCA µg/l	TCE µg/l	Vinyl Chloride µg/l
MW-13	3/94	940	2300	1100	4140	< 1200	< 500	< 200	< 200	< 200	< 200	< 200	< 200	< 200	< 500
	10/94	1000	3900	1700	7900	< 2500	< 1000	< 500	< 500	< 500	< 500	< 500	< 500	< 500	< 1000
	4/95	94	290	300	780	< 120	< 50	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 50
MW-14	3/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	4**	< 10
	10/94	< 5	< 5	< 5	< 10	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	< 5	< 5	< 5	< 10	50	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
MW-15	3/94	88	7	9	23	< 25	< 10	< 5	< 5	4**	5	< 5	< 5	< 5	< 10
	10/94	220	< 50	170	210	< 250	< 100	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 100
	4/95	80	15	130	179	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
MW-16	3/94	4**	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	3**	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	2.9**	2.2**	< 5	< 5	33	< 10	< 5	< 5	1.0**	< 5	< 5	< 5	10	< 10
MW-17	3/94	42	72	59	220	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	5	< 10
	10/94	1400	< 125	< 125	< 125	< 625	< 250	< 125	< 125	< 125	< 125	< 125	< 125	< 125	< 250
	4/95	1300	32**	< 50	< 50	930	< 100	< 50	< 50	< 50	58	< 50	< 50	< 50	< 100
MCL		1	100*	680	1750	NR	NR	5	6	6	40*	5	200	5	0.5

Table 5
(continued)

Groundwater Analytical Results
Volatile Organic Compounds

Oil Field Reclamation Project
Santa Fe Springs, California

Description	Date	Benzene µg/l	Toluene µg/l	Ethyl-benzene µg/l	Xylenes µg/l	Acetone µg/l	Chloro-methane µg/l	1,1-DCA µg/l	1,1-DCE µg/l	cis-1,2-DCE µg/l	Methylene Chloride µg/l	PCE µg/l	1,1,1-TCA µg/l	TCE µg/l	Vinyl Chloride µg/l
MW-18	3/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	3**	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	< 5	< 5	< 5	< 5	< 5	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
MW-19	3/94	5	6	17	48	< 25	< 10	< 5	< 5	< 5	< 5	18	< 5	3**	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	1.0**	< 5	< 5	< 10
MW-20	3/94	< 5	< 5	4**	12	< 25	< 10	< 5	< 5	< 5	< 5	7	< 5	10	< 10
	10/94	< 5	< 5	< 5	6.5	< 25	< 10	< 5	< 5	11	< 5	< 5	< 5	< 5	< 10
	4/95	2.7**	1.5**	1.6**	8.7**	< 25	< 10	< 5	< 5	8.2	< 5	4.0**	< 5	5.8	< 10
MW-21	3/94	< 5	2	7	20	< 25	< 10	< 5	14	< 5	< 5	51	10	160	< 10
	10/94	< 5	< 5	< 5	5.1	< 25	< 10	< 5	5.3	< 5	< 5	14	6.4	44	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	< 5	1.7**	< 5	< 5	7.8	< 5	34	< 10
MW-22	4/96	5800	< 500	500	< 500	< 2500	< 1000	< 500	< 500	< 500	< 500	< 500	< 500	< 500	< 1000
MW-23	3/94	5	38	39	129	33	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	10/94	< 5	< 5	< 5	6.2	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 10
	4/95	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	3.5**	< 5	2.3**	< 10
MW-24	3/94	2**	21	22	84	49	< 10	< 5	< 5	< 5	5	< 5	< 5	41	< 10
	10/94	< 5	< 5	< 5	< 5	< 25	< 10	< 5	< 5	< 5	< 5	< 5	< 5	33	< 10
	4/95	< 5	< 5	< 5	< 5	72	< 10	< 5	< 5	1.5**	< 5	3.9**	< 5	34	< 10
MW-25	10/94	< 50	< 50	< 50	< 50	< 250	< 100	< 50	95	< 50	< 50	170	< 50	63	< 100
	4/95	< 25	< 25	< 25	< 25	< 120	< 50	< 25	250	< 25	< 25	350	37	110	< 50
MCL		1	100*	680	1750	NR	NR	5	6	6	40*	5	200	5	0.5

Table 5
(continued)

Groundwater Analytical Results
Volatile Organic Compounds

Oil Field Reclamation Project
Santa Fe Springs, California

Description	Date	Benzene µg/l	Toluene µg/l	Ethyl-benzene µg/l	Xylenes µg/l	Acetone µg/l	Chloro-methane µg/l	1,1-DCA µg/l	1,1-DCE µg/l	cis-1,2-DCE µg/l	Methylene Chloride µg/l	PCE µg/l	1,1,1-TCA µg/l	TCE µg/l	Vinyl Chloride µg/l
MW-29	10/94	< 50	< 50	< 50	< 50	< 250	< 100	< 50	210	53	< 50	390	60	130	< 100
	4/95	< 25	< 25	< 25	< 25	< 120	< 50	12**	160	13**	< 25	340	27	210	< 50
MW-30	10/94	< 50	< 50	< 50	< 50	< 250	< 100	< 50	87	< 50	< 50	150	< 50	< 50	< 100
	4/95	< 50	< 50	< 50	< 50	< 250	< 100	< 50	390	< 50	< 50	350	79	230	< 100
MCC-2[1]	4/96	290	230	93	424	< 50	< 20	26	< 10	< 10	< 10	10	< 10	< 10	< 20
MCC-4	4/96	60	300	120	540	< 50	< 20	< 10	< 10	< 10	< 10	17	< 10	< 10	< 20
Sample X	3/94	510	20	130	90	< 120	20	130	< 20	93	30	40	< 20	< 20	160
Sample Y	3/94	< 10	< 10	7	20	< 50	< 20	9	160	6	< 10	230	9	170	< 20
MCL		1	100*	680	1750	NR	NR	5	6	6	40*	5	200	5	0.5

1,1-DCE = 1,1-Dichloroethene
1,1-DCA = 1,1-Dichlorethane
cis-1,2-DCE = cis-1,2-Dichloroethene
1,1,1-TCA = 1,1,1-Trichlorethane
TCE = Trichlorethene
PCE = Tetrachlorethene
MCL = Maximum Contaminant Level for Drinking Water
* = California Action Level for Drinking Water (AL)
NR = Not Regulated
** = Estimated concentration, listed below reporting limit
µg/L = parts per billion, ppb
Sample X and Y = Blind Field Duplicates for MW-10 and MW-6, respectively
MCC-2[1] = 45 ppb chloroethane

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																			
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-01D	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.5	5 U	1 U	7.5	1 U	1 U	1 U	47	12	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1.4	1 U	1 U	1.2	1 U	0.5 U	1 U	1 U	4.1	5 U	1 U	9.9	1 U	1 U	1 U	61	13	0.5 U
	4/25/2006		0.63	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	8.2	1 U	1 U	1 U	48	10	0.5 U
	7/26/2006		1.3	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.3	5 U	1 U	7	1 U	1 U	1 U	43	7.6	0.5 U
	10/24/2006		1.2	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.4	5 U	1 U	8.1	1 U	1 U	1 U	47	9.2	0.5 U
MW-01S	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.7	1.2	0.69	1 U	1 U	1 U	5 U	1 U	3.8	1 U	1 U	1 U	8.2	1 U	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.4	1.2	0.65	1 U	1 U	1 U	5 U	1 U	3.5	1 U	1 U	1 U	7.8	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2	1 U	0.81	1 U	1 U	1 U	5 U	1 U	4.2	1 U	1 U	1 U	7.1	1 U	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	4.3	1.5	0.5 U	1 U	1 U	1 U	5 U	1 U	2.2	1 U	1 U	1 U	7.4	1 U	0.5 U
	10/24/2006		0.5 U	1 U	1 U	1 U	1 R,U	1 R,U	1 U	1 U	0.5 U	1 U	1 U	3.6	1.2	0.5 U	1 R,U	1 U	1 U	5 U	1 U	1.5	1 U	1 U	1 R,U	6.2	1 U	0.5 U
MW-03	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	66	55	1 U	1.3	30	27	1 U	1 U	22	5 U	1 U	6.4	1 U	1 U	1 U	160	1 U	0.5 U
	1/25/2006		2 U	4 U	4 U	5 U	4 U	4 U	4 U	4 U	52	48	4 U	4 U	26	18	4 U	4 U	22	20 U	4 U	7.1	4 U	4 U	4 U	170	4 U	2 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	60	54	1 U	1	26	20	1 U	1 U	20	5 U	1 U	6.7	1 U	1 U	1 U	130	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	34	43	1 U	1.4	39	14	1 U	1 U	25	5 U	1 U	6.6	1 U	1 U	1 U	150	1 U	0.5 U
	10/24/2006		0.59	1 U	1 U	1 U	1 U	1 U	1 U	1 U	37	39	1 U	1.3	30	19	1 U	1 U	20	5 U	1 U	6.7	1 U	1 U	1 U	160	1 U	0.5 U
MW-04	10/20/2005		8 U	8 U	97	16 U			8 U	8 U	20 U	14	20 U	51	160	41	8 U	8 U	81	58	8 U	8 U	8 U	8 U	10 U	390	20 U	20 U
	10/20/2005	K	5 U	10 U	91	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	50	160	42	10 U	10 U	81	63	10 U	10 U	10 U	10 U	10 U	390	10 U	5 U
	1/26/2006		5 U	10 U	34	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	42	190	96	10 U	10 U	82	52	10 U	10 U	10 U	10 U	10 U	540	10 U	5 U
	1/26/2006	K	5 U	10 U	32	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	42	180	110	10 U	10 U	82	55	10 U	10 U	10 U	10 U	10 U	520	10 U	5 U
	4/26/2006		5	5 U	17	10 U	5 U	5 U	5 U	5 U	2.5 U	17	5 U	44	190	110	5 U	5 U	87	63	5 U	7.2	5 U	5 U	5 U	430	5 U	2.5 U
	4/26/2006	K	4.6	5 U	17	17 U	5 U	5 U	5 U	5 U	2.5 U	17	5 U	43	190	100	5 U	5 U	82	62	5 U	6.9	5 U	5 U	5 U	420	5 U	2.5 U
	7/27/2006		5.5	10 U	14	10 U	10 U	10 U	10 U	10 U	5 U	25	10 U	49	240	71	10 U	10 U	93	56	10 U	10 U	10 U	10 U	10 U	470	10 U	5 L,U
	7/27/2006	K	5.2	10 U	14	10 U	10 U	10 U	10 U	10 U	5 U	24	10 U	47	230	66	10 U	10 U	86	51	10 U	10 U	10 U	10 U	10 U	430	10 U	5 L,U
	10/26/2006		10	2 U	170 P1	36.3			2.4	2.9	5 U	14	5 U	77	120	41	2 U	2 U	63	61	3.6	4.7	2 U	2 U	9.52 U	250	5 U	5 U
	10/26/2006	K	9.4	1 U	280	32.3	23	1.4	1 U	2.5	0.5 U	16	1 U	75	140	56	1 U	1 U	61	61	3.8	4.2	1 U	1 U	1 U	280	1 U	0.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																			
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-04A	10/20/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	7.2	1 U	10	160	0.5 U	1 U	1 U	26	5 U	1.1	9.6	2.4	1 U	1 U	130	1.4	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.7	1 U	2.8	38	0.5 U	1 U	1 U	7.4	5 U	1 U	1.6	1 U	1 U	1 U	35	1 U	0.5 U
	4/26/2006		1.1	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	7.3	1 U	13	160	0.5 U	1 U	1 U	33	5 U	3.4	3.3	2.4	1 U	1 U	87	1.6	0.5 U
	7/27/2006		2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	13	5 U	17	310	2.5 U	5 U	5 U	42	25 U	5 U	10	5 U	5 U	5 U	220	5 U	2.5 U
	10/26/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	9.3	1 U	14	210	0.5 U	1 U	1 U	30	5 U	2.5	5.8	2.2	1 U	1 U	150	1 U	0.5 U
MW-06B	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1.3	0.5 U	1 U	1 U	1.9	5 U	1 U	10	1 U	1 U	1 U	11	1 U	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	7.7	1 U	1 U	1 U	13	1 U	0.5 U
	4/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	8	1 U	1 U	1 U	14	1.5	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.1	0.5 U	1 U	1 U	1 U	5 U	1 U	4.8	1 U	1 U	1 U	13	1 U	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	4.6	1 U	1 U	1 U	13	1 U	0.5 U
MW-06D	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	35	1 U	1 U	1 U	62	14	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	2.6	5 U	1 U	31	1 U	1 U	1 U	73	14	0.5 U
	4/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.93	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	27	1 U	1 U	1 U	63	13	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.2	5 U	1 U	17	1 U	1 U	1 U	54	8	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.8	5 U	1 U	23	1 U	1 U	1 U	62	9.6	0.5 U
MW-07	10/19/2005		2 U	2 U	2 U	4 U			2 U	2 U	5 U	2.1	5 U	31	93	80	2 U	2 U	14	5 U	3.3	2.8	2 U	4 U	10 U	89	5 U	5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	16	51	17	1 U	1 U	7.5	5 U	1.7	2.6	1 U	1 U	1 U	56	1 U	0.5 U
	4/26/2006		0.57	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.7	1 U	22	69	23	1 U	1 U	10	5 U	2.3	2.7	1 U	1 U	1 U	68	1 U	0.5 U
	7/26/2006		0.55	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1.5	1 U	19	49	34	1 U	1 U	6.3	5 U	1.9	1.4	1 U	1 U	1 U	55	1 U	0.5 U
	10/25/2006		2 U	2 U	2 U	2 U			2 U	2 U	5 U	2 U	5 U	24	95	31	2 U	2 U	9.9	5 U	3.3	2.3	2 U	2 U	9.43 U	88	5 U	5 U
MW-09	10/20/2005		3.5	4 U	4 U	8 U	8.4	4 U	4 U	4 U	2 U	110	4 U	21	330	290	4 U	4 U	80	32	4 U	9.2	10	4 U	4 U	380	4 U	2 U
	10/20/2005	K	3.3	4 U	4.1	8 U	9.8	4 U	4 U	4 U	2 U	94	4 U	17	290	290	4 U	4 U	72	28	4 U	8.4	7.4	4 U	4 U	350	4 U	2 U
	1/27/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	90	5 U	14	320	280	5 U	5 U	100	120	5 U	8.9	5 U	5 U	5 U	450	5 U	2.5 U
	1/27/2006	K	2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	89	5 U	13	320	280	5 U	5 U	98	120	5 U	8.4	5 U	5 U	5 U	430	5 U	2.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																			
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-09	4/26/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	86	5 U	10	330	360	5 U	5 U	81	56	5 U	11	5 U	5 U	5 U	470	5 U	2.5 U
	4/26/2006	K	1.2	1 U	1 U	2 U	1 U	1 M1,U	1 M1,U	1.6	0.5 U	77	1	11	390	410	1 U	1 U	82 M1	60	1.6	10	2.7 M1	1.2	1 U	520	1 U	0.5 U
	7/27/2006		2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	57	5 U	9.8	180	630	5 U	5 U	44	25 U	5 U	8.2	5 U	5 U	5 U	260	5 U	2.5 U
	7/27/2006	K	2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	58	5 U	10	180	710	5 U	5 U	45	25 U	5 U	9.2	5 U	5 U	5 U	280	5 U	2.5 U
	10/26/2006		1	1 U	1 U	1 U	1 U	1 U	1 U	1	0.5 U	68	1 U	9.3	190	260	1 U	1 U	52	79	1.4	5.5	1.4	1 U	1 U	430	1 U	0.5 U
	10/26/2006	K	1.2	1 U	1 U	1 U	1 U	1 U	1 U	1.1	0.5 U	74	1 U	11	210	270	1 U	1 U	58	79	1.9	6.7	2	1.2	1 U	420	1 U	0.5 U
MW-11	10/20/2005		20 U	20 U	20 U	40 U			20 U	20 U	50 U	39	50 U	34	240	20 U	20 U	20 U	70	50 U	20 U	20 U	20 U	20 U	10 U	810	50 U	50 U
	1/27/2006		5 U	10 U	490	287	10 U	10 U	10 U	10 U	5 U	36	10 U	52	280	13	10 U	10 U	71	50 U	10 U	12	10 U	10 U	10 U	1000	10 U	5 U
	4/26/2006		10 U	20 U	1300	670	20 U	20 U	20 U	20 U	10 U	22	20 U	35	160	19	20 U	20 U	40	100 U	20 U	20 U	20 U	20 U	20 U	690	20 U	10 U
	7/27/2006		1.4	1 U	78	16.1	1	1 U	1 U	4.2	0.5 U	39	1 U	68	310	4.2	5.5	1.4	59	5 U	1 U	13	7.3	1 U	1 U	930	1 U	0.5 L,U
	10/25/2006		20 U	54	300	430			20 U	20 U	50 U	42	50 U	69	320	20 U	20 U	20 U	54	50 U	20 U	20 U	20 U	20 U	9.43 U	1100	50 U	50 U
MW-14S	10/20/2005		2 U	2 U	2 U	4 U			2 U	2.3	7.7	28	5 U	14	50	35	2 U	2 U	31	5.2	2 U	6.5	2 U	2 U	10 U	180	5 U	5 U
	1/26/2006		1.7	1 U	40	2 U	1 U	1 U	1 U	1.7	4.7	15	1 U	23	47	31	1 U	1 U	32	5 U	1 U	3.4	1 U	1 U	1.7	190	1 U	0.5 U
	4/25/2006		3.4	5 U	320	37	6.6	5 U	5 U	5 U	4.4	14	5 U	21	45	25	5 U	5 U	30	25 U	5 U	5 U	5 U	5 U	5 U	180	5 U	2.5 U
	7/26/2006		1.6	1 U	15	1	2	1 U	1 U	1.8	6.2	19	1 U	18	51	30	1 U	1 U	35	5 U	1 U	3.6	1 U	1 U	1.1	170	1 U	0.5 U
	10/25/2006		2 U	2 U	2 U	2 U			2 U	2.4	5 U	18	5 U	35	75	34	2 U	2 U	36	5 U	2 U	3.5	2 U	2 U	9.43 U	280	5 U	5 U
MW-15D	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.6	1 U	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	3.2	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.5	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2	1 U	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.5	1 U	0.5 U
MW-15S	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.55	5.6	1 U	1 U	1 U	18	1 U	1 U	1 U	5 U	1 U	1.9	1 U	1 U	1 U	5.8	1 U	0.5 U
	1/25/2006		0.64	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.3	1 U	1 U	1 U	33	1 U	1 U	1 U	5 U	1 U	3.2	1 U	1 U	1 U	11	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	10	1 U	1 U	1 U	5 U	1 U	1.8	1 U	1 U	1 U	6	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	3.4	1 U	1 U	1 U	6.9	1 U	1 U	1 U	5 U	1 U	1.5	1 U	1 U	1 U	6.6	1 U	0.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																			
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-15S	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1.6	1 U	1 U	1 U	5.1	1 U	1 U	1 U	5 U	1 U	2.2	1 U	1 U	1 U	4.5	1 U	0.5 U
MW-16	10/20/2005		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	5 U	5 U	51	350	58	5 U	5 U	42	25 U	9.9	7.8	5 U	5 U	5 U	120	5 U	2.5 U
	1/27/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	5 U	5 U	24	270	30	5 U	5 U	30	25 U	5 U	5.4	5 U	5 U	5 U	90	5 U	2.5 U
	4/26/2006		0.58	1 U	2.3	2 U	1 U	1 U	1 U	1 U	0.5 U	1.1	1 U	10	140	33	1 U	1 U	16	5 U	1.9	4.5	1 U	1 U	1 U	61	1 U	0.5 U
	7/26/2006		0.64	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1.4	1 U	34	230	76	1 U	1 U	23	5 U	6.4	3.7	1 U	1 U	1 U	68	1 U	0.59
	10/24/2006		0.68	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	37	210	35	1 U	1 U	24	5 U	6.7	3.5	1 U	1 U	1 U	68	1 U	0.5 U

Notes:

Ben = benzene; Tol = toluene; e-Ben = ethylbenzene; T-Xyl = total xylenes; ISB = Isopropylbenzene; NAP = Naphthalene; BDCM = Bromodichloromethane; CCl4 = Carbon tetrachloride; CFM = Chloroform; DBE = Dibromoethane; DCA = Dichloroethane; DCB = Dichlorobenzene; DCE = Dichloroethene; DCFM = Dichlorodifluoromethane; MCL = Methylene chloride; PCA = Tetrachloroethane; PCE = Tetrachloroethene; TCA = Trichloroethane; TCB = Trichlorobenzene; TCE = Trichloroethene; TFM = Trichlorofluoromethane

California Maximum Contaminant Levels (MCLs) are shown in parenthesis. MCL shown for chloroform is the sum of trihalomethane isomers.

All concentrations are reported in micrograms per liter (ug/L).
Only compounds detected in one or more samples are listed.
U = Not detected at a concentration greater than the reporting limit shown.
C = Calibration vertification recovery was above the method control limit.
R = The Relative Percent Difference (RPD) was above the method control limit due to sample matrix effects. The individual analyte QA/QC recoveries were within acceptance limits.
L = The Laboratory Control Sample recovery was above the method control limits.
M1 = The MS and/or MSD were above the acceptance limits due to sample matrix interference.

Sample Type:
K = Split sample

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-01D	07/20/04		0.98	1 U	1 U	2 U	23	1 U	66	3	1 U	0.5 U	1 U	0.5 U	1 U	1.1	1 U	5 U	12	0.5 U
	10/11/04		1.1	1 U	1 U	2 U	8.6	1 U	34	2.6	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5.7	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	24	1 U	53	4	1 U	0.5 U	1 U	0.5 U	1 U	1.5	1 U	5 U	13	0.5 U
	04/26/05		0.5 U	1 U	1 U	2 U	22	1 U	82	5.6	1 U	0.5 U	1 U	0.5 U	1 U	1.6	1 U	5 U	18	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	9.8	1 U	58	4.2	1 U	0.5 U	1 U	0.5 U	1 U	1.4	1 U	5 U	13	0.5 U
MW-01S	07/20/04		0.5 U	1 U	1 U	2 U	9.5	1 U	14	1.5	2.1	0.74	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	24	1 U	10	1.1	1.1	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	04/26/05		0.5 U	1 U	1 U	2 U	4.1	1 U	9.6	1 U	1.8	0.5 U	1 U	0.5 U	1 U	6.5	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	4.8	1 U	12	1 U	1.4	0.51	1 U	0.5 U	1 U	4.6	1 U	5 U	1 U	0.5 U
MW-03	07/20/04		0.74	1 U	1 U	2 U	4.9	1 U	200	30	35	45	1	47	39	6.5	1 U	5 U	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	6.6	1 U	190	24	39	16	1.7	48	54	6	1 U	5 U	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	3.8	1 U	60	6	7.6	19	1 U	3.9	4.3	1.7	1 U	5 U	1 U	0.5 U
	04/26/05		0.66	1 U	1 U	2	4.1	1 U	61	7.6	7.8	120	1 U	27	28	1 U	1 U	5 U	1 U	0.5 U
	07/26/05		0.56	1 U	1 U	2 U	8.6	1 U	100	11	15	46	1 U	72	66	1	1 U	5 U	1 U	0.5 U
MW-04	07/21/04		2.5 U	5 U	5 U	10 U	5 U	5 U	310	91	190	100	5 U	2.5 U	14	83	5 U	61	5 U	2.5 U
		K	2.5 U	5 U	5 U	10 U	5 U	5 U	310	93	190	100	5 U	2.5 U	14	82	5 U	63	5 U	2.5 U
	10/12/04		2 U	2 U	2 U	4 U	3.2	2 U	160	48	150	46	2 U	5 U	2	51	2 U	5 U	5 U	5 U
		K	1.3	1 U	1 U	2 U	3.5	1 U	190	52	170	48	1.8	0.5 U	2	51	2	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	5.1	1 U	36	5.9	24	3.7	1 U	0.5 U	1 U	3.2	1 U	5 U	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	5.1	1 U	39	6.5	26	3.9	1 U	0.5 U	1 U	3.3	1 U	5 U	1 U	0.5 U
	04/27/05		5 U	10 U	10 U	20 U	10 U	10 U	370	120	340	40	10 U	5 U	13	63	10 U	51	10 U	5 U
		K	5 U	10 U	10 U	20 U	10 U	10 U	370	120	350	40	10 U	5 U	14	64	10 U	55	10 U	5 U
	07/27/05		2.5 U	5 U	5 U	10 U	7.4	5 U	370	94	190	37	5 U	2.5 U	11	55	5 U	43	5 U	2.5 U
		K	2.5 U	5 U	5 U	10 U	6.1	5 U	310	74	160	32	5 U	2.5 U	9.4	46	5 U	38	5 U	2.5 U
MW-04A	07/21/04		5.2	1 U	1 U	2 U	6	3.4	130	34	180	0.5 U	1 U	0.5 U	8.4	15	3.1	5 U	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	18	1 U	58	4.4	7.4	0.5 U	1 U	0.5 U	1 U	1.1	1 U	5 U	7.3	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	31	1 U	95	6.2	5.2	0.5 U	1 U	0.5 U	1 U	2.1	1 U	5 U	15	0.5 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-04A	04/27/05		0.59	1 U	1 U	2 U	22	1 U	120	20	87	0.5 U	1 U	0.5 U	4.2	7.5	1.5	5 U	8.3	0.5 U
	07/27/05		0.56	1 U	1 U	2 U	13	1 U	130	25	130	0.5 U	1 U	0.5 U	5.7	9.5	1.4	5 U	2.6	0.5 U
MW-06B	07/21/04		0.5 U	1 U	1 U	2 U	75	1 U	28	13	11	0.65	1 U	0.5 U	1 U	1 U	1 U	5 U	1.5	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	150	1 U	53	6.2	4.5	1.7	1 U	0.5 U	1 U	1 U	1 U	5 U	4.7	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	93	1 U	38	8	8.5	4.6	1 U	0.5 U	1 U	1.3	1 U	5 U	2.7	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	56	1 U	23	4.6	1.2	0.5 U	1 U	0.5 U	1 U	3.6	1 U	5 U	1	0.5 U
	07/27/05		0.5 U	1 U	1 U	2 U	29	1 U	14	2	1 U	0.5 U	1 U	0.5 U	1 U	1.8	1 U	5 U	1 U	0.5 U
MW-06D	07/21/04		0.5 U	1 U	1 U	2 U	18	1 U	26	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1.4	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	31	1 U	53	2.1	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5.4	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	40	1 U	62	2.2	1 U	0.5 U	1 U	0.5 U	1 U	1	1 U	5 U	7.8	0.5 U
	04/27/05		0.5 U	1.8	1 U	2 U	65	1 U	84	5.9	1 U	0.5 U	1 U	0.5 U	1 U	1.9	1 U	5 U	18	0.5 U
	07/27/05		0.5 U	1 U	1 U	2 U	55	1 U	97	6.1	1 U	0.5 U	1 U	0.5 U	1 U	1.7	1 U	5 U	23	0.5 U
MW-07	07/21/04		0.5 U	1 U	1 U	2 U	3.5	1 U	15	1 U	5	0.63	1 U	0.5 U	1 U	1.1	1 U	5 U	1 U	0.5 U
	10/12/04		2 U	2 U	2 U	4 U	13	2 U	12	5 U	6.5	2 U	2 U	5 U	2 U	2 U	2 U	5 U	5 U	5 U
	01/27/05		0.5 U	1 U	1 U	2 U	34	1 U	16	4.8	9.8	0.62	1 U	0.5 U	1 U	1.4	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	11	1 U	39	4.2	21	1.4	1 U	0.5 U	1 U	5	1 U	5 U	1 U	0.5 U
	07/27/05		0.98	1 U	1 U	2 U	4	1 U	110	14	100	45	1 U	0.5 U	2.7	31	2.7	5 U	1 U	0.5 U
MW-09	07/21/04		0.5 U	1 U	1 U	2 U	5	1	130	53	110	18	1.8	0.5 U	24	3.8	1 U	78	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	5	1.1	130	55	120	20	1.8	0.5 U	24	4	1	76	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	3.5	1.2	57	15	69	3.6	1 U	0.5 U	3	3	1 U	5 U	1 U	0.5 U
		K	0.5	1 M1,U	1 M1,U	2 U	4.2	1.3	61	17	69	3.9	1	0.5 U	3.5	3.4	1 U	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	7.5	1 U	41	6.4	44	0.78	1 U	0.5 U	7.2	1.1	1 U	5 U	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	7.1	1 U	41	6.6	44	0.87	1 U	0.5 U	7.4	1.1	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	4.6	1 U	96	26	79	24	1 U	0.5 U	22	2.6	1 U	5.4	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	4.6	1 U	94	26	78	24	1 U	0.5 U	22	2.6	1 U	5.4	1 U	0.5 U
	07/27/05		1.1	1 U	1 U	2 U	6.8	2.8	190	52	170	43	1 U	0.5 U	64	11	1.8	12	1 U	0.5 U
		K	2 U	4 U	4 U	8 U	7.6	4 U	290	69	260	59	4 U	2 U	85	13	4 U	20 U	4 U	2 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-11	07/21/04		0.5	1 U	84	2 U	3.4	1 U	190	16	29	60	1 U	0.5 U	3.4	15	1 U	5 U	1 U	0.5 U
	10/12/04		2 U	2 U	29	4 U	4.2	2 U	180	13	40	21	2 U	5 U	3.5	13	2 U	5 U	5 U	5 U
	01/27/05		0.5 U	1 U	1 U	2 U	5.2	1 U	130	7.7	16	3	1 U	0.5 U	1.7	4.6	1 U	5 U	1 U	0.5 U
	04/27/05		5 U	10 U	10 U	20 U	12	10 U	1200	93	290	30	13	5 U	41	34	10 U	50 U	10 U	5 U
	07/27/05		10 U	20 U	20 U	40 U	20 U	20 U	1300	87	300	20	20 U	10 U	40	30	20 U	100 U	20 U	10 U
MW-14S	07/21/04		2.9	5 U	5 U	10 U	5 U	5 U	500	79	97	29	5 U	11	28	33	5 U	25 U	5 U	2.5 U
	10/12/04		2 U	2 U	2 U	4 U	2.9	2 U	160	40	83	23	2	5 U	8.7	48	2 U	13	5 U	5 U
	01/27/05		0.7	1 U	1 U	2 U	3.4	1 U	98	16	38	9.2	1.1	0.5 U	1.8	21	1 U	5 U	1 U	0.5 U
	04/27/05		1.1	1 U	13	6.8	3.8	1 U	150	21	37	49	1.3	2.5	9.2	9.6	1 U	5 U	1 U	0.5 U
	07/26/05		1.1	1 U	1 U	2 U	4.3	1 U	160	20	33	38	1.4	4.2	20	9.1	1 U	5 U	1 U	0.5 U
MW-15D	07/20/04		0.5 U	1 U	1 U	2 U	1.2	1 U	2.6	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	10/11/04		0.63	1 U	1 U	2 U	1 U	1 U	1.8	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	1.1	1 U	2.8	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	1 U	1 U	4.1	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	3.2	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
MW-15S	07/20/04		0.79	1 U	1 U	2 U	3.6	1 U	120	18	29	33	1.1	2.9	15	8.1	1 U	5 U	1 U	0.5 U
	10/11/04		0.59	1 U	1 U	2 U	2.6	1 U	96	19	38	24	1.1	0.5 U	3.7	17	1 U	5 U	1 U	0.5 U
	01/27/05		0.52	1 U	1 U	2 U	3.7	1 U	110	18	45	14	1.3	0.5 U	1.7	14	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	2.4	1 U	21	1.7	2.8	42	1 U	0.5 U	1 U	1	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	2.4	1 U	8.3	1 U	1 U	35	1 U	0.5 U	6.3	1 U	1 U	5 U	1 U	0.5 U
MW-16	07/21/04		0.5 U	1 U	1 U	2 U	2	1 U	12	2	12	3.2	1 U	0.5 U	1 U	4.4	1	5 U	1 U	0.5 U
	01/27/05		0.61	1 U	1 U	2 U	12	1 U	33	15	84	1.5	1 U	0.5 U	1 U	5.6	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	8.8	1 U	65	26	190	4.3	1 U	0.5 U	1.9	11	2.2	5 U	1 U	0.5 U
	07/27/05		2 U	4 U	4 U	8 U	6.2	4 U	57	20	200	36	4 U	2 U	4 U	34	6.2	20 U	4 U	2 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)

Notes:

PCE = Tetrachloroethene; TCE = Trichloroethene; TCA = Trichloroethane; DCE = Dichloroethene; DCA = Dichloroethane; CBN = Chlorobenzene; CFM = Chloroform; MCL = Methylene chloride; CCl4 = Carbon tetrachloride; Freon 11 = Trichlorofluoromethane; VC = Vinyl Chloride

California Maximum Contaminant Levels are shown in parenthesis. Maximum Contaminant Level shown for chloroform is the sum of trihalomethane isomers

Samples analyzed by EPA Method 8260B.
All concentrations are reported in micrograms per liter (ug/L).
Only selected compounds are listed.
M-HA = Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
M2 = The MS and/or MSD were below acceptance limits due to sample matrix interference.
U = Not detected at a concentration greater than the reporting limit shown.

Sample Type:
K = Split sample

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																								
			Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-01D	10/15/90		0.5 U	1 U	1 U	1 U			5 U	5 U	5 U	5 U	5 U	5 U			5 U	5 U	5 U	5 U	5 U		5 U	5 U	5 U	6.3	5 U	5 U		26	5 U	5 U
	01/15/91		0.5 U	1 U	1 U	1 U					1 U	1 U					1 U	1 U			1 U		1 U		1 U	1 U				1 U		
	04/15/91		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		2 B	1 U	1 U	3.6	1 U	1 U		40	1 U	1 U
	07/15/91		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		2.1	1 U	1 U	1 U	1 U	1 U		14	1 U	1 U
	10/23/91		0.5 U	0.5 U	0.5 U	1 U			0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U	0.5 U	0.5 U	0.2 U	1 U	2 U	0.2 U	0.2 U	0.54	0.2 U	0.2 U		10	2 U	0.2 U
	01/15/92		1 U	1 U	1 U	3			1 U	1 U	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	2	1 U		3.6	1 U	1 U
	04/15/92		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	0.5 U	0.5 U
	07/15/92		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.2	1 U	1 U
	10/15/92		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2.2	1 U	1 U
	01/15/93		0.5 U	7.4	11	25			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.5	1 U	1 U
	04/19/93		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1.5 B	1 U	1 U	1 U	1 U	1 U		1.5	1 U	1 U
	07/12/93		0.5 U	3.5	3	7.1			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1.8 B	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U
	10/12/93		0.5 U	1 U	2.1	4.1			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U
	01/10/94		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.4	1 U	1 U
	04/11/94		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.6	1 U	1 U
	07/18/94		0.5 U	1.5	1 U	3.7			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.3	1 U	1 U
	10/10/94		0.5 U	1 U	1 U	5.8			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.5	1 U	1 U
	01/17/95		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	3.5	1 U	1 U		1 U	1 U	1 U
	04/17/95		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		6.1 B	1 U	1 U	3.6	1 U	1 U		1.3	1 U	1 U
	07/10/95		0.5 U	2.4	6	9.4			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	4.7	1 U	1 U		1.2	1 U	1 U
	10/09/95		0.5 U	1 U	1 U	2			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.9	1 U	1 U		1.4	1 U	1 U
	01/30/96		0.5 U	1 U	1 U	1.8			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.4	1 U	1 U		1.2	1 U	1 U
	04/15/96		0.5 U	1 U	4.1	5.7			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.4	1 U	1 U
	07/15/96		0.5 U	1 U	3.5	5.5			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.4	1 U	1 U
	10/07/96		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.5	1 U	1 U
	01/13/97		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.5	1 U	1 U
	04/15/97		0.5 U	2.3	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	4.4	1 U	1 U		2.7	1 U	1 U
	07/08/97		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	3.9	1 U	1 U		2.1	1 U	1 U
	10/14/97		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	2	1 U	1 U		3.2	1 U	1 U
	01/13/98		0.5 U	1 U	1.1	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.8	1 U	1 U		3	1 U	1 U
	04/21/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2.2	1 U	1 U
	07/15/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		1.9	1 U	1 U
	10/20/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.1	1 U	1 U		2.4	1 U	1 U
	01/15/99		0.5 U	1 U	1	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2	1 U	1 U
	04/15/99		1 U	1 U	1.6	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2.1	2 U	2 U
	07/15/99		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	24	1 U	1 U		2.7	2 U	2 U
	10/15/99		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	4.9	1 U	1 U		2	2 U	2 U
	01/25/00		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	21	1 U	1 U		7.1	2 U	2 U
	04/15/00		1 U	1.7	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	6	1 U	1 U		3.3	2 U	2 U
	10/15/00		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	7.6	1 U	1 U		3.1	2 U	2 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs: Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	Chlorinated VOCs: BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-01D	04/15/01		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	5.6	1 U	1 U		2.7	2 U	2 U
	07/17/01		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2.1	2 U	2 U
	10/16/01		1.5	1 U	1 U	1.5			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	5.3	1 U	1 U		3.5	2 U	2 U
	01/15/02		1.6	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	2.5	1 U	1 U		1.8	2 U	2 U
	04/16/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	3.9	1 U	1 U		3.3	2 U	2 U
	07/24/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.7	1 U	1 U		2.8	2 U	2 U
	10/22/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	2.5	1 U	1 U		1.8	2 U	2 U
	01/08/03		0.67	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	2.8	1 U	1 U	1 U	2.2	1 U	0.5 U
	04/23/03		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1.8	1 U	1 U	1 U	1.9	1 U	0.5 U
	07/30/03		0.98	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1.6	1 U	1 U	1 U	1.6	1 U	0.5 U
	10/21/03		1.2	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1.4	1 U	1 U	1 U	2.4	1 U	0.5 U
	01/21/04		4	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	5.7	1 U	1 U	1 U	10	1 U	0.5 U
	04/20/04		0.58	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	3	1 U	1 U	1 U	6.9	1 U	0.5 U
	07/20/04		0.98	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.1	1 U	1 U	0.5 U	1 U	1 U	3	5 U	5 U	1 U	1 U	23	1 U	1 U	1 U	66	12	0.5 U
	10/11/04		1.1	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.6	5 U	5 U	1 U	1 U	8.6	1 U	1 U	1 U	34	5.7	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.5	1 U	1 U	0.5 U	1 U	1 U	4	5 U	5 U	1 U	1 U	24	1 U	1 U	1 U	53	13	0.5 U
	04/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.6	1 U	1 U	0.5 U	1 U	1 U	5.6	5 U	5 U	1 U	1 U	22	1 U	1 U	1 U	82	18	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	1 U	1.2	1 U	1 U	0.5 U	1 U	1 U	1 U	1.4	1 U	1 U	0.5 U	1 U	1 U	4.2	5 U	5 U	1 U	1 U	9.8	1 U	1 U	1 U	58	13	0.5 U
MW-01S	01/15/89		0.1 U	0.1 U	0.1 U	0.2 U			0.1 U	0.1 U	0.1 U	0.2	0.1 U	0.2 U			0.1 U	0.7	0.1 U	0.1 U	0.1 U	0.2 U	1 U	0.1 U	0.2 U	2.8	0.1 U	0.1 U		19	0.5 U	0.1 U
	04/15/89		0.7 U	1 U	1 U	3			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	4	1 U	1 U		23	1 U	1 U
	07/15/89		0.7 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1	1 U	1 U		13	1 U	1 U
	10/15/89		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U		3	1 U	1 U		12	1 U	1 U
	01/22/90		0.5 U	0.5 U	0.5 U	1 U			0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	0.3	0.5 U	0.5 U	0.73	0.2 U	2 U		0.2 U	3.1	0.2 U	0.2 U		16	2 U	0.2 U
	04/10/90		2.5 U	2.5 U	2.5 U	5 U			1 U	2.5 U	1 U	1 U	1 U	1 U			1 U	1 U	2.5 U	2.5 U	1 U	1 U	10 U		1 U	3.8	1 U	1 U		20	10 U	1 U
	07/15/90		0.5 U	0.5 U	0.5 U	1 U			0.2 U	0.5 U	0.2 U	0.3	0.2 U	0.2 U	0.73		0.2 U	1.1	0.5 U	0.5 U	0.8	0.2 U	2 U	0.2 U	0.2 U	4	0.2 U	0.2 U		18	2 U	0.2 U
	10/15/90		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	5	1 U	1 U		18	1 U	1 U
	01/15/91		0.5 U	1 U	1 U	1 U					1 U	1 U					1 U	1			1 U		1 U		1 U	6.8				26		
	04/15/91		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1.6 B	1 U	1 U	3.6	1 U	1 U		22	1 U	1 U
	07/15/91		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1.4	1 U	1 U	3.8	1 U	1 U		17	1 U	1 U
	10/21/91		1 U	1 U	1 U	2 U			0.4 U	1 U	0.4 U	0.4 U	0.4 U	0.4 U	1.8		0.4 U	0.7	1 U	1 U	0.4 U	2 U	4 U	0.4 U	0.4 U	1.9	0.4 U	0.4 U		14	4 U	0.4 U
	01/15/92		1 U	1.5	1.2	4.3			1 U	1 U	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		13	1 U	1 U
	04/15/92		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.87	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	9.9	0.5 U	0.5 U
	07/15/92		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.6	1 U	1 U		10	1 U	1 U
	10/15/92		0.95	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1	1 U	1 U	1 U	1 U	1 U		11	1 U	1 U
	01/15/93		0.5 U	2.2	1.3	5.6			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1.1		9.2	1 U	1 U
	04/19/93		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1.4	1 U	1 U	1 U		1.2 B	1 U	1.6	1 U	1 U	1 U		5.7	1 U	1 U
	07/12/93		0.5 U	1.7	1.7	4			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1.8 B	1 U	1 U	1 U	1 U	1 U		11	1 U	1 U
	10/12/93		0.5 U	1 U	2.2	4.3			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		14	1 U	1 U
	01/10/94		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		9.3	1 U	1 U
	04/11/94		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		14	1 U	1 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																							
			Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-01S	07/18/94		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		7.9	1 U	1 U
	10/10/94		0.5 U	1 U	1 U	5.8			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		13	1 U	1 U
	01/16/95		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		5.2	1 U	1 U
	04/17/95		0.5 U	1 U	1.3	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.6	1 U	1 U		4.4	1 U	1 U
	07/10/95		0.5 U	1.2	3.5	6.1			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1.3	1 U	1 U	1 U		1 U	1 U	1 U	1.9	1 U	1 U		6.2	1 U	1 U
	10/09/95		0.5 U	1 U	1.7	3.9			1 U	1 U	1 U	1 U	1 U	1 U			1.4	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		15	1 U	1 U
	01/30/96		0.5 U	1 U	1.7	5.1			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		8.4	1 U	1 U
	04/15/96		0.5 U	1 U	3.4	4.9			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1.2	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		2.9	1 U	1 U
	07/15/96		0.5 U	1 U	2.2	3.7			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1.1	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		9.7	1 U	1 U
	10/07/96		0.5 U	1 U	2.1	2.8			1 U	1 U	1 U	1 U	1 U	1 U			1.6	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		16	1 U	1 U
	01/13/97		0.5 U	1 U	1 U	2			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		6	1 U	1 U
	04/15/97		0.5 U	1 U	1.4	1.2			1 U	1 U	1 U	1 U	1 U	1 U			1.4	1.1	1 U	1 U	1 U		1 U	1 U	1 U	5.4	1 U	1 U		15	1 U	1 U
	07/08/97		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1.4	1.1	1 U	1 U	1 U		1 U	1 U	1 U	3.5	1 U	1 U		14	1 U	1 U
	10/14/97		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1.5	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.2	1 U	1 U		12	1 U	1 U
	01/13/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		12	1 U	1 U
	04/21/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1.8	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		14	1 U	1 U
	07/14/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1.7	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		14	1 U	1 U
	10/19/98		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1	1.2	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		7.8	1 U	1 U
	01/15/99		0.5 U	1 U	2	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1.2	1.5	1 U	1 U	1 U		1 U	1 U	1 U	1.9	1 U	1 U		10	1 U	1 U
	04/15/99		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	2.5		1 U	1.6	1 U	1 U	1		1 U	1 U	1 U	1.8	1 U	1 U		7.2	2 U	2 U
	07/15/99		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	5.3		1.6	1 U	1 U	1 U	1		1 U	1 U	1 U	16	1 U	1 U		9.1	2 U	2 U
	10/15/99		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	3.9		1.1	1.5	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		9.1	2 U	2 U
	01/25/00		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	2.8		1.9	1.5	1 U	1 U	1 U		1 U	1 U	1 U	31	1 U	1 U		9.9	2 U	2 U
	04/15/00		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	7.6		2.5	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		16	2 U	2 U
	10/15/00		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	3.5		1.3	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		8.9	2 U	2 U
	04/15/01		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	8.8		1.8	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		13	2 U	2 U
	07/17/01		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	5.6		1.5	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		10	2 U	2 U
	10/16/01		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	6.7		1.9	1.1	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U		13	2 U	2 U
	01/15/02		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	2 U	2 U	1.2		1 U	1.3	1 U	1 U	1 U		1 U	1 U	1 U	1.6	1 U	1 U		7	2 U	2 U
	04/16/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1 U		1 U	1.2	1 U	1 U	1 U		1 U	1 U	1 U	1.2	1 U	1 U		5.3	2 U	2 U
	07/24/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	1.8		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1.2	1 U	1 U		6.2	2 U	2 U
	10/22/02		1 U	1 U	1 U	2 U			1 U	1 U	1 U	1 U	2 U	2 U	2.2		1 U	1.1	1 U	1 U	1 U		1 U	1 U	1 U	1.4	1 U	1 U		8.3	2 U	2 U
	01/08/03		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	2.5	1 U	1 U	1.3	1 U	1 U	1 U	5 U	5 U	1 U	1 U	2	1 U	1 U	1 U	11	1 U	0.5 U
	04/23/03		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	8	1 U	1.8	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	11	1 U	0.5 U
	07/29/03		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	6.5	1 U	1.8	0.67	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	13	1 U	0.5 U
	10/21/03		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	2.6	1 U	1 U	1.1	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1.5	1 U	1 U	1 U	12	1 U	0.5 U
	01/21/04		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.4	1 U	1.4	0.68	1 U	1 U	1 U	5 U	5 U	1 U	1 U	5.2	1 U	1 U	1 U	18	1 U	0.5 U
	04/20/04		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1.3	0.67	1 U	1 U	1	5 U	5 U	1 U	1 U	7.3	1 U	1 U	1 U	13	1 U	0.5 U
	07/20/04		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2.1	0.74	1 U	1 U	1.5	5 U	5 U	1 U	1 U	9.5	1 U	1 U	1 U	14	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1.1	0.5 U	1 U	1 U	1.1	5 U	5 U	1 U	1 U	24	1 U	1 U	1 U	10	1 U	0.5 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																							
			Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-01S	04/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	6.5	1 U	1.8	0.5 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	4.1	1 U	1 U	1 U	9.6	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	4.6	1 U	1.4	0.51	1 U	1 U	1 U	5 U	5 U	1 U	1 U	4.8	1 U	1 U	1 U	12	1 U	0.5 U
MW-02	01/15/89		0.5 U	0.5 U	0.5 U	1 U			0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.8	0.2 U	0.2 U		60	0.2 U	0.2 U
	01/15/89	K	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U		82	0.5 U	0.5 U
	04/15/89		1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U		45	1 U	1 U
	07/15/89		0.7 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1	1 U	1 U		67	1 U	1 U
	10/15/89		0.5 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U	1 U			1 U	1 U	1 U	1 U	1 U		1 U	1 U		2	1 U	1 U		35	1 U	1 U
	01/23/90		1 U	1 U	1 U	2 U			0.4 U	1 U	0.4 U	0.4 U	0.4 U	0.4 U			0.4 U	0.4 U	1 U	1 U	0.4 U	0.4 U	4 U		0.4 U	0.54	0.4 U	0.4 U		27	4 U	0.4 U
	04/10/90		0.5 U	0.5 U	0.5 U	1 U			0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U	0.5 U	0.5 U	0.2 U	0.2 U	2 U		0.2 U	0.2 U	0.2 U	0.2 U		36	2 U	0.2 U
	07/15/90		1 U	1 U	1 U	2 U			0.4 U	1 U	0.4 U	0.65	0.4 U	0.4 U	0.4 U		1.6	4.3	1 U	1 U	0.72	0.4 U	4 U	0.4 U	0.4 U	1	0.4 U	0.4 U		30	4 U	0.4 U
	10/15/90		0.5 U	1 U	1 U	1 U			5 U	5 U	5 U	5 U	5 U	5 U			5 U	5 U	5 U	5 U	5 U		5 U	5 U	5 U	5 U	5 U	5 U		24	5 U	5 U
	01/15/91		0.5 U	1 U	1 U	1 U					1 U	1 U					1 U	1 U			1 U		1 U		1 U	1 U				15		
MW-03	01/15/89		7.4	17	4900				0.2 U	0.2 U	15	13	0.2 U	0.2 U			4.4	240	0.2 U	0.2 U	0.2 U	0.2 U	3.2	0.2 U	0.2 U	4.6	0.2 U	0.2 U		74	0.2 U	0.2 U
	01/15/89	K	50 U	50	3700	1100			50 U	50 U	50 U	50 U	50 U	50 U			50 U	210	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U		110	50 U	50 U
	04/15/89		50 U	50 U	1200	60			50 U	50 U	50 U	50 U	50 U	50 U			50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U		120	50 U	50 U
	04/15/89	K	5 U	5 U	670	71			5 U	5 U	47	35	5 U	5 U		5 U	11	36	5 U	5 U	23	5 U	5 U	5 U	5 U	5 U	5 U	5 U		110	5 U	5 U
	07/15/89		7 U	10 U	10 U	10 U			10 U	10 U	60	33	10 U	10 U			10 U	10 U	10 U	10 U	10 U		20	10 U	10 U	10 U	10 U	10 U		120	10 U	10 U
	10/15/89		50 U	100 U	1600	150			100 U	100 U	100 U	100 U	100 U	100 U			100 U	100 U	100 U	100 U	100 U		100 U	100 U	100 U	100 U	100 U	100 U		100 U	100 U	100 U
	10/15/89	K	50 U	100 U	1700	160			100 U	100 U	100 U	100 U	100 U	100 U			100 U	100 U	100 U	100 U	100 U		100 U	100 U	100 U	100 U	100 U	100 U		100 U	100 U	100 U
	01/22/90		5 U	5 U	110	10 U			2 U	2 U	28	23	5 U	2 U			2 U	20	5 U	5 U	4	2 U	20 U		2 U	5 U	2 U	2 U		65	20 U	2 U
	01/22/90	K	5 U	0.17 U	140	10 U			2 U	2 U	34	25	5 U	2 U			2 U	21	5 U	5 U	4.9	2 U	20 U		2 U	5 U	2 U	2 U		74	20 U	2 U
	04/11/90		50 U	50 U	2100	720			20 U	50 U	87	20 U	20 U	20 U			20 U	20 U	50 U	50 U	20 U	20 U	200 U		20 U	20 U	20 U	20 U		74	200 U	20 U
	07/15/90		5 U	5 U	5 U	10 U			2 U	5 U	130	46	2 U	2 U	2 U		8.5	3.7	5 U	5 U	14	2 U	20 U	2 U	2 U	2 U	2 U	2 U		130	20 U	2 U
	10/15/90		9	2	1 U	1 U			10 U	10 U	150	56	10 U	10 U			10 U	10 U	10 U	10 U	10		10 U	10 U	10 U	10 U	10 U	10 U		130	10 U	10 U
	01/15/91		0.5 U	1 U	1 U	1 U					74	1 U					1 U	26			1 U		1 U		1 U	1 U				38		
	04/15/91		0.5 U	1 U	1 U	1 U			2 U	2 U	63	17	2 U	2 U			1 U	1 U	2 U	2 U	1 U		8.5	2 U	2 U	1 U	1 U	2 U		27	2 U	2 U
	07/15/91		0.5 U	1 U	1 U	1 U			2 U	2 U	38	47	2 U	2 U			2 U	2 U	2 U	2 U	2 U		6	2 U	2 U	2 U	2 U	2 U		28	2 U	2 U
	10/23/91		5 U	5 U	5 U	10 U			2 U	5 U	82	4.2	2 U	2 U	2 U		5.3	2 U	5 U	5 U	6.7	10 U	20 U	2 U	2 U	2 U	2 U	2 U		71	20 U	2 U
	01/15/92		1 U	1 U	1 U	4			1 U	1 U	202	91	1 U	1 U	1 U		5.7	1 U	1 U	1 U	7.6		1 U	1 U	1 U	1 U	3	1 U		76	1 U	1 U
	04/15/92		0.5 U	0.76	1.6	3	0.5 U	0.5 U	0.5 U	0.5 U	120	43	0.5 U	0.5 U	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	2.5	0.5 U	1.3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	25	0.5 U	0.5 U
	07/15/92		0.5 U	1 U	1 U	1 U			2 U	2 U	110	39	2 U	2 U			5.4	1 U	2 U	2 U	3.8		3.1	2 U	2 U	1 U	2 U	2 U		76	2 U	2 U
	10/15/92		0.52	1 U	1 U	1 U			5 U	5 U	160	60	5 U	5 U			8.1	1 U	5 U	5 U	8.7		6.9	1 U	5 U	1 U	1 U	5 U		130	5 U	5 U
	01/15/93		2.5 U	5 U	5 U	5 U			5 U	5 U	120	57	5 U	5 U			6.7	5 U	5 U	5 U	6.5		5 U	5 U	5 U	5 U	5 U	5 U		84	5 U	5 U
	04/20/93		0.5 U	1 U	1 U	1 U			1 U	1 U	100	29	1 U	1 U			1 U	1 U	1 U	1 U	1.5		11 B	1 U	1 U	1 U	1 U	1 U		12	1 U	1 U
	07/12/93		0.5 U	3.3	2.6	5.9			2.5 U	2.5 U	110	37	2.5 U	2.5 U			2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		4.5 B	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		16	2.5 U	2.5 U
	10/12/93		0.5 U	1 U	2.6	4.8			5 U	5 U	110	30	5 U	5 U			5 U	5 U	5 U	5 U	5 U		5 U	5 U	5 U	5 U	5 U	5 U		17	5 U	5 U
	01/11/94		0.5 U	1 U	1 U	1 U			2 U	2 U	120	28	2 U	2 U			2 U	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U	2 U		10	2 U	2 U
	04/12/94		0.5 U	1 U	1 U	1 U			2 U	2 U	68	26	2 U	2 U			2 U	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U	2 U		15	2 U	2 U
	07/18/94		0.5 U	1 U	1 U	1 U			2.5 U	2.5 U	180	82	2.5 U	2.5 U			2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		26	2.5 U	2.5 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																								
			Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-03	10/11/94		1.2	3.5	1.5	12			2.5 U	2.5 U	120	60	2.5 U	2.5 U			5.8	2.5 U	2.5 U	2.5 U	7.5		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		76	2.5 U	2.5 U
	01/17/95		0.5 U	1 U	1 U	1 U			4 U	4 U	140	53	4 U	4 U			5.1	4 U	4 U	4 U	6		4 U	4 U	4 U	4 U	4 U	4 U		72	4 U	4 U
	04/17/95		0.5 U	1 U	1.3	1 U			10 U	10 U	180	72	10 U	10 U			10 U	10 U	10 U	10 U	10 U		65.8	10 U	10 U	10 U	10 U	10 U		57	10 U	10 U
	07/11/95		0.5 U	2	5.2	8.8			5 U	5 U	91	35	5 U	5 U			5 U	5 U	5 U	5 U	5 U		5 U	5 U	5 U	5 U	5 U	5 U		9.5	5 U	5 U
	10/10/95		0.5 U	1 U	1.7	3.3			10 U	10 U	110	56	10 U	10 U			10 U	10 U	10 U	10 U	10 U		10 U	10 U	10 U	10 U	10 U	10 U		30	10 U	10 U
	01/30/96		0.5 U	1 U	1.8	5.2			2 U	2 U	56	27	2 U	2 U			3.3	2 U	2 U	2 U	3.3		2.5	2 U	2 U	2 U	2 U	2 U		26	2 U	2 U
	04/15/96		0.5 U	1 U	2.6	3.6			5 U	5 U	100	46	5 U	5 U			5 U	5 U	5 U	5 U	7		5 U	5 U	5 U	5 U	5 U	5 U		46	5 U	5 U
	07/16/96		0.5 U	1.8	9	12			2.5 U	2.5 U	50	23	2.5 U	2.5 U			2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		17	2.5 U	2.5 U
	10/08/96		0.5 U	1 U	5.4	6.2			2 U	2 U	46	31	2 U	2 U			2.3	2 U	2 U	2 U	2.4		2 U	2 U	2 U	2 U	2 U	2 U		21	2 U	2 U
	01/14/97		0.5 U	2.6	1.1	4.2			1 U	1 U	68	29	1 U	1 U			2.1	1 U	1 U	1 U	3.8		1 U	1 U	1 U	1 U	1 U	1 U		28	1 U	1 U
	04/15/97		0.5 U	4.3	2.1	3			1 U	1 U	40	22	1 U	1 U			1 U	1 U	1 U	1 U	1.7		1 U	1 U	1 U	7.1	1 U	1 U		13	1 U	1 U
	07/09/97		0.5 U	1 U	2.5	3.7			1 U	1 U	27	14	1 U	1 U			1.8	2.3	1 U	1 U	1.8		1 U	1 U	1 U	8.7	1 U	1 U		13	1 U	1 U
	10/15/97		0.57	1 U	1.7	1.2			1 U	1 U	34	21	1 U	1 U			2.6	1.3	1 U	1 U	3		1 U	1 U	1 U	3.6	1 U	1 U		24	1 U	1 U
	01/13/98		0.5 U	1 U	1.3	1 U			1 U	1 U	27	19	1 U	1 U			2	1 U	1 U	1 U	3.2		1 U	1 U	1 U	1.6	1 U	1 U		25	1 U	1 U
	04/22/98		0.5 U	1 U	1 U	1 U			1 U	1 U	30	22	1 U	1 U			1.8	1 U	1 U	1 U	2.9		1 U	1 U	1 U	1 U	1 U	1 U		18	1 U	1 U
	07/15/98		0.5 U	1 U	1 U	1 U			1 U	1 U	42	36	1 U	1 U			2.8	1 U	1 U	1 U	3.6		1 U	1 U	1 U	2.2	1 U	1 U		25	1 U	1 U
	10/20/98		0.5 U	1 U	1 U	1 U			1 U	1 U	52	40	1 U	1 U			2.4	1 U	1 U	1 U	3.4		1 U	1 U	1 U	2.6	1 U	1 U		24	1 U	1 U
	01/15/99		0.5 U	1 U	2.3	1 U			1 U	1 U	23	16	1 U	1 U			2.4	1 U	1 U	1 U	3.9		1 U	1 U	1 U	1.9	1 U	1 U		26	1 U	1 U
	04/15/99		1 U	1 U	1.1	2 U			1 U	1 U	38	24	2 U	2 U	1 U		1.4	1 U	1 U	1 U	2.7		1 U	1 U	1 U	1.6	1 U	1 U		21	2 U	2 U
	07/15/99		1 U	1 U	1.3	1 U			1 U	1 U	41	30	2 U	2 U	1 U		3.6	1 U	1 U	1 U	9		1 U	1 U	1 U	37	1.8	1 U		43	2 U	2 U
	10/15/99		5 U	5 U	200	10 U			5 U	5 U	61	39	10 U	10 U	5 U		15	14	5 U	5 U	23		5 U	5 U	5 U	5 U	5 U	5 U		170	10 U	10 U
	01/25/00		2.5 U	2.5 U	54	70			2.5 U	2.5 U	40	27	5 U	5 U	8		18	2.5 U	2.5 U	2.5 U	30		2.5 U	2.5 U	2.5 U	19	2.5 U	2.5 U		170	5 U	5 U
	04/15/00		2.5 U	2.5 U	65	2.5			2.5 U	2.5 U	65	41	5 U	5 U	2.5 U		18	6	2.5 U	2.5 U	30		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		170	5 U	5 U
	10/15/00		1 U	1 U	2	1 U			1 U	1 U	1 U	1.3	2 U	2 U	1.1		9.5	1 U	1 U	1 U	3.7		1 U	1 U	1 U	1 U	1 U	1 U		43	2 U	2 U
	04/15/01		2 U	2 U	12	3.1			2 U	2 U	48	42	4 U	4 U	2 U		17	6	2 U	2 U	24		2 U	2 U	2 U	5.4	2 U	2 U		150	4 U	4 U
	07/17/01		1 U	1 U	1 U	1 U			1 U	1 U	29	20	2 U	2 U	1 U		5.1	1 U	1 U	1 U	6		1 U	1 U	1 U	2.3	1 U	1 U		41	2 U	2 U
	10/17/01		5 U	5 U	5 U	5 U			5 U	5 U	39	35	10 U	10 U	5 U		35	5 U	5 U	5 U	35		5 U	5 U	5 U	5.1	5 U	5 U		290	10 U	10 U
	01/16/02		2.5 U	2.5 U	2.5 U	2.5 U			2.5 U	2.5 U	33	30	5 U	5 U	2.5 U		30	2.5 U	2.5 U	2.5 U	28		2.5 U	2.5 U	2.5 U	5.6	2.5 U	2.5 U		220	5 U	5 U
	04/16/02		5 U	5 U	5 U	10 U			5 U	5 U	36	38	10 U	10 U	5 U		44	5 U	5 U	5 U	35		5 U	5 U	5 U	5 U	5 U	5 U		280	10 U	10 U
	07/24/02		5 U	5 U	5 U	10 U			5 U	5 U	28	31	10 U	10 U	5 U		34	5 U	5 U	5 U	36		5 U	5 U	5 U	5.5	5 U	5 U		260	10 U	10 U
	10/22/02		10 U	10 U	63	700			10 U	10 U	10 U	13	20 U	20 U	10 U		17	25	10 U	10 U	30		10 U	10 U	10 U	10 U	10 U	10 U		190	20 U	20 U
	01/08/03		1.6	2 U	2 U	2.3	2 U	2 U	2 U	2 U	22	27	2 U	2 U	2 U	2 U	32	15	2 U	2 U	46	10 U	10 U	2 U	2 U	5.6	2 U	2 U	2 U	250	2 U	1 U
	04/23/03		1 U	2 U	2 U	4 U	2 U	2 U	2 U	2 U	46	47	2 U	2 U	2 U	2 U	34	3.8	2 U	2 U	34	10 U	10 U	2 U	2 U	8.3	2 U	2 U	2 U	190	2 U	1 U
	07/29/03		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	70	72	5 U	5 U	5 U	5 U	37	6	5 U	5 U	34	25 U	25 U	5 U	5 U	11	5 U	5 U	5 U	280	5 U	2.5 U
	10/21/03		2.5	1 U	1600	209	11	1 U	1 U	1 U	17	18	1 U	1 U	12	1 U	19	9	1 U	1 U	18	5 U	5 U	1 U	1 U	4	1 U	1 U	1 U	110	1 U	0.5 U
	01/21/04		1.8	1 U	60	2 U	1.4	1 U	1 U	1 U	25	24	1 U	1 U	18	1 U	34	76	1 U	1 U	33	5 U	5 U	1 U	1 U	4.1	1 U	1 U	1 U	200	1 U	0.5 U
	04/20/04		1.2	1 U	1 U	2 U	1 U	1 U	1 U	1 U	49	32	1 U	1 U	9.6	1 U	29	40	1 U	1 U	31	5 U	5 U	1 U	1 U	5.1	1 U	1 U	1 U	180	1 U	0.5 U
	07/20/04		0.74	1 U	1 U	2 U	1 U	1 U	1 U	1	47	39	1 U	1 U	6.5	1 U	35	45	1 U	1 U	30	5 U	5 U	1 U	1 U	4.9	1 U	1 U	1 U	200	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1.7	48	54	1 U	1 U	6	1 U	39	16	1 U	1 U	24	5 U	5 U	1 U	1 U	6.6	1 U	1 U	1 U	190	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	3.9	4.3	1 U	1 U	1.7	1 U	7.6	19	1 U	1 U	6	5 U	5 U	1 U	1 U	3.8	1 U	1 U	1 U	60	1 U	0.5 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs: Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	Chlorinated VOCs: 1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-03	04/26/05		0.66	1 U	1 U	2	1 U	1 U	1 U	1 U	27	28	1 U	1 U	1 U	1 U	7.8	120	1 U	1 U	7.6	5 U	5 U	1 U	1 U	4.1	1 U	1 U	1 U	61	1 U	0.5 U
	07/26/05		0.56	1 U	1 U	2 U	1 U	1 U	1 U	1 U	72	66	1 U	1 U	1	1 U	15	46	1 U	1 U	11	5 U	5 U	1 U	1 U	8.6	1 U	1 U	1 U	100	1 U	0.5 U
MW-04	01/15/89		0.5 U	10	15				0.2 U	0.2 U	0.2 U	3.7	0.2 U	0.2 U			36	20	0.2 U	0.2 U	22	0.2 U	14	0.2 U	0.2 U	1.6	0.68	0.2 U		120	0.2 U	0.2 U
	01/15/89	K	5 U	12	90	55			5 U	5 U	5 U	5 U	5 U	5 U			49	18	5 U	5 U	18	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U	5 U	5 U
	04/15/89		5 U	23	15	50			5 U	5 U	5 U	12	5 U	5 U			92	5 U	5 U	5 U	55	5 U	94	5 U	5 U	5 U	5 U	5 U		28	5 U	5 U
	04/15/89	K	5 U	14	9	43			5 U	5 U	5 U	25	5 U	5 U		5 U	74	58	5 U	5 U	54	5 U	5 U	5 U	5 U	5 U	5 U	5 U		210	5 U	5 U
	07/15/89		14 U	20 U	140	40			20 U	20 U	20 U	20 U	20 U	20 U			80	120	20 U	20 U	50		170	20 U	20 U	20 U	20 U	20 U		290	20 U	20 U
	07/15/89	K	14 U	20	130	45			20 U	20 U	20 U	20 U	20 U	20 U			80	120	20 U	20 U	50		170	20 U	20 U	20 U	20 U	20 U		290	20 U	20 U
	10/15/89		5 U	10 U	10 U	10 U			10 U	10 U	10 U	10	10 U	10 U			100	70	10 U	10 U	60		30	20	10 U	10 U	10	10 U		250	10 U	10 U
	10/15/89	K	6	20	10 U	20			10 U	10 U	10 U	10	10 U	10 U			100	80	10 U	10 U	60		30	20	10 U	10 U	10	10 U		250	10 U	10 U
	01/24/90		12 U	12 U	12 U	25 U			5 U	12 U	5 U	5.1	5 U	5 U			72	100	12 U	12 U	33	5 U	74		5 U	5 U	5 U	5 U		220	50 U	5 U
	01/24/90	K	12 U	1.1 U	12 U	25 U			5 U	12 U	5 U	5.2	5 U	5 U			74	100	12 U	12 U	40	5 U	74		5 U	5 U	5 U	5 U		240	50 U	5 U
	04/11/90		10 U	10 U	10 U	20 U			4 U	10 U	4 U	6	4 U	4 U			67	140	10 U	10 U	35	4 U	54		4 U	4 U	4 U	4 U		280	40 U	4 U
	04/11/90	K	10 U	10 U	10 U	20 U			4 U	10 U	4 U	6.4	4 U	4 U			78	160	10 U	10 U	45	4 U	58		4 U	4 U	4 U	4 U		320	40 U	4 U
	07/15/90		50 U	50 U	1600	170			20 U	50 U	20 U	20 U	20 U	20 U	20 U		65	260	50 U	50 U	43	20 U	200 U	20 U	20 U	20 U	20 U	20 U		320	200 U	20 U
	07/15/90	K	25 U	25 U	740	250			10 U	25 U	10 U	12	10 U	10 U	10 U		110	260	25 U	25 U	76	10 U	100 U	10 U	10 U	10 U	10 U	10 U		400	100 U	10 U
	10/15/90		0.5 U	17	230	650		10 U	13 U	13 U	13 U	13 U	25 U	25 U		25 U	80	360	10 U	10 U	54	50 U	38	13 U	13 U	13 U	13 U	13 U	10 U	250	13 U	25 U
	10/15/90	K	13 U	17	220	640		10 U	13 U	13 U	13 U	13 U	25 U	25 U		25 U	76	350	10 U	10 U	51	50 U	39	13 U	13 U	13 U	13 U	13 U	10 U	250	13 U	25 U
	01/15/91		0.5 U	1 U	1 U	1					1 U	1 U					57	190			1 U		1 U		1 U	1 U				180		
	04/15/91		10 U	20 U	730	880			10 U	10 U	10 U	10 U	10 U	10 U			40	180	10 U	10 U	21		43	10 U	10 U	10 U	10 U	10 U		170	10 U	10 U
	07/15/91		0.5 U	16000	6700	18000			10 U	10 U	10 U	12	10 U	10 U			66	95	10 U	10 U	40		94	10 U	10 U	10 U	10 U	10 U		190	10 U	10 U
	07/15/91	K	250 U	6800	16000	19000			10 U	10 U	10 U	13	10 U	10 U			70	98	10 U	10 U	39		10 U	10 U	10 U	10 U	10 U	10 U		200	10 U	10 U
	10/21/91		1000 U	6900	4100	10000			400 U	1000 U	400 U	400 U	400 U	400 U	400 U		400 U	400 U	1000 U	1000 U	400 U	2000 U	4000 U	400 U	400 U	400 U	400 U	400 U		400 U	4000 U	400 U
	01/15/92		250 U	18000	10000	17200	250 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	500 U	1300 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U
	01/15/92	K	250 U	18000	10000	16200	250 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	500 U	1300 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U
	04/15/92		6.7	7.2	960	1010	5 U	5 U	5 U	5 U	5 U	15	5 U	5 U	24	5 U	120	49	5 U	5 U	57	5 U	18	5 U	5 U	5 U	5 U	5 U	5 U	280	5 U	5 U
	04/15/92	K	12 U	12 U	1100	1010	21	12 U	12 U	12 U	12 U	17	12 U	12 U	25	12 U	140	57	12 U	12 U	77	12 U	56	12 U	12 U	12 U	12 U	12 U	12 U	350	12 U	12 U
	07/15/92		5 U	10 U	200	280			10 U	10 U	10 U	12	10 U	10 U			74	32	10 U	10 U	53		61	10 U	10 U	10 U	10 U	10 U		280	10 U	10 U
	07/15/92	K	5 U	10 U	200	260			10 U	10 U	10 U	12	10 U	10 U			74	30	10 U	10 U	51		57	10 U	10 U	10 U	10 U	10 U		250	10 U	10 U
	10/15/92		7.1	1 U	1300	230			10 U	10 U	1 U	1 U	10 U	10 U			48	18	10 U	10 U	32		26	1 U	10 U	1 U	1 U	10 U		230	10 U	10 U
	10/15/92	K	7.1	1 U	1200	200			10 U	10 U	1 U	1 U	10 U	10 U			53	18	10 U	10 U	37		28	1 U	10 U	1 U	1 U	10 U		260	10 U	10 U
	01/15/93		130 U	10000	10000	19000			250 U	250 U	250 U	250 U	250 U	250 U			250 U	250 U	250 U	250 U	250 U		250 U	250 U	250 U	250 U	250 U	250 U		250 U	250 U	250 U
	01/15/93	K	130 U	11000	11000	20000			250 U	250 U	250 U	250 U	250 U	250 U			250 U	250 U	250 U	250 U	250 U		250 U	250 U	250 U	250 U	250 U	250 U		250 U	250 U	250 U
	04/20/93		0.5 U	1 U	88	13			1 U	1 U	1 U	1 U	1 U	1 U			4.2	11	1 U	1 U	3.9		3.8 B	1 U	1 U	1 U	1 U	1 U		25	1 U	1 U
	04/20/93	K	0.5 U	1 U	85	15			1 U	1 U	1 U	1 U	1 U	1 U			4	11	1 U	1 U	3.4		8.4 B	1 U	1 U	1 U	1 U	1 U		21	1 U	1 U
	07/13/93		0.6	2	1.8	11			2.5 U	2.5 U	2.5 U	2.6	2.5 U	2.5 U			29	9	2.5 U	2.5 U	23		17 B	3.3	2.5 U	2.5 U	2.5 U	2.5 U		100	2.5 U	2.5 U
	07/13/93	K	0.55	1.7	1.5	9.9			2 U	2 U	2 U	3	2 U	2 U			29	9.6	2 U	2 U	24		20 B	4	2 U	2 U	2 U	2 U		100	2 U	2 U
	10/13/93		1.3	1 U	1 U	40			10 U	10 U	10 U	11	10 U	10 U			65	13	10 U	10 U	55		59	10 U	10 U	10 U	10 U	10 U		290	10 U	10 U
	10/14/93	K	5 U	10 U	320	10 U			1 U	1 U	1 U	1 U	1 U	1 U			24	8	1 U	1 U	4.8		1 U	1 U	1 U	1 U	1 U	1 U		21	1 U	1 U
	01/11/94		0.81	1 U	8.3	14			5 U	5 U	5 U	5 U	5 U	5 U			42	5 U	5 U	5 U	43		23 B	5 U	5 U	5 U	5 U	5 U		130	5 U	5 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs: Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	Chlorinated VOCs: BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-04	01/11/94	K	1	1 U	7.2	20			5 U	5 U	5 U	5 U	5 U	5 U			52	5 U	5 U	5 U	56		30	5 U	5 U	5 U	5 U	5 U		180	5 U	5 U
	04/13/94		0.5 U	1 U	4	6.5			5 U	5 U	5 U	5 U	5 U	5 U			42	5 U	5 U	5 U	33		19	5 U	5 U	5 U	5 U	5 U		190	5 U	5 U
	04/13/94	K	0.5 U	1 U	3.2	6.4			5 U	5 U	5 U	5 U	5 U	5 U			42	5 U	5 U	5 U	32		20	5 U	5 U	5 U	5 U	5 U		190	5 U	5 U
	07/19/94		0.58	1 U	1 U	4.2			10 U	10 U	10 U	10 U	10 U	10 U			68	10 U	10 U	10 U	59		33 B	10 U	10 U	10 U	10 U	10 U		340	10 U	10 U
	07/19/94	K	0.59	1 U	1 U	3.6			10 U	10 U	10 U	10 U	10 U	10 U			67	10 U	10 U	10 U	60		34	10 U	10 U	10 U	10 U	10 U		340	10 U	10 U
	10/11/94		5 U	10 U	270	39			10 U	10 U	10 U	21	10 U	10 U			110	10 U	10 U	10 U	78		97	10 U	10 U	10 U	10 U	10 U		390	10 U	10 U
	10/11/94	K	5 U	10 U	320	46			10 U	10 U	10 U	20	10 U	10 U			120	10 U	10 U	10 U	86		100	10 U	10 U	10 U	10 U	10 U		420	10 U	10 U
	01/18/95		5 U	10 U	350	130			10 U	10 U	10 U	10 U	10 U	10 U			51	10 U	10 U	10 U	37		21 B	10 U	10 U	10 U	10 U	10 U		190	10 U	10 U
	01/18/95	K	5 U	10 U	360	120			10 U	10 U	10 U	10 U	10 U	10 U			51	10 U	10 U	10 U	37		20 B	10 U	10 U	10 U	10 U	10 U		190	10 U	10 U
	04/18/95		100 U	1600	1700	2900			10 U	10 U	10 U	10 U	10 U	10 U			32	10 U	10 U	10 U	15		34 B	10 U	10 U	10 U	10 U	10 U		67	10 U	10 U
	04/18/95	K	100 U	1400	1500	2600			10 U	10 U	10 U	10 U	10 U	10 U			31	10 U	10 U	10 U	15		41 B	10 U	10 U	10 U	10 U	10 U		61	10 U	10 U
	07/12/95		10 U	270	260	890			5 U	5 U	5 U	5 U	5 U	5 U			27	6.3	5 U	5 U	17		19 B	5 U	5 U	5 U	5 U	5 U		90	5 U	5 U
	07/12/95	K	10 U	410	380	1300			10 U	10 U	10 U	10 U	10 U	10 U			27	10 U	10 U	10 U	17		20 B	10 U	10 U	10 U	10 U	10 U		94	10 U	10 U
	10/10/95		2.5 U	5 U	75	21			10 U	10 U	10 U	10 U	10 U	10 U			59	10 U	10 U	10 U	34		42	10 U	10 U	10 U	10 U	10 U		150	10 U	10 U
	10/10/95	K	2.5 U	5 U	79	23			10 U	10 U	10 U	10 U	10 U	10 U			61	10 U	10 U	10 U	36		42	10 U	10 U	10 U	10 U	10 U		160	10 U	10 U
	01/31/96		50 U	100 U	2100	1400			10 U	10 U	10 U	10 U	10 U	10 U			46	14	10 U	10 U	25		26	10 U	10 U	10 U	10 U	10 U		160	10 U	10 U
	01/31/96	K	50 U	120	2800	1800			10 U	10 U	10 U	10 U	10 U	10 U			52	19	10 U	10 U	28		30	10 U	10 U	10 U	10 U	10 U		150	10 U	10 U
	04/16/96		25 U	680	1300	1400			10 U	10 U	10 U	10 U	10 U	10 U			52	15	10 U	10 U	39		31	10 U	10 U	10 U	10 U	10 U		130	10 U	10 U
	04/16/96	K	25 U	600	1100	1200			10 U	10 U	10 U	10 U	10 U	10 U			86	16	10 U	10 U	46		35	10 U	10 U	10 U	10 U	10 U		150	10 U	10 U
	07/16/96		50 U	100 U	1000	270			10 U	10 U	10 U	10 U	10 U	10 U			46	10 U	10 U	10 U	32		31	10 U	10 U	10 U	10 U	10 U		140	10 U	10 U
	07/16/96	K	0.5 U	1 U	1000	250			10 U	10 U	10 U	10 U	10 U	10 U			44	10 U	10 U	10 U	30		29	10 U	10 U	10 U	10 U	10 U		130	10 U	10 U
	10/09/96		50 U	380	1100	1900			20 U	20 U	20 U	22	20 U	20 U			100	20 U	20 U	20 U	48		110	20 U	20 U	20 U	20 U	20 U		310	20 U	20 U
	10/09/96	K	50 U	370	1100	1900			20 U	20 U	20 U	24	20 U	20 U			110	20 U	20 U	20 U	27		110	20 U	20 U	20 U	20 U	20 U		330	20 U	20 U
	01/14/97		6.2 U	12 U	1100	12 U			12 U	12 U	12 U	12 U	12 U	12 U			130	36	12 U	12 U	76		56	12 U	12 U	12 U	12 U	12 U		330	12 U	12 U
	01/14/97	K	6.2 U	12 U	970	12 U			12 U	12 U	12 U	12 U	12 U	12 U			130	34	12 U	12 U	69		56	12 U	12 U	12 U	12 U	12 U		290	12 U	12 U
	04/16/97		12 U	35	1300	620			25 U	25 U	25 U	25 U	25 U	25 U			67	25 U	25 U	25 U	32		31	25 U	25 U	25 U	25 U	25 U		150	25 U	25 U
	04/16/97	K	12 U	34	1300	580			25 U	25 U	25 U	25 U	25 U	25 U			62	25 U	25 U	25 U	30		29	25 U	25 U	25 U	25 U	25 U		150	25 U	25 U
	07/09/97		5 U	10 U	810	110			10 U	10 U	10 U	10 U	10 U	10 U			42	10 U	10 U	10 U	32		35	10 U	10 U	10 U	10 U	10 U		150	10 U	10 U
	07/09/97	K	5 U	10 U	860	120			10 U	10 U	10 U	10 U	10 U	10 U			42	10 U	10 U	10 U	33		36	10 U	10 U	10 U	10 U	10 U		160	10 U	10 U
	10/16/97		5 U	10 U	460	31			10 U	10 U	10 U	27	10 U	10 U			140	12	10 U	10 U	69		140	10 U	10 U	10 U	10 U	10 U		230	10 U	10 U
	10/16/97	K	5 U	10 U	430	76			10 U	10 U	10 U	26	10 U	10 U			140	12	10 U	10 U	64		140	10 U	10 U	10 U	10 U	10 U		220	10 U	10 U
	01/14/98		5 U	10 U	530	420			10 U	10 U	10 U	10 U	10 U	10 U			72	61	10 U	10 U	42		46	10 U	10 U	10 U	10 U	10 U		180	10 U	10 U
	01/14/98	K	2.5 U	5 U	480	390			5 U	5 U	5 U	9.2	5 U	5 U			67	58	5 U	5 U	43		44	5 U	5 U	5 U	5 U	5 U		170	5 U	5 U
	04/22/98		2.9	5 U	320	5 U			5 U	5 U	5 U	5 U	5 U	5 U			37	110	5 U	5 U	25		17	5 U	5 U	5 U	5 U	5 U		92	5 U	5 U
	04/22/98	K	2.8	5 U	300	5 U			5 U	5 U	5 U	5 U	5 U	5 U			35	100	5 U	5 U	24		16	5 U	5 U	5 U	5 U	5 U		88	5 U	5 U
	07/15/98		12 U	25 U	1200	300			25 U	25 U	25 U	25 U	25 U	25 U			28	25 U	25 U	25 U	25 U		28	25 U	25 U	25 U	25 U	25 U		120	25 U	25 U
	07/15/98	K	12 U	25 U	1300	320			25 U	25 U	25 U	25 U	25 U	25 U			31	25 U	25 U	25 U	27		29	25 U	25 U	25 U	25 U	25 U		120	25 U	25 U
	10/21/98		6.2 U	12 U	740	240			12 U	12 U	12 U	12	12 U	12 U			64	22	12 U	12 U	29		52	12 U	12 U	12 U	12 U	12 U		120	12 U	12 U
	10/21/98	K	6.2 U	12 U	740	240			12 U	12 U	12 U	13	12 U	12 U			66	23	12 U	12 U	29		56	12 U	12 U	12 U	12 U	12 U		130	12 U	12 U
	01/15/99		5 U	10 U	520	31			10 U	10 U	10 U	35	10 U	10 U			140	33	10 U	10 U	60		140	10 U	10 U	10 U	10 U	10 U		260	10 U	10 U

Table B-2
PhibroTech, Inc.
Historical Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																						
			Benzene	Toluene	Ethyl-benzene	Xylenes, Total	Isopropyl-benzene	Naphthalene	BDCM	Chloro benzene	CCl4	CFM	Chloro-ethane	Chloro-methane	cis-1,2-DCE	1,2-DBE	1,1-DCA	1,2-DCA	1,2-DCB	1,3-DCB	1,1-DCE	DCFM	MCL	trans-1,2-DCE	1,1,2,2-PCA	PCE	1,1,1-TCA	1,1,2-TCA	1,2,4-TCB	TCE	TFM	Vinyl chloride
MW-04	01/15/99	K	3.5 U	2.5 U	520 U	9.9 U			10 U	10 U	10 U	42	10 U	10 U			170	40	10 U	10 U	71		200	10 U	10 U	10 U	10 U	10 U		260 U	10 U	10 U
	04/15/99		3.5	2.5 U	220	9.9			2.5 U	2.5 U	2.5 U	10	5 U	5 U	68		64	66	2.5 U	2.5 U	40		36	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		190	5 U	5 U
	04/15/99	K	3.6	2.5 U	230	7.5			2.5 U	2.5 U	2.5 U	10	5 U	5 U	68		66	68	2.5 U	2.5 U	43		37	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		190	5 U	5 U
	07/15/99		10 U	10 U	670	67			10 U	10 U	10 U	10 U	20 U	20 U	100		58	87	10 U	10 U	36		38	10 U	10 U	10 U	10 U	10 U		140	20 U	20 U
	07/15/99	K	10 U	10 U	500	60			10 U	10 U	10 U	11	20 U	20 U	120		68	77	10 U	10 U	42		46	10 U	10 U	12	10 U	10 U		150	20 U	20 U
	10/15/99		5 U	5 U	92	11			5 U	5 U	5 U	25	10 U	10 U	160		170	85	5 U	5 U	82		130	5 U	5 U	5 U	5 U	5 U		210	10 U	10 U
	10/15/99	K	5 U	5 U	80	13			5 U	5 U	5 U	30	10 U	10 U	170		190	74	5 U	5 U	88		150	5.4	5 U	5 U	5 U	5 U		220	10 U	10 U
	01/27/00		5.1	2.5 U	2.5 U	6			2.5 U	2.5 U	2.5 U	18	5 U	5 U	170		160	18	2.5 U	2.5 U	85		100	4.9	2.5 U	8.8	2.5 U	2.5 U		160	5 U	5 U
	01/27/00	K	5	2.5 U	2.5 U	6			2.5 U	2.5 U	2.5 U	18	5 U	5 U	170		160	18	2.5 U	2.5 U	84		100	4.7	2.5 U	8.7	2.5 U	2.5 U		160	5 U	5 U
	04/15/00		5 U	5 U	46	8.6			5 U	5 U	5 U	13	10 U	10 U	130		170	94	5 U	5 U	98		53	5 U	5 U	5 U	5 U	5 U		240	10 U	10 U
	04/15/00	K	5 U	5 U	43	9.5			5 U	5 U	5 U	15	10 U	10 U	140		190	100	5 U	5 U	110		60	5 U	5 U	5 U	5 U	5 U		270	10 U	10 U
	10/15/00		50 U	50 U	2500	50 U			50 U	50 U	50 U	50 U	100 U	100 U	130		74	99	50 U	50 U	1 U		50 U	50 U	50 U	50 U	50 U	50 U		170	100 U	100 U
	10/15/00	K	50 U	50 U	2400	50 U			50 U	50 U	50 U	50 U	100 U	100 U	130		80	100	50 U	50 U	1 U		50 U	50 U	50 U	50 U	50 U	50 U		180	100 U	100 U
	04/15/01		50 U	120	3100	830			50 U	50 U	50 U	50 U	100 U	100 U	100		58	50 U	50 U	50 U	50 U		50 U	50 U	50 U	50 U	50 U	50 U		150	100 U	100 U
	04/15/01	K	50 U	120	3000	830			50 U	50 U	50 U	50 U	100 U	100 U	110		57	50 U	50 U	50 U	50 U		50 U	50 U	50 U	50 U	50 U	50 U		150	100 U	100 U
	07/18/01		50 U	50 U	2400	50 U			50 U	50 U	50 U	50 U	100 U	100 U	50 U		50 U	50 U	50 U	50 U	50 U		50 U	50 U	50 U	50 U	50 U	50 U		74	100 U	100 U
	07/18/01	K	50 U	50 U	2400	50 U			50 U	50 U	50 U	50 U	100 U	100 U	50 U		50 U	50 U	50 U	50 U	50 U		50 U	50 U	50 U	50 U	50 U	50 U		76	100 U	100 U
	10/18/01		50 U	50 U	3700	50 U			50 U	50 U	50 U	50 U	100 U	100 U	65		73	50 U	50 U	50 U	50 U		50 U	50 U	50 U	50 U	50 U	50 U		170	100 U	100 U
	10/18/01	K	50 U	50 U	2800	50 U			50 U	50 U	50 U	50 U	100 U	100 U	81		90	50 U	50 U	50 U	50 U		59	50 U	50 U	50 U	50 U	50 U		220	100 U	100 U
	01/17/02		10 U	10 U	660	10 U			10 U	10 U	10 U	10 U	20 U	20 U	63		55	160	10 U	10 U	31		20	10 U	10 U	10 U	10 U	10 U		130	20 U	20 U
	01/17/02	K	10 U	10 U	720	10 U			10 U	10 U	10 U	10 U	20 U	20 U	70		58	160	10 U	10 U	32		24	10 U	10 U	10 U	10 U	10 U		140	20 U	20 U
	04/18/02		50 U	50 U	2200	170			50 U	50 U	50 U	50 U	100 U	100 U	86		100	50 U	50 U	50 U	57		58	50 U	50 U	50 U	50 U	50 U		260	100 U	100 U
	04/18/02	K	50 U	50 U	1900	160			50 U	50 U	50 U	50 U	100 U	100 U	84		100	50 U	50 U	50 U	65		60	50 U	50 U	50 U	50 U	50 U		260	100 U	100 U
	07/25/02		7.7	5 U	220	328			5 U	5 U	5 U	18	10 U	10 U	210		180	32	5 U	5 U	110		85	5 U	5 U	5 U	5 U	5 U		210	10 U	10 U
	07/25/02	K	7.6	5 U	200	317			5 U	5 U	5 U	18	10 U	10 U	200		170	32	5 U	5 U	110		84	5 U	5 U	5 U	5 U	5 U		210	10 U	10 U
	10/23/02		12 U	12 U	820	1650		10 U	12 U	12 U	12 U	20	25 U	25 U	240		200	31	12 U	12 U	76		87	12 U	12 U	12 U	12 U	12 U	10 U	130	25 U	25 U
	10/23/02	K	12 U	12 U	880	1760		10 U	12 U	12 U	12 U	21	25 U	25 U	250		210	28	12 U	12 U	82		90	12 U	12 U	12 U	12 U	12 U	10 U	140	25 U	25 U
	12/30/02		3.8	0.37 J	51	81			2.5 U	1.5 J	2.5 U	8.1	0.47 J	2.5 U	130 E	2.5 U	110	67	2.5 U	2.5 U	45	2.5 U	30	2.3 J	2.5 U	1.9 J	2.5 U	2.5 U		85	2.5 U	0.39 J
	12/30/02	K	3.8 J	0.4 J	49	78			5 U	1.6 J	5 U	9.7	5 U	5 U	140	5 U	120	64	5 U	5 U	48	5 U	36	2.8 J	5 U	2.1 J	5 U	5 U		99	5 U	0.34 J
	04/25/03		5.6	5 U	540	31	6.4	5 U	5 U	5 U	2.5 U	17	5 U	5 U	210	5 U	150	150	5 U	5 U	83	25 U	68	5 U	5 U	5 U	5 U	5 U	5 U	130	5 U	2.5 U
	04/25/03	K	5.6	5 U	500	28.4	5.8	5 U	5 U	5 U	2.5 U	18	5 U	5 U	220	5 U	150	160	5 U	5 U	83	25 U	75	5 U	5 U	5 U	5 U	5 U	5 U	140	5 U	2.5 U
	07/30/03		5.8	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	25	5 U	5 U	230	5 U	160	56	5 U	5 U	78	25 U	96	5 U	5 U	5 U	5 U	5 U	5 U	140	5 U	2.5 U
	07/30/03	K	7	10 U	10 U	20 U	10 U	10 U	10 U	10 U	5 U	25	10 U	10 U	250	10 U	170	59	10 U	10 U	80	50 U	100	10 U	10 U	10 U	10 U	10 U	10 U	150	10 U	5 U
	10/23/03		20 U	20 U	410	40 U		10 U	20 U	20 U	50 U	20 U	50 U	50 U	160		150	53	20 U	20 U	65	50 U	61	20 U	20 U	20 U	20 U	20 U	10 U	140	50 U	50 U
	10/23/03	K	8 U	8 U	390	16 U		10 U	8 U	8 U	20 U	13	20 U	20 U	180		160	55	8 U	8 U	73	20 U	58	8 U	8 U	8 U	8 U	8 U	10 U	150	20 U	20 U
	01/23/04		5.7	4 U	200	9.6	21	4 U	4 U	4 U	2 U	16	4 U	4 U	170	4 U	200	120	4 U	4 U	74	20 U	73	4 U	4 U	4 U	4 U	4 U	4 U	190	4 U	2 U
	01/23/04	K	6.3	2.5 U	210	13	25	2.5 U	2.5 U	3.2	1.2 U	16	2.5 U	2.5 U	150	2.5 U	190	140	2.5 U	2.5 U	76	12 U	67	3.4	2.5 U	3	2.5 U	2.5 U	2.5 U	200	2.5 U	1.2 U
	04/21/04		3.3	4 U	4 U	8 U	4.3	4 U	4 U	4 U	2 U	14	4 U	4 U	110	4 U	180	140	4 U	4 U	99	20 U	70	4 U	4 U	4 U	4 U	4 U	4 U	330	4 U	2 U
	04/21/04	K	3.3	2.5 U	2.5 U	5 U	4.4	2.5 U	2.5 U	3.1	1.2 U	14	2.5 U	2.5 U	110	2.5 U	180	160	2.5 U	2.5 U	99	12 U	70	3	2.5 U	3.9	2.5 U	2.5 U	2.5 U	330	2.5 U	1.2 U
	07/21/04		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	14	5 U	5 U	83	5 U	190	100	5 U	5 U	91	25 U	61	5 U	5 U	5 U	5 U	5 U	5 U	310	5 U	2.5 U

Table 2
Groundwater Analytical Results, Volatile Organic Compounds
Los Nietos Business Center
Santa Fe Springs, California

		Chemicals of Concern (Micrograms Per Liter)										
Monitoring Well No	Date	CTC	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	trans-1,2-DCE	cis-1,2-DCE	1,2-DCP	PCE	1,1,1-TCA	TCE
MW-1	Apr-96	ND	0.61	21	ND	11	ND	ND	ND	6.3	4.2	32
	Jul-99	ND	ND	2.6	ND	18.6	ND	ND	--	11.8	ND	11.3
	Sep-99	ND	1.4	3.4	ND	25.6	ND	ND	ND	11.4	1.9	10.9
	Dec-99	ND	12	61	ND	1,030	ND	12	172	ND	29	151
	Mar-00	0.59	1.7	7.4	0.53	81	ND	1.7	29	6.3	3.2	24
	Jun-00	ND	ND	ND	ND	4.9	ND	ND	ND	1.5	ND	4.3
	Mar-01	0.95	2.2	8.6	ND	23	ND	ND	2.3	11	1.2	21
	Jun-02	0.87	1.7	7.6	ND	17	ND	ND	ND	30	ND	49
	Sep-03	0.94	3.9	180	1.9	330	ND	2.4	2.5	19	2.7	32
MW-2	Apr-96	ND	0.91	ND	ND	1.1	ND	ND	--	15	ND	7.7
	Jul-99	ND	1.0	2.2	6.8	ND	ND	1.4	--	10.1	ND	5.5
	Sep-99	ND	ND	4.6	6.2	2.5	ND	2.3	--	15.9	ND	7.7
	Dec-99	1.2	7.3	11.4	13.8	6.9	ND	3.7	ND	15.4	ND	18.9
	Mar-00	2.2	11	4.9	4.1	2.9	ND	1.2	ND	15	ND	16
	Jun-00	ND	1.6	7.1	17	3.1	ND	2.9	ND	14	ND	13
	Mar-01	ND	3.5	8.8	18	3.3	ND	4.0	ND	11	ND	17
	Jun-02	ND	1.7	7.1	20	1.9	ND	3.5	ND	5.5	ND	14
	Sep-03	ND	2.0	9.6	22	2.0	ND	2.7	ND	3.2	ND	13
MW-3	Apr-96	ND	ND	ND	ND	ND	ND	ND	--	1.4	ND	2.6
	Jul-99	ND	ND	ND	ND	ND	ND	ND	--	ND	ND	ND
	Sep-99	ND	ND	ND	ND	ND	ND	ND	--	ND	ND	ND
	Dec-99	ND	ND	3.8	ND	4.9	ND	ND	ND	2.3	ND	3.2
	Mar-00	ND	ND	1.6	ND	1.7	ND	ND	ND	1.6	ND	3.5
	Jun-00	ND	ND	2.7	0.52	3.2	ND	ND	ND	2.2	ND	5.8
	Mar-01	ND	ND	1.5	ND	1.1	ND	ND	ND	1.6	ND	7.0
	Jun-02	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND	4.3
	Sep-03	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	14
MW-4	Apr-96	5.1	15	33	17	13	0.51	10	--	18	ND	74
	Jul-99	ND	2.4	3.0	ND	1.6	ND	ND	--	8.7	ND	12.2
	Sep-99	ND	4.4	4.3	3.9	3.1	ND	1.1	--	17.5	ND	13.2
	Dec-99	ND	7.2	4.7	2.3	3.2	ND	1.0	ND	11.1	ND	12.7
	Mar-00	0.58	4.8	3.5	1.8	3.6	ND	ND	ND	8.1	ND	12
	Jun-00	0.56	4.9	5.5	8.9	1.4	ND	1.5	ND	5.3	ND	13
	Mar-01	ND	7.8	20	26	5.0	ND	6.4	ND	4.9	ND	32
	Jun-02	3.0	15	10	13	3.7	ND	3.3	ND	4.7	ND	38
	Sep-03	0.84	7.9	4.8	2.5	1.7	ND	1.0	ND	3.0	ND	20
MW-5	Apr-96	ND	0.76	ND	ND	ND	ND	ND	--	82	ND	78
	Jul-99	ND	ND	ND	ND	2.1	ND	ND	--	73.8	ND	5.0
	Sep-99	ND	ND	ND	ND	2.0	ND	ND	--	81.1	ND	4.8
	Dec-99	ND	ND	ND	ND	2.1	ND	ND	ND	89.5	--	8.3
	Mar-00	ND	ND	ND	ND	2.3	ND	ND	ND	91	ND	7.0
	Jun-00	ND	ND	ND	ND	3.0	ND	ND	ND	97	ND	6.0
	Mar-01	ND	ND	ND	ND	2.4	ND	ND	ND	110	ND	7.4
	Jun-02	ND	ND	ND	ND	1.1	ND	ND	ND	60	ND	4.3
	Sep-03	ND	ND	ND	ND	ND	ND	ND	ND	41	ND	7.3
MW-6	Sep-99	ND	ND	ND	ND	ND	1.9	ND	--	68.2	ND	6.9
	Dec-99	ND	ND	ND	ND	2.1	ND	ND	ND	70.3	ND	12.9
	Mar-00	ND	ND	ND	ND	2.1	ND	ND	ND	69	ND	9.5
	Jun-00	ND	ND	ND	ND	ND	ND	ND	ND	45	ND	5.5
	Mar-01	ND	ND	ND	ND	1.7	ND	ND	ND	49	ND	7.5
	Jun-02	ND	ND	ND	ND	ND	ND	2.0	ND	41	ND	18
	Sep-03	--	--	--	--	--	--	--	--	--	--	--
Ca MCL		0.5	100	5	0.5	6.0	10	6.0	5.0	5.0	200	5.0

Notes and Abbreviations:
CTC - Carbon Tetrachloride
1,1-DCA - 1,1-dichloroethane
1,2-DCA - 1,2-dichloroethane
1,1-DCE - 1,1-dichloroethene
trans-1,1-DCE - trans-1,1-dichloroethene
cis-1,2,-DCE - cis-1,2-dichloroethene
1,2-DCP - 1,2-dichloropropane
PCE - tetrachloroethene
1,1,1-TCA - 1,1,1-trichloroethane
TCE - trichloroethene
Ca MCL - California Maximum Contaminant Level
-- - not analyzed
ND - not detected at or above the methods reporting limit. VOCs not presented were below the laboratory reporting limits

Table 3
Groundwater Analytical Results, Metals
Los Nietos Business Center
Santa Fe Springs, California

Monitoring Well No	Date	Chemicals of Concern (Milligrams Per Liter)																	
		Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Tl	V	Zn	Cr+6
MW-1	Apr-96	ND	ND	0.2	ND	ND	0.047	ND	ND	ND	ND	ND	ND	0.013	ND	ND	0.12	0.069	--
	Jul-99	ND	ND	0.051	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	0.065	--
	Sep-99	ND	ND	0.058	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.068	ND	0.15	ND	0.055	--
	Dec-99	ND	ND	0.059	ND	0.021	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.0724	ND	ND	0.0242	ND	0.00949	ND	ND	ND	0.0129	ND	ND	ND	0.00776	0.0735	ND
	Jun-00	ND	ND	0.0672	ND	ND	0.00882	ND	ND	ND	ND	ND	ND	0.0161	ND	ND	ND	0.0179	ND
	Mar-01	ND	ND	0.0653	ND	ND	0.01840	ND	0.01760	ND	ND	ND	ND	ND	ND	ND	ND	0.0127	ND
	Jun-02	ND	ND	0.0567	ND	ND	0.02030	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0608	0.072
	Sep-03	ND	ND	0.0748	ND	ND	0.02060	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0485	ND
MW-2	Apr-96	ND	ND	0.11	ND	ND	0.07	ND	ND	ND	0.0068	ND	ND	ND	ND	ND	0.12	ND	--
	Jul-99	ND	ND	0.045	ND	ND	0.027	ND	ND	ND	ND	ND	ND	0.018	ND	0.019	ND	0.103	--
	Sep-99	ND	ND	0.037	ND	ND	0.024	ND	ND	ND	ND	ND	ND	0.071	ND	0.167	ND	0.096	--
	Dec-99	ND	ND	0.043	ND	ND	0.188	ND	0.02	ND	ND	ND	ND	0.016	ND	ND	ND	0.015	--
	Mar-00	0.0167	ND	0.0872	ND	ND	0.369	ND	0.00743	ND	0.00167	ND	0.00526	ND	ND	ND	0.00917	0.0546	0.33
	Jun-00	ND	ND	0.0492	ND	ND	0.0744	ND	ND	ND	ND	ND	ND	0.0176	ND	ND	ND	0.0384	0.078
	Mar-01	ND	ND	0.0506	ND	ND	0.115	ND	0.0117	ND	ND	ND	ND	0.0176	ND	ND	ND	0.0119	0.11
	Jun-02	ND	ND	0.0381	ND	ND	0.0270	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037
	Sep-03	ND	ND	0.0728	ND	ND	0.0544	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0447	ND
MW-3	Apr-96	ND	ND	0.094	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	ND	--
	Jul-99	ND	ND	0.107	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.091	--
	Sep-99	ND	ND	0.096	ND	ND	ND	ND	ND	ND	ND	ND	0.016	0.093	ND	0.176	ND	0.032	--
	Dec-99	ND	ND	0.072	ND	ND	0.011	ND	0.019	ND	ND	ND	0.012	ND	ND	ND	ND	0.012	--
	Mar-00	ND	ND	0.0616	ND	ND	0.0161	ND	0.00517	ND	ND	ND	0.00559	ND	ND	ND	ND	0.0485	ND
	Jun-00	ND	ND	0.0516	ND	ND	0.00559	ND	ND	ND	ND	ND	ND	0.0262	ND	ND	ND	ND	ND
	Mar-01	ND	ND	0.0468	ND	ND	0.00786	ND	0.00934	ND	0.000595	ND	ND	0.0216	ND	ND	ND	ND	ND
	Jun-02	ND	ND	0.0433	ND	ND	0.00527	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0128	ND
	Sep-03	ND	ND	0.0734	ND	ND	0.00546	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0193	ND
MW-4	Apr-96	ND	ND	0.096	ND	0.062	ND	ND	0.062	ND	0.0016	ND	0.15	ND	0.064	ND	0.16	0.66	--
	Jul-99	ND	ND	0.057	ND	ND	0.036	ND	ND	ND	ND	ND	0.014	0.015	ND	0.015	ND	0.097	--
	Sep-99	ND	ND	0.037	ND	ND	0.163	ND	0.16	ND	ND	ND	0.02	0.056	ND	0.143	ND	0.231	--
	Dec-99	ND	ND	0.031	ND	ND	0.006	ND	0.02	0.009	ND	ND	0.15	ND	ND	ND	ND	0.065	--
	Mar-00	ND	ND	0.0447	ND	0.00954	0.261	ND	0.0244	ND	ND	ND	0.0180	ND	ND	ND	ND	0.124	0.23
	Jun-00	ND	ND	0.0355	ND	0.0101	0.137	ND	0.00782	ND	ND	ND	0.0196	ND	ND	ND	ND	0.115	0.094
	Mar-01	ND	ND	0.0455	ND	0.0212	0.279	ND	0.0215	ND	ND	ND	0.0323	ND	ND	ND	ND	0.169	0.22
	Jun-02	ND	ND	0.0291	ND	0.00678	0.399	ND	0.0156	ND	ND	ND	0.0105	ND	ND	ND	ND	0.0774	0.42
	Sep-03	ND	ND	0.0683	ND	0.00957	0.679	ND	0.0197	ND	0.000842	ND	0.0118	ND	ND	ND	ND	0.338	0.63
MW-5	Apr-96	ND	ND	0.062	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--
	Jul-99	ND	ND	0.047	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.058	--
	Sep-99	ND	ND	0.058	ND	ND	0.013	ND	ND	ND	ND	ND	0.014	0.065	ND	0.141	ND	ND	--
	Dec-99	ND	ND	0.044	ND	ND	ND	ND	ND	0.008	ND	ND	0.013	0.013	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.0521	ND	ND	0.0146	ND	0.00557	ND	ND	ND	ND	ND	ND	ND	ND	0.0331	ND
	Jun-00	ND	ND	0.0491	ND	ND	0.0291	ND	ND	ND	0.00184	ND	ND	0.0322	ND	ND	ND	0.0148	0.026
	Mar-01	ND	ND	0.0460	ND	ND	0.0144	ND	0.0118	ND	ND	ND	ND	ND	ND	ND	ND	0.0249	ND
	Jun-02	ND	ND	0.0430	ND	ND	0.0117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0120	ND
	Sep-03	ND	ND	0.0651	ND	ND	0.0121	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0742	ND
MW-6	Sep-99	ND	ND	0.04	ND	ND	ND	ND	ND	ND	ND	0.016	0.036	ND	ND	0.128	ND	ND	--
	Dec-99	ND	ND	0.041	ND	ND	ND	ND	ND	0.008	ND	ND	0.012	ND	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.105	ND	ND	0.0158	ND	0.0119	ND	ND	ND	0.00638	ND	ND	ND	0.0138	0.0976	ND
	Jun-00	ND	ND	0.0379	ND	ND	0.00701	ND	ND	ND	ND	ND	ND	0.0181	ND	ND	ND	ND	ND
	Mar-01	ND	ND	0.0325	ND	ND	0.01090	ND	0.0111	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-02	ND	ND	0.0369	ND	ND	0.00791	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0253	ND
	Sep-03	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Ca MCL		0.006	0.05	1	0.004	0.005	0.05	--	1.0	0.015	0.002	--	0.1	0.05	0.1	0.002	--	--	0.05

Notes and Abbreviations

Sb - Antimony
As - Arsenic
Ba - Barium
Be - Beryllium
Cd - Cadmium
Cr - Chromium (tot.)
Co - Cobalt
Cu - Copper
Pb - Lead
Hg - Mercury
Mo - Molybdenum
Ni - Nickel
Se - Selenium
Ag - Silver
Tl - Thallium
V - Vanadium
Zn - Zinc
Cr+6 - Hexavalent Chromium

ND - Not detected at or above the method reporting limits
-- - Not analyzed or not available

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MCA-1	MCA1-032404	03/24/04	SunStar	T400280-03	<1.0	<1.0	<1.0	<1.0	**1.0**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,200**	<0.5	**95**
	MCA1-061604	06/16/04	SunStar	T400648-13	**1.4**	<1.0	<1.0	<1.0	**1.3**		<1.0	<1.0	<0.5	<1.0	<0.5	**2,100**	<0.5	**110**
	MCA1-090904	09/09/04	SunStar	T401024-13	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,500**	<0.5	**120**
	MCA1-120204	12/02/04	SunStar	T401434-13	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	**1.4**	<1.0	<0.5	<1.0	<0.5	**8,000**	<0.5	**140**
	MCA1-021705	2/17/2005	SunStar	T50019407	**2.6**	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5,100**	<0.5	**140**
	MLA1-051705	05/17/05	SunStar	T50059107	<1.0	<1.0	<1.0	<1.0	**2.6**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5,900**	<0.5	**110**
	MCA1-081205	08/12/05	SunStar	T500934-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**620**	<0.5	**33**
	MCA1-110805	11/08/05	SunStar	T501329-03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**760**	<0.5	**23**
MCA-2	MCA2-032404	03/24/04	SunStar	T400280-05	<1.0	<1.0	<1.0	<1.0	**2.2**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,000**	<0.5	**22**
	MCA2-061604	06/16/04	SunStar	T400648-14	**2.4**	<1.0	<1.0	<1.0	**3.3**		<1.0	<1.0	<0.5	<1.0	<0.5	**3,000**	<0.5	**35**
	MCA2-090904	09/09/04	SunStar	T401024-15	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,300**	<0.5	**21**
	MCA2-120204	12/02/04	SunStar	T401434-11	<1.0	**3.5**	<1.0	<1.0	**14**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,300**	<0.5	**17**
	MCA2-021705	02/17/05	SunStar	T50019404	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**490**	<0.5	**6.7**
	MLA2-051705	05/17/05	SunStar	T50059109	<1.0	**3.6**	<1.0	<1.0	**16**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,500**	<0.5	**19**
	MCA2-081205	08/12/05	SunStar	T500934-04	<1.0	<1.0	<1.0	<1.0	**8.4**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**900**	<0.5	**25**
	MCA2-110805	11/08/05	SunStar	T501329-05	<1.0	<1.0	<1.0	<1.0	**8.0**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,000**	<0.5	**12**
MCA-3	MCA3-032404	03/24/04	SunStar	T400280-08	<1.0	<1.0	<1.0	<1.0	**6.8**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**220**	<0.5	**2.9**
	MCA3-061604	06/16/04	SunStar	T400648-15	<1.0	<1.0	<1.0	<1.0	**12**		<1.0	<1.0	<0.5	<1.0	<0.5	**210**	<0.5	**3.3**
	MCA3-090904	09/09/04	SunStar	T401024-12	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**170**	<0.5	**3.4**
	MCA3-120104	12/01/04	SunStar	T401434-05	<1.0	<1.0	<1.0	<1.0	**19**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**200**	<0.5	**3.8**
	MCA3-021705	02/17/05	SunStar	T50019410	<1.0	<1.0	<1.0	<1.0	**15**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**160**	<0.5	**3.9**
	MLA3-051705	05/17/05	SunStar	T50059106	<1.0	<1.0	**2.1**	**12**	**280**	**4.6**	<1.0	<1.0	<0.5	<1.0	<0.5	**440**	<0.5	**36**

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MCA-3	MCA3-081205	08/12/05	SunStar	T500934-01	<1.0	<1.0	<1.0	<1.0	**86**	<0.5	**5.2**	<1.0	<0.5	<1.0	<0.5	**350**	<0.5	**25**
	MCA3-110805	11/08/05	SunStar	T501329-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
MCA-4	MCA4-032404	03/24/04	SunStar	T400280-04	**4.5**	<1.0	**1.4**	<1.0	**8.3**	<0.5	<1.0	**1.0**	<0.5	<1.0	<0.5	**12,000**	<0.5	**22**
	MCA4-061604	06/16/04	SunStar	T400648-16	**7.2**	<1.0	<1.0	<1.0	**9.7**		<1.0	<1.0	<0.5	<1.0	<0.5	**14,000**	**1.0**	**27**
	DUP-061604	06/16/04	SunStar	T400648-18	**6.3**	<1.0	<1.0	<1.0	**9.6**		<1.0	<1.0	<0.5	<1.0	<0.5	**14,000**	<0.5	**26**
	MCA4-090904	09/09/04	SunStar	T401024-14	<1.0	<1.0	<1.0	<1.0	**7.4**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**9,700**	<0.5	**26**
	MCA4-120204	12/02/04	SunStar	T401434-12	**4.5**	<1.0	<1.0	<1.0	**5.7**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**9,600**	<0.5	**18**
	MCA4-021705	02/17/05	SunStar	T50019406	**3.0**	<1.0	<1.0	<1.0	**6.1**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5,600**	<0.5	**18**
	MLA4-051705	05/17/05	SunStar	T50059108	<1.0	<1.0	<1.0	<1.0	**7.2**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5,800**	<0.5	**11**
	MCA4-081205	08/12/05	SunStar	T500934-03	<1.0	<1.0	<1.0	<1.0	**3.7**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,100**	<0.5	**19**
	MCA4-110805	11/08/05	SunStar	T501329-04	<1.0	**1.9**	<1.0	<1.0	**9.8**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,000**	<0.5	**21**
MW-1	MW1-032304	03/24/04	SunStar	T400280-14	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	DUP-032304	03/24/04	SunStar	T400280-19	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	MW1-061604	06/16/04	SunStar	T400648-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	MW1-090904	09/09/04	SunStar	T401024-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	MW1-120104	12/01/04	SunStar	T401434-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	**24**	<1.0
	MW1-021705	02/17/05	SunStar	T50019411	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1.4**	**1.8**	<1.0
	MW1-051605	05/16/05	SunStar	T50059002	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	MW1-081105	08/11/05	SunStar	T5005933	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	MW1-110705	11/07/05	SunStar	T501326-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MW-2	MW2-032304	03/24/04	SunStar	T400280-18	<1.0	<1.0	<1.0	<1.0	**1.3**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5.8**	<0.5	**3.0**
	MW2-061604	06/16/04	SunStar	T400648-02	<1.0	<1.0	<1.0	<1.0	**1.0**		<1.0	<1.0	<0.5	<1.0	<0.5	**3.6**	**1.2**	**3.4**
	MW2-090904	09/09/04	SunStar	T401024-05	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3.7**	**43**	**3.5**
	MW2-120104	12/01/04	SunStar	T401434-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3.0**	**2.8**	**4.4**
	MW2-021705	02/17/05	SunStar	T50019412	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2.9**	<0.5	**3.8**
	MW2-051605	05/16/05	SunStar	T50059003	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1.1**	**3.1**	<1.0
	MW2-081105	08/11/05	SunStar	T5005933	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1.7**	<0.5	**2.0**
	MW2-110705	11/07/05	SunStar	T501326-03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
MW-3	MW3-032304	03/24/04	SunStar	T400280-16	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**51**	**2.7**	**3.7**
	MW3-061604	06/16/04	SunStar	T400648-03	<1.0	<1.0	<1.0	<1.0	**1.1**		<1.0	<1.0	<0.5	<1.0	<0.5	**47**	<0.5	**4.7**
	MW3-090904	09/09/04	SunStar	T401024-04	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	**1.2**	<0.5	**49**	**68**	**3.6**
	MW3-120104	12/01/04	SunStar	T401434-03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**45**	<0.5	**4.9**
	MW3-021705	02/17/05	SunStar	T50019413	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**44**	<0.5	**5.2**
	MW3-051605	05/16/05	SunStar	T50059004	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**72**	<0.5	**7.9**
	MW3-081105	08/11/05	SunStar	T5005933	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**38**	<0.5	**8.0**
	MW3-110705	11/07/05	SunStar	T501326-04	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**67**	<0.5	**5.8**
MW-5	MW5-032404	03/24/04	SunStar	T400280-07	**1.4**	**2.0**	<1.0	**1.6**	**39**	<0.5	**2.8**	<1.0	<0.5	<1.0	<0.5	**2,500**	<0.5	**21**
	MW5-061604	06/16/04	SunStar	T400648-04	**1.2**	**3.0**	<1.0	<1.0	**17**		<1.0	<1.0	<0.5	<1.0	<0.5	**3,300**	**1.2**	**20**
	MW5-090904	09/09/04	SunStar	T401024-03	<1.0	**2.8**	<1.0	<1.0	**10**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,200**	<0.5	**17**
	MW5-120104	12/01/04	SunStar	T401434-08	<1.0	**2.6**	<1.0	<1.0	**11**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,700**	**5.9**	**21**
	MW5-021705	02/17/05	SunStar	T50019418	<1.0	**5.1**	<1.0	<1.0	**17**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,200**	**11**	**17**

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MW-5	MW5-051605	05/16/05	SunStar	T50059007	<1.0	7.0	<1.0	<1.0	33	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	2,100	<0.5	19
	MW5-081105	08/11/05	SunStar	T5005933	<1.0	5.1	<1.0	<1.0	20	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	990	<0.5	27
	MW5-110705	11/07/05	SunStar	T501326-06	<1.0	3.1	<1.0	<1.0	16	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	640	<0.5	26
	DUP-110705	11/07/05	SunStar	T501326-09	<1.0	3.0	<1.0	<1.0	15	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	630	<0.5	27
MW-6	MW6-032304	03/24/04	SunStar	T400280-15	<1.0	<1.0	<1.0	<1.0	1.1	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	750	<0.5	20
	MW6-061604	06/16/04	SunStar	T400648-05	<1.0	<1.0	<1.0	<1.0	1.1		<1.0	<1.0	<0.5	<1.0	<0.5	520	1.1	19
	MW6-090904	09/09/04	SunStar	T401024-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	530	<0.5	20
	MW6-120104	12/01/04	SunStar	T401434-06	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	890	29	27
	MW6-021705	02/17/05	SunStar	T50019415	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	320	16	19
	MW6-051605	05/16/05	SunStar	T50059006	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	620	<0.5	19
	MW6-081105	08/11/05	SunStar	T5005933	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	380	<0.5	13
	MW6-110705	11/07/05	SunStar	T501326-07	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	640	<0.5	17
MW-7	MW7-032404	03/24/04	SunStar	T400280-09	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	160	<0.5	3.5
	MW7-061604	06/16/04	SunStar	T400648-06	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	150	1.9	5.1
	MW7-090904	09/09/04	SunStar	T401024-06	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	250	<0.5	5.4
	MW7-120104	12/01/04	SunStar	T401434-04	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	140	27	4.6
	MW7-021705	02/17/05	SunStar	T50019414	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	130	13	6.5
	MW7-051605	05/16/05	SunStar	T50059005	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	320	<0.5	9.5
	MW7-081105	08/11/05	SunStar	T5005933	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	220	<0.5	11
	MW7-110705	11/07/05	SunStar	T501326-05	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	120	<0.5	5.3

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MW-8	MW8-032404	03/24/04	SunStar	T400280-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**390**	<0.5	**22**
	MW8-061604	06/16/04	SunStar	T400648-07	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**290**	<0.5	**20**
	MW8-090904	09/09/04	SunStar	T401024-11	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**260**	<0.5	**16**
	MW8-120204	12/02/04	SunStar	T401434-09	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**380**	<0.5	**22**
	MW8-021705	02/17/05	SunStar	T50019409	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**270**	<0.5	**21**
	MW8-051705	05/17/05	SunStar	T50059105	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**470**	<0.5	**25**
	MW8-081205	08/12/05	SunStar	T500934-06	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**400**	<0.5	**26**
	MW8-110805	11/08/05	SunStar	T501329-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**360**	<0.5	**19**
MW-9	MW9-032304	03/24/04	SunStar	T400280-13	**3.4**	<1.0	<1.0	<1.0	**2.6**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**4,300**	<0.5	**38**
	MW9-061604	06/16/04	SunStar	T400648-08	**4.8**	<1.0	<1.0	<1.0	**5.3**		<1.0	<1.0	<0.5	<1.0	<0.5	**7,500**	<0.5	**60**
	MW9-090904	09/09/04	SunStar	T401024-10	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,600**	<0.5	**24**
	MW9-120204	12/02/04	SunStar	T401434-14	**2.4**	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,400**	<0.5	**17**
	MW9-021705	02/17/05	SunStar	T50019403	**2.8**	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,500**	<0.5	**24**
	MW9-051705	05/17/05	SunStar	T50059104	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**5,400**	<0.5	**32**
	MW9-081205	08/12/05	SunStar	T500934-10	<1.0	<1.0	<1.0	<1.0	**4.3**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**4,400**	<0.5	**32**
	MW9-110805	11/08/05	SunStar	T501329-10	<1.0	<1.0	<1.0	<1.0	**3.6**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**4,500**	<0.5	**21**
MW-10	MW10-032304	03/24/04	SunStar	T400280-12	**1.4**	<1.0	<1.0	<1.0	**1.8**	<0.5	<1.0	<1.0	**0.65**	**2.7**	**0.90**	**2,500**	**240**	**43**
	MW10-061604	06/16/04	SunStar	T400648-09	**2.4**	<1.0	<1.0	<1.0	**2.4**		<1.0	<1.0	<0.5	<1.0	<0.5	**3,200**	<0.5	**55**
	MW10-090904	09/09/04	SunStar	T401024-09	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**4,200**	<0.5	**37**
	MW10-120204	12/02/04	SunStar	T401434-15	**1.8**	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,100**	<0.5	**28**
	MW10-021705	02/17/05	SunStar	T50019402	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,100**	**0.99**	**44**

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MW-10	MW10-051705	05/17/05	SunStar	T50059103	<1.0	<1.0	<1.0	<1.0	**2.8**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**4,900**	<0.5	<1.0
	MW10-081205	08/12/05	SunStar	T500934-07	<5	<1.0	<1.0	<1.0	**3**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,900**	<0.5	**31**
	MW10-110805	11/08/05	SunStar	T501329-09	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,200**	<0.5	**21**
MW-11	MW11-032304	03/24/04	SunStar	T400280-11	**2.1**	<1.0	<1.0	<1.0	**1.2**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,600**	<0.5	**27**
	MW11-061604	06/16/04	SunStar	T400648-10	**2.2**	<1.0	<1.0	<1.0	**1.4**		<1.0	<1.0	<0.5	<1.0	<0.5	**2,700**	<0.5	**25**
	MW11-090904	09/09/04	SunStar	T401024-16	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,600**	<0.5	**23**
	MW11-120204	12/02/04	SunStar	T401434-16	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**380**	<0.5	**5.1**
	MW11-021705	02/17/05	SunStar	T50019401	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**520**	**1.3**	**12**
	MW11-051705	05/17/05	SunStar	T50059102	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,500**	<0.5	**34**
	MW11-081205	08/12/05	SunStar	T500934-09	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,200**	<0.5	**52**
	MW11-110805	11/08/05	SunStar	T501329-08	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,100**	<0.5	**42**
MW-12	MW12-032404	03/24/04	SunStar	T400280-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**740**	**3.1**	**14**
	DUP-032404	03/24/04	SunStar	T400280-10	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**810**	**3.2**	**12**
	MW12-061604	06/16/04	SunStar	T400648-11	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**530**	<0.5	**11**
	MW12-090904	09/09/04	SunStar	T401024-17	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**380**	<0.5	**6.4**
	MW12-120104	12/01/04	SunStar	T401434-07	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**110**	<0.5	**4.0**
	MW12-021705	02/17/05	SunStar	T50019408	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**210**	<0.5	**9.4**
	MW12-051705	05/17/05	SunStar	T50059101	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**800**	<0.5	**13**
	MW12-081205	08/12/05	SunStar	T500934-08	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**450**	<0.5	**18**
	MW12-110805	11/08/05	SunStar	T501329-07	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**460**	<0.5	**16**
MW-14	MW14-032404	03/24/04	SunStar	T400280-06	**1.5**	<1.0	<1.0	<1.0	**5.2**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,400**	<0.5	**18**
	MW14-061604	06/16/04	SunStar	T400648-12	**1.8**	<1.0	<1.0	<1.0	**5.6**		<1.0	<1.0	<0.5	<1.0	<0.5	**25,000**	<0.5	**25**

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane EPA 8260B µg/l	1,1,1-Trichloroethane EPA 8260B µg/l	1,1,2-Trichloroethane EPA 8260B µg/l	1,1-Dichloroethane EPA 8260B µg/l	1,1-Dichloroethene EPA 8260B µg/l	1,2-Dichloroethane EPA 8260B µg/l	Chloroform EPA 8260B µg/l	cis-1,2-Dichloroethene EPA 8260B µg/l	Ethylbenzene EPA 8260B µg/l	m,p-Xylene EPA 8260B µg/l	o-Xylene EPA 8260B µg/l	Tetrachloroethene EPA 8260B µg/l	Toluene EPA 8260B µg/l	Trichloroethene EPA 8260B µg/l
MW-14	MW14-090904	09/09/04	SunStar	T401024-08	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,400**	<0.5	**14**
	DUP-090904	09/09/04	SunStar	T401024-18	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3,500**	<0.5	**15**
	MW14-120204	12/02/04	SunStar	T401434-10	<1.0	**2.5**	<1.0	<1.0	**9.3**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,600**	<0.5	**14**
	DUP-1204	12/01/04	SunStar	T401434-18	<1.0	**3.4**	<1.0	<1.0	**14**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**2,400**	<0.5	**17**
	MW14-021705	02/17/05	SunStar	T50019405	<1.0	**4.0**	<1.0	<1.0	**14**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,200**	<0.5	**11**
	DUP-021705	02/17/05	SunStar	T50019416	<1.0	**4.0**	<1.0	<1.0	**15**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,300**	<0.5	**11**
	MW14-051705	05/17/05	SunStar	T50059110	<1.0	<1.0	<1.0	<1.0	**8.4**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,300**	<0.5	**27**
	DUP-051705	05/17/05	SunStar	T50059111	<1.0	<1.0	<1.0	<1.0	**8.2**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1,300**	<0.5	**29**
	MW14-081205	08/12/05	SunStar	T500934-05	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**470**	<0.5	**16**
	DUP-081205	08/12/05	SunStar	T500934-11	<1.0	<1.0	<1.0	<1.0	**5.6**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**420**	<0.5	**15**
	MW14-110805	11/08/05	SunStar	T501329-06	<1.0	<1.0	<1.0	<1.0	**5.6**	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**380**	<0.5	**13**
Equipment Blanks																		
Blank	EB-032304	03/24/04	SunStar	T400280-17	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
Blank	EB-061604	06/16/04	SunStar	T400648-17	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
Blank	EB-090904	09/09/04	SunStar	T401024-07	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
Blank	EB-1-120104	12/01/04	SunStar	T401434-17	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**3.2**	<0.5	<1.0
	EB-021705	02/17/05	SunStar	T50019417	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	**1.4**	<0.5	<1.0

Table 2
Summary of Groundwater Samples Analyzed for Volatile Organic Compounds (VOCs)
Bodycote Thermal Processing, Techni-Braze Facility
Santa Fe Springs, CA
LFR 002-10272-00

Location	Sample ID	Date Sampled	Lab	Lab ID	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Chloroform	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	Trichloroethene
					EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B	EPA 8260B
					µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l
	EB-051605	05/16/05	SunStar	T50059001	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	EB-081105	08/11/05	SunStar	T5005933-02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	EB-110705	11/07/05	SunStar	T501326-01	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0
	TRIP BLANK	11/08/05	SunStar	T501329-11	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.5	<1.0	<0.5	<1.0	<0.5	<1.0

< = Not detected above laboratory reporting limit indicated.
Note: VOCs are shown for detected compounds only. **See laboratory reports for a complete list of compounds analyzed.**
SunStar = SunStar Laboratories Inc., Tustin, CA.

QA/QC