

LabSampleID	AnalysisMethod	Analyte	CommentID	CommentText
0408044-01	VOCs	Carbon disulfide	C1	The reported concentration for this analyte is below the quantitation limit.
0408044-01	VOCs	Chloroform	C1	The reported concentration for this analyte is below the quantitation limit. The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
0408044-01	VOCs	Dichlorodifluoromethane	Q2	
0408044-01	VOCs	Dichlorodifluoromethane	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
0408044-01	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
0408044-01	VOCs	Naphthalene	C3	The initial calibration for this analyte did not meet calibration criteria.
0408044-01	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	Naphthalene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Chloromethane	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-02	VOCs	Chloroethane	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-02	VOCs	m&p-Xylene	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-02	VOCs	Toluene-d8	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Bromoform	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Styrene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	o-Xylene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	m&p-Xylene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Ethylbenzene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	1,1,1,2-Tetrachloroethane	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Chlorobenzene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	1,2-Dibromoethane (EDB)	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Chlorodibromomethane	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	1,3-Dichloropropane	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	Bromoform	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Styrene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	o-Xylene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	m&p-Xylene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Ethylbenzene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	1,1,1,2-Tetrachloroethane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Chlorobenzene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	1,2-Dibromoethane (EDB)	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Chlorodibromomethane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	1,3-Dichloropropane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	tert-Butyl methyl ether (MTBE)	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-02	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
0408048-02	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
0408048-02	VOCs	Acetone	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
0408048-02	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.

0408044-01	VOCs	1,1,1-Trichloroethane	U	This analyte was not detected.
0408044-01	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
0408044-01	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
0408044-01	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
0408048-02	VOCs	1,1,2-Trichloroethane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	1,1,2-Trichloroethane	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-02	VOCs	trans-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	trans-1,3-Dichloropropene	Q7	Surrogate spike recoveries for this sample were outside control limits.
0408048-01	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
0408048-01	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
0408048-01	VOCs	1,2-Dichloroethane	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-01	VOCs	Acetone	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-01	VOCs	Dichlorodifluoromethane	J	The reported result for this analyte should be considered an estimated value.
0408048-01	VOCs	Dichlorodifluoromethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
0408044-01	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
0408044-01	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
0408044-01	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
				Tentatively Identified Compound - This compound was identified only by match with mass spectral library. Identification should be considered tentative and presumptive.
0408048-02	VOCs	unknown alkane (peak 2)	N TIC	
				Tentatively Identified Compound - This compound was identified only by match with mass spectral library. Identification should be considered tentative and presumptive.
0408048-02	VOCs	unknown alkane (peak 1)	N TIC	
				Tentatively Identified Compound - This compound was identified only by match with mass spectral library. Identification should be considered tentative and presumptive.
0408048-02	VOCs	unknown	N TIC	
0408048-01RE1	VOCs	Tetrachloroethene	J	The reported result for this analyte should be considered an estimated value.
				Tentatively Identified Compound - This compound was identified only by match with mass spectral library. Identification should be considered tentative and presumptive.
0408048-02	VOCs	Cyclohexane	N TIC	
0408048-01RE1	VOCs	Tetrachloroethene	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
0408048-02RE3	VOCs	Tetrachloroethene	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
0408048-02RE3	VOCs	Tetrachloroethene	J	The reported result for this analyte should be considered an estimated value.
0408048-02RE2	VOCs	Toluene	C1	The reported concentration for this analyte is below the quantitation limit.
0408048-02RE4	VOCs		A3	The sample was extracted/analyzed past the recommended holding time.
0408048-02RE4	VOCs		J	The reported result for this analyte should be considered an estimated value.
				The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	1,2,3-Trichlorobenzene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	Naphthalene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	1,2,4-Trichlorobenzene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).

B4I0043-BS1	VOCs	Bromomethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	2-Butanone (MEK)	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	Hexachlorobutadiene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	1,2-Dibromo-3-chloropropane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BS1	VOCs	Bromomethane	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0043-BS1	VOCs	Bromomethane	J	The reported result for this analyte should be considered an estimated value.
B4I0043-BS1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4I0043-BS1	VOCs	Acetone	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0043-BLK1	VOCs	Bromomethane	J	The reported result for this analyte should be considered an estimated value.
B4I0043-BLK1	VOCs	Bromomethane	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0043-BLK1	VOCs	Acetone	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0043-BLK1	VOCs	Acetone	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0043-BLK1	VOCs	Acetone	C1	The reported concentration for this analyte is below the quantitation limit.
B4I0043-BLK1	VOCs	1,2,4-Trichlorobenzene	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0043-BLK1	VOCs	Hexachlorobutadiene	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0043-BLK1	VOCs	1,2,3-Trichlorobenzene	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0043-BLK1	VOCs	Naphthalene	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0043-BLK1	VOCs	Hexachlorobutadiene	C1	The reported concentration for this analyte is below the quantitation limit.
B4I0043-BLK1	VOCs	1,2,3-Trichlorobenzene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0043-BLK1	VOCs	Naphthalene	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0034-BS1	VOCs	Dichlorodifluoromethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0034-BLK1	VOCs	Dichlorodifluoromethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0034-BLK1	VOCs	Dichlorodifluoromethane	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BS1	VOCs	1,2,3-Trichlorobenzene	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
B4I0034-BS1	VOCs	1,2,3-Trichlorobenzene	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BS1	VOCs	Tetrachloroethene	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
B4I0034-BS1	VOCs	Tetrachloroethene	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BLK1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0014-BS1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4I0014-BLK1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.

B4I0014-MSD1	VOCs	2-Butanone (MEK)	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MSD1	VOCs	1,1,1-Trichloroethane	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MSD1	VOCs	Carbon tetrachloride	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MSD1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MSD1	VOCs	Trichlorofluoromethane	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MS1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MS1	VOCs	Tetrachloroethene	Q10	The analyte concentration in the unfortified sample is significantly greater than the concentration spiked into the matrix spike and matrix spike duplicate. The reported spike recovery is not a meaningful measure of the dataset's analytical accuracy.
B4I0014-MSD1	VOCs	Tetrachloroethene	Q10	The analyte concentration in the unfortified sample is significantly greater than the concentration spiked into the matrix spike and matrix spike duplicate. The reported spike recovery is not a meaningful measure of the dataset's analytical accuracy.
B4I0014-MSD1	VOCs	Styrene	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MS1	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
B4I0014-MSD1	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
B4I0014-MS1	VOCs	Acetone	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
B4I0014-MSD1	VOCs	Acetone	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
B4I0014-MS1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4I0014-MSD1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4I0014-MS1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0014-MSD1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0014-MS1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4I0014-MSD1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BS1	VOCs	Dichlorodifluoromethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4H0078-BLK1	VOCs	Dichlorodifluoromethane	Q2	The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).

B4H0078-BLK1	VOCs	Dichlorodifluoromethane	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BS1	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
B4H0078-BS1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BLK1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4H0078-BLK1	VOCs	Naphthalene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4H0078-BS1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4H0078-BS1	VOCs	Naphthalene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4H0078-BLK1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BLK1	VOCs	Naphthalene	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BS1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4H0078-BS1	VOCs	Naphthalene	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
0408044-01	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
0408044-01	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
0408044-01	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
0408044-01	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
0408044-01	VOCs	1,2-Dichloroethane	U	This analyte was not detected.
0408044-01	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
0408044-01	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
0408044-01	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
0408044-01	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
0408044-01	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
0408044-01	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
B4I0034-BS1	VOCs	cis-1,3-Dichloropropene	C3	The initial calibration for this analyte did not meet calibration criteria.
B4I0034-BLK1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BS1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BS1	VOCs	Dichlorodifluoromethane	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BLK1	VOCs	Tetrachloroethene	Q3	The quantitation limit standard did not meet recovery criteria for this analyte.
B4I0034-BLK1	VOCs	Tetrachloroethene	C1	The reported concentration for this analyte is below the quantitation limit. The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0034-BLK1	VOCs	Tetrachloroethene	B1	The concentration of this analyte found in this sample was less than five times the concentration found in the associated method blank.
B4I0014-BS1	VOCs	Acetone	C4	The calibration verification check did not meet % difference criteria for this analyte.
B4I0014-BS1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4I0014-BS1	VOCs	Acetone	Q3	The quantitation limit standard did not meet recovery criteria for this analyte. The laboratory control standard associated with this sample did not meet recovery criteria for this analyte (see LCS results for this batch in QC summary).
B4I0014-BS1	VOCs	2,2-Dichloropropane	Q2	The reported result for this analyte should be considered an estimated value.
B4I0014-BLK1	VOCs	cis-1,3-Dichloropropene	J	The reported result for this analyte should be considered an estimated value. The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MS1	VOCs	2-Butanone (MEK)	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)
B4I0014-MS1	VOCs	tert-Butyl methyl ether (MTBE)	Q4	The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)

B4I0014-MS1	VOCs	Trichlorofluoromethane	Q4
B4I0014-MS1	VOCs	1,1,1-Trichloroethane	Q4
B4I0014-MS1	VOCs	Carbon tetrachloride	Q4
B4I0014-MS1	VOCs	1,1-Dichloroethene	Q7
B4I0014-MSD1	VOCs	1,1-Dichloroethene	Q7
B4I0014-MSD1	VOCs	Trichloroethene	Q7
B4I0014-BS1	VOCs	cis-1,3-Dichloropropene	C3
0408044-01	VOCs	2-Butanone (MEK)	U
0408044-01	VOCs	2-Chlorotoluene	U
0408044-01	VOCs	2-Hexanone	U
0408044-01	VOCs	4-Chlorotoluene	U
0408044-01	VOCs	4-Methyl-2-pentanone (MIBK)	U
0408044-01	VOCs	Benzene	U
0408044-01	VOCs	Bromobenzene	U
0408044-01	VOCs	Bromochloromethane	U
0408044-01	VOCs	Bromodichloromethane	U
0408044-01	VOCs	Bromoform	U
0408044-01	VOCs	Bromomethane	U
0408044-01	VOCs	Butylbenzene	U
0408044-01	VOCs	Carbon tetrachloride	U
0408044-01	VOCs	Chlorobenzene	U
0408044-01	VOCs	Chlorodibromomethane	U
0408044-01	VOCs	Chloroethane	U
0408044-01	VOCs	Chloromethane	U
0408044-01	VOCs	cis-1,2-Dichloroethene	U
0408044-01	VOCs	cis-1,3-Dichloropropene	U
0408044-01	VOCs	Dibromomethane	U
0408044-01	VOCs	Dichlorodifluoromethane	U
0408044-01	VOCs	Dichloromethane	U
0408044-01	VOCs	Ethylbenzene	U
0408044-01	VOCs	Hexachlorobutadiene	U
0408044-01	VOCs	Isopropylbenzene	U
0408044-01	VOCs	m&p-Xylene	U
0408044-01	VOCs	Naphthalene	U
0408044-01	VOCs	o-Xylene	U
0408044-01	VOCs	tert-Butyl methyl ether (MTBE)	U
0408044-01	VOCs	tert-Butylbenzene	U

The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)

The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)

The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)

Surrogate spike recoveries for this sample were outside control limits.

Surrogate spike recoveries for this sample were outside control limits.

Surrogate spike recoveries for this sample were outside control limits.

The initial calibration for this analyte did not meet calibration criteria.

This analyte was not detected.

0408044-01	VOCs	Toluene	U	This analyte was not detected.
0408044-01	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
0408044-01	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
0408044-01	VOCs	p-Isopropyltoluene	U	This analyte was not detected.
0408044-01	VOCs	Propylbenzene	U	This analyte was not detected.
0408044-01	VOCs	sec-Butylbenzene	U	This analyte was not detected.
0408044-01	VOCs	Styrene	U	This analyte was not detected.
0408044-01	VOCs	Vinyl chloride	U	This analyte was not detected.
0408048-02	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
0408048-02	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
0408048-02	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
0408048-02	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
0408048-02	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
0408048-02	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
0408048-02	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
0408048-02	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
0408048-02	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
0408048-02	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
0408048-02	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
0408048-02	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
0408048-02	VOCs	2-Chlorotoluene	U	This analyte was not detected.
0408048-02	VOCs	Bromochloromethane	U	This analyte was not detected.
0408048-02	VOCs	Bromodichloromethane	U	This analyte was not detected.
0408048-02	VOCs	Bromoform	U	This analyte was not detected.
0408048-02	VOCs	Bromomethane	U	This analyte was not detected.
0408048-02	VOCs	Butylbenzene	U	This analyte was not detected.
0408048-02	VOCs	Carbon tetrachloride	U	This analyte was not detected.
0408048-02	VOCs	cis-1,3-Dichloropropene	U	This analyte was not detected.
0408048-02	VOCs	Dibromomethane	U	This analyte was not detected.
0408048-02	VOCs	sec-Butylbenzene	U	This analyte was not detected.
0408048-02	VOCs	Styrene	U	This analyte was not detected.
0408048-02	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
0408048-02	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
0408048-02	VOCs	4-Chlorotoluene	U	This analyte was not detected.
0408048-02	VOCs	Bromobenzene	U	This analyte was not detected.
0408048-02	VOCs	Chlorodibromomethane	U	This analyte was not detected.
0408048-02	VOCs	Hexachlorobutadiene	U	This analyte was not detected.
0408048-02	VOCs	Naphthalene	U	This analyte was not detected.
0408048-02	VOCs	tert-Butylbenzene	U	This analyte was not detected.
0408048-02	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
0408048-01	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.
0408048-01	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
0408048-01	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	U	This analyte was not detected.

0408048-01	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
0408048-01	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
0408048-01	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
0408048-01	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
0408048-01	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
0408048-01	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
0408048-01	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
0408048-01	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
0408048-01	VOCs	Benzene	U	This analyte was not detected.
0408048-01	VOCs	Bromobenzene	U	This analyte was not detected.
0408048-01	VOCs	Bromochloromethane	U	This analyte was not detected.
0408048-01	VOCs	Bromodichloromethane	U	This analyte was not detected.
0408048-01	VOCs	Bromoform	U	This analyte was not detected.
0408048-01	VOCs	Bromomethane	U	This analyte was not detected.
0408048-01	VOCs	Butylbenzene	U	This analyte was not detected.
0408048-01	VOCs	Chloromethane	U	This analyte was not detected.
0408048-01	VOCs	cis-1,2-Dichloroethene	U	This analyte was not detected.
0408048-01	VOCs	cis-1,3-Dichloropropane	U	This analyte was not detected.
0408048-01	VOCs	Dibromomethane	U	This analyte was not detected.
0408048-01	VOCs	Dichlorodifluoromethane	U	This analyte was not detected.
0408048-01	VOCs	Dichloromethane	U	This analyte was not detected.
0408048-01	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
0408048-01	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
0408048-01	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
0408048-01	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
0408048-01	VOCs	2-Chlorotoluene	U	This analyte was not detected.
0408048-01	VOCs	4-Chlorotoluene	U	This analyte was not detected.
0408048-01	VOCs	Carbon tetrachloride	U	This analyte was not detected.
0408048-01	VOCs	Chlorobenzene	U	This analyte was not detected.
0408048-01	VOCs	Chlorodibromomethane	U	This analyte was not detected.
0408048-01	VOCs	Chloroethane	U	This analyte was not detected.
0408048-01	VOCs	Ethylbenzene	U	This analyte was not detected.
0408048-01	VOCs	Hexachlorobutadiene	U	This analyte was not detected.
0408048-01	VOCs	Isopropylbenzene	U	This analyte was not detected.
0408048-01	VOCs	m&p-Xylene	U	This analyte was not detected.
0408048-01	VOCs	Naphthalene	U	This analyte was not detected.
0408048-01	VOCs	o-Xylene	U	This analyte was not detected.
0408048-01	VOCs	p-Isopropyltoluene	U	This analyte was not detected.

0408048-01	VOCs	Propylbenzene	U	This analyte was not detected.
0408048-01	VOCs	sec-Butylbenzene	U	This analyte was not detected.
0408048-01	VOCs	Styrene	U	This analyte was not detected.
0408048-01	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
0408048-01	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
0408048-01	VOCs	Vinyl chloride	U	This analyte was not detected.
0408048-01	VOCs	tert-Butyl methyl ether (MTBE)	U	This analyte was not detected.
0408048-01	VOCs	tert-Butylbenzene	U	This analyte was not detected.
0408048-01	VOCs	Toluene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1-Dichloroethene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Vinyl chloride	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Trichlorofluoromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Ethylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Toluene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	sec-Butylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Propylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	p-Isopropyltoluene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	o-Xylene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	m&p-Xylene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Trichloroethene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2,3-Trichloropropene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1,1-Trichloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Chlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Ethylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Dichloromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Dichlorodifluoromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Dibromomethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	cis-1,3-Dichloropropene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	cis-1,2-Dichloroethene	U	This analyte was not detected.

B4I0014-BLK1	VOCs	Chloromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Chloroform	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Chlorodibromomethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Carbon tetrachloride	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Butylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Bromomethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Bromoform	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Bromodichloromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	2-Chlorotoluene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Chloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2-Dichloroethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	m&p-Xylene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Bromochloromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Bromobenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Benzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Acetone	U	This analyte was not detected.
B4I0014-BLK1	VOCs	4-Chlorotoluene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Vinyl chloride	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Trichlorofluoromethane	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Trichloroethene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Styrene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	sec-Butylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Propylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	p-Isopropyltoluene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Hexachlorobutadiene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Toluene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Tetrachloroethene	U	This analyte was not detected.

B4I0014-BLK1	VOCs	tert-Butylbenzene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	tert-Butyl methyl ether (MTBE)	U	This analyte was not detected.
B4I0014-BLK1	VOCs	o-Xylene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Naphthalene	U	This analyte was not detected.
B4I0014-BLK1	VOCs	Isopropylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	m&p-Xylene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Chloromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Toluene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Tetrachloroethene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	tert-Butylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	tert-Butyl methyl ether (MTBE)	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Naphthalene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Isopropylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Hexachlorobutadiene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Ethylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Dichloromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Dichlorodifluoromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Dibromomethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	cis-1,3-Dichloropropene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	o-Xylene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Chloroform	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	cis-1,2-Dichloroethene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2-Dichloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1-Dichloroethene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,1,1-Trichloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Benzene	U	This analyte was not detected.

B4H0078-BLK1	VOCs	Chloroethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Chlorodibromomethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Chlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Carbon tetrachloride	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Butylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Bromomethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Bromoform	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Bromodichloromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Bromobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Acetone	U	This analyte was not detected.
B4H0078-BLK1	VOCs	4-Chlorotoluene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	2-Hexanone	U	This analyte was not detected.
B4H0078-BLK1	VOCs	2-Chlorotoluene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
B4H0078-BLK1	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Bromochloromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	sec-Butylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Propylbenzene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	p-Isopropyltoluene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Trichloroethene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Trichlorofluoromethane	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Styrene	U	This analyte was not detected.
B4H0078-BLK1	VOCs	Vinyl chloride	U	This analyte was not detected.
B4I0043-BLK1	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Dichloromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Chloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Chlorodibromomethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Chlorobenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Carbon tetrachloride	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Butylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	4-Chlorotoluene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	2-Chlorotoluene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Isopropylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1-Dichloroethene	U	This analyte was not detected.

B4I0043-BLK1	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1,1-Trichloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	1,2-Dichloroethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	cis-1,2-Dichloroethene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Tetrachloroethene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	tert-Butylbenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	tert-Butyl methyl ether (MTBE)	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Styrene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Dichlorodifluoromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	cis-1,3-Dichloropropene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Chloromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Chloroform	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Bromomethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Bromoform	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Bromodichloromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Bromochloromethane	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Bromobenzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Benzene	U	This analyte was not detected.
B4I0043-BLK1	VOCs	Dibromomethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,3-Dichloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	2-Butanone (MEK)	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,4-Dichlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,3-Dichlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2-Dibromo-3-chloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2,4-Trimethylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2,4-Trichlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2,3-Trichloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2,3-Trichlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1-Dichloropropene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1,2-Trichloro-1,2,2-trifluoroethane(F	U	This analyte was not detected.
B4I0034-BLK1	VOCs	2,2-Dichloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1,1-Trichloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1,1,2-Tetrachloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1-Dichloroethene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1,2-Trichloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1,2,2-Tetrachloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	trans-1,2-Dichloroethene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Vinyl chloride	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Trichlorofluoromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	trans-1,3-Dichloropropene	U	This analyte was not detected.

B4I0034-BLK1	VOCs	Styrene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	sec-Butylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Propylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	p-Isopropyltoluene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	o-Xylene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Naphthalene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Trichloroethene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	2-Chlorotoluene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Chloroform	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Chloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Chlorodibromomethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Chlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Carbon tetrachloride	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Benzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Acetone	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Bromobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Bromochloromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,3,5-Trimethylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2-Dichloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2-Dichloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2-Dichlorobenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,2-Dibromoethane (EDB)	U	This analyte was not detected.
B4I0034-BLK1	VOCs	1,1-Dichloroethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	4-Chlorotoluene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Dichloromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Toluene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	tert-Butylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	tert-Butyl methyl ether (MTBE)	U	This analyte was not detected.
B4I0034-BLK1	VOCs	m&p-Xylene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Isopropylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Chloromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Ethylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Dichlorodifluoromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Dibromomethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	cis-1,3-Dichloropropane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	cis-1,2-Dichloroethene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Butylbenzene	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Bromomethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Bromoform	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Bromodichloromethane	U	This analyte was not detected.
B4I0034-BLK1	VOCs	Hexachlorobutadiene	U	This analyte was not detected.
0408044-01	VOCs	Carbon disulfide	J	The reported result for this analyte should be considered an estimated value.
0408044-01	VOCs	Chloroform	J	The reported result for this analyte should be considered an estimated value.

0408048-01	VOCs	1,2-Dichloroethane	J	The reported result for this analyte should be considered an estimated value.
0408048-01	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Chloroethane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	Chloromethane	J	The reported result for this analyte should be considered an estimated value.
0408048-02	VOCs	tert-Butyl methyl ether (MTBE)	J	The reported result for this analyte should be considered an estimated value.
0408048-02RE2	VOCs	Toluene	J	The reported result for this analyte should be considered an estimated value.
B4I0034-BLK1	VOCs	Tetrachloroethene	J	The reported result for this analyte should be considered an estimated value.
B4I0043-BLK1	VOCs	Acetone	J	The reported result for this analyte should be considered an estimated value.
B4I0043-BLK1	VOCs	Hexachlorobutadiene	J	The reported result for this analyte should be considered an estimated value.