

Page No. 1
07/05/89

Applied Materials Building 1
Administrative Record
Table of Contents
Volume I: Up to and including 1983

** Date: Author: _____	Recipient: _____	Contents: _____	Volume: _____
** 08/01/67 Ca Dept. Water Resources		Bulletin 118-1 Evaluation of Ground Water Resources, South Bay Appendix A: Geology	I B

Applied Materials Building 1
Administrative Record
Table of Contents
Volume II: 1984

** Date: Author:	Recipient:	Contents:	Volume:
** 01/16/84 J. DeLong, AM	D. Eisenberg, RWQCB	Results of soil and water sampling at AM Buildings 1,7, and 8, draft well construction and lithologic logs	II A
** 02/03/84 R.B. Weiss, WA	J. DeLong, AM	Proposal for Phase II Ground water monitoring Program at AM-1	II B
** 02/29/84 R.B. Weiss, WA	J. Lam, RWQCB	Description of water sampling techniques for Volatile Organic Compounds	II A
** 03/12/84 R.B. Weiss, WA	J. Lam, RWQCB	Letter documenting proposed well locations at AM-1	II A
** 04/18/84 W.A. McIlvride, WA	J. Lam, RWQCB	Request for WQCB to contact representatives of adjoining property and to provide written approval of Phase II program	II A
** 04/24/84 D. Dalke, RWQCB	R.B. Weiss, WA	Recommendations concerning ground water sampling techniques	II A
** 08/21/84 J. DeLong, AM	J. Lam, RWQCB	Letter forwarding analytical results of water samples taken to date at AM-1	II A
** 08/27/84 R.C. Johnson, U.S. EPA		Proposed NPL Listing, Documentation for Hazard Ranking	II E

Page No. 2
07/05/89

Applied Materials Building 1
Administrative Record
Table of Contents
Volume II: 1984

** Date: Author:	Recipient:	Contents:	Volume:
** 09/11/84 Weiss Associates	J. Schoening, AM	Ground Water Protection Study Phase III Proposal	II B
** 09/18/84 J. DeLong, AM	J. Lam, RWQCB	Letter forwarding AM Phase III Proposal, dated Sept. 11, 1984	II A
** 10/10/84 J. DeLong, AM	J. Lam, RWQCB	Proposal to conduct hydraulic testing and commence ground water extraction from wells AM1-5 and extraction pit	II A
** 10/15/84 Stoner Laboratories	City of Santa Clara	Analytical Report EPA 601 Analysis of CSC-24	II E
** 11/19/84 J. DeLong, AM	A.W. Olivieri, RWQCB	Comments concerning 205J Study, case summary	II A
** 12/05/84 R. McMurtry, RWQCB	J. DeLong, AM	Responses to proposed work plan and request for description of wastewater treatment system	II A
** 12/13/84 J. DeLong, AM	R.H. Wyer, U.S. EPA	Comments on proposed amendment to National Priorities List	II A
** 12/21/84 R.B. Weiss, WA	J. Lam, RWQCB	Letter forwarding results of water analyses from interim treatment system	II A

02/23/90

Applied Materials Building 1
Administrative Record
Table of Contents
Volume III: 1985

WEISS ASSOCIATES



** Date: Author:	Recipient:	Contents:	Volume:
** 01/29/85 W.A. McIlvride, WA	E. Basanese, Avantek	Letter requesting permission to measure water levels and sample wells at 3175 Bowers Avenue	III A
W.A. McIlvride, WA	A.W. Olivieri, RWQCB	Letter noting errors in November 19, 1984 letter from J. DeLong of AM to A.W. Olivieri	III A
** 02/06/85 J. Schoening, AM	J. Lam, RWQCB	Application for NPDES Permit	III A
** 03/05/85 R.B. James, RWQCB	J. Schoening, AM	Written Approval of Applied Materials Interim On-site Groundwater Remedial Action Plan	III A
** 03/21/85 J. Schoening, AM	A.W. Olivieri, RWQCB	205j Study Report Corrections	III A
** 04/25/85 Weiss Associates	SCVWD	Approved Water Well Construction Application forms for all AM wells	III E
** 04/29/85 W.A. McIlvride, WA	R. Marek, RWQCB	Results of water analyses from AM-1	III E
** 04/30/85 R.B. James, RWQCB	J. Schoening, AM	Tentative Order (NPDES Permit)	III E
R.W. Marek, RWQCB	E. Anton, Ca WRCB	Transmittal of Application for NPDES Permit	III A
R.B. James, RWQCB	J. Schoening, AM	Notice of Tentative Order (NPDES)	III A

02/23/90

Applied Materials Building 1
Administrative Record
Table of Contents
Volume III: 1985

WEISS ASSOCIATES



** Date:	Author:	Recipient:	Contents:	Volume:
** 05/13/85	B. Hunter, DFG, Region 3	R.B. James, RWQCB	Recommendation for effluent limits on discharges as interim criteria	III A
** 05/20/85	J. Schoening, AM	R.B. James, RWQCB	Comments regarding tentative order (NPDES Permit) for AM	III A
** 05/21/85	W.A. McIlvride, WA	R. Marek, RWQCB	Draft cross-sections, location map and lithologic log for AM1-5B	III A
** 06/06/85	R.K. McMurtry, RWQCB	J. Schoening, AM	Rationale for requiring receiving water monitoring in self-monitoring program	III A
** 06/17/85	K.H. Sutherland, U.S.EPA	L. Kolb, WQCB	Comments concerning AM NPDES Permit	III A
** 06/19/85	RWQCB	Applied Materials	Waste Discharge Order #85-70	III E
	RWQCB		Executive Officer Summary Report	III E
** 08/13/85	R.K. McMurtry, RWQCB	J. Schoening, AM	Approval for Groundwater Extraction Monitoring Program	III A
** 08/14/85	J. Schoening, AM	R. Marek, RWQCB	Monthly Monitoring Report	III D

02/23/90

Applied Materials Building 1
Administrative Record
Table of Contents
Volume III: 1985

WEISS ASSOCIATES 

** Date: Author:	Recipient:	Contents:	Volume:
** 08/21/85 Weiss Associates	Ca. Dept. Water Resources	Water Well Drillers Report Forms for All AM Wells	III E
** 09/11/85 W.A. McIlvride, WA	J. Schoening, AM	Monthly Monitoring Report	III D
** 09/16/85 J. Schoening, AM	R. Marek, RWQCB	Letter Transmitting Monthly Monitoring Report	III A
** 10/18/85 W.A. McIlvride, WA	J. Schoening, AM	Monthly Monitoring Report	III D
	W.A. McIlvride, WA	R. Marek, RWQCB Draft Monthly Monitoring Report	III
** 10/22/85 J. Schoening, AM	R. Marek, RWQCB	Letter Transmitting Monthly Monitoring Report	III A
** 11/15/85 W.A. McIlvride, WA	J. Schoening, AM	Monthly Monitoring Report	III D
** 11/22/85 J. Schoening, AM	R. Marek, RWQCB	Letter Transmitting Monthly Monitoring Report	III A
** 12/09/85 P.D. Weiler, WA	J. Schoening, AM	Monthly Monitoring Report	III D
** 12/13/85 J. Schoening, AM	R. Marek, RWQCB	Letter Transmitting Monthly Monitoring Report	III A

Applied Materials Building 1
Administrative Record
Table of Contents
Volume IV: 1986

** Date: Author:	Recipient:	Contents:	Volume:
** 01/28/86 Weiss Associates	J. Schoening, AM	1985 Year-End Ground Water Monitoring Report	IV C
** 01/30/86 Weiss Associates	J. Schoening, AM	Ground Water Protection Study and Proposed Remedial Action Alternatives	IV B
** 04/19/86 Arthur & Orum Drilling Co	SCVWD	Water Well Drillers Report for Well Destruction 06S1W28K01	IV E
** 04/21/86 L. Bejar, SCVWD	Applied Materials	Well Destruction Completion Notice 06S1W28K01	IV E
** 07/02/86 J. Schoening, AM	R.B. James, RWQCB	Request for extension of due date for Quality Assurance Project Plan	IV A
** 07/09/86 S. Morse, RWQCB	J. Schoening, AM	Request for proposal to investigate potential for wells to serve as migration conduits in the AM-1 vicinity	IV A
** 07/18/86 S. Morse, RWQCB	J. Schoening, AM	Tentative Order (Waste Discharge Requirements)	IV E
** 09/05/86 H. Seraydarian, U.S. EPA	R. James, RWQCB	Comments on tentative Waste Discharge Requirements	IV A
** 09/17/86 RWQCB	Applied Materials	Waste Discharge Order # 86-71	IV E



Applied Materials Building 1
Administrative Record
Table of Contents
Volume IV: 1986

** Date: Author: <hr/>	Recipient: <hr/>	Contents: <hr/>	Volume: <hr/>
RWQCB		Executive Officer Summary Report	IV E
** 09/19/86 Weiss Associates	J. Schoening, AM	Quality Assurance/Quality Control Plan For The Geohydrologic Investigation and Remedial Action Program at AM-1	IV E
** 10/30/86 R.W. Marek, RWQCB	J. Dunn, U.S. EPA	Transmittal of AM QA/QC Plan	IV A
** 12/24/86 T. Stumph, U.S. EPA	K. Takata, U.S. EPA	Comments concerning review of AM-1 Quality Assurance/Quality Control Plan, dated September 19, 1986	IV A
** 12/31/86 Applied Materials	RWQCB	Air Stripper Operation Logs: 1986	IV E

Applied Materials Building 1
Administrative Record
Table of Contents
Volume V: 1987

** Date: Author:	Recipient:	Contents:	Volume:
** 03/03/87 Weiss Associates	J. Schoening, AM	1986 Year-End Ground Water Monitoring Report	V C
** 07/01/87 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	V C
** 07/22/87 J. Zelikson, U.S. EPA	J. Morgan, AM	Notification of inclusion in National Priorities List	V A
** 08/31/87 S. Morse, RWQCB	J. Schoening, AM	Comments concerning Revised Quality Assurance/Quality Control, Sampling and Site Safety Plans dated June 1, 1987	V A
** 09/24/87 R.W. Marek, RWQCB	K.A. Isaacson, WA	Memorandum confirming telephone conversation concerning revision of AM Quality Assurance/Quality Control Plan	V A
** 09/25/87 Weiss Associates	J. Schoening, AM	Addendum Revised Quality Assurance Project Plan & Revised Sampling Plan	V E
** 10/05/87 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	V C
** 11/30/87 S. Morse, RWQCB	J. Schoening, AM	Comments Concerning Content of Technical Report Required by C.l.e of Order No. 86-71	V A

Page No.
07/05/89

2

WEISS ASSOCIATES



Applied Materials Building 1
Administrative Record
Table of Contents
Volume V: 1987

** Date:
Author:

Recipient:

Contents:

Volume:

** 12/31/87
Applied
Materials

RWQCB

Air Stripper Operation Logs: 1987 V E

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VI: 1988

** Date: Author:	Recipient:	Contents:	Volume:
** 01/04/88 J. Schoening, AM	R.W. Marek, RWQCB	Letter requesting extension of due date for AM-1 RI/FS report	VI A
** 01/05/88 Weiss Associates	J. Schoening, AM	1987 Year-end Ground Water Monitoring Report	VI C
** 01/19/88 J. Schoening, AM	S. Morse, RWQCB	Letter requesting extension of due date for AM-1 RI/FS report	VI A
** 02/29/88 R.W. Marek, RWQCB	J. Schoening, AM	Compliance Monitoring Report	VI B
** 03/25/88 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VI C
** 05/31/88 J. Schoening, AM	R.W. Marek, RWQCB	Summary of May 13, 1988 meeting to discuss long-term cleanup plan	VI A
** 06/06/88 R.W. Marek, RWQCB	J. Schoening, AM	Compliance Monitoring Report	VI B
** 06/21/88 G. Kistner, U.S. EPA	R.W. Marek, RWQCB	EPA Comments on AM-1 Remedial Investigation/Feasibility Study	VI A
** 07/01/88 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VI C
R.W. Marek, RWQCB		Case Transfer Form	VI B

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VI: 1988

** Date:	Author:	Recipient:	Contents:	Volume:
** 07/20/88	S. Morse, RWQCB	J. Schoening, AM	Review of Remedial Investigation/Feasibility Study Report for AM-1	VI A
** 07/29/88	K.A. Isaacson, WA	R.W. Marek, RWQCB	Discussion of Soil Gas Venting as inappropriate technology for AM-1 site	VI A
** 08/25/88	RWQCB		Work Plan for AM-1	VI B
** 09/07/88	G. Kistner, U.S. EPA	B. Wolf, RWQCB	Review of Risk Assessment Section of AM-1 Remedial Investigation/Feasibility Study	VI A
	G. Kistner, U.S. EPA	B. Wolf, RWQCB	EPA comments on Risk Assessment portion of AM RI/FS, dated 2/19/88	VI A
** 09/30/88	S. Havlicek, CCAS	K.A. Isaacson, WA	Data Validation for 10 Samples Collected By Weiss Associates at AM-1 During Triannual Sampling, Sept. 1, 1988	VI E
** 10/04/88	Weiss Associates	J. Schoening, AM	Addendum to Remedial Investigation/Feasibility Study	VI B
	Weiss Associates	J. Schoening, AM	Proposed Remedial Action For VOCs in Ground Water At AM-1	VI B
	K.A. Issacson, WA	B. Wolf, RWQCB	Responses to July 20, 1988 RWQCB Comments Concerning AM1-RI/FS Report	VI B



Applied Materials Building 1
Administrative Record
Table of Contents
Volume VI: 1988

** Date: Author:	Recipient:	Contents:	Volume:
** 10/05/88 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VI C
** 10/21/88 J. Schoening, AM	A.J. Mancini, RWQCB	Notification of Extraction System Maintenance	VI A
** 11/17/88 S. Morse, RWQCB	J. Schoening, AM	Notice of Revised NPDES Permit	VI E
** 11/29/88 A.J. Mancini, RWQCB	M.D. Kent, RWQCB	Review of Additional RI/FS Revisions	VI A
** 12/06/88 P.D. Weiler, WA	J. Schoening, AM	Comments on NPDES Permit Revisions	VI A
** 12/12/88 G. Kistner, U.S. EPA	A.J. Mancini, RWQCB	EPA Comments on AM RI/FS Study	VI A
** 12/21/88 RWQCB	Applied Materials	Waste Discharge Order #88-171	VI E
RWQCB		Executive Officer Summary Report	VI E
** 12/31/88 Applied Materials	RWQCB	Air Stripper Operation Logs: 1988	VI E



Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date: Author:	Recipient:	Contents:	Volume:
** 01/05/89 Weiss Associates	J. Schoening, AM	1988 Year-End Ground Water Monitoring Report	VII C
** 01/12/89 J. Clifford, U.S.EPA	RWQCB	Memo regarding need for environmental evaluation at Superfund Sites	VII A
** 01/23/89 S. Morse, RWQCB	J. Schoening, AM	Comments on Additional Information Submitted To Revise the Remedial Investigation/Feasibility Study for AM-1	VII A
** 02/22/89 S. Kusum Perera, DHS	S. Morse, RWQCB	Comments on Data Validation Package Submitted for AM-1	VII A
** 02/23/89 P.D. Weiler, WA	J. Schoening, AM	Draft Revised Risk Assessment Portions of AM-1 RI/FS	VII B
** 02/24/89 G. Kistner, U.S. EPA	A.J. Mancini, RWQCB	Preliminary Health Assessment for AM-1	VII B
** 03/07/89 S. Morse, RWQCB	J. Schoening, AM	Compliance Monitoring Report	VII B
** 03/09/89 S. Morse, RWQCB	J. Schoening, AM	Letter Forwarding Comments on Data Validation Package Submitted for AM-1	VII A
** 03/10/89 S. Morse, RWQCB	J. Schoening, AM	Request for Schedule of Administrative Record Compilation	VII A

Page No. 2
06/12/90

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date: Author:	Recipient:	Contents:	Volume:
** 03/14/89 P.D. Weiler, WA	A.J. Mancini, RWQCB	Correction to Page 14 of Draft Revised Public Health and Environmental Impacts chapter of the AM-1 RI/FS Report	VII B
** 03/16/89 R. Saito, Jacobs Eng.	A.J. Mancini, RWQCB	Data from Public Health Risk Evaluation Database	VII A
** 03/21/89 G. Kistner, U.S. EPA	A.J. Mancini, RWQCB	EPA comments on revised draft Risk Assessment portions of AM RI/FS, dated 2/19/88	VII A
** 03/22/89 P.D. Weiler, WA	A.J. Mancini, RWQCB	Schedule Agreement for Administrative Record Compilation	VII A
** 03/27/89 S. Morse, RWQCB	J. Schoening, AM	Comments on Revised Risk Assessment Portion of the AM RI/FS	VII A
** 04/02/89 S. Havlicek, CCAS	M.L. Stallard, WA	Responses to Comments on Data Validation Package	VII A
** 04/04/89 S. Morse, RWQCB	J. Schoening, AM	Confirmation of Extension of Time Granted AM for Submittal of Revised Risk Assessment	VII A
** 04/05/89 Weiss Associates	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VII C

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date:	Author:	Recipient:	Contents:	Volume:
** 04/10/89	M.L. Stallard, WA	A.J. Mancini, RWQCB	Letter Forwarding CCAS Responses to Comments on Data Validation Package	VII A
** 04/13/89	P.D. Weiler, WA	A.J. Mancini, RWQCB	Responses to January 23, 1989 RWQCB Comments Concerning AM-1 RI/FS Report	VII B
	S. Havlicek, CCAS	M.L. Stallard, WA	Special Comments EPA Check Sample for Data Validation Package	VII A
** 04/14/89	M.L. Stallard, WA	A.J. Mancini, RWQCB	Letter Forwarding Special Comments EPA Check Sample for Data Validation	VII A
** 04/19/89	D. Spath, DHS	RWQCB	List of Revised Action Levels for Contaminants of Drinking Water	VII A
** 05/11/89	G. Kistner, U.S. EPA	A.J. Mancini, RWQCB	List of EPA guidance documents for admin. record references	VII A
	A.J. Mancini	P. Weiler, WA	List of reference documents used by RWQCB 2	VII A
** 05/18/89	G. Kistner, U.S. EPA	A.J. Mancini, RWQCB	EPA comments on AM revised Endagerment Assessment dated 3/15/89	VII A
** 05/19/89	P.D. Weiler, WA	J. Schoening, AM	Near-Source Soil Sampling Investigation Plan	VII B

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date: Author:	Recipient:	Contents:	Volume:
** 05/23/89 S. Morse, RWQCB	J. Schoening, AM	Compliance Monitoring Report	VII B
** 06/14/89 Weiss Associates	J. Schoening, AM	Remedial Investigation and Feasibility Study For Applied Materials Building 1	VII B
** 06/21/89 Reporting Service	RWQCB	Reporter's Transcript of Proceedings, June 21, 1989	VII E
CA RWQCB	J. Schoening, AM	Tentative Order of Site Cleanup Requirements for AM-1	VII E
** 06/23/89 Applied Materials	RWQCB	Air Stripper Operation Logs: 1989	VII E
** 06/29/89 CA RWQCB		Presentation by RWQCB Staff, Public Meeting, 6/29/89	VII E
** 07/05/89 A. Martorana, WA	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VII C
** 07/20/89 T.I. Iwamura, SCVWD	A.J. Mancini, RWQCB	Comments on 7/16/89 Proposed Final RAP for AM-1	VII A
** 07/21/89 J. Schoening, AM	A.J. Mancini, RWQCB	Letter transmitting responses to 6/21/89 tentative order	VII A
P.D. Weiler, WA	J. Schoening, AM	Responses to 6/21/89 tentative order for AM-1	VII A

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date:	Author:	Recipient:	Contents:	Volume:
	G. Kistner, USEPA	A.J. Mancini, RWQCB	EPA Comments on Public Health Evaluation from 7/14/89 RI/FS for AM-1	VII A
** 08/21/89	S.K. Perera, DHS	S. Morse, RWQCB	Final Data Validation Report for AM-1	VII E
	P.D. Weiler, WA	J. Schoening, AM	Comments on draft responses for tentative order for AM-1	VII A
** 08/28/89	P.D. Weiler, WA	J. Schoening, AM	Responses to SCVWD comments, dated 7/20/89	VII A
** 09/01/89	CA RWQCB		Community Relations Plan for Superfund Sites in the City of Santa Clara	VII E
** 09/05/89	S. Morse, RWQCB	J. Schoening, AM	Response to letter dated 8/21/89 concerning tentative order for AM-1	VII A
	S. Morse, RWQCB	J. Schoening, AM	Responses to comments dated 8/21/89 concerning tentative order for AM-1	VII A
** 09/06/89	S. Morse, RWQCB		Responsiveness Summary to Comments Concerning Tentative Order for AM-1	VII E
	P.D. Weiler, WA	J. Schoening, AM	Preliminary Report of Near-Source Soil Sampling Investigation Results	VII B
** 09/08/89	CA RWQCB	J. Schoening, AM	Revised Tentative Order of Site Cleanup Requirements for AM-1	VII E

Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date: Author:	Recipient:	Contents:	Volume:
** 09/18/89 J.T. Wondolleck, CDM	A.J. Mancini, RWQCB	Review Comments on AM-1 Ground Water Remedial Alternatives	VII A
** 09/19/89 D.W. Alden, OHS	CA RWQCB	Comments on Revised Tentative Order and Site Cleanup Requirements for AM-1	VII A
** 09/21/89 CA RWQCB	Applied Materials, Inc.	Order for Site Cleanup Requirements for AM Building 1	VII E
** 09/25/89 S. Ritchie, WQCB	State of California	Notice of Exemption, Section 15321, Title 14, CA Code of Regulations	VII A
** 09/28/89 S. Morse, WQCB	J. Schoening, AM	Letter Transmitting Order 89-167	VII A
** 10/05/89 A. Martorana, WA	J. Schoening, AM	Quarterly Ground Water Monitoring Report	VII C
** 10/31/89 Weiss Associates	Applied Materials	Final Plan for disposal and reclamation of extracted ground water	VII B
** 11/06/89 A. Martorana, WA	T. Mancini, RWQCB	Request for change of submittal date of quarterly report	VII A
** 11/07/89 S. Morse, WQCB	J. Schoening, AM	Request for Due Date Extension for Assessment of VOCs in Soil Rpt.	VII A



Applied Materials Building 1
Administrative Record
Table of Contents
Volume VII: 1989

** Date: Author:	Recipient:	Contents:	Volume:
** 11/14/89 S. Morse, WQCB	J. Schoening, AM	Reply to Request to Change Due Date for Submittal of Quarterly Report	VII A
** 11/17/89 Weiss Associates	J. Schoening, AM	Report on detection and formation of vinyl chloride in ground water	VII B
** 11/28/89 S. Morse, WQCB	J. Schoening, AM	Letter Noting Reports Required by Order No. 89-167, Site Cleanup Requirements	VII A
** 11/29/89 Weiss Associates	J. Schoening, AM	Progress Report on assessment of VOCs in soil at AM	VII B
** 12/18/89 S. Morse, WQCB	J. Schoening, AM	Comments on Report and Letter on Disposal and Reclamation of Extracted Ground Water	VII A
S. Morse, WQCB	J. Schoening, AM	Comments Concerning Soil Cleanup Evaluation at the Building 1 Site	VII A



**APPLIED MATERIALS BUILDING 1
ADMINISTRATIVE RECORD
TABLE OF CONTENTS
VOLUME VIII: 1990**

<u>Date:</u> <u>Author:</u>	<u>Recipient</u>	<u>Contents:</u>	<u>Volume</u>
**01/05/90 J. Schoening Applied Materials	A.J. Mancini RWQCB	Response to water use constraints in the event of a change in ownership	VIIIA
**01/11/90 Weiss Associates	J. Schoening Applied Materials	1989 Year-end ground water monitoring report	VIIIC
**01/22/90 D. Wang DHS	J. Schoening Applied Materials	Notification that DHS does not require further information regarding the site	VIIIA
**01/29/90 Weiss Associates	J. Schoening Applied Materials	Assessment of VOCs in soil at AM-1	VIIIB
**02/15/90 Weiss Associates	J. Schoening Applied Materials	Final plan for disposal and reclamation of extracted ground water	VIIIB
**03/05/90 J. Thompson RWQCB	J. Schoening Applied Materials	Site update document for Santa Clara Superfund sites	VIIIA
**03/06/90 S. Morse RWQCB	J. Schoening Applied Materials	Requirements for NPDES permit renewal	VIIIA
S. Morse RWQCB	L.K. Silva EPA	Renewal application for NPDES permit No. CA0028851	VIIIE
**03/13/90 Weiss Associates	J. Schoening Applied Materials	Quarterly ground water monitoring report	VIIIC



<u>Date:</u> <u>Author:</u>	<u>Recipient</u>	<u>Contents:</u>	<u>Volume</u>
**03/15/90 J. Thompson RWQCB	C. Johnson Santa Clara	Site update document for Santa Clara Superfund sites	VIIIA
**03/20/90 S. Morse RWQCB	J. Schoening Applied Materials	Letter request for additional NPDES renewal permit materials	VIIIA
**03/21/90 S. Morse RWQCB	J. Schoening Applied Materials	Letter regarding recommendation of amending Order 89-167	VIIIA
**04/06/90 J. Schoening Applied Materials	T. Mancini RWQCB	Clarification that AM is not required to complete form 3510-3	VIIIA
**04/18/90 S. Morse RWQCB	J. Schoening Applied Materials	Comments to quarterly ground water monitoring report, January - March 1990	VIIIA
S. Morse RWQCB	J. Schoening Applied Materials	Letter requesting the update of Administrative Record	VIIIA
S. Morse RWQCB	G. Toney Applied Materials	Signature authorization, NPDES permit renewal	VIIIA
S. Morse RWQCB	J. Schoening Applied Materials	Letter addressing completion of NPDES permit renewal and need for signature authorization	VIIIA
S. Morse RWQCB	A. Matthews CA - WRCB	Transmittal or remainder of renewal application for NPDES permit CA 0028851	VIIIA
S. Morse RWQCB	L.K. Silva EPA	Transmittal of remainder of renewal application for NPDES permit CA 0028851	VIIIA
**05/07/90 S. Morse RWQCB	J. Schoening Applied Materials	Need for public comment period for amended Board Order No. 89-167	VIIIA



<u>Date:</u> <u>Author:</u>	<u>Recipient</u>	<u>Contents:</u>	<u>Volume</u>
**05/08/90 D. Wang DHS	J. Schoening Applied Materials	Notification that DHS does not require further information regarding the site	VIIIA
**05/14/90 Weiss Associates	A.J. Mancini RWQCB	AM Sampling letter in response to letter dated April 18, 1990	VIIIA
**05/17/90 G. Toney Applied Materials	S. Morse RWQCB	Authorization for Jerry Schoening to sign reports, applications, etc.	VIIIA
S. Morse RWQCB	J. Schoening Applied Materials	Notification that Amended Board Order No. 89-167 will not be presented in June	VIIIA
**05/29/90 S. Morse RWQCB	J. Schoening Applied Materials	Response to AMs comments to tentative NPDES permit renewal requirements	VIIIA
**06/19/90 J. Schoening Applied Materials	A.J. Mancini RWQCB	Notification of problems with ground water extraction due to construction	VIIIA
**06/25/90 S. Morse RWQCB	J. Schoening Applied Materials	Problems affecting ground water extraction due to construction	VIIIA
**06/28/90 RWQCB	Applied Materials	Guidance document for the development of health-based remedial clean-up levels for the South Bay	VIIIE
**07/10/90 Weiss Associates	RWQCB	Diagrams and figures presented at July 10, 1990 meeting	VIIIE
**07/12/90 S. Morse RWQCB	J. Schoening Applied Materials	Summary of July 10, 1990 meeting	VIIIA
**07/13/90 Weiss Associates	J. Schoening Applied Materials	Quarterly ground water monitoring report	VIIIC



<u>Date:</u> <u>Author:</u>	<u>Recipient</u>	<u>Contents:</u>	<u>Volume</u>
**07/16/90 RWQCB	RWQCB	Maximum Contaminant Levels	VIII E
S. Morse RWQCB	J. Schoening Applied Materials	Transmittal of compliance monitoring report for NPDES permit	VIII A
**07/17/90 S. Morse	J. Schoening Applied Materials	Compliance monitoring report	VIII A
**07/20/90 S. Morse RWQCB	J. Schoening Applied Materials	Discussion of monthly self- monitoring report for June 1990	VIII A
**07/23/90 G. Hiatt EPA	A.J. Mancini RWQCB	Treatment of 1,1-DCE for the purposes of risk assessment	VIII A
**07/25/90 J. Schoening Applied Materials	S. Morse RWQCB	Deed restriction text	VIII A
Weiss Associates	J. Schoening Applied Materials	AM Clean-up plan fact sheet summary	VIII B
Weiss Associates	J. Schoening Applied Materials	Updated feasibility study alternatives evaluation	VIII B
**08/01/90 S. Morse RWQCB	J. Schoening Applied Materials	Notice of revised tentative Order amending Order No. 89-167	VIII E
**08/15/90 RWQCB	Public Record	AM Building 1 Santa Clara Superfund Site Fact Sheet No. 3	VIII E
Executive Officer	Board Members	Item 18, Executive Officer, Summary Report for meeting 08/15/90, with correspondence from AM to WQCB dated 08/07/90	VIII E
**08/28/90 S. Morse RWQCB	J. Schoening Applied Materials	Response to AMs comments regarding proposed tentative order and staff report	VIII A



<u>Date</u> <u>Author:</u>	<u>Recipient</u>	<u>Contents:</u>	<u>Volume</u>
**09/07/90 S. Morse RWQCB	J. Schoening/J. DeLong Applied Materials	Revised tentative order and accompanying correspondence	VIII E
Weiss Associates	J. Schoening Applied Materials	NPDES reporting and analytic reports	VIII D
**09/13/90 Applied Materials	Weiss Associates	Air stripper logs from March 1989 through August 1990	VIII D
**09/19/90 Executive Officer	Board Members	Supplemental to revised tentative Order No. 89-167	VIII E