TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VFHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-1	11/13/01	12	44,000	21,000	11,000	2,000	4,700	<2,500	<2,500	<2,500	39,000	<12,000
		02/14/02	<0.50	42,000	9,200	9,200	1,200	3,900	<500	<500	<500	7,200	<2500
		05/21/02	Well W-1 not sampled on this date, product observed in well.										
		08/14/02	Well W-1 not sampled on this date, product observed in well.										
		11/13/02	Well W-1 not sampled on this date, product observed in well.										
		02/13/03	Well W-1 not sampled on this date, product observed in well.										
		05/13/03	2.5	5,000	140	67	44	830	<5.0	<5.0	<5.0	36	<25
		08/15/03	2.1	3,900	69	26	37	450	<5.0	<5.0	<5.0	84	<10
		12/09/03	6.5	13,000	2,300	1,000	190	1,500	16	<5.0	<5.0	5,100	1,100
		03/09/04	Well W-1 not sampled on this date, product observed in well.										
		05/20/04	Well W-1 not sampled on this date, product observed in well.										
		07/28/04	2.3	6,800	1,100	100	160	130	<200	<200	<200	3,300	<400
		11/12/04	4.6	6,500	1,600 H	120 H	220 H	150 H	<250 H	<250 H	<250 H	4,900 H	<500 H
		01/20/05	0.77	10,000	1,300	350	160	270	<250	<250	<250	3,500	<500
		04/13/05	36	11,000	1,900	1,200	360	1,000	<250	<250	<250	870	<500
	W-2	11/13/01	<10	14,000	1,900	1,400	1,100	1,700	<250	<250	<250	5,100	<1,200
		02/14/02	5.3	10,000	170	140	360	410	<5.0	<5.0	<5.0	70	52
		05/21/02	<5.0	8,700	490	190	500	430	<50	<50	<50	860	<250
		08/14/02	4.5	8,900	1,400	190	860	1,200	<500	<500	<500	6,000	<2,500
		11/13/02	4.0	28,000	3,900	620	980	1,600	<250	<250	<250	9,300	<1,200
		02/14/03	1.6	3,600	660	72	210	160	<250	<250	<250	2,200	<500
		05/12/03	<0.50	64	<5.0	<5.0	<5.0	<15	<50	<50	<50	990	<250
		08/15/03	<0.50	100	26	<5.0	<5.0	<10	<50	<50	<50	840	<100
		12/10/03	1.7	10,000	3,300	980	460	830	<200	<200	<200	2,800	640
		03/09/04	3.2	17,000	4,700	2,500	730	1,400	<500	<500	<500	7,400	<1000
		05/20/04	1.2	7,200	2,500	360	330	410	<500	<500	<500	6,000	<1,000
		07/28/04	1.2	18,000	4,900	220	610	940	<500	<500	<500	11,000	<1,000
		11/12/04	1.8	3,300	1,400 H	230 H	150 H	340 H	<250 H	<250 H	<250 H	4,000 H	<500 H
		01/20/05	1.4	8,900	3,100	390	340	710	<500	<500	<500	12,000	3,000
		04/13/05	0.50	2,900	550	380	120	450	<100	<100	<100	1,400	560
	W-3	11/14/01	<5.0	14,000	1,600	1,100	990	2,600	<100	<100	<100	1,100	<500
		02/14/02	<5.0	7,700	780	650	510	1,400	<50	<50	<50	440	<250
		05/21/02	17	34,000	3,700	2,600	2,500	6,400	<100	<100	<100	3,000	<500
		08/14/02	19	40,000	2,200	1,800	1,800	5,400	<200	<200	<200	2,000	<1,000
		11/13/02	12	49,000	2,700	2,400	2,300	7,400	<200	<200	<200	2,200	<1,000
		02/14/03	2.6	7,500	330	450	370	1,300	<50	<50	<50	300	<100
		05/13/03	2.3	5,300	190	280	260	870	<100	<100	<100	230	<500
		08/15/03	1.9	4,800	200	200	320	800	<25	<25	<25	260	<50
		12/10/03	1.4	6,200	400	860	300	1,100	<25	<25	<25	640	200
		03/09/04	1.4	4,800	440	660	230	760	<50	<50	<50	870	<100
		05/20/04	0.70	3,100	320	260	160	420	<5.0	<5.0	<5.0	730	76
		07/28/04	<0.50	1,600	180	50	94	160	<50	<50	<50	680	<100
		11/12/04	0.91	4,300	520 H	160 H	230 H	520 H	<50 H	<50 H	<50 H	1,900 H	120 H
		01/20/05	12	7,600	330	600	260	1,100	<50	<50	<50	1,200	230
		04/13/05	2.4	12,000	220	1,500	380	2,500	<100	<100	<100	400	210

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VHHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-4	11/14/01	3.5	7,300	3,400	330	480	710	<500	<500	<500	8,000	<2,500
		02/14/02	Well W-4 not sampled on this date, product observed in well.										
		05/21/02	Well W-4 not sampled on this date, product observed in well.										
		08/14/02	Well W-4 not sampled on this date, product observed in well.										
		11/13/02	Well W-4 not sampled on this date, product observed in well.										
		02/13/03	Well W-4 not sampled on this date, product observed in well.										
		05/13/03	Well W-4 not sampled on this date, product observed in well.										
		08/15/03	0.77	1,300	7.6	<5.0	<5.0	21	<50	<50	<50	850	<100
		12/09/03	2.4	5,500	150	31	10	43	<50	<50	<50	1,800	530
		03/09/04	<0.50	290	85	<20	<20	<40	<200	<200	<200	4,400	<400
		05/20/04	<0.50	880	220	10	<10	<20	<100	<100	<100	3,300	400
		07/28/04	<0.50	400	130	<20	<20	<40	<200	<200	<200	2,100	690
		11/12/04	<0.50	1,700	900 H	19 H	10 H	29 H	<100 H	<100 H	<100 H	3,200 H	1,400 H
		01/20/05	<0.50	1,400	410	5.6	8.6	21	<25	<25	<25	1500	1,400
		04/13/05	0.74	2,200	1,300	20	20	22	<100	<100	<100	2,100	7,200
	W-5	11/14/01	<0.50	1,100	120	100	74	140	<5.0	<5.0	<5.0	110	26
		02/15/02	<0.50	530	56	68	44	52	<5.0	<5.0	<5.0	190	110
		05/21/02	4.5	16,000	180	630	470	1,800	<50	<50	<50	150	<250
		08/14/02	Well W-5 not sampled on this date, product observed in well.										
		11/13/02	Well W-5 not sampled on this date, product observed in well.										
		02/13/03	Well W-5 not sampled on this date, product observed in well.										
		05/12/03	34	12,000	290	200	450	640	<1000	<1000	<1000	870	<5000
		08/14/03	12	5,400	120	67	280	460	<20	<20	<20	150	46
		12/10/03	6.1	5,000	290	35	250	180	<20	<20	<20	630	210
		03/09/04	0.68	1,600	230	14	100	37	<100	<100	<100	910	<200
		05/20/04	1.1	2,700	450	9.6	250	37	<50	<50	<50	1,100	210
		07/28/04	0.78	2,100	340	<10	230	21	<100	<100	<100	860	210
		11/12/04	0.73	2,200	370 H	22 H	130 H	34 H	<50 H	<50 H	<50 H	1,200 H	180 H
		01/20/05	0.57	3,200	500	15	190	28	<100	<100	<100	1,900	380
		04/13/05	530	7,500,000	3,600	4,200	3,300	7,900	<500	<500	<500	580	<1000
	W-6	11/14/01	<0.50	820	140	100	72	150	<5.0	<5.0	<5.0	13	<25
		02/15/02	<0.50	420	100	93	21	55	<5.0	<5.0	<5.0	10	<25
		05/21/02	<0.50	<50	2.4	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	4.6	3.4	0.50	2.8	<5.0	<5.0	<5.0	<5.0	<25
		11/13/02	<0.50	<50	2.3	3.0	<0.50	1.9	<5.0	<5.0	<5.0	<5.0	<25
		2/2/13/03	<0.50	94	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	<1.0	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		03/09/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	90	<10
		05/20/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,300	<100
		07/28/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,000	<200
		11/12/04	<0.50	<50	<5.0 H	<5.0 H	<5.0 H	<10 H	<50 H	<50 H	<50 H	1,200 H	<100 H
		01/20/05	<0.50	83	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	510	17
		04/13/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date	EFHs (mg/l)	VFHs (µg/l)	Volatile Organic Compounds: Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	Oxygenates: DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
ON-SITE WELLS	W-7	11/13/01	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	280	64
		02/14/02	<0.50	470	21	46	43	110	<5.0	<5.0	<5.0	180	74
		05/21/02	<0.50	170	<5.0	12	6.0	25	<50	<50	<50	850	290
		08/14/02	<0.50	120	5.7	<5.0	<5.0	<10	<50	<50	<50	1,000	<250
		11/13/02	<0.50	160	<5.0	<5.0	<5.0	<10	<50	<50	<50	800	<250
		02/14/03	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	470	<100
		05/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	5.2	200	75
		08/15/03	0.71	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	160	20
		12/10/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	310	<40
		03/09/04	<0.50	75	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	400	<40
		05/20/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	310	66
		07/28/04	NA	77	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	170	<40
		11/12/04	<0.50	80	<2.0 H	<2.0 H	<2.0 H	<4.0 H	<20 H	<20 H	<20 H	250 H	<40 H
		01/20/05	<0.50	57	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	150	<10
		04/13/05	<0.50	59	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	170	<10
	W-11	11/14/01	<0.50	730	100	89	53	110	<5.0	<5.0	<5.0	6.5	<25
		02/14/02	<2.5	2,500	370	660	86	340	<5.0	<5.0	<5.0	9.2	<25
		05/21/02	<0.50	50	0.88	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	2.4	1.5	<0.50	1.3	<5.0	<5.0	<5.0	<5.0	<25
		11/13/02	<0.50	<50	0.60	0.65	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	<1.0	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	1.1	<50	<0.50	0.56	<0.50	2.6	<5.0	<5.0	<5.0	<5.0	<10
		03/09/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/20/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		07/28/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		11/12/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		01/20/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		04/13/05	<0.56	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
OFF-SITE WELL	W-8	11/13/01	<0.50	300	<2.0	<2.0	<2.0	<4.0	270	<20	<20	21	<100
		02/15/02	<0.50	630	45	100	25	68	190	<20	<20	<20	<100
		05/21/02	<0.50	490	10	<0.50	<0.50	<1.0	180	<5.0	<5.0	16	110
		08/14/02	<0.50	290	3.6	2.6	<2.0	6.9	280	<20	<20	<20	110
		11/12/02	<0.50	210	<1.0	<1.0	<1.0	<2.0	210	<10	<10	<10	100
		02/13/03	<0.50	110	<1.0	<1.0	<1.0	<2.0	200	<10	<10	17	78
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	9.2	<5.0	<5.0	4.3	<25
		08/14/03	0.59	210	<0.50	<0.50	<0.50	<1.0	160	<5.0	<5.0	<5.0	51
		12/09/03	<0.50	120	0.67	<0.50	<0.50	<1.0	130	<5.0	<5.0	20	54
		03/10/04	<0.50	270	<0.50	<0.50	<0.50	<1.0	150	<5.0	<5.0	7.3	64
		05/21/04	<0.50	60	<1.0	<1.0	<1.0	<2.0	190	<10	<10	<10	52
		07/27/04	<0.50	120	<1.0	<1.0	<1.0	<2.0	120	<10	<10	<10	<20
		11/12/04	<0.50	76	<25 H	<25 H	<25 H	<50 H	2,200 H	<250 H	<250 H	<250 H	<500 H
		01/20/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	17	<5.0	<5.0	<5.0	<10
		04/14/05	0.63	<50	<0.50	<0.50	<0.50	<1.0	6.4	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date			Volatile Organic Compounds				Oxygenates				
			EFHs (mg/l)	VPHs (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
OFF-SITE WELLS	W-9	11/14/01	<0.50	1,900	1,400	130	68	72	27	<5.0	<5.0	6,400	740
		02/15/02	<0.50	1,600	600	180	48	100	<200	<200	<200	3,900	<1000
		05/21/02	0.52	4,000	2,700	<50	61	<100	<500	<500	<500	14,000	<2,500
		08/14/02	0.79	5,200	3,900	<100	<100	<200	<1,000	<1,000	<1,000	18,000	<5,000
		11/12/02	<0.50	700	360	<10	29	<20	<100	<100	<100	2,600	<500
		02/13/03	<0.50	470	140	<10	33	<20	<100	<100	<100	1,800	710
		05/12/03	<0.50	210	110	<10	<10	<30	<100	<100	<100	2,400	500
		08/14/03	<0.50	390	260	<25	<25	<50	<250	<250	<250	3,300	<500
		12/10/03	<0.50	350	120	<25	33	<50	<250	<250	<250	2,900	570
		03/09/04	<0.50	230	30	<25	<25	<50	<250	<250	<250	4,500	<500
		05/21/04	<0.50	190	<50	<50	<50	<100	<500	<500	<500	3,100	<1,000
		07/27/04	<0.50	410	54	<50	<50	<100	<500	<500	<500	5,300	<1,000
		11/11/04	<0.50	300	<50	<50	<50	<100	<500	<500	<500	4,700	<1,000
		01/19/05	<0.50	120	<25	<25	<25	<50	<250	<250	<250	1,900	<500
		04/13/05	<0.50	91	<10	<10	<10	<20	<100	<100	<100	940	<200
	W-10	11/13/01	<0.50	97	17	<0.50	<0.50	1.4	12	<5.0	<5.0	80	61
		02/14/02	<0.50	74	2.3	0.66	<0.50	<1.0	9	<5.0	<5.0	150	80
		05/21/02	<0.50	59	2.3	<2.0	<2.0	<4.0	<20	<20	<20	270	120
		08/14/02	<0.50	54	3.0	<2.0	<2.0	<4.0	<20	<20	<20	310	<100
		11/12/02	<0.50	73	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	320	<100
		02/13/03	<0.50	68	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	390	94
		05/12/03	<0.50	<50	<2.5	<2.5	<2.5	<7.5	<25	<25	<25	390	190
		08/14/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	510	<40
		12/09/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	610	210
		03/10/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	710	<40
		05/21/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	680	<50
		07/27/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,200	<200
		11/11/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	390	<50
		01/19/05	<0.71	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	670	130
		04/14/05	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	400	<100
	W-12	11/13/01	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/14/02	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		05/21/02	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		08/14/02	<0.50	<50	7.2	0.97	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		11/12/02	<0.50	<50	0.52	0.57	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<25
		02/13/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	4.8	<25
		08/14/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	9.4	<10
		03/10/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		05/21/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		07/27/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		11/11/04	<0.50	<50	<0.50	<0.50	<0.50	1.4	<5.0	<5.0	<5.0	28	<10
		01/19/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		04/14/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10

TABLE 4:
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS,
G&M Oil Company Station No. 16

	Sample ID	Sample Date	EFHs (mg/l)	VFHs (µg/l)	Volatile Organic Compounds				Oxygenates				
					Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	MTBE (µg/l)	TBA (µg/l)
OFF-SITE WELLS	MW-13	05/12/03	<0.50	<50	1.0	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	9.8	<25
		08/14/03	1.0	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	<5.0	<10
		12/09/03	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	7.6	<10
		03/10/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	6.1	<10
		05/21/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	680	<100
		07/27/04	<0.50	<50	<12	<12	<12	<25	<120	<120	<120	1,400	<250
		11/11/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	970	<50
		01/19/05	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	490	78
		04/14/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	6.4	<10
	MW-14	05/12/03	<0.50	<50	<10	<10	<10	<30	<100	<100	<100	1,700	<500
		08/14/03	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,300	<100
		12/10/03	<0.50	<50	<5.0	5.1	<5.0	15	<50	<50	<50	1,500	180
		03/09/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,700	<200
		05/20/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	790	<50
		07/27/04	<0.50	<50	<5.0	<5.0	<5.0	<10	<50	<50	<50	1,100	<100
		11/11/04	<0.50	<50	<10	<10	<10	<20	<100	<100	<100	1,300	<200
		01/19/05	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	620	84
		04/13/005	<0.50	<50	0.57	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	79	<10
	MW-15	05/12/03	<0.50	<50	2.6	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	96	27
		08/14/03	<0.50	74	<10	<10	<10	<20	<100	<100	<100	1,200	230
		12/09/03	<0.50	97	<10	<10	<10	<20	<100	<100	<100	2,200	780
		03/10/04	<0.50	59	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	510	110
		05/21/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	290	69
		07/27/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	190	<40
		11/11/04	<0.50	<50	1.1	<1.0	<1.0	<2.0	11	<10	<10	190	26
		01/19/05	<0.50	<50	0.5	<0.50	<0.50	<1.0	8.6	<5.0	<5.0	130	<10
		04/14/05	<0.50	180	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	480	50
	MW-16	05/12/03	<0.50	<50	<0.50	<0.50	<0.50	<1.5	<5.0	<5.0	<5.0	50	<25
		08/14/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	410	<40
		12/09/03	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	490	74
		03/10/04	<0.50	<50	<2.0	<2.0	<2.0	<4.0	<20	<20	<20	380	<40
		05/21/04	<0.50	<50	<2.5	<2.5	<2.5	<5.0	<25	<25	<25	330	<50
		07/27/04	<0.50	<50	<5.0	<5.0	<5.0	11	<50	<50	<50	590	<100
		11/11/04	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	87	<10
		01/19/05	<0.50	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0	50	<10
		04/14/05	<0.50	<50	<5.0	15	<5.0	12	<50	<50	<50	970	<100

Notes:
EFH = Extractable Fuel Hydrocarbons, analyzed by EPA 3510C/8015 CADHS Modified
VFH = Volatile Fuel Hydrocarbons, analyzed by EPA 5030/8015 CADHS Modified
BTEX and Oxygenates analyzed by EPA Method 8260B
BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes
NA = Sample Not Analyzed
H = Sample analyzed outside of laboratory hold times
DIPE = Di-isopropyl Ether

µg/l = micrograms per liter or parts per billion
mg/l = milligrams per liter or parts per million
ETBE = Ethyl tert-Butyl Ether
TAME = tert-Amyl Methyl Ether
MTBE = Methyl tert-Butyl Ehter
TBA = tert-Butanol