Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																		
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-01D	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.5	5 U	1 U	7.5	1 U	1 U	1 U	47	12	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1.4	1 U	1 U	1.2	1 U	0.5 U	1 U	1 U	4.1	5 U	1 U	9.9	1 U	1 U	1 U	61	13	0.5 U
	4/25/2006		0.63	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	8.2	1 U	1 U	1 U	48	10	0.5 U
	7/26/2006		1.3	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.3	5 U	1 U	7	1 U	1 U	1 U	43	7.6	0.5 U
	10/24/2006		1.2	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.4	5 U	1 U	8.1	1 U	1 U	1 U	47	9.2	0.5 U
MW-01S	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.7	1.2	0.69	1 U	1 U	1 U	5 U	1 U	3.8	1 U	1 U	1 U	8.2	1 U	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	3.4	1.2	0.65	1 U	1 U	1 U	5 U	1 U	3.5	1 U	1 U	1 U	7.8	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2	1 U	0.81	1 U	1 U	1 U	5 U	1 U	4.2	1 U	1 U	1 U	7.1	1 U	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	4.3	1.5	0.5 U	1 U	1 U	1 U	5 U	1 U	2.2	1 U	1 U	1 U	7.4	1 U	0.5 U
	10/24/2006		0.5 U	1 U	1 U	1 U	1 R,U	1 R,U	1 U	1 U	0.5 U	1 U	1 U	3.6	1.2	0.5 U	1 R,U	1 U	1 U	5 U	1 U	1.5	1 U	1 U	1 R,U	6.2	1 U	0.5 U
MW-03	10/18/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	66	55	1 U	1.3	30	27	1 U	1 U	22	5 U	1 U	6.4	1 U	1 U	1 U	160	1 U	0.5 U
	1/25/2006		2 U	4 U	4 U	5 U	4 U	4 U	4 U	4 U	52	48	4 U	4 U	26	18	4 U	4 U	22	20 U	4 U	7.1	4 U	4 U	4 U	170	4 U	2 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	60	54	1 U	1	26	20	1 U	1 U	20	5 U	1 U	6.7	1 U	1 U	1 U	130	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	34	43	1 U	1.4	39	14	1 U	1 U	25	5 U	1 U	6.6	1 U	1 U	1 U	150	1 U	0.5 U
	10/24/2006		0.59	1 U	1 U	1 U	1 U	1 U	1 U	1 U	37	39	1 U	1.3	30	19	1 U	1 U	20	5 U	1 U	6.7	1 U	1 U	1 U	160	1 U	0.5 U
MW-04	10/20/2005		8 U	8 U	97	16 U			8 U	8 U	20 U	14	20 U	51	160	41	8 U	8 U	81	58	8 U	8 U	8 U	8 U	10 U	390	20 U	20 U
	10/20/2005	K	5 U	10 U	91	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	50	160	42	10 U	10 U	81	63	10 U	10 U	10 U	10 U	10 U	390	10 U	5 U
	1/26/2006		5 U	10 U	34	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	42	190	96	10 U	10 U	82	52	10 U	10 U	10 U	10 U	10 U	540	10 U	5 U
	1/26/2006	K	5 U	10 U	32	20 U	10 U	10 U	10 U	10 U	5 U	14	10 U	42	180	110	10 U	10 U	82	55	10 U	10 U	10 U	10 U	10 U	520	10 U	5 U
	4/26/2006		5	5 U	17	10 U	5 U	5 U	5 U	5 U	2.5 U	17	5 U	44	190	110	5 U	5 U	87	63	5 U	7.2	5 U	5 U	5 U	430	5 U	2.5 U
	4/26/2006	K	4.6	5 U	17	17 U	5 U	5 U	5 U	5 U	2.5 U	17	5 U	43	190	100	5 U	5 U	82	62	5 U	6.9	5 U	5 U	5 U	420	5 U	2.5 U
	7/27/2006		5.5	10 U	14	10 U	10 U	10 U	10 U	10 U	5 U	25	10 U	49	240	71	10 U	10 U	93	56	10 U	10 U	10 U	10 U	10 U	470	10 U	5 L,U
	7/27/2006	K	5.2	10 U	14	10 U	10 U	10 U	10 U	10 U	5 U	24	10 U	47	230	66	10 U	10 U	86	51	10 U	10 U	10 U	10 U	10 U	430	10 U	5 L,U
	10/26/2006		10	2 U	170 P1	36.3			2.4	2.9	5 U	14	5 U	77	120	41	2 U	2 U	63	61	3.6	4.7	2 U	2 U	9.52 U	250	5 U	5 U
	10/26/2006	K	9.4	1 U	280	32.3	23	1.4	1 U	2.5	0.5 U	16	1 U	75	140	56	1 U	1 U	61	61	3.8	4.2	1 U	1 U	1 U	280	1 U	0.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																		
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-04A	10/20/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	7.2	1 U	10	160	0.5 U	1 U	1 U	26	5 U	1.1	9.6	2.4	1 U	1 U	130	1.4	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.7	1 U	2.8	38	0.5 U	1 U	1 U	7.4	5 U	1 U	1.6	1 U	1 U	1 U	35	1 U	0.5 U
	4/26/2006		1.1	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	7.3	1 U	13	160	0.5 U	1 U	1 U	33	5 U	3.4	3.3	2.4	1 U	1 U	87	1.6	0.5 U
	7/27/2006		2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	13	5 U	17	310	2.5 U	5 U	5 U	42	25 U	5 U	10	5 U	5 U	5 U	220	5 U	2.5 U
	10/26/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	9.3	1 U	14	210	0.5 U	1 U	1 U	30	5 U	2.5	5.8	2.2	1 U	1 U	150	1 U	0.5 U
MW-06B	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1.3	0.5 U	1 U	1 U	1.9	5 U	1 U	10	1 U	1 U	1 U	11	1 U	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	7.7	1 U	1 U	1 U	13	1 U	0.5 U
	4/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	8	1 U	1 U	1 U	14	1.5	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1.1	0.5 U	1 U	1 U	1 U	5 U	1 U	4.8	1 U	1 U	1 U	13	1 U	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	4.6	1 U	1 U	1 U	13	1 U	0.5 U
MW-06D	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	35	1 U	1 U	1 U	62	14	0.5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	2.6	5 U	1 U	31	1 U	1 U	1 U	73	14	0.5 U
	4/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.93	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.4	5 U	1 U	27	1 U	1 U	1 U	63	13	0.5 U
	7/26/2006		0.5 U	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1 U	1 U	1.1	1 U	0.5 U	1 U	1 U	3.2	5 U	1 U	17	1 U	1 U	1 U	54	8	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	2.8	5 U	1 U	23	1 U	1 U	1 U	62	9.6	0.5 U
MW-07	10/19/2005		2 U	2 U	2 U	4 U			2 U	2 U	5 U	2.1	5 U	31	93	80	2 U	2 U	14	5 U	3.3	2.8	2 U	4 U	10 U	89	5 U	5 U
	1/26/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	16	51	17	1 U	1 U	7.5	5 U	1.7	2.6	1 U	1 U	1 U	56	1 U	0.5 U
	4/26/2006		0.57	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.7	1 U	22	69	23	1 U	1 U	10	5 U	2.3	2.7	1 U	1 U	1 U	68	1 U	0.5 U
	7/26/2006		0.55	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1.5	1 U	19	49	34	1 U	1 U	6.3	5 U	1.9	1.4	1 U	1 U	1 U	55	1 U	0.5 U
	10/25/2006		2 U	2 U	2 U	2 U			2 U	2 U	5 U	2 U	5 U	24	95	31	2 U	2 U	9.9	5 U	3.3	2.3	2 U	2 U	9.43 U	88	5 U	5 U
MW-09	10/20/2005		3.5	4 U	4 U	8 U	8.4	4 U	4 U	4 U	2 U	110	4 U	21	330	290	4 U	4 U	80	32	4 U	9.2	10	4 U	4 U	380	4 U	2 U
	10/20/2005	K	3.3	4 U	4.1	8 U	9.8	4 U	4 U	4 U	2 U	94	4 U	17	290	290	4 U	4 U	72	28	4 U	8.4	7.4	4 U	4 U	350	4 U	2 U
	1/27/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	90	5 U	14	320	280	5 U	5 U	100	120	5 U	8.9	5 U	5 U	5 U	450	5 U	2.5 U
	1/27/2006	K	2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	89	5 U	13	320	280	5 U	5 U	98	120	5 U	8.4	5 U	5 U	5 U	430	5 U	2.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																		
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-09	4/26/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	86	5 U	10	330	360	5 U	5 U	81	56	5 U	11	5 U	5 U	5 U	470	5 U	2.5 U
	4/26/2006	K	1.2	1 U	1 U	2 U	1 U	1 M1,U	1 M1,U	1.6	0.5 U	77	1	11	390	410	1 U	1 U	82 M1	60	1.6	10	2.7 M1	1.2	1 U	520	1 U	0.5 U
	7/27/2006		2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	57	5 U	9.8	180	630	5 U	5 U	44	25 U	5 U	8.2	5 U	5 U	5 U	260	5 U	2.5 U
	7/27/2006	K	2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.5 U	58	5 U	10	180	710	5 U	5 U	45	25 U	5 U	9.2	5 U	5 U	5 U	280	5 U	2.5 U
	10/26/2006		1	1 U	1 U	1 U	1 U	1 U	1 U	1	0.5 U	68	1 U	9.3	190	260	1 U	1 U	52	79	1.4	5.5	1.4	1 U	1 U	430	1 U	0.5 U
	10/26/2006	K	1.2	1 U	1 U	1 U	1 U	1 U	1 U	1.1	0.5 U	74	1 U	11	210	270	1 U	1 U	58	79	1.9	6.7	2	1.2	1 U	420	1 U	0.5 U
MW-11	10/20/2005		20 U	20 U	20 U	40 U			20 U	20 U	50 U	39	50 U	34	240	20 U	20 U	20 U	70	50 U	20 U	20 U	20 U	20 U	10 U	810	50 U	50 U
	1/27/2006		5 U	10 U	490	287	10 U	10 U	10 U	10 U	5 U	36	10 U	52	280	13	10 U	10 U	71	50 U	10 U	12	10 U	10 U	10 U	1000	10 U	5 U
	4/26/2006		10 U	20 U	1300	670	20 U	20 U	20 U	20 U	10 U	22	20 U	35	160	19	20 U	20 U	40	100 U	20 U	20 U	20 U	20 U	20 U	690	20 U	10 U
	7/27/2006		1.4	1 U	78	16.1	1	1 U	1 U	4.2	0.5 U	39	1 U	68	310	4.2	5.5	1.4	59	5 U	1 U	13	7.3	1 U	1 U	930	1 U	0.5 L,U
	10/25/2006		20 U	54	300	430			20 U	20 U	50 U	42	50 U	69	320	20 U	20 U	20 U	54	50 U	20 U	20 U	20 U	20 U	9.43 U	1100	50 U	50 U
MW-14S	10/20/2005		2 U	2 U	2 U	4 U			2 U	2.3	7.7	28	5 U	14	50	35	2 U	2 U	31	5.2	2 U	6.5	2 U	2 U	10 U	180	5 U	5 U
	1/26/2006		1.7	1 U	40	2 U	1 U	1 U	1 U	1.7	4.7	15	1 U	23	47	31	1 U	1 U	32	5 U	1 U	3.4	1 U	1 U	1.7	190	1 U	0.5 U
	4/25/2006		3.4	5 U	320	37	6.6	5 U	5 U	5 U	4.4	14	5 U	21	45	25	5 U	5 U	30	25 U	5 U	5 U	5 U	5 U	5 U	180	5 U	2.5 U
	7/26/2006		1.6	1 U	15	1	2	1 U	1 U	1.8	6.2	19	1 U	18	51	30	1 U	1 U	35	5 U	1 U	3.6	1 U	1 U	1.1	170	1 U	0.5 U
	10/25/2006		2 U	2 U	2 U	2 U			2 U	2.4	5 U	18	5 U	35	75	34	2 U	2 U	36	5 U	2 U	3.5	2 U	2 U	9.43 U	280	5 U	5 U
MW-15D	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.6	1 U	0.5 U
	1/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	3.2	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.5	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2	1 U	0.5 U
	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	2.5	1 U	0.5 U
MW-15S	10/19/2005		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.55	5.6	1 U	1 U	1 U	18	1 U	1 U	1 U	5 U	1 U	1.9	1 U	1 U	1 U	5.8	1 U	0.5 U
	1/25/2006		0.64	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1.3	1 U	1 U	1 U	33	1 U	1 U	1 U	5 U	1 U	3.2	1 U	1 U	1 U	11	1 U	0.5 U
	4/25/2006		0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	10	1 U	1 U	1 U	5 U	1 U	1.8	1 U	1 U	1 U	6	1 U	0.5 U
	7/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	3.4	1 U	1 U	1 U	6.9	1 U	1 U	1 U	5 U	1 U	1.5	1 U	1 U	1 U	6.6	1 U	0.5 U

Table 4
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Non-chlorinated VOCs						Chlorinated VOCs																		
			Ben (1)	Tol (150)	e-Ben (300)	T-Xyl (1,750)	ISB	N-Propyl benzene	BDCM	Chloro benzene (70)	CCl4 (0.5)	CFM (80)	Chloroethane	cis-1,2-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	1,2-DCB (600)	1,4-DCB (5)	1,1-DCE (6)	MCL (5)	trans-1,2-DCE (10)	PCE (5)	1,1,1-TCA (200)	1,1,2-TCA (5)	1,2,4-TCB (5)	TCE (5)	TFM (150)	Vinyl chloride (0.5)
MW-15S	10/25/2006		0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1.6	1 U	1 U	1 U	5.1	1 U	1 U	1 U	5 U	1 U	2.2	1 U	1 U	1 U	4.5	1 U	0.5 U
MW-16	10/20/2005		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	5 U	5 U	51	350	58	5 U	5 U	42	25 U	9.9	7.8	5 U	5 U	5 U	120	5 U	2.5 U
	1/27/2006		2.5 U	5 U	5 U	10 U	5 U	5 U	5 U	5 U	2.5 U	5 U	5 U	24	270	30	5 U	5 U	30	25 U	5 U	5.4	5 U	5 U	5 U	90	5 U	2.5 U
	4/26/2006		0.58	1 U	2.3	2 U	1 U	1 U	1 U	1 U	0.5 U	1.1	1 U	10	140	33	1 U	1 U	16	5 U	1.9	4.5	1 U	1 U	1 U	61	1 U	0.5 U
	7/26/2006		0.64	1 U	1 U	1 U	1 L,U	1 U	1 U	1 U	0.5 U	1.4	1 U	34	230	76	1 U	1 U	23	5 U	6.4	3.7	1 U	1 U	1 U	68	1 U	0.59
	10/24/2006		0.68	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	1 U	1 U	37	210	35	1 U	1 U	24	5 U	6.7	3.5	1 U	1 U	1 U	68	1 U	0.5 U

Notes:

Ben = benzene; Tol = toluene; e-Ben = ethylbenzene; T-Xyl = total xylenes; ISB = Isopropylbenzene; NAP = Naphthalene; BDCM = Bromodichloromethane; CCl4 = Carbon tetrachloride; CFM = Chloroform; DBE = Dibromoethane; DCA = Dichloroethane; DCB = Dichlorobenzene; DCE = Dichloroethene; DCFM = Dichlorodifluoromethane; MCL = Methylene chloride; PCA = Tetrachloroethane; PCE = Tetrachloroethene; TCA = Trichloroethane; TCB = Trichlorobenzene; TCE = Trichloroethene; TFM = Trichlorofluoromethane

California Maximum Contaminant Levels (MCLs) are shown in parenthesis. MCL shown for chloroform is the sum of trihalomethane isomers.

All concentrations are reported in micrograms per liter (ug/L).
Only compounds detected in one or more samples are listed.
U = Not detected at a concentration greater than the reporting limit shown.
C = Calibration vertification recovery was above the method control limit.
R = The Relative Percent Difference (RPD) was above the method control limit due to sample matrix effects. The individual analyte QA/QC recoveries were within acceptance limits.
L = The Laboratory Control Sample recovery was above the method control limits.
M1 = The MS and/or MSD were above the acceptance limits due to sample matrix interference.

Sample Type:
K = Split sample