

APPENDIX B

**ASARCO LLC Hayden Plant Site:
Summary of Ecological Evaluation
Site Visit of April 27-28, 2006**

ASARCO LLC Hayden Plant Site

Summary of Ecological Evaluation Site Visit of April 27-28, 2006

PREPARED FOR: U.S. Environmental Protection Agency, Region IX

PREPARED BY: Gary Santolo/CH2M HILL
Christine Arenal/CH2M HILL

DATE: January 5, 2007 (replacing draft version of October 25, 2006)

PROJECT NUMBER: 335404.FI.04

1. Introduction and Purpose

This technical memorandum presents the results of Task 3f from the *Final Workplan – Remedial Investigation at the ASARCO LLC Hayden Plant Site* (RI Workplan, CH2M HILL, 2005). The purpose of this task of the RI is to characterize the terrestrial and aquatic habitats in the project area. Additionally, the terrestrial and aquatic habitats in a reference area were characterized for comparison to the study area. These characterizations in the project and reference areas include general habitat mapping and wildlife observations, and were generally conducted according to guidance for ecological assessments provided by EPA (1997).

2. Participants

The site visit for the ecological evaluation occurred on April 27-28, 2006. Participants included Gary Santolo, Donna Roraback, and Allan Erickson from CH2M HILL (both days), Ned Black from the U.S. Environmental Protection Agency (EPA, April 27 only), Marc Dahlberg from Arizona Fish and Game (AFGD, April 27 only), Carrie Marr from the U.S. Fish and Wildlife Service (USFWS) (April 28 only), and Leucetia Holle from ASARCO (both days).

3. Field Equipment and Measurements

The equipment required for the ecological investigation, the calibration of this equipment, and the field measurements taken are described in the following subsections.

Equipment for Creating the Preliminary Habitat Maps

- High-resolution aerial photographs
- Topographic maps
- National Wetlands Inventory maps
- National Resources Conservation Service (NRCS) soil maps

Equipment for Walking Surveys/Habitat Characterization

- Digital camera
- Hand-held GPS unit
- Field parameter multi-meter
 - pH meter
 - Dissolved oxygen (DO) meter
 - Conductivity meter
 - Thermometer
 - Turbidity meter
- Tape measure
- Binoculars
- Diameter Breast-height (DBH) Tape
- Habitat assessment forms
- Wildlife observation forms

a. Calibration and Maintenance of Field Equipment

As indicated above, several instruments were used in the field effort, including a GPS instrument and field parameter meters (pH, conductivity, turbidity, thermometer, DO). To ensure that the instruments were operating properly and producing accurate and reliable data, routine calibration was performed prior to and during use in the field. Factory calibrations were performed at a frequency recommended by the manufacturer. Field calibrations were performed at least once per day, prior to instrument use. If field calibration revealed that the instrument was outside established accuracy limits, the instrument was serviced in the field. A backup instrument was available for each of the critical real-time instruments used in the field (e.g., multi-meter for measuring pH, DO, conductivity, temperature, and turbidity).

Preventive maintenance for field equipment was carried out in accordance with procedures and schedules outlined in the operation and maintenance handbook of each particular model. The maintenance responsibilities for field equipment were assigned collectively to the field team leader (Gary Santolo) and field team members (Donna Roraback and Allan Erickson). The field team using the equipment was responsible for checking the status of the equipment prior to use and reporting any problems encountered. The field team was also responsible for ensuring that critical spare parts were included as part of the field equipment checklist. Non-operational field equipment was removed from service and a replacement obtained¹.

All field instruments were properly protected against inclement weather conditions during the field investigation. Each instrument is specially designed to maintain its operating integrity during variable temperature ranges that are representative of ranges that were encountered during the working conditions. At the end of each working day, all field equipment was taken out of the field for overnight storage.

¹ Original equipment for water chemistry was not completely operational. Data were collected using equipment on loan from Arizona Fish and Game.

b. Field Measurements

Prior to beginning the field study, preliminary habitat maps were created using existing remote sensing data (i.e., recent, high-resolution aerial photographs of the area, topographic maps, National Wetlands Inventory maps, and NRCS soil maps). The resulting habitat maps were then verified by field surveys. Field measurements for each habitat type (terrestrial, aquatic – non-flowing systems, aquatic – flowing systems, and wetland) are outlined in the respective checklists included in the Checklist for Ecological Assessment/Sampling form from EPA (1997). This checklist for each site is provided in Appendix A. The checklist for each habitat type was used in the field for recording the field measurement data. A brief summary of the primary field measurements included in the field surveys are described below by basic habitat type.

Terrestrial Habitat Field Measurements

As part of the field survey within each delineated terrestrial habitat type at a selected location, a qualitative evaluation was conducted. The following primary measurements for terrestrial habitats were collected:

- Dominant plant species;
 - estimated percentage total vegetative cover
 - estimated vegetative cover height
- Any evidence of stressed vegetation (if present);
- Visual and auditory observations of wildlife species, as well as other indicators of wildlife use (e.g., burrows, tracks, scat, rubs, etc.);
- Digital photographs of each habitat type; and
- GPS coordinates of all locations for each habitat using a sub-meter accuracy GPS unit.

Additional information for terrestrial habitats were recorded as indicated in the terrestrial habitat checklist (Section II of the Checklist for Ecological Assessment/Sampling) provided in Appendix A. Examples of these additional measurements include percent cover, predominant tree size in wooded areas (Diameter at Breast Height; DBH), average scrub/shrub height, and average height of the dominant plant in open field habitat.

Aquatic Habitat Field Measurements

The qualitative evaluation for the aquatic habitats included the same primary measurements as outlined above for terrestrial habitats. In addition, the following measurements specific to aquatic habitats were recorded:

- Width and depth of water body (estimated)
- pH, temperature, DO, conductivity, and turbidity
- Flow velocity (if applicable)

Additional information for aquatic habitats was recorded as indicated in the aquatic habitat checklists (Section III and IV of the Checklist for Ecological Assessment/Sampling) provided in Appendix A. Examples of these additional measurements include general composition of the substrate (substrate types provided in checklist), source of water for non-flowing water bodies, and bank condition for flowing systems.

4. Ecological Investigation Field Procedures

The first steps for the field survey occurred prior to going into the field. These included determining the project and reference areas and creating preliminary habitat maps from aerial photographs of the project and reference areas. The procedures for these steps, along with the procedures for conducting the walking survey are described in this subsection.

a. Procedures for Determining the Project and Reference Area

The project area was defined in the RI Workplan (CH2M HILL, 2005) using available Site information. Generally, the project area includes all terrestrial and aquatic habitat within the rectangle trending northwest-southeast and superimposed over the Gila and San Pedro River valleys as shown in Figure 4-5 from the RI Workplan (attached). The project area spans five miles on both sides of a line extending from two miles east-southeast of Winkelman to northwest of Hayden about half way to the town of Kearny. This area also incorporates the towns of Hayden and Winkelman and associated ASARCO process facilities. Because little ecological habitat is expected in these residential and industrial areas, field surveys were not conducted within the towns or ASARCO facilities.

The reference area was selected from an area with similar terrestrial and aquatic habitats as the project area, and following guidance provided in EPA (1994). These included physical (water, sediment, soil, and habitat structure characteristics), climatic (regional and local), and biological (community characteristics) characteristics. A summary of these potential characteristics is presented in Table 1. These characteristics were considered in the selection of the reference area.

TABLE 1
Some Characteristics to Consider When Selecting Reference Locations

Category of Characteristic	Type of Characteristic	Characteristic Attributes
Physical	Water	Temperature, Chemistry, Depth, Flow
	Sediment	Total organic carbon; total acid-volatile sulfides; percent sand, silt, clay, water
	Soil	Particle size distribution, organic matter content, hydrologic regime, chemistry
	Habitat Structure	Stream/lake bottom structure, stream/lake-side cover, vertical stratification, horizontal variation, percent cover
Climatic	Regional	Latitude, proximity to mountains and large water bodies
	Local	Topography (valleys, hilltops), altitude, aspect (north- or south-facing slopes), solar radiation
Biological	Community Characteristics	Species abundance, species richness, diversity, trophic structure, history of species introductions

Notes: Table duplicated from EPA , 1997

b. Procedures for Creating Preliminary Habitat Maps from Aerial Photographs

Delineation of terrestrial and aquatic habitats was based primarily on existing remote sensing data. Initial habitat delineation was conducted using recent, high-resolution aerial photographs of the area, topographic maps, National Wetlands Inventory maps, and NRCS soil maps. Habitat types were classified broadly into four categories: river, stable riparian, ruderal (disturbed) riparian, and upland. The initial habitat delineation will be digitized into a GIS database and mapped on high resolution aerial photograph base maps.

c. Procedures for Conducting the Walking Survey

Limited field surveys were conducted to verify/ground-truth assigned terrestrial and aquatic habitat types as determined by the initial maps; to identify habitats in the vicinity of soil, sediment, and water sampling areas; and to record characteristic vegetation and general wildlife utilization patterns within the project area, as well as within a reference area (i.e., an area with similar vegetation, geology, slope, etc., but that is not impacted by the Site). Field surveys were planned to occur during the month of April, as this is a time when vegetation and wildlife, especially flowering plants and resident birds, would be most abundant. The time spent at each site was limited and wildlife observations were not systematic but opportunistic.

As part of the field survey within each delineated habitat type at a selected location, a qualitative evaluation was conducted in which the dominant plant species were identified, any evidence of stressed vegetation (if present) was recorded, and aquatic resources were qualitatively and quantitatively (to a limited extent) described. The data collected was in accordance with the terrestrial and aquatic habitat checklists provided in EPA (1997). This checklist was used in the field and completed checklists are reproduced in Appendix A. Photo-documentation of each habitat type was compiled for reference and documentation of future changes or improvements in habitat quality for the Site. The location of each habitat area was mapped using a sub-meter accuracy GPS unit.

As previously indicated, direct observation, calls, or sign of wildlife in the project area was recorded during the terrestrial and aquatic habitat characterization field surveys. This sampling was incidental to the habitat characterization efforts. No active survey techniques such as using kicknets to identify benthic invertebrates or searching under logs, rocks, and debris for herpetiles were used due to time constraints. Observations, including species, number present, observation, and remarks/comments, were recorded directly on the site checklist. Digital photos of sign were taken and locations of direct observations and sign were recorded directly on the site checklists. In addition to Site surveys, appropriate literature and database reviews and consultations with United States Fish & Wildlife Services (USFWS) and Arizona Game and Fish Department (AGFD) was conducted to determine the existence or potential utilization of the project area by species of special status, as designated by state or federal natural resource management agencies. Specifically, AGFD was contacted to request a query of the Natural Diversity Database prior to conducting surveys. This query identified protected species known to occur in the area. Observations of any special-status species or sensitive habitat areas observed during the field surveys were recorded.

GPS data collected in the field was exported into the habitat characterization GIS database for final mapping onto high resolution aerial photograph base maps. This task includes development of the initial Site map and collection of the GPS data for verifying the map. The final habitat characterization map will be developed as part of the Ecological Risk Assessment.

d. Procedures for Photograph Documentation

Documentation of the following information was digitally recorded for each photograph: date and time, name of the site and task, general description of the subject, location of the site photograph, and photograph number.

A copy of the photographs used for the Site descriptions will be placed in the project file with the information outlined above. A select set have been included to exemplify sites described in Appendix A.

5. Summary of Existing Information

The Gila-San Pedro River confluence area has been subject to considerable ecological characterization due to the presence of the southwestern willow flycatcher, a federally endangered species, in the area. The following list of flycatcher-related studies is available for use in the risk evaluations for this species:

- *Southwestern Willow Flycatcher Survey and Nest Monitoring Reports for 2000 through 2003* (Paradzick et al., 2001; Smith et al., 2002; Smith et al., 2003; and Smith et al., 2004);
- *Southwestern Willow Flycatcher Breeding Site and Territory Summaries for 2000 through 2002* (Sogge et al., 2001; Sogge et al., 2002; and Sogge et al., 2003);
- *Physiological Condition of Southwestern Willow Flycatchers in Native and Saltcedar Habitats* (Owen and Sogge, 2002);
- *A Quantitative Analysis of the Diet of Southwestern Willow Flycatchers in the Gila Valley, New Mexico* (DeLay et al., 2002);
- *Mapping and Monitoring Southwestern Willow Flycatcher Breeding Habitat in Arizona: A Remote Sensing Approach* (Dockens and Paradzick, 2004);
- *Banding and Population Genetics of Southwestern Willow Flycatchers in Arizona – 1997 Summary Report* (Paxton et al., 1997);
- *Food Habits of the Endangered Southwestern Willow Flycatcher* (Drost et al., 2001);
- *Survivorship and Movements of Southwestern Willow Flycatchers in Arizona – 2000* (Luff et al., 2000);
- *Survivorship and Movements of Southwestern Willow Flycatchers at Roosevelt Lake, Arizona – 2001 and 2003 reports* (Kenwood and Paxton, 2001; Newell et al., 2003);
- *Status, Ecology, and Conservation of the Southwestern Willow Flycatcher* (Finch and Stoleson, 2000);
- *Nestling sex ratio in the southwestern willow flycatcher* (Paxton et al., 2002); and
- *A multi-scaled model of southwestern willow flycatcher breeding habitat* (Hatten and Paradzick, 2003).

Additional ecological studies in the project area include a fish monitoring study being conducted by the AGFD (Voeltz, 2005), a herp (reptiles and amphibians) study being conducted by the Bureau of Reclamation (Messing, 2005), and the annual Christmas bird counts conducted in the area by the National Audubon Society (McCarthy, 2005). Brief descriptions of these three studies are provided below.

The AGFD is currently conducting a fish monitoring study that includes portions of the Gila River adjacent to and downstream of the Site and in areas within the San Pedro River (Voeltz, 2005). Two of the Gila River sites are located on ASARCO property, two are upstream of the property, two are downstream of the property, and one is upstream in the San Pedro River. This study is part of the annual sampling conducted in agreement with the Bureau of Reclamation to monitor 22 sites in the Gila River Basin. This study does not measure contaminant levels, but provides population/community data (e.g., species abundance and richness). It should be noted that the ASARCO property sites were dry during the November 2004 sampling, as were the sites in 2003. Information on species present in past years (1999 to 2002) is available.

The Bureau of Reclamation conducted a pilot study to compare the species diversity of herps (primarily lizards, but occasionally also toads) between mature Saltcedar habitat and mature cottonwood-willow habitat in southern Arizona (Messing, 2005). The Saltcedar site is located adjacent to the San Pedro River on ASARCO property and the cottonwood-willow habitat is located near The Nature Conservancy (TNC) preserve. There are three arrays (or sampling locations within each area). An array consists of a central five-gallon bucket dug into the ground and three outer buckets about 25 feet away connected by a drift fence. The arrays were checked every other day beginning in May-September 2004. A second collection effort was conducted May-September 2005, and some vegetation data was also collected. If approved by EPA, ASARCO, and TNC, metals analysis of surface soil and representative herps at each array (i.e., co-located soil and biota) would provide valuable information on chemicals of potential ecological concern (COPEC) concentrations in soil and biota in these areas, as well as limited information on contaminant uptake in reptiles. Arthropods (e.g., spiders) were also observed in the pitfall traps during the pilot study. Collection and chemical analysis of these terrestrial invertebrates is also recommended.

The National Audubon Society has been conducting nationwide Christmas bird counts in December and early January for over 100 years. For the past five years, Christmas bird counts have been done in the 15-mile radius area centered at Dudleyville, Arizona (McCarthy, 2005). This area includes the towns of Hayden and Winkelman and the ASARCO LLC Hayden properties. Volunteers survey for one day and the data is compiled for the entire area. This information is useful for documenting avian species in the general project area during the winter, but may not provide information specific to the project area.

Ecological information from the available studies will be assembled, summarized, and utilized to the extent possible to augment the more limited ecological surveys to be conducted as part of this RI.

6. Results

The locations of the sites surveyed and results of the cursory surveys conducted on April 27-28, 2006 are shown in Figure 2. The following descriptions recap the overall ecology of the site. Appendix A details the specific findings at each location:

The ASARCO Hayden Site is located in the Sonoran Basin and Range Ecoregion as delineated by EPA (2003). Soil conditions in this area strongly affect the distribution and composition of plant communities in this ecoregion and presumably at the site.

Large areas are dominated by shrubs such as creosote bush. Depending on the specific soil type and present in an area, common plant species may include paloverde (*Ceridium sp.*), and saguaro (*Carnegiea gigantea*). Aquatic and wash areas may include willows (*Salix sp.*), tamarisk, cottonwood, and cat's claw (*Acacia greggi*).

Because of the proximity of the site to the Gila and San Pedro Rivers, the site supports a variety of reptilian, mammalian, and avian species. The mammal community present at the site includes small herbivorous species (desert cottontail, pocket mouse, and antelope squirrel); a number of larger omnivores and predators (fox, bobcat, and coyote); and large herbivores (feral horse and mule deer). The bird community is diverse with particular bird communities associated with specific plant communities and seasons. Common herbivorous and insectivorous birds include a variety of sparrows and finches, phainopepla, red-winged blackbird, and cliff swallows. Birds of prey include Swainson's hawk and turkey vulture. Because the site is in close proximity to the Gila-San Pedro River confluence, the area is a breeding site for the federally endangered southwestern willow flycatcher.

Although no specific reptiles were observed during the site visit, the species diversity of reptiles at ASARCO is likely high, typical of the southwestern desert environment. Amphibians may also be abundant; however, amphibians are seasonal in their occurrence outside of the permanent rivers and streams.

Two sites, GR04 and GR10, showed signs of stressed upland vegetation. Dead cottonwoods were observed at GR-04 (see photo GR04-3 in Appendix A). They were upland and quite a distance from the river and were not included in the evaluation of the river. Other vegetation around the cottonwoods did not appear stressed and the cottonwoods may have been stressed by changes in their access to water. At GR10, multiple instances of shrubs with brown, chlorotic, or otherwise stressed foliage were observed. (see photo GR10-Stress1, GR10-Stress2, and GR10-Stress3 in Appendix A). Potential causes were not readily apparent.

7. References

- CH2M HILL. 2005. ASARCO, Inc. Hayden Plant Site, Hayden, Gila County, Arizona. Final Remedial Investigation Work Plan. Prepared for the U.S. Environmental Protection Agency. Tempe, AZ. August.
- DeLay, L.S., S.H. Stoleson, and M. Farnsworth. 2002. *A Quantitative Analysis of the Diet of Southwestern Willow Flycatchers in the Gila Valley, New Mexico*. Final Report to T&E Inc. March. 14 pp.
- Dockens, P.E.T., and C.E. Paradzick. 2004. *Mapping and Monitoring Southwestern Willow Flycatcher Breeding Habitat in Arizona: A Remote Sensing Approach*. Technical Report 223, Arizona Game and Fish Department, Nongame and Endangered Wildlife Program, Phoenix, AZ. March. 82 pp.

- Drost, C.A., E.H. Paxton, M.K. Sogge, and M.J. Witfield. 2001. *Food Habits of the Endangered Southwestern Willow Flycatcher*. U.S. Geological Survey. Final Report to the U.S. Bureau of Reclamation, Salt Lake City, UT. January. 24 pp.
- Finch, D.M., and S.H. Stoleson. 2000. *Status, Ecology, and Conservation of the Southwestern Willow Flycatcher*. General Technical Report RMRS-GTR-60. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. September. 131 pp.
- Hatten, J.R., and C.E. Paradzick. 2003. A multi-scaled model of southwestern willow flycatcher breeding habitat. *J. Wildl. Manage.* 67(4):774-788.
- Kenwood, K.E., and E.H. Paxton. 2001. *Survivorship and Movements of Southwestern Willow Flycatchers at Roosevelt Lake, Arizona – 2001*. U.S. Geological Survey. Report to the U.S. Bureau of Reclamation, Phoenix, AZ. 45 pp.
- Luff, J.A., E.H. Paxton, K.E. Kenwood, and M.K. Sogge. 2000. *Survivorship and Movements of Southwestern Willow Flycatchers in Arizona – 2000*. U.S. Geological Survey. Report to the U.S. Bureau of Reclamation, Phoenix, AZ. 46 pp.
- McCarthy, T. 2005. Personal communication between Tracy McCarthy of the National Audubon Society Volunteers and Christine Arenal of CH2M HILL on January 24.
- Messing, H. 2005. Personal communication between Henry Messing of the U.S. Department of the Interior, Bureau of Reclamation and Christine Arenal of CH2M HILL on January 24.
- Newell, P. J., E.H. Paxton, and M.K. Sogge. 2003. *Survivorship and Movements of Southwestern Willow Flycatchers at Roosevelt Lake, Arizona – 2003*. U.S. Geological Survey. Report to the U.S. Bureau of Reclamation, Phoenix, AZ. 53 pp.
- Owen, J.C., and M.K. Sogge. 2002. *Physiological Condition of Southwestern Willow Flycatchers in Native and Saltcedar Habitats*. U.S. Geological Survey Report to the Arizona Department of Transportation, Phoenix, AZ. 27 pp.
- Paradzick, C.E., T.D. McCarthy, R.F. Davidson, J.W. Rourke, M.W. Sumner, and A.B. Smith. 2001. *Southwestern Willow Flycatcher 2000 Survey and Nest Monitoring Reports*.
- Paxton, E., S. Langridge, and M.K. Sogge. 1997. *Banding and Population Genetics of Southwestern Willow Flycatchers in Arizona – 1997 Summary Report*. U.S. Geological Survey, Biological Resources Division, Colorado Plateau Field Station, Southwestern Willow Flycatcher Research Program, Flagstaff, AZ.
- Paxton, E.H., M.K. Sogge, T.D. McCarthy, and P. Keim. 2002. Nestling sex ratio in the southwestern willow flycatcher. *Condor* 104:877-881.
- Smith, A.B., C.E. Paradzick, A.A. Woodward, P.E.T. Dockens, and T.D. McCarthy. 2002. *Southwestern Willow Flycatcher 2001 Survey and Nest Monitoring Reports*. Technical Report 191, Arizona Game and Fish Department, Nongame and Endangered Wildlife Program, Phoenix, AZ. March. 63 pp.
- Smith, A.B., A.A. Woodward, P.E.T. Dockens, J.S. Martin, and T.D. McCarthy. 2003. *Southwestern Willow Flycatcher 2002 Survey and Nest Monitoring Reports*. Technical Report 210, Arizona Game and Fish Department, Nongame and Endangered Wildlife Program, Phoenix, AZ. March. 49 pp.

Smith, A.B., P.E.T. Dockens, A.A. Tudor, H.C. English, and B.L. Allen. 2004. *Southwestern Willow Flycatcher 2003 Survey and Nest Monitoring Reports*. Technical Report 233, Arizona Game and Fish Department, Nongame and Endangered Wildlife Program, Phoenix, AZ. March. 65 pp.

Sogge, M.K., S.J. Sferra, T. McCarthy, S.O. Williams III, and B.E. Kus. 2001. *Southwestern Willow Flycatcher Breeding Site and Territory Summaries – 2000*. U.S. Geological Survey, Prepared for The Southwestern Willow Flycatcher Recovery Team, U.S. Fish and Wildlife Service, Region 2, Albuquerque, NM. November. 20 pp.

Sogge, M.K., S.J. Sferra, T. McCarthy, S.O. Williams III, and B.E. Kus. 2002. *Southwestern Willow Flycatcher Breeding Site and Territory Summaries – 2001*. U.S. Geological Survey, Prepared for The Southwestern Willow Flycatcher Recovery Team, U.S. Fish and Wildlife Service, Region 2, Albuquerque, NM. October. 20 pp.

Sogge, M.K., P. Dockens, S.O. Williams III, B.E. Kus, and S.J. Sferra. 2003. *Southwestern Willow Flycatcher Breeding Site and Territory Summaries – 2002*. U.S. Geological Survey, Prepared for The Southwestern Willow Flycatcher Recovery Team, U.S. Fish and Wildlife Service, Region 2, Albuquerque, NM. October. 20 pp.

U.S. Environmental Protection Agency (EPA). 1994. "Selecting and Using Reference Information in Superfund Ecological Risk Assessments." Office of Solid Waste and Emergency Response, *ECO Update*. Vol. 2, No. 4, Publication 9345.0-05I, EPA 540-F-94-050. September.

U.S. Environmental Protection Agency (EPA). 1997. *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments, Interim Final*. Office of Solid Waste and Emergency Response. EPA 540-R-97-006. June.

U.S. Environmental Protection Agency (EPA). 2003. *Level III Ecoregions of the Continental United States*. National Health and Environmental Effects Research Laboratory.

Voeltz, J. 2005. Personal communication between Jeremy Voeltz of the State of Arizona Game and Fish Department and Christine Arenal of CH2M HILL on January 2




Figure 2. ASARCO surveys sites 27-28 April 2006

APPENDIX A—CHECKLIST FOR ECOLOGICAL ASSESSMENT/SAMPLING

Introduction

The checklist that follows provides guidance in making observations for an ecological assessment. It is not intended for limited or emergency response actions (e.g., removal of a few drums) or for purely industrial settings with no discharges. The checklist is a screening tool for preliminary site evaluation and may also be useful in planning more extensive site investigations. It must be completed as thoroughly as time allows. The results of the checklist will serve as a starting point for the collection of appropriate biological data to be used in developing a response action. It is recognized that certain questions in this checklist are not universally applicable and that site-specific conditions will influence interpretation. Therefore, a site synopsis is requested to facilitate final review of the checklist by a trained ecologist.

Checklist

The checklist has been divided into sections that correspond to data collection methods and ecosystem types. These sections are:

- I. Site Description
 - 1A. Summary of Observations and Site Setting
- II. Terrestrial Habitat Checklist
 - IIA. Wooded
 - IIB. Shrub/Scrub
 - IIC. Open Field
 - IID. Miscellaneous
- III. Aquatic Habitat Checklist—Non-Flowing systems
- IV. Aquatic Habitat Checklist—Flowing systems
- V. Wetlands Habitat Checklist

Checklist for Ecological Assessment/Sampling

I. SITE DESCRIPTION

1. Site Name: ASARCO LLC Hayden Plant Site

Location: The ASARCO Hayden smelter study area is located in southern Arizona, along Highway 177. Hayden is located approximately 100 miles southeast of Phoenix and 50 miles northeast of Tucson, Arizona. Winkelman is located approximately one mile southeast of Hayden.

County: Pinal and Gila Counties

City: Hayden

State: AZ

2. Site ID	Latitude:	Longitude
EUP01	32 59 41.4	110 49 36.5
EUP02	32 58 59.4	110 47 58.5
EUP03	32 58 03.3	110 46 24.6
EUP04	33 00 22.2	110 45 45.8
EUP05	33 00 28.5	110 48 02.0
GR01	33 01 11.0	110 44 29.8
GR02	33 00 19.3	110 45 44.3
GR03	33 00 00.2	110 45 56.3
GR04	32 59 07.4	110 45 58.9
GR05	32 59 04.0	110 47 16.0
GR06	32 59 22.3	110 48 13.4
GR07	32 59 33.1	110 48 47.1
GR08	33 00 33.1	110 51 06.2
GR09	33 01 00.3	110 51 56.8
GR10	33 01 29.4	110 52 44.9
GR11	33 01 52.5	110 52 53.4
GR12	32 59 14.5	110 47 46.4
GR13	32 59 29.1	110 48 05.4
GR14	32 59 19.5	110 48 22.4
GR15	32 59 43.0	110 48 45.9
GR16	33 00 04.1	110 49 07.2
GRREF01	33 02 15.4	110 43 42.3
SPR01	32 58 22.3	110 46 03.0
SPR02	32 58 47.4	110 47 00.6

3. What is the approximate area of the site? **Several square miles (calculate at a later date)** _____

4. Is this the first site visit? yes no If no, attach trip report of previous site visit(s), if available.

5. Please attach to the checklist USGS topographic map(s) of the site, if available.

6. Are aerial or other site photographs available? yes no If yes, please attach any available photo(s) to the site map at the conclusion of this section.

7. The land use on the site is:

0 % Urban
20 % Rural
40 % Residential
40 % Industrial (light heavy)
0 % Agricultural
(Crops: N/A)
0 % Recreational

0 % Undisturbed
0 % Other

The area surrounding the site is:

5-Mile radius
0 % Urban
90 % Rural
0 % Residential
0 % Industrial (light heavy)
0 % Agricultural
(Crops: N/A)
0 % Recreational

0 % Undisturbed
10 % Other – Livestock Grazing

8. Has any movement of soil taken place at the site? yes no. If yes, please identify the most likely cause of this disturbance:

_____ Agricultural Use

_____ Heavy
Equipment

_____ **X** Mining

_____ Natural Events

_____ Erosion

_____ **X** Other

Please describe: Copper ore processing; conveyer moves soil from crusher facility on north side of State Highway 177 to the concentrator facilities on the east edge of the residential area; tailings piles adjacent to the Gila River (Approximately 1700 acres of tailings piles).

9. Do any potentially sensitive environmental areas exist adjacent to or in proximity to the site, e.g., Federal and State parks, National and State monuments, wetlands, prairie potholes? *Remember, flood plains and wetlands are not always obvious; do not answer "no" without confirming information!*

Yes, southwestern willow flycatcher nesting habitat occurs at the confluence of the Gila and San Pedro Rivers; this is the largest concentration of southwestern willow flycatchers within Arizona

Please provide the source(s) of information used to identify these sensitive areas, and indicate their general location on the site map.

Southwestern Willow Flycatcher 2003 Survey and Nest Monitoring Report, Tech Report 233, Arizona Game and Fish Department, March 2004 (Smith et al., 2004)

10. What type of facility is located at the site?

- Chemical Manufacturing Mixing Waste disposal
- Other (specify) Copper ore processing – smelter, crusher, concentrator, tailings piles, slag dumps

11. What are the suspected contaminants of concern at the site? If known, what are the maximum concentrations levels?

Primarily arsenic and copper, and to a lesser extent cadmium, lead, mercury, and zinc; all TAL metals are considered COPECs because many ecological habitats within the area have not been well-characterized.

12. Check any potential routes of off-site migration of contaminants observed at the site:

- Swales Depressions Drainage ditches
- Runoff Windblown particulates Vehicular traffic
- Other (specify) Discharge from tailings piles (292,000 tons washed into Gila River during 1993 floods.

13. If known, what is the approximate depth to the water table? Tens of feet below channel elevation along Gila and San Pedro Rivers.

14. Is the direction of surface runoff apparent from site observations? yes no If yes, to which of the following does the surface runoff discharge: Indicate all that apply.

- Surface water Groundwater Sewer Collection impoundment

15. Is there a navigable waterbody or tributary to a navigable waterbody? yes no

16. Is there a waterbody anywhere on or in the vicinity of the site? If yes, also complete Section III: Aquatic Habitat Checklist—Non-Flowing Systems and/or Section IV: Aquatic Habitat Checklist—Flowing Systems.

- yes Gila and San Pedro Rivers are located within the site. no

17. Is there evidence of flooding? yes no *Wetlands and flood plains are not always obvious; do not answer "no" without confirming information. If yes, complete Section V: Wetland Habitat Checklist.*

18. If a field guide was used to aid any of the identifications, please provide a reference. Also, estimate the time spent identifying fauna. (Use a blank sheet if additional space is needed for text.)

To be added at a later date (after field work) _____

19. Are any threatened and/or endangered species (plant or animal) known to inhabit the area of the site? yes no *If yes, you are required to verify this information with the U.S. Fish and Wildlife Service. If species' identities are known, please list them next.*

Southwestern willow flycatcher and bald eagle

20. Record weather conditions at the time this checklist was prepared:

DATE: April 27 and April 28 _____

__75 to 90__ Temperature (°C/°F)

_____84 ° F_____ Normal daily high temperature

__5 to 10 mph__ Wind (direction/speed)

_____0_____ Precipitation (rain, snow)

__0 to 20%__ Cloud cover

IA. SUMMARY OF OBSERVATIONS AND SITE SETTING

The project area is located in the Arizona Uplands sub-division of the Sonoran Desert Bioregion. Terrestrial plant communities observed on the site include mixed desert scrub characterized predominantly by leguminous species and mixed riparian habitat.

Terrestrial vegetation at the EUP site is predominantly characterized by foothill paloverde (*Cercidium microphyllum*) and mesquite (*Prosopis* sp.) with scattered creosote bush (*Larrea tridentata*), Saguaro (*Carnegia gigantea*) and jojoba (*Simmondsia chinensis*).

Mixed riparian vegetation occurs along the San Pedro and Gila Rivers within the project study area. Saltcedar (*Tamrix* sp.) is abundant throughout the riparian habitat with cottonwood (*Populus fremontii*) and willow (*Salix goodingii*) scattered throughout. Under story shrubs include mulefat (*Baccharis salicifolia*), sallowbean mesquite (*Prosopis pubescens*) and catclaw (*Acacia greggii*).

Aquatic habitats in the study are limited to scattered patches of emergent vegetation (cattails- *Typha* sp.) along the margins of the Gila River.

Completed by _____ Affiliation _____

Additional Prepares _____

Site Manager _____

Date _____

II. EUP-01 TERRESTRIAL HABITAT CHECKLIST 15:20

IIA. WOODED

1. Are there any wooded areas at the site? **yes** If no, go to Section IIB: Shrub/Scrub
2. What percentage of area of the site is wooded? (**30%** _____ acres). Indicate the wooded area on the site map which is attached to a copy of this checklist. Please identify what information was used to determine the wooded area of the site. **Visual estimate**
3. What is the dominant type of vegetation in the wooded area? (**Mixed**) Provide a photograph, if available. **(Picture EUP01-1)**
Dominant plant, if known:
Palo verde, mesquite
4. What is the predominant size of the trees at the site? Use diameter at breast height. **0-6 in.**
5. Specify type of understory present, if known. Provide a photograph, if available. **(Picture EUP01-2, 4)**

IIB. SHRUB/SCRUB

1. Is shrub/scrub vegetation present at the site? **yes** If no, go to Section IIC: Open Field
2. What percentage of the site is covered by scrub/shrub vegetation? (**20%** _____ acres). Indicate the areas of shrub/scrub on the site map. Please identify what information was used to determine this area.
3. What is the dominant type of scrub/shrub vegetation, if known? Provide a photograph, if available. **Acacia (mesquite), sage, thornbush (Picture EUP01-5)**
4. What is the approximate average height of the scrub/shrub vegetation? **0-2 ft.**
5. Based on site observations, how dense is the scrub/shrub vegetation? **Sparse**

IIC. OPEN FIELD

1. Are there open (bare, barren) field areas present at the site? **yes** If yes, please indicate the type below: Prairie/plains Savannah Old field other (specify) **Desert shrub**
2. What percentage of the site is open field? (**30%** _____ acres). Indicate the open fields on the site map. **(Picture EUP01-3)**
3. What is/are the dominant plant(s)? Provide a photograph, if available. **Acacia (mesquite), sage**
4. What is the approximate average height of the dominant plant? **3'**
5. Describe the vegetation cover: **Sparse**

IID. MISCELLANEOUS

1. Are other types of terrestrial habitats present at the site, other than woods, scrub/shrub, and open field? **no** If yes, identify and describe them below:
2. Describe the terrestrial miscellaneous habitat(s) and identify these area(s) on the site map.
3. What observations, if any, were made at the site regarding the presence and/or absence of insects, fish, birds, mammals, etc.?
kingbird
Burrows (Krat)
4. Review the questions in Section I to determine if any additional habitat checklists should be completed for this site.



EUP01-1



EUP01-2



EUP01-4



EUP01-5



EUP01-3

II. EUP-02 TERRESTRIAL HABITAT CHECKLIST 15:37

IIA. WOODED

1. Are there any wooded areas at the site? **yes** If no, go to Section IIB: Shrub/Scrub
2. What percentage of area of the site is wooded? (**5%** _____ acres). Indicate the wooded area on the site map which is attached to a copy of this checklist. Please identify what information was used to determine the wooded area of the site. **Visual estimate**
3. What is the dominant type of vegetation in the wooded area? (Circle one: Evergreen/Deciduous/Mixed) Provide a photograph, if available.
Dominant plant, if known: **mesquite (Picture EUP02-2)**
4. What is the predominant size of the trees at the site? Use diameter at breast height. **6-12 in.**
5. Specify type of understory present, if known. Provide a photograph, if available.

IIB. SHRUB/SCRUB

1. Is shrub/scrub vegetation present at the site? **yes** If no, go to Section IIC: Open Field (Picture EUP02-3)
2. What percentage of the site is covered by scrub/shrub vegetation? (**60%** _____ acres). Indicate the areas of shrub/scrub on the site map. Please identify what information was used to determine this area.
3. What is the dominant type of scrub/shrub vegetation, if known? Provide a photograph, if available.
creosote, mesquite, -saguoro, barrel cactus
4. What is the approximate average height of the scrub/shrub vegetation? **2-5 ft**
5. Based on site observations, how dense is the scrub/shrub vegetation? **Patchy**

IIC. OPEN FIELD

1. Are there open (bare, barren) field areas present at the site? **yes no** If yes, please indicate the type below: **desert**
2. What percentage of the site is open field? (**40%** _____ acres). Indicate the open fields on the site map.
3. What is/are the dominant plant(s)? Provide a photograph, if available.
creosote, mesquite, -saguoro, barrel cactus (Picture EUP02-4)
4. What is the approximate average height of the dominant plant? **2-5 ft**
5. Describe the vegetation cover: **Patchy**

IID. MISCELLANEOUS

1. Are other types of terrestrial habitats present at the site, other than woods, scrub/shrub, and open field? **no** If yes, identify and describe them below:
2. Describe the terrestrial miscellaneous habitat(s) and identify these area(s) on the site map.
3. What observations, if any, were made at the site regarding the presence and/or absence of insects, fish, birds, mammals, etc.?
Dead occotillo
Rodent burrows (Krat/pocket mouse), deer, antelope squirrel (Picture EUP02-1)
Phainopepla, Say's phoebe,
Some signs of surface flow.
4. Review the questions in Section I to determine if any additional habitat checklists should be completed for this site.



EUP02-2



EUP02-3



EUP02-4



EUP02-1