TABLE 2: SUMMARY OF WELL DATA
G&M Oil Company Station No. 16, Whittier, CA

Well Number	GW Measure Date	Depth to Product DTP (feet)	Depth to Water DTW (feet)	Z Static Water Elev SWE (feet) MSL	A ELEV Top of Well Box (feet) MSL	B ELEV Top of Casing (feet) MSL	-(A-B) Riser Height (feet)	Total Depth (feet)	GW Measure Description
W-1	11/13/2001	N/A	43.65	130.06	173.81	173.71	-0.10	66.00	
	2/14/2002	N/A	44.11	129.60	173.81	173.71	-0.10	66.00	
	5/21/2002	44.67	44.70	129.01	173.81	173.71	-0.10	66.00	water level indicator with gauging point
	8/14/2002	45.37	45.40	128.31	173.81	173.71	-0.10	66.00	Interface Probe
	11/12/2002	46.60	46.81	126.90	173.81	173.71	-0.10	66.00	Interface Probe
	2/13/2003	47.29	47.31	126.40	173.81	173.71	-0.10	66.00	Interface Probe
	5/13/2003	N/A	46.65	127.06	173.81	173.71	-0.10	66.00	water level indicator with gauging point
	8/15/2003	N/A	46.57	127.14	173.81	173.71	-0.10	66.00	
	12/9/2003	48.29	48.31	125.40	173.81	173.71	-0.10	66.00	water level indicator with gauging point
	3/9/2004	49.46	49.50	124.21	173.81	173.71	-0.10	66.00	Interface Probe
	5/20/2004	50.03	50.06	123.65	173.81	173.71	-0.10	66.00	Interface Probe
	7/28/2004	50.38	50.40	123.31	173.81	173.71	-0.10	66.00	Interface Probe
	11/12/2004	N/A	51.46	122.25	173.81	173.71	-0.10	66.00	Interface Probe with gauging point
	1/20/2005	N/A	52.10	121.61	173.81	173.71	-0.10	66.00	Interface Probe with gauging point
	4/13/2005	N/A	51.76	121.95	173.81	173.71	-0.10	66.00	Interface Probe with gauging point
W-2	11/13/2001	N/A	43.85	130.25	174.50	174.10	-0.40	63.80	
	2/14/2002	N/A	44.31	129.79	174.50	174.10	-0.40	64.70	
	5/21/2002	N/A	45.20	128.90	174.50	174.10	-0.40	64.70	
	8/14/2002	N/A	45.72	128.38	174.50	174.10	-0.40	64.90	
	11/12/2002	N/A	47.06	127.04	174.50	174.10	-0.40	64.70	
	2/13/2003	N/A	47.68	126.42	174.50	174.10	-0.40	64.70	
	5/12/2003	N/A	46.98	127.12	174.50	174.10	-0.40	64.70	
	8/15/2003	N/A	46.91	127.19	174.50	174.10	-0.40	64.70	
	12/9/2003	N/A	48.48	125.62	174.50	174.10	-0.40	64.70	
	3/9/2004	N/A	49.80	124.30	174.50	174.10	-0.40	64.70	
	5/20/2004	N/A	50.03	124.07	174.50	174.10	-0.40	64.70	
	7/28/2004	N/A	50.68	123.42	174.50	174.10	-0.40	64.70	
	11/12/2004	N/A	51.95	122.15	174.50	174.10	-0.40	64.70	
	1/20/2005	N/A	52.50	121.60	174.50	174.10	-0.40	69.60	
	4/13/2005	N/A	49.90	124.20	174.50	174.10	-0.40	69.60	
W-3	11/14/2001	N/A	44.39	129.97	175.01	174.36	-0.65	64.25	
	2/14/2002	N/A	44.88	129.48	175.01	174.36	-0.65	64.20	
	5/21/2002	N/A	47.40	126.96	175.01	174.36	-0.65	64.20	
	8/14/2002	N/A	45.96	128.40	175.01	174.36	-0.65	64.10	
	11/12/2002	N/A	47.28	127.08	175.01	174.36	-0.65	64.20	
	2/13/2003	N/A	47.94	126.42	175.01	174.36	-0.65	64.20	
	5/13/2003	N/A	47.17	127.19	175.01	174.36	-0.65	64.20	
	8/15/2003	N/A	47.33	127.03	175.01	174.36	-0.65	64.20	
	12/9/2003	N/A	48.86	125.50	175.01	174.36	-0.65	64.20	
	3/9/2004	N/A	50.02	124.34	175.01	174.36	-0.65	64.20	
	5/20/2004	N/A	50.54	123.82	175.01	174.36	-0.65	64.20	
	7/28/2004	N/A	50.75	123.61	175.01	174.36	-0.65	64.20	
	11/12/2004	N/A	52.20	122.16	175.01	174.36	-0.65	64.20	
	1/20/2005	52.70	53.00	121.36	175.01	174.36	-0.65	64.30	Interface Probe
	4/13/2005	51.23	51.54	122.82	175.01	174.36	-0.65	64.30	Interface Probe

TABLE 2: SUMMARY OF WELL DATA
G&M Oil Company Station No. 16, Whittier, CA

Well Number	GW Measure Date	Depth to Product DTP (feet)	Depth to Water DTW (feet)	Z Static Water Elev SWE (feet) MSL	A ELEV Top of Well Box (feet) MSL	B ELEV Top of Casing (feet) MSL	-(A-B) Riser Height (feet)	Total Depth (feet)	GW Measure Description
W-4	11/14/2001	N/A	43.35	129.93	173.45	173.28	-0.17	59.60	
	2/14/2002	43.90	43.88	129.40	173.45	173.28	-0.17	61.35	
	5/21/2002	44.21	44.46	128.82	173.45	173.28	-0.17	61.35	water level indicator with gauging paste
	8/14/2002	44.95	45.50	127.78	173.45	173.28	-0.17	61.35	Interface Probe
	11/12/2002	46.15	46.65	126.63	173.45	173.28	-0.17	61.35	Interface Probe
	2/13/2003	46.83	47.25	126.03	173.45	173.28	-0.17	61.32	Interface Probe
	5/13/2003	46.20	46.23	127.05	173.45	173.28	-0.17	61.45	water level indicator with gauging paste
	8/15/2003	N/A	46.30	126.98	173.45	173.28	-0.17	61.45	
	12/9/2003	47.90	47.92	125.36	173.45	173.28	-0.17	61.45	water level indicator with gauging paste
	3/9/2004	N/A	49.25	124.03	173.45	173.28	-0.17	61.40	Interface Probe with gauging paste
	5/20/2004	N/A	49.68	123.60	173.45	173.28	-0.17	61.40	Interface Probe with gauging paste
	7/28/2004	49.99	50.00	123.28	173.45	173.28	-0.17	61.40	Interface Probe
	11/12/2004	N/A	51.14	122.14	173.45	173.28	-0.17	61.40	Interface Probe with gauging paste
	1/20/2005	N/A	51.75	121.53	173.45	173.28	-0.17	61.70	Interface Probe with gauging paste
	4/13/2005	N/A	50.22	123.06	173.45	173.28	-0.17	61.70	Interface Probe with gauging paste
W-5	11/14/2001	N/A	44.35	129.96	175.76	174.31	-1.45	61.95	
	2/14/2002	N/A	44.83	129.48	175.76	174.31	-1.45	61.80	
	5/21/2002	N/A	45.30	129.01	175.76	174.31	-1.45	61.80	
	8/14/2002	46.05	46.10	128.21	175.76	174.31	-1.45	61.80	Interface Probe
	11/12/2002	47.25	47.28	127.03	175.76	174.31	-1.45	61.80	Interface Probe
	2/13/2003	47.93	47.96	126.35	175.76	174.31	-1.45	61.80	Interface Probe
	5/12/2003	47.22	47.96	126.35	175.76	174.31	-1.45	61.80	water level indicator with gauging paste
	8/14/2003	N/A	47.31	127.00	175.76	174.31	-1.45	61.80	
	12/9/2003	N/A	48.86	125.45	175.76	174.31	-1.45	61.80	
	3/9/2004	N/A	50.00	124.31	175.76	174.31	-1.45	61.80	
	5/20/2004	N/A	50.60	123.71	175.76	174.31	-1.45	61.80	
	7/28/2004	N/A	50.86	123.45	175.76	174.31	-1.45	61.80	
	11/12/2004	N/A	51.43	122.88	175.76	174.31	-1.45	61.80	
	1/20/2005	N/A	52.62	121.69	175.76	174.31	-1.45	59.90	
	4/13/2005	51.24	51.44	122.87	175.76	174.31	-1.45	59.90	Interface Probe with gauging paste
W-6	11/14/2001	N/A	43.57	129.95	173.71	173.52	-0.19	62.20	
	2/14/2002	N/A	44.10	129.42	173.71	173.52	-0.19	62.50	
	5/21/2002	N/A	44.60	128.92	173.71	173.52	-0.19	62.50	
	8/14/2002	N/A	45.12	128.40	173.71	173.52	-0.19	62.60	
	11/12/2002	N/A	46.54	126.98	173.71	173.52	-0.19	62.50	
	2/13/2003	N/A	47.08	126.44	173.71	173.52	-0.19	62.50	
	5/13/2003	N/A	46.35	127.17	173.71	173.52	-0.19	62.50	
	8/14/2003	N/A	46.05	127.47	173.71	173.52	-0.19	62.50	
	12/9/2003	N/A	48.08	125.44	173.71	173.52	-0.19	62.50	
	3/9/2004	N/A	49.25	124.27	173.71	173.52	-0.19	62.50	
	5/20/2004	N/A	49.76	123.76	173.71	173.52	-0.19	62.50	
	7/28/2004	N/A	50.04	123.48	173.71	173.52	-0.19	62.50	
	11/12/2004	N/A	51.93	121.59	173.71	173.52	-0.19	62.50	
	1/20/2005	N/A	51.90	121.62	173.71	173.52	-0.19	62.80	
	4/13/2005	N/A	50.41	123.11	173.71	173.52	-0.19	62.80	

TABLE 2: SUMMARY OF WELL DATA
G&M Oil Company Station No. 16, Whittier, CA

Well Number	GW Measure Date	Depth to Product DTP (feet)	Depth to Water DTW (feet)	Z Static Water Elev SWE (feet) MSL	A ELEV Top of Well Box (feet) MSL	B ELEV Top of Casing (feet) MSL	-(A-B) Riser Height (feet)	Total Depth (feet)	GW Measure Description
W-7	11/13/2001	N/A	45.00	129.88	175.30	174.88	-0.42	63.35	
	2/14/2002	N/A	45.40	129.48	175.30	174.88	-0.42	63.67	
	5/21/2002	N/A	45.90	128.98	175.30	174.88	-0.42	63.67	
	8/14/2002	N/A	46.59	128.29	175.30	174.88	-0.42	64.00	
	11/12/2002	N/A	47.86	127.02	175.30	174.88	-0.42	63.67	
	2/13/2002	N/A	48.40	126.48	175.30	174.88	-0.42	63.70	
	5/13/2003	N/A	47.63	127.25	175.30	174.88	-0.42	63.67	
	8/15/2003	N/A	47.80	127.08	175.30	174.88	-0.42	63.67	
	12/9/2003	N/A	49.39	125.49	175.30	174.88	-0.42	63.67	
	3/9/2004	N/A	50.50	124.38	175.30	174.88	-0.42	63.70	
	5/20/2004	N/A	51.04	123.84	175.30	174.88	-0.42	63.70	
	7/28/2004	N/A	50.72	124.16	175.30	174.88	-0.42	63.70	
	11/12/2004	N/A	52.72	122.16	175.30	174.88	-0.42	63.70	
	1/20/2005	N/A	53.15	121.73	175.30	174.88	-0.42	63.95	
	4/13/2005	N/A	50.70	124.18	175.30	174.88	-0.42	63.95	
W-8	11/13/2001	N/A	43.84	129.89	174.04	173.73	-0.31	58.30	
	2/14/2002	N/A	44.25	129.48	174.04	173.73	-0.31	58.90	
	5/21/2002	N/A	44.80	128.93	174.04	173.73	-0.31	58.90	
	8/14/2002	N/A	45.30	128.43	174.04	173.73	-0.31	59.20	
	11/12/2002	N/A	46.61	127.12	174.04	173.73	-0.31	58.90	
	2/13/2003	N/A	47.21	127.12	174.04	173.73	-0.31	58.90	
	5/12/2003	N/A	46.66	127.07	174.04	173.73	-0.31	58.90	
	8/14/2003	N/A	46.68	127.05	174.04	173.73	-0.31	58.90	
	12/9/2003	N/A	48.17	125.56	174.04	173.73	-0.31	58.90	
	3/10/2004	N/A	49.35	124.38	174.04	173.73	-0.31	58.90	
	5/21/2004	N/A	49.90	123.83	174.04	173.73	-0.31	58.90	
	7/27/2004	N/A	50.16	123.57	174.04	173.73	-0.31	58.90	
	11/12/2004	N/A	51.52	122.21	174.04	173.73	-0.31	58.90	
	1/20/2005	N/A	51.90	121.83	174.04	173.73	-0.31	59.00	
	4/14/2005	N/A	50.40	123.33	174.04	173.73	-0.31	59.00	
W-9	11/14/2001	N/A	42.31	129.57	172.51	171.88	-0.63	58.25	
	2/14/2002	N/A	42.71	129.17	172.51	171.88	-0.63	58.90	
	5/21/2002	N/A	43.20	128.68	172.51	171.88	-0.63	58.90	
	8/14/2002	N/A	43.84	128.04	172.51	171.88	-0.63	58.80	
	11/12/2002	N/A	45.16	126.72	172.51	171.88	-0.63	58.90	
	2/13/2003	N/A	45.70	126.18	172.51	171.88	-0.63	58.90	
	5/12/2003	N/A	45.06	126.82	172.51	171.88	-0.63	58.90	
	8/14/2003	N/A	45.15	126.73	172.51	171.88	-0.63	58.90	
	12/9/2003	N/A	46.79	125.09	172.51	171.88	-0.63	58.90	
	3/9/2004	N/A	47.96	123.92	172.51	171.88	-0.63	58.90	
	5/21/2004	N/A	48.53	123.35	172.51	171.88	-0.63	58.90	
	7/27/2004	N/A	48.78	123.10	172.51	171.88	-0.63	58.90	
	11/11/2004	N/A	50.20	121.68	172.51	171.88	-0.63	58.90	
	1/19/2005	N/A	50.60	121.28	172.51	171.88	-0.63	58.95	
	4/13/2005	N/A	49.12	122.76	172.51	171.88	-0.63	58.95	

TABLE 2: SUMMARY OF WELL DATA
G&M Oil Company Station No. 16, Whittier, CA

Well Number	GW Measure Date	Depth to Product DTP (feet)	Depth to Water DTW (feet)	Z Static Water Elev SWE (feet) MSL	A ELEV Top of Well Box (feet) MSL	B ELEV Top of Casing (feet) MSL	-(A-B) Riser Height (feet)	Total Depth (feet)	GW Measure Description
W-10	11/13/2001	N/A	45.00	129.91	175.59	174.91	-0.68	60.00	
	2/14/2002	N/A	45.36	129.55	175.59	174.91	-0.68	60.00	
	5/21/2002	N/A	46.30	128.61	175.59	174.91	-0.68	60.00	
	8/14/2002	N/A	46.43	128.48	175.59	174.91	-0.68	59.80	
	11/12/2002	N/A	47.80	127.11	175.59	174.91	-0.68	60.00	
	2/13/2003	N/A	48.58	126.33	175.59	174.91	-0.68	60.00	
	5/12/2003	N/A	47.62	127.29	175.59	174.91	-0.68	60.00	
	8/14/2003	N/A	47.80	127.11	175.59	174.91	-0.68	60.00	
	12/9/2003	N/A	49.36	125.55	175.59	174.91	-0.68	60.00	
	3/10/2004	N/A	50.50	124.41	175.59	174.91	-0.68	60.00	
	5/21/2004	N/A	50.51	124.40	175.59	174.91	-0.68	60.00	
	7/27/2004	N/A	51.34	123.57	175.59	174.91	-0.68	60.00	
	11/11/2004	N/A	52.56	122.35	175.59	174.91	-0.68	60.00	
	1/19/2005	N/A	53.10	121.81	175.59	174.91	-0.68	56.85	
	4/14/2005	N/A	51.51	123.40	175.59	174.91	-0.68	56.85	
W-11	11/14/2001	N/A	44.90	129.99	175.53	174.89	-0.64	60.00	
	2/14/2002	N/A	45.40	129.49	175.53	174.89	-0.64	60.00	
	5/21/2002	N/A	45.90	128.99	175.53	174.89	-0.64	60.00	
	8/14/2002	N/A	46.52	128.37	175.53	174.89	-0.64	60.00	
	11/12/2002	N/A	47.83	127.06	175.53	174.89	-0.64	60.00	
	2/13/2003	N/A	48.46	126.43	175.53	174.89	-0.64	60.00	
	5/12/2003	N/A	47.64	127.25	175.53	174.89	-0.64	60.00	
	8/14/2003	N/A	47.81	127.08	175.53	174.89	-0.64	60.00	
	12/9/2003	N/A	49.40	125.49	175.53	174.89	-0.64	60.00	
	3/9/2004	N/A	50.60	124.29	175.53	174.89	-0.64	60.00	
	5/20/2004	N/A	51.11	123.78	175.53	174.89	-0.64	60.00	
	7/28/2004	N/A	51.30	123.59	175.53	174.89	-0.64	60.00	
	11/12/2004	N/A	52.65	122.24	175.53	174.89	-0.64	60.00	
	1/20/2005	N/A	53.20	121.69	175.53	174.89	-0.64	60.15	
	4/13/2005	N/A	51.70	123.19	175.53	174.89	-0.64	60.15	
W-12	11/13/2001	N/A	41.73	129.63	171.99	171.36	-0.63	60.00	
	2/14/2002	N/A	42.10	129.26	171.99	171.36	-0.63	60.20	
	5/21/2002	N/A	42.60	128.76	171.99	171.36	-0.63	60.20	
	8/14/2002	N/A	43.15	128.21	171.99	171.36	-0.63	59.65	
	11/12/2002	N/A	44.54	126.82	171.99	171.36	-0.63	60.20	
	2/13/2003	N/A	45.12	126.24	171.99	171.36	-0.63	60.20	
	05/12/2003	N/A	44.30	127.06	171.99	171.36	-0.63	60.20	
	08/14/2003	N/A	44.46	126.90	171.99	171.36	-0.63	60.20	
	12/09/2003	N/A	46.06	125.30	171.99	171.36	-0.63	60.20	
	03/10/2004	N/A	47.23	124.13	171.99	171.36	-0.63	60.20	
	05/21/2004	N/A	47.73	123.63	171.99	171.36	-0.63	60.20	
	07/27/2004	N/A	48.21	123.15	171.99	171.36	-0.63	60.20	
	11/11/2004	N/A	49.11	122.25	171.99	171.36	-0.63	60.20	
	01/19/2005	N/A	49.64	121.72	171.99	171.36	-0.63	59.80	
	4/14/2005	N/A	48.28	123.08	171.99	171.36	-0.63	59.80	

TABLE 2: SUMMARY OF WELL DATA
G&M Oil Company Station No. 16, Whittier, CA

Well Number	GW Measure Date	Depth to Product DTP (feet)	Depth to Water DTW (feet)	Z Static Water Elev SWE (feet) MSL	A ELEV Top of Well Box (feet) MSL	B ELEV Top of Casing (feet) MSL	-(A-B) Riser Height (feet)	Total Depth (feet)	GW Measure Description
MW-13	05/12/2003	N/A	45.51	127.03	172.85	172.54	-0.31	58.38	
	08/14/2003	N/A	45.75	126.79	172.85	172.54	-0.31	58.38	
	12/09/2003	N/A	47.37	125.17	172.85	172.54	-0.31	58.38	
	03/10/2004	N/A	48.55	123.99	172.85	172.54	-0.31	58.40	
	05/21/2004	N/A	49.04	123.50	172.85	172.54	-0.31	58.40	
	07/27/2004	N/A	49.20	123.34	172.85	172.54	-0.31	58.40	
	11/11/2004	N/A	50.70	121.84	172.85	172.54	-0.31	58.40	
	01/19/2005	N/A	51.20	121.34	172.85	172.54	-0.31	59.00	
	4/14/2005	N/A	49.66	122.88	172.85	172.54	-0.31	59.00	
MW-14	05/12/2003	N/A	46.34	126.90	173.85	173.24	-0.61	60.45	
	08/14/2003	N/A	46.59	126.65	173.85	173.24	-0.61	60.45	
	12/09/2003	N/A	48.31	124.93	173.85	173.24	-0.61	60.45	
	03/09/2004	N/A	49.49	123.75	173.85	173.24	-0.61	60.45	
	05/20/2004	N/A	50.02	123.22	173.85	173.24	-0.61	60.45	
	07/27/2004	N/A	53.50	119.74	173.85	173.24	-0.61	60.45	
	11/11/2004	N/A	51.70	121.54	173.85	173.24	-0.61	60.45	
	01/19/2005	N/A	52.11	121.13	173.85	173.24	-0.61	60.35	
	4/13/2005	N/A	50.62	122.62	173.85	173.24	-0.61	60.35	
MW-15	05/12/2003	N/A	46.42	127.25	174.00	173.67	-0.33	58.55	
	08/14/2003	N/A	46.51	127.16	174.00	173.67	-0.33	58.55	
	12/09/2003	N/A	48.12	125.55	174.00	173.67	-0.33	58.55	
	03/10/2004	N/A	49.32	124.35	174.00	173.67	-0.33	58.55	
	05/21/2004	N/A	49.79	123.88	174.00	173.67	-0.33	58.55	
	07/27/2004	N/A	50.09	123.58	174.00	173.67	-0.33	58.55	
	11/11/2004	N/A	51.44	122.23	174.00	173.67	-0.33	58.55	
	01/19/2005	N/A	51.49	122.18	174.00	173.67	-0.33	59.55	
	4/14/2005	N/A	50.42	123.25	174.00	173.67	-0.33	59.55	
MW-16	05/12/2003	N/A	48.86	127.34	176.60	176.20	-0.40	58.50	
	08/14/2003	N/A	48.8	127.40	176.60	176.20	-0.40	58.50	
	12/09/2003	N/A	50.59	125.61	176.60	176.20	-0.40	58.50	
	03/10/2004	N/A	51.75	124.45	176.60	176.20	-0.40	58.50	
	05/21/2004	N/A	52.28	123.92	176.60	176.20	-0.40	58.50	
	07/27/2004	N/A	52.55	123.65	176.60	176.20	-0.40	58.50	
	11/11/2004	N/A	53.91	122.29	176.60	176.20	-0.40	58.50	
	01/19/2005	N/A	54.39	121.81	176.60	176.20	-0.40	58.85	
	4/14/2005	N/A	52.87	123.33	176.60	176.20	-0.40	58.85	

Notes:

DTW = Depth to Water Surface

SWE = Static Water Elevation

N/A = Not Available