Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-01D	07/20/04		0.98	1 U	1 U	2 U	23	1 U	66	3	1 U	0.5 U	1 U	0.5 U	1 U	1.1	1 U	5 U	12	0.5 U
	10/11/04		1.1	1 U	1 U	2 U	8.6	1 U	34	2.6	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5.7	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	24	1 U	53	4	1 U	0.5 U	1 U	0.5 U	1 U	1.5	1 U	5 U	13	0.5 U
	04/26/05		0.5 U	1 U	1 U	2 U	22	1 U	82	5.6	1 U	0.5 U	1 U	0.5 U	1 U	1.6	1 U	5 U	18	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	9.8	1 U	58	4.2	1 U	0.5 U	1 U	0.5 U	1 U	1.4	1 U	5 U	13	0.5 U
MW-01S	07/20/04		0.5 U	1 U	1 U	2 U	9.5	1 U	14	1.5	2.1	0.74	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	24	1 U	10	1.1	1.1	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	04/26/05		0.5 U	1 U	1 U	2 U	4.1	1 U	9.6	1 U	1.8	0.5 U	1 U	0.5 U	1 U	6.5	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	4.8	1 U	12	1 U	1.4	0.51	1 U	0.5 U	1 U	4.6	1 U	5 U	1 U	0.5 U
MW-03	07/20/04		0.74	1 U	1 U	2 U	4.9	1 U	200	30	35	45	1	47	39	6.5	1 U	5 U	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	6.6	1 U	190	24	39	16	1.7	48	54	6	1 U	5 U	1 U	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	3.8	1 U	60	6	7.6	19	1 U	3.9	4.3	1.7	1 U	5 U	1 U	0.5 U
	04/26/05		0.66	1 U	1 U	2	4.1	1 U	61	7.6	7.8	120	1 U	27	28	1 U	1 U	5 U	1 U	0.5 U
	07/26/05		0.56	1 U	1 U	2 U	8.6	1 U	100	11	15	46	1 U	72	66	1	1 U	5 U	1 U	0.5 U
MW-04	07/21/04		2.5 U	5 U	5 U	10 U	5 U	5 U	310	91	190	100	5 U	2.5 U	14	83	5 U	61	5 U	2.5 U
		K	2.5 U	5 U	5 U	10 U	5 U	5 U	310	93	190	100	5 U	2.5 U	14	82	5 U	63	5 U	2.5 U
	10/12/04		2 U	2 U	2 U	4 U	3.2	2 U	160	48	150	46	2 U	5 U	2	51	2 U	5 U	5 U	5 U
		K	1.3	1 U	1 U	2 U	3.5	1 U	190	52	170	48	1.8	0.5 U	2	51	2	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	5.1	1 U	36	5.9	24	3.7	1 U	0.5 U	1 U	3.2	1 U	5 U	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	5.1	1 U	39	6.5	26	3.9	1 U	0.5 U	1 U	3.3	1 U	5 U	1 U	0.5 U
	04/27/05		5 U	10 U	10 U	20 U	10 U	10 U	370	120	340	40	10 U	5 U	13	63	10 U	51	10 U	5 U
		K	5 U	10 U	10 U	20 U	10 U	10 U	370	120	350	40	10 U	5 U	14	64	10 U	55	10 U	5 U
	07/27/05		2.5 U	5 U	5 U	10 U	7.4	5 U	370	94	190	37	5 U	2.5 U	11	55	5 U	43	5 U	2.5 U
		K	2.5 U	5 U	5 U	10 U	6.1	5 U	310	74	160	32	5 U	2.5 U	9.4	46	5 U	38	5 U	2.5 U
MW-04A	07/21/04		5.2	1 U	1 U	2 U	6	3.4	130	34	180	0.5 U	1 U	0.5 U	8.4	15	3.1	5 U	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	18	1 U	58	4.4	7.4	0.5 U	1 U	0.5 U	1 U	1.1	1 U	5 U	7.3	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	31	1 U	95	6.2	5.2	0.5 U	1 U	0.5 U	1 U	2.1	1 U	5 U	15	0.5 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-04A	04/27/05		0.59	1 U	1 U	2 U	22	1 U	120	20	87	0.5 U	1 U	0.5 U	4.2	7.5	1.5	5 U	8.3	0.5 U
	07/27/05		0.56	1 U	1 U	2 U	13	1 U	130	25	130	0.5 U	1 U	0.5 U	5.7	9.5	1.4	5 U	2.6	0.5 U
MW-06B	07/21/04		0.5 U	1 U	1 U	2 U	75	1 U	28	13	11	0.65	1 U	0.5 U	1 U	1 U	1 U	5 U	1.5	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	150	1 U	53	6.2	4.5	1.7	1 U	0.5 U	1 U	1 U	1 U	5 U	4.7	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	93	1 U	38	8	8.5	4.6	1 U	0.5 U	1 U	1.3	1 U	5 U	2.7	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	56	1 U	23	4.6	1.2	0.5 U	1 U	0.5 U	1 U	3.6	1 U	5 U	1	0.5 U
	07/27/05		0.5 U	1 U	1 U	2 U	29	1 U	14	2	1 U	0.5 U	1 U	0.5 U	1 U	1.8	1 U	5 U	1 U	0.5 U
MW-06D	07/21/04		0.5 U	1 U	1 U	2 U	18	1 U	26	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1.4	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	31	1 U	53	2.1	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	5.4	0.5 U
	01/26/05		0.5 U	1 U	1 U	2 U	40	1 U	62	2.2	1 U	0.5 U	1 U	0.5 U	1 U	1	1 U	5 U	7.8	0.5 U
	04/27/05		0.5 U	1.8	1 U	2 U	65	1 U	84	5.9	1 U	0.5 U	1 U	0.5 U	1 U	1.9	1 U	5 U	18	0.5 U
	07/27/05		0.5 U	1 U	1 U	2 U	55	1 U	97	6.1	1 U	0.5 U	1 U	0.5 U	1 U	1.7	1 U	5 U	23	0.5 U
MW-07	07/21/04		0.5 U	1 U	1 U	2 U	3.5	1 U	15	1 U	5	0.63	1 U	0.5 U	1 U	1.1	1 U	5 U	1 U	0.5 U
	10/12/04		2 U	2 U	2 U	4 U	13	2 U	12	5 U	6.5	2 U	2 U	5 U	2 U	2 U	2 U	5 U	5 U	5 U
	01/27/05		0.5 U	1 U	1 U	2 U	34	1 U	16	4.8	9.8	0.62	1 U	0.5 U	1 U	1.4	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	11	1 U	39	4.2	21	1.4	1 U	0.5 U	1 U	5	1 U	5 U	1 U	0.5 U
	07/27/05		0.98	1 U	1 U	2 U	4	1 U	110	14	100	45	1 U	0.5 U	2.7	31	2.7	5 U	1 U	0.5 U
MW-09	07/21/04		0.5 U	1 U	1 U	2 U	5	1	130	53	110	18	1.8	0.5 U	24	3.8	1 U	78	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	5	1.1	130	55	120	20	1.8	0.5 U	24	4	1	76	1 U	0.5 U
	10/12/04		0.5 U	1 U	1 U	2 U	3.5	1.2	57	15	69	3.6	1 U	0.5 U	3	3	1 U	5 U	1 U	0.5 U
		K	0.5	1 M1,U	1 M1,U	2 U	4.2	1.3	61	17	69	3.9	1	0.5 U	3.5	3.4	1 U	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	7.5	1 U	41	6.4	44	0.78	1 U	0.5 U	7.2	1.1	1 U	5 U	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	7.1	1 U	41	6.6	44	0.87	1 U	0.5 U	7.4	1.1	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	4.6	1 U	96	26	79	24	1 U	0.5 U	22	2.6	1 U	5.4	1 U	0.5 U
		K	0.5 U	1 U	1 U	2 U	4.6	1 U	94	26	78	24	1 U	0.5 U	22	2.6	1 U	5.4	1 U	0.5 U
	07/27/05		1.1	1 U	1 U	2 U	6.8	2.8	190	52	170	43	1 U	0.5 U	64	11	1.8	12	1 U	0.5 U
		K	2 U	4 U	4 U	8 U	7.6	4 U	290	69	260	59	4 U	2 U	85	13	4 U	20 U	4 U	2 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)
MW-11	07/21/04		0.5	1 U	84	2 U	3.4	1 U	190	16	29	60	1 U	0.5 U	3.4	15	1 U	5 U	1 U	0.5 U
	10/12/04		2 U	2 U	29	4 U	4.2	2 U	180	13	40	21	2 U	5 U	3.5	13	2 U	5 U	5 U	5 U
	01/27/05		0.5 U	1 U	1 U	2 U	5.2	1 U	130	7.7	16	3	1 U	0.5 U	1.7	4.6	1 U	5 U	1 U	0.5 U
	04/27/05		5 U	10 U	10 U	20 U	12	10 U	1200	93	290	30	13	5 U	41	34	10 U	50 U	10 U	5 U
	07/27/05		10 U	20 U	20 U	40 U	20 U	20 U	1300	87	300	20	20 U	10 U	40	30	20 U	100 U	20 U	10 U
MW-14S	07/21/04		2.9	5 U	5 U	10 U	5 U	5 U	500	79	97	29	5 U	11	28	33	5 U	25 U	5 U	2.5 U
	10/12/04		2 U	2 U	2 U	4 U	2.9	2 U	160	40	83	23	2	5 U	8.7	48	2 U	13	5 U	5 U
	01/27/05		0.7	1 U	1 U	2 U	3.4	1 U	98	16	38	9.2	1.1	0.5 U	1.8	21	1 U	5 U	1 U	0.5 U
	04/27/05		1.1	1 U	13	6.8	3.8	1 U	150	21	37	49	1.3	2.5	9.2	9.6	1 U	5 U	1 U	0.5 U
	07/26/05		1.1	1 U	1 U	2 U	4.3	1 U	160	20	33	38	1.4	4.2	20	9.1	1 U	5 U	1 U	0.5 U
MW-15D	07/20/04		0.5 U	1 U	1 U	2 U	1.2	1 U	2.6	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	10/11/04		0.63	1 U	1 U	2 U	1 U	1 U	1.8	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	01/27/05		0.5 U	1 U	1 U	2 U	1.1	1 U	2.8	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	1 U	1 U	4.1	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	1 U	1 U	3.2	1 U	1 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5 U	1 U	0.5 U
MW-15S	07/20/04		0.79	1 U	1 U	2 U	3.6	1 U	120	18	29	33	1.1	2.9	15	8.1	1 U	5 U	1 U	0.5 U
	10/11/04		0.59	1 U	1 U	2 U	2.6	1 U	96	19	38	24	1.1	0.5 U	3.7	17	1 U	5 U	1 U	0.5 U
	01/27/05		0.52	1 U	1 U	2 U	3.7	1 U	110	18	45	14	1.3	0.5 U	1.7	14	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	2.4	1 U	21	1.7	2.8	42	1 U	0.5 U	1 U	1	1 U	5 U	1 U	0.5 U
	07/26/05		0.5 U	1 U	1 U	2 U	2.4	1 U	8.3	1 U	1 U	35	1 U	0.5 U	6.3	1 U	1 U	5 U	1 U	0.5 U
MW-16	07/21/04		0.5 U	1 U	1 U	2 U	2	1 U	12	2	12	3.2	1 U	0.5 U	1 U	4.4	1	5 U	1 U	0.5 U
	01/27/05		0.61	1 U	1 U	2 U	12	1 U	33	15	84	1.5	1 U	0.5 U	1 U	5.6	1 U	5 U	1 U	0.5 U
	04/27/05		0.5 U	1 U	1 U	2 U	8.8	1 U	65	26	190	4.3	1 U	0.5 U	1.9	11	2.2	5 U	1 U	0.5 U
	07/27/05		2 U	4 U	4 U	8 U	6.2	4 U	57	20	200	36	4 U	2 U	4 U	34	6.2	20 U	4 U	2 U

Table 6-1
Phibro-Tech, Inc.
Groundwater Analytical Results
Volatile Organic Compounds (VOCs) Analytical Summary

Well Number	Sample Date	Sample Type	Benzene (1)	Toluene (150)	Ethyl-benzene (300)	Xylenes, Total (1,750)	PCE (5)	1,1,1-TCA (200)	TCE (5)	1,1-DCE (6)	1,1-DCA (5)	1,2-DCA (0.5)	CBN	CCl4 (0.5)	CFM (100)	cis-1,2-DCE (6)	trans-1,2-DCE (10)	MCL (5)	Freon 11 (150)	VC (0.5)

Notes:

PCE = Tetrachloroethene; TCE = Trichloroethene; TCA = Trichloroethane; DCE = Dichloroethene; DCA = Dichloroethane; CBN = Chlorobenzene; CFM = Chloroform; MCL = Methylene chloride; CCl4 = Carbon tetrachloride; Freon 11 = Trichlorofluoromethane; VC = Vinyl Chloride

California Maximum Contaminant Levels are shown in parenthesis. Maximum Contaminant Level shown for chloroform is the sum of trihalomethane isomers

Samples analyzed by EPA Method 8260B.
All concentrations are reported in micrograms per liter (ug/L).
Only selected compounds are listed.
M-HA = Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
M2 = The MS and/or MSD were below acceptance limits due to sample matrix interference.
U = Not detected at a concentration greater than the reporting limit shown.

Sample Type:
K = Split sample