Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
Metals:							
PA-BBB2	PA-BBB2-5	Aluminum	6700	7370	MG/KG	920,000	10
	PA-BBB2-10	Aluminum	8200	8500	MG/KG	920,000	4
	PA-BBB2-15	Aluminum	6,100	7,060	MG/KG	920,000	15
	PA-BBB2-20	Aluminum	11,000	8,110	MG/KG	920,000	30
	PA-BBB2-25	Aluminum	6,100	4,520	MG/KG	920,000	30
PA-C2	PA-C2-1	Aluminum	6,300	6,770	MG/KG	920,000	7
	PA-C2-5	Aluminum	4,400	5,740	MG/KG	920,000	26
	PA-C2-10	Aluminum	5,000	6,640	MG/KG	920,000	28
PA-EE14	PA-EE-14-1	Aluminum	5,300	7,950	MG/KG	920,000	40
	PA-EE-14-5	Aluminum	4,800	8,590	MG/KG	920,000	57
	PA-EE-14-10	Aluminum	6,800	6,720	MG/KG	920,000	1
	PA-EE-14-15	Aluminum	3,900	6,180	MG/KG	920,000	45
	PA-EE-14-20	Aluminum	6,000	7,070	MG/KG	920,000	16
PA-HH10	PA-HH10-5	Aluminum	6,500	7,650	MG/KG	920,000	16
	PA-HH10-10	Aluminum	7,000	9,930	MG/KG	920,000	35
	PA-HH10-15	Aluminum	5,200	8,090	MG/KG	920,000	43
	PA-HH10-20	Aluminum	3,000	5,120	MG/KG	920,000	52
PA-HH11	PA-HH11-5	Aluminum	6,100	7,810	MG/KG	920,000	25
	PA-HH11-10	Aluminum	6,100	5,760	MG/KG	920,000	6
	PA-HH11-15	Aluminum	4,800	6,160	MG/KG	920,000	25
	PA-HH11-20	Aluminum	6,500	6,580	MG/KG	920,000	1
	PA-HH11-25	Aluminum	7,800	6,080	MG/KG	920,000	25
PA-HH8	PA-HH8-5	Aluminum	4,700	6,580	MG/KG	920,000	33
	PA-HH8-10	Aluminum	5,200	7,390	MG/KG	920,000	35
	PA-HH8-15	Aluminum	3,300	3,220	MG/KG	920,000	2
	PA-HH8-20	Aluminum	3,700	4,370	MG/KG	920,000	17
	PA-HH8-25	Aluminum	5,000	5,290	MG/KG	920,000	6
PA-K9	PA-K9-1	Aluminum	4,400	6,030	MG/KG	920,000	31
	PA-K9-5	Aluminum	5,700	6,270	MG/KG	920,000	10
	PA-K9-10	Aluminum	6,100	4,250	MG/KG	920,000	36
PA-O1	PA-O1-1	Aluminum	4,500	6,430	MG/KG	920,000	35
	PA-O1-5	Aluminum	5,500	5,090	MG/KG	920,000	8
	PA-O1-10	Aluminum	4,300	3,980	MG/KG	920,000	8
PA-P19	PA-P19-20	Aluminum	6,000	13,400	MG/KG	920,000	76
PA-Q1	PA-Q1-1	Aluminum	7,300	7,010	MG/KG	920,000	4
	PA-Q1-5	Aluminum	5,000	5,280	MG/KG	920,000	5
	PA-Q1-10	Aluminum	7,200	6,030	MG/KG	920,000	18
PA-V1	PA-V1-1	Aluminum	6,300	6,140	MG/KG	920,000	3
	PA-V1-5	Aluminum	7,300	7,020	MG/KG	920,000	4
	PA-V1-10	Aluminum	6,100	5,060	MG/KG	920,000	19
PA-BBB2	PA-BBB2-5	Antimony	320	< 6200	UG/KG	410,000	NA
	PA-BBB2-10	Antimony	< 60	< 5000	UG/KG	410,000	NA
	PA-BBB2-15	Antimony	< 23	< 4800	UG/KG	410,000	NA
	PA-BBB2-20	Antimony	< 75	< 5500	UG/KG	410,000	NA
	PA-BBB2-25	Antimony	< 30	< 4900	UG/KG	410,000	NA
PA-C2	PA-C2-1	Antimony	< 270	820	UG/KG	410,000	NA
	PA-C2-5	Antimony	< 20	650	UG/KG	410,000	NA
	PA-C2-10	Antimony	< 42	950	UG/KG	410,000	NA
PA-EE14	PA-EE-14-1	Antimony	< 100	< 1600	UG/KG	410,000	NA
	PA-EE-14-5	Antimony	< 54	< 1600	UG/KG	410,000	NA
	PA-EE-14-10	Antimony	< 25	< 1400	UG/KG	410,000	NA
	PA-EE-14-15	Antimony	< 20	< 1700	UG/KG	410,000	NA
	PA-EE-14-20	Antimony	< 20	< 1400	UG/KG	410,000	NA
PA-HH10	PA-HH10-5	Antimony	51	< 5600	UG/KG	410,000	NA
	PA-HH10-10	Antimony	< 91	< 5300	UG/KG	410,000	NA
	PA-HH10-15	Antimony	< 60	< 5200	UG/KG	410,000	NA
	PA-HH10-20	Antimony	< 50	< 5000	UG/KG	410,000	NA
PA-HH11	PA-HH11-5	Antimony	< 39	< 5300	UG/KG	410,000	NA
	PA-HH11-10	Antimony	< 39	< 5200	UG/KG	410,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-15	Antimony	< 39	< 5100	UG/KG	410,000	NA
	PA-HH11-20	Antimony	< 330	< 4500	UG/KG	410,000	NA
	PA-HH11-25	Antimony	< 130	< 4500	UG/KG	410,000	NA
PA-HH8	PA-HH8-5	Antimony	< 20	< 5500	UG/KG	410,000	NA
	PA-HH8-10	Antimony	< 200	< 6000	UG/KG	410,000	NA
	PA-HH8-15	Antimony	< 130	< 6300	UG/KG	410,000	NA
	PA-HH8-20	Antimony	< 78	360	UG/KG	410,000	NA
	PA-HH8-25	Antimony	< 46	610	UG/KG	410,000	NA
PA-K9	PA-K9-1	Antimony	< 49	< 5100	UG/KG	410,000	NA
	PA-K9-5	Antimony	< 120	< 5200	UG/KG	410,000	NA
	PA-K9-10	Antimony	< 220	< 4500	UG/KG	410,000	NA
PA-O1	PA-O1-1	Antimony	< 64	52,900	UG/KG	410,000	NA
	PA-O1-5	Antimony	< 39	< 5700	UG/KG	410,000	NA
	PA-O1-10	Antimony	< 21	< 690	UG/KG	410,000	NA
PA-P19	PA-P19-20	Antimony	< 39	< 2300	UG/KG	410,000	NA
PA-Q1	PA-Q1-1	Antimony	< 43	1,100	UG/KG	410,000	NA
	PA-Q1-5	Antimony	< 21	860	UG/KG	410,000	NA
	PA-Q1-10	Antimony	< 20	590	UG/KG	410,000	NA
PA-V1	PA-V1-1	Antimony	< 110	800	UG/KG	410,000	NA
	PA-V1-5	Antimony	< 20	420	UG/KG	410,000	NA
	PA-V1-10	Antimony	< 20	350	UG/KG	410,000	NA
PA-BBB2	PA-BBB2-5	Arsenic	2,600	3,600	UG/KG	260,000	32
	PA-BBB2-10	Arsenic	3,300	4,500	UG/KG	260,000	31
	PA-BBB2-15	Arsenic	3,400	3,900	UG/KG	260,000	14
	PA-BBB2-20	Arsenic	6,000	7,100	UG/KG	260,000	17
	PA-BBB2-25	Arsenic	5,800	11,000	UG/KG	260,000	62
PA-C2	PA-C2-1	Arsenic	2,500	3,400	UG/KG	260,000	31
	PA-C2-5	Arsenic	2,000	2,600	UG/KG	260,000	26
	PA-C2-10	Arsenic	6,800	6,200	UG/KG	260,000	9
PA-EE14	PA-EE-14-1	Arsenic	2,700	15,000	UG/KG	260,000	139
	PA-EE-14-5	Arsenic	2,500	3,400	UG/KG	260,000	31
	PA-EE-14-10	Arsenic	3,800	5,100	UG/KG	260,000	29
	PA-EE-14-15	Arsenic	2,300	3,000	UG/KG	260,000	26
	PA-EE-14-20	Arsenic	3,200	4,700	UG/KG	260,000	38
PA-HH10	PA-HH10-5	Arsenic	3,000	4,600	UG/KG	260,000	42
	PA-HH10-10	Arsenic	4,000	5,300	UG/KG	260,000	28
	PA-HH10-15	Arsenic	3,600	4,000	UG/KG	260,000	11
	PA-HH10-20	Arsenic	2,700	3,600	UG/KG	260,000	29
PA-HH11	PA-HH11-5	Arsenic	5,900	2,800	UG/KG	260,000	71
	PA-HH11-10	Arsenic	3,700	3,600	UG/KG	260,000	3
	PA-HH11-15	Arsenic	4,100	6,000	UG/KG	260,000	38
	PA-HH11-20	Arsenic	3,400	6,300	UG/KG	260,000	60
	PA-HH11-25	Arsenic	2,700	4,100	UG/KG	260,000	41
PA-HH8	PA-HH8-5	Arsenic	2,600	3,700	UG/KG	260,000	35
	PA-HH8-10	Arsenic	2,900	5,700	UG/KG	260,000	65
	PA-HH8-15	Arsenic	5,400	3,100	UG/KG	260,000	54
	PA-HH8-20	Arsenic	3,600	3,400	UG/KG	260,000	6
	PA-HH8-25	Arsenic	2,400	2,900	UG/KG	260,000	19
PA-K9	PA-K9-1	Arsenic	4,300	5,700	UG/KG	260,000	28
	PA-K9-5	Arsenic	2,600	5,000	UG/KG	260,000	63
	PA-K9-10	Arsenic	3,100	3,800	UG/KG	260,000	20
PA-O1	PA-O1-1	Arsenic	3,700	4,400	UG/KG	260,000	17
	PA-O1-5	Arsenic	2,800	3,600	UG/KG	260,000	25
	PA-O1-10	Arsenic	2,800	3,100	UG/KG	260,000	10
PA-P19	PA-P19-20	Arsenic	3,400	5,800	UG/KG	260,000	52
PA-Q1	PA-Q1-1	Arsenic	2,800	10,500	UG/KG	260,000	116
	PA-Q1-5	Arsenic	2,900	3,400	UG/KG	260,000	16
	PA-Q1-10	Arsenic	2,600	2,900	UG/KG	260,000	11
PA-V1	PA-V1-1	Arsenic	2,400	3,100	UG/KG	260,000	25
	PA-V1-5	Arsenic	3,000	3,100	UG/KG	260,000	3

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-10	Arsenic	2,800	3,100	UG/KG	260,000	10
PA-BBB2	PA-BBB2-5	Barium	55,000	57,000	UG/KG	67,000,000	4
	PA-BBB2-10	Barium	42,000	63,600	UG/KG	67,000,000	41
	PA-BBB2-15	Barium	59,000	59,800	UG/KG	67,000,000	1
	PA-BBB2-20	Barium	80,000	92,700	UG/KG	67,000,000	15
	PA-BBB2-25	Barium	50,000	58,900	UG/KG	67,000,000	16
PA-C2	PA-C2-1	Barium	45,000	58,500	UG/KG	67,000,000	26
	PA-C2-5	Barium	37,000	43,500	UG/KG	67,000,000	16
	PA-C2-10	Barium	46,000	53,000	UG/KG	67,000,000	14
PA-EE14	PA-EE-14-1	Barium	39,000	71,300	UG/KG	67,000,000	59
	PA-EE-14-5	Barium	49,000	64,100	UG/KG	67,000,000	27
	PA-EE-14-10	Barium	27,000	38,400	UG/KG	67,000,000	35
	PA-EE-14-15	Barium	24,000	54,900	UG/KG	67,000,000	78
	PA-EE-14-20	Barium	53,000	82,400	UG/KG	67,000,000	43
PA-HH10	PA-HH10-5	Barium	61,000	62,100	UG/KG	67,000,000	2
	PA-HH10-10	Barium	77,000	87,700	UG/KG	67,000,000	13
	PA-HH10-15	Barium	59,000	83,100	UG/KG	67,000,000	34
	PA-HH10-20	Barium	47,000	65,600	UG/KG	67,000,000	33
PA-HH11	PA-HH11-5	Barium	55,000	62,000	UG/KG	67,000,000	12
	PA-HH11-10	Barium	55,000	67,200	UG/KG	67,000,000	20
	PA-HH11-15	Barium	54,000	61,200	UG/KG	67,000,000	12
	PA-HH11-20	Barium	56,000	61,900	UG/KG	67,000,000	10
	PA-HH11-25	Barium	63,000	59,100	UG/KG	67,000,000	6
PA-HH8	PA-HH8-5	Barium	49,000	55,700	UG/KG	67,000,000	13
	PA-HH8-10	Barium	70,000	120,000	UG/KG	67,000,000	53
	PA-HH8-15	Barium	70,000	70,200	UG/KG	67,000,000	0
	PA-HH8-20	Barium	50,000	68,600	UG/KG	67,000,000	31
	PA-HH8-25	Barium	69,000	58,500	UG/KG	67,000,000	16
PA-K9	PA-K9-1	Barium	48,000	55,300	UG/KG	67,000,000	14
	PA-K9-5	Barium	29,000	65,500	UG/KG	67,000,000	77
	PA-K9-10	Barium	42,000	28,900	UG/KG	67,000,000	37
PA-O1	PA-O1-1	Barium	39,000	89,700	UG/KG	67,000,000	79
	PA-O1-5	Barium	29,000	63,700	UG/KG	67,000,000	75
	PA-O1-10	Barium	30,000	48,400	UG/KG	67,000,000	47
PA-P19	PA-P19-20	Barium	65,000	91,600	UG/KG	67,000,000	34
PA-Q1	PA-Q1-1	Barium	67,000	50,300	UG/KG	67,000,000	28
	PA-Q1-5	Barium	36,000	44,700	UG/KG	67,000,000	22
	PA-Q1-10	Barium	38,000	74,100	UG/KG	67,000,000	64
PA-V1	PA-V1-1	Barium	85,000	50,000	UG/KG	67,000,000	52
	PA-V1-5	Barium	52,000	50,600	UG/KG	67,000,000	3
	PA-V1-10	Barium	46,000	51,500	UG/KG	67,000,000	11
PA-BBB2	PA-BBB2-5	Beryllium	360	< 520	UG/KG	1,900,000	NA
	PA-BBB2-10	Beryllium	290	< 420	UG/KG	1,900,000	NA
	PA-BBB2-15	Beryllium	290	< 400	UG/KG	1,900,000	NA
	PA-BBB2-20	Beryllium	430	< 460	UG/KG	1,900,000	NA
	PA-BBB2-25	Beryllium	280	< 410	UG/KG	1,900,000	NA
PA-C2	PA-C2-1	Beryllium	260	< 530	UG/KG	1,900,000	NA
	PA-C2-5	Beryllium	230	< 530	UG/KG	1,900,000	NA
	PA-C2-10	Beryllium	250	< 520	UG/KG	1,900,000	NA
PA-EE14	PA-EE-14-1	Beryllium	230	< 530	UG/KG	1,900,000	NA
	PA-EE-14-5	Beryllium	190	< 520	UG/KG	1,900,000	NA
	PA-EE-14-10	Beryllium	210	< 490	UG/KG	1,900,000	NA
	PA-EE-14-15	Beryllium	170	< 510	UG/KG	1,900,000	NA
	PA-EE-14-20	Beryllium	300	< 510	UG/KG	1,900,000	NA
PA-HH10	PA-HH10-5	Beryllium	230	< 470	UG/KG	1,900,000	NA
	PA-HH10-10	Beryllium	410	< 440	UG/KG	1,900,000	NA
	PA-HH10-15	Beryllium	290	< 440	UG/KG	1,900,000	NA
	PA-HH10-20	Beryllium	260	< 420	UG/KG	1,900,000	NA
PA-HH11	PA-HH11-5	Beryllium	270	< 440	UG/KG	1,900,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-10	Beryllium	360	< 440	UG/KG	1,900,000	NA
	PA-HH11-15	Beryllium	290	< 420	UG/KG	1,900,000	NA
	PA-HH11-20	Beryllium	300	< 370	UG/KG	1,900,000	NA
	PA-HH11-25	Beryllium	270	< 380	UG/KG	1,900,000	NA
PA-HH8	PA-HH8-5	Beryllium	230	< 460	UG/KG	1,900,000	NA
	PA-HH8-10	Beryllium	310	< 500	UG/KG	1,900,000	NA
	PA-HH8-15	Beryllium	320	< 520	UG/KG	1,900,000	NA
	PA-HH8-20	Beryllium	230	< 460	UG/KG	1,900,000	NA
	PA-HH8-25	Beryllium	270	< 500	UG/KG	1,900,000	NA
PA-K9	PA-K9-1	Beryllium	220	< 430	UG/KG	1,900,000	NA
	PA-K9-5	Beryllium	170	< 430	UG/KG	1,900,000	NA
	PA-K9-10	Beryllium	200	< 380	UG/KG	1,900,000	NA
PA-O1	PA-O1-1	Beryllium	220	< 500	UG/KG	1,900,000	NA
	PA-O1-5	Beryllium	220	< 480	UG/KG	1,900,000	NA
	PA-O1-10	Beryllium	220	< 480	UG/KG	1,900,000	NA
PA-P19	PA-P19-20	Beryllium	360	< 570	UG/KG	1,900,000	NA
PA-Q1	PA-Q1-1	Beryllium	400	< 480	UG/KG	1,900,000	NA
	PA-Q1-5	Beryllium	250	< 520	UG/KG	1,900,000	NA
	PA-Q1-10	Beryllium	260	< 500	UG/KG	1,900,000	NA
PA-V1	PA-V1-1	Beryllium	240	< 480	UG/KG	1,900,000	NA
	PA-V1-5	Beryllium	290	< 520	UG/KG	1,900,000	NA
	PA-V1-10	Beryllium	230	< 520	UG/KG	1,900,000	NA
PA-BBB2	PA-BBB2-5	Cadmium	1,000	790	UG/KG	450,000	23
	PA-BBB2-10	Cadmium	570	410	UG/KG	450,000	33
	PA-BBB2-15	Cadmium	610	410	UG/KG	450,000	39
	PA-BBB2-20	Cadmium	670	410	UG/KG	450,000	48
	PA-BBB2-25	Cadmium	470	320	UG/KG	450,000	38
PA-C2	PA-C2-1	Cadmium	360	620	UG/KG	450,000	53
	PA-C2-5	Cadmium	290	540	UG/KG	450,000	60
	PA-C2-10	Cadmium	330	660	UG/KG	450,000	67
PA-EE14	PA-EE-14-1	Cadmium	< 250	720	UG/KG	450,000	NA
	PA-EE-14-5	Cadmium	< 250	740	UG/KG	450,000	NA
	PA-EE-14-10	Cadmium	< 290	650	UG/KG	450,000	NA
	PA-EE-14-15	Cadmium	< 170	< 470	UG/KG	450,000	NA
	PA-EE-14-20	Cadmium	340	640	UG/KG	450,000	61
PA-HH10	PA-HH10-5	Cadmium	350	370	UG/KG	450,000	6
	PA-HH10-10	Cadmium	410	460	UG/KG	450,000	11
	PA-HH10-15	Cadmium	300	530	UG/KG	450,000	55
	PA-HH10-20	Cadmium	380	280	UG/KG	450,000	30
PA-HH11	PA-HH11-5	Cadmium	460	430	UG/KG	450,000	7
	PA-HH11-10	Cadmium	350	270	UG/KG	450,000	26
	PA-HH11-15	Cadmium	260	410	UG/KG	450,000	45
	PA-HH11-20	Cadmium	360	390	UG/KG	450,000	8
	PA-HH11-25	Cadmium	330	390	UG/KG	450,000	17
PA-HH8	PA-HH8-5	Cadmium	460	350	UG/KG	450,000	27
	PA-HH8-10	Cadmium	530	390	UG/KG	450,000	30
	PA-HH8-15	Cadmium	610	< 290	UG/KG	450,000	NA
	PA-HH8-20	Cadmium	520	< 440	UG/KG	450,000	NA
	PA-HH8-25	Cadmium	630	510	UG/KG	450,000	21
PA-K9	PA-K9-1	Cadmium	1,100	810	UG/KG	450,000	30
	PA-K9-5	Cadmium	280	1,100	UG/KG	450,000	119
	PA-K9-10	Cadmium	310	220	UG/KG	450,000	34
PA-O1	PA-O1-1	Cadmium	< 230	650	UG/KG	450,000	NA
	PA-O1-5	Cadmium	250	500	UG/KG	450,000	67
	PA-O1-10	Cadmium	310	490	UG/KG	450,000	45
PA-P19	PA-P19-20	Cadmium	570	1,100	UG/KG	450,000	63
PA-Q1	PA-Q1-1	Cadmium	500	1,400	UG/KG	450,000	95
	PA-Q1-5	Cadmium	240	550	UG/KG	450,000	78
	PA-Q1-10	Cadmium	260	590	UG/KG	450,000	78
PA-V1	PA-V1-1	Cadmium	260	550	UG/KG	450,000	72

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-5	Cadmium	390	690	UG/KG	450,000	56
	PA-V1-10	Cadmium	300	< 520	UG/KG	450,000	NA
PA-BBB2	PA-BBB2-5	Calcium	3,300	3,770	MG/KG	na	13
	PA-BBB2-10	Calcium	6,500	8,560	MG/KG	na	27
	PA-BBB2-15	Calcium	4,600	6,330	MG/KG	na	32
	PA-BBB2-20	Calcium	13,000	8,420	MG/KG	na	43
	PA-BBB2-25	Calcium	5,400	3,330	MG/KG	na	47
PA-C2	PA-C2-1	Calcium	6,100	15,500	MG/KG	na	87
	PA-C2-5	Calcium	4,000	3,380	MG/KG	na	17
	PA-C2-10	Calcium	8,500	6,430	MG/KG	na	28
PA-EE14	PA-EE-14-1	Calcium	6,600	8,270	MG/KG	na	22
	PA-EE-14-5	Calcium	5,700	9,390	MG/KG	na	49
	PA-EE-14-10	Calcium	4,400	4,090	MG/KG	na	7
	PA-EE-14-15	Calcium	2,900	5,550	MG/KG	na	63
	PA-EE-14-20	Calcium	7,800	13,200	MG/KG	na	51
PA-HH10	PA-HH10-5	Calcium	5,400	6,150	MG/KG	na	13
	PA-HH10-10	Calcium	8,000	9,340	MG/KG	na	15
	PA-HH10-15	Calcium	4,400	7,060	MG/KG	na	46
	PA-HH10-20	Calcium	2,400	4,500	MG/KG	na	61
PA-HH11	PA-HH11-5	Calcium	3,800	4,260	MG/KG	na	11
	PA-HH11-10	Calcium	8,300	7,210	MG/KG	na	14
	PA-HH11-15	Calcium	4,400	4,760	MG/KG	na	8
	PA-HH11-20	Calcium	6,100	4,510	MG/KG	na	30
	PA-HH11-25	Calcium	5,600	4,110	MG/KG	na	31
PA-HH8	PA-HH8-5	Calcium	7,000	7,150	MG/KG	na	2
	PA-HH8-10	Calcium	4,000	7,240	MG/KG	na	58
	PA-HH8-15	Calcium	3,700	4,610	MG/KG	na	22
	PA-HH8-20	Calcium	3,400	4,380	MG/KG	na	25
	PA-HH8-25	Calcium	2,900	2,970	MG/KG	na	2
PA-K9	PA-K9-1	Calcium	4,400	4,250	MG/KG	na	3
	PA-K9-5	Calcium	4,200	6,710	MG/KG	na	46
	PA-K9-10	Calcium	6,800	4,030	MG/KG	na	51
PA-O1	PA-O1-1	Calcium	6,900	7,210	MG/KG	na	4
	PA-O1-5	Calcium	3,900	3,790	MG/KG	na	3
	PA-O1-10	Calcium	5,000	4,010	MG/KG	na	22
PA-P19	PA-P19-20	Calcium	4,700	18,300	MG/KG	na	118
PA-Q1	PA-Q1-1	Calcium	4,200	2,110	MG/KG	na	66
	PA-Q1-5	Calcium	6,400	6,180	MG/KG	na	3
	PA-Q1-10	Calcium	6,700	6,400	MG/KG	na	5
PA-V1	PA-V1-1	Calcium	6,300	7,040	MG/KG	na	11
	PA-V1-5	Calcium	6,500	4,680	MG/KG	na	33
	PA-V1-10	Calcium	5,500	4,710	MG/KG	na	15
PA-BBB2	PA-BBB2-5	Chromium	3,900	6,000	UG/KG	2,500,000	42
	PA-BBB2-10	Chromium	4,200	7,300	UG/KG	2,500,000	54
	PA-BBB2-15	Chromium	5,400	7,000	UG/KG	2,500,000	26
	PA-BBB2-20	Chromium	7,900	8,300	UG/KG	2,500,000	5
	PA-BBB2-25	Chromium	4,600	3,800	UG/KG	2,500,000	19
PA-C2	PA-C2-1	Chromium	4,900	7,800	UG/KG	2,500,000	46
	PA-C2-5	Chromium	2,600	4,400	UG/KG	2,500,000	51
	PA-C2-10	Chromium	3,700	5,900	UG/KG	2,500,000	46
PA-EE14	PA-EE-14-1	Chromium	3,600	7,900	UG/KG	2,500,000	75
	PA-EE-14-5	Chromium	2,800	6,800	UG/KG	2,500,000	83
	PA-EE-14-10	Chromium	3,100	6,000	UG/KG	2,500,000	64
	PA-EE-14-15	Chromium	2,300	6,900	UG/KG	2,500,000	100
	PA-EE-14-20	Chromium	4,100	7,600	UG/KG	2,500,000	60
PA-HH10	PA-HH10-5	Chromium	3,700	7,200	UG/KG	2,500,000	64
	PA-HH10-10	Chromium	3,100	6,400	UG/KG	2,500,000	69
	PA-HH10-15	Chromium	6,000	16,700	UG/KG	2,500,000	94
	PA-HH10-20	Chromium	3,300	3,800	UG/KG	2,500,000	14

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH11	PA-HH11-5	Chromium	3,600	6,500	UG/KG	2,500,000	57
	PA-HH11-10	Chromium	4,400	4,600	UG/KG	2,500,000	4
	PA-HH11-15	Chromium	2,300	4,300	UG/KG	2,500,000	61
	PA-HH11-20	Chromium	3,400	5,200	UG/KG	2,500,000	42
	PA-HH11-25	Chromium	4,000	6,200	UG/KG	2,500,000	43
PA-HH8	PA-HH8-5	Chromium	3,500	6,000	UG/KG	2,500,000	53
	PA-HH8-10	Chromium	5,200	5,200	UG/KG	2,500,000	0
	PA-HH8-15	Chromium	3,300	2,500	UG/KG	2,500,000	28
	PA-HH8-20	Chromium	2,800	3,300	UG/KG	2,500,000	16
	PA-HH8-25	Chromium	5,000	5,100	UG/KG	2,500,000	2
PA-K9	PA-K9-1	Chromium	5,000	7,400	UG/KG	2,500,000	39
	PA-K9-5	Chromium	2,600	10,300	UG/KG	2,500,000	119
	PA-K9-10	Chromium	3,100	3,800	UG/KG	2,500,000	20
PA-O1	PA-O1-1	Chromium	3,700	5,600	UG/KG	2,500,000	41
	PA-O1-5	Chromium	2,600	4,400	UG/KG	2,500,000	51
	PA-O1-10	Chromium	3,100	3,900	UG/KG	2,500,000	23
PA-P19	PA-P19-20	Chromium	29,000	8,300	UG/KG	2,500,000	111
PA-Q1	PA-Q1-1	Chromium	5,300	4,100	UG/KG	2,500,000	26
	PA-Q1-5	Chromium	3,100	4,500	UG/KG	2,500,000	37
	PA-Q1-10	Chromium	4,200	4,900	UG/KG	2,500,000	15
PA-V1	PA-V1-1	Chromium	2,900	5,200	UG/KG	2,500,000	57
	PA-V1-5	Chromium	6,100	5,800	UG/KG	2,500,000	5
	PA-V1-10	Chromium	6,400	6,400	UG/KG	2,500,000	0
PA-BBB2	PA-BBB2-5	Cobalt	3,600	6,200	UG/KG	13,000,000	53
	PA-BBB2-10	Cobalt	3,600	5,800	UG/KG	13,000,000	47
	PA-BBB2-15	Cobalt	4,300	5,100	UG/KG	13,000,000	17
	PA-BBB2-20	Cobalt	5,400	5,700	UG/KG	13,000,000	5
	PA-BBB2-25	Cobalt	3,400	< 3000	UG/KG	13,000,000	NA
PA-C2	PA-C2-1	Cobalt	3,600	< 4200	UG/KG	13,000,000	NA
	PA-C2-5	Cobalt	2,600	< 4000	UG/KG	13,000,000	NA
	PA-C2-10	Cobalt	3,400	< 4700	UG/KG	13,000,000	NA
PA-EE14	PA-EE-14-1	Cobalt	3,100	6,300	UG/KG	13,000,000	68
	PA-EE-14-5	Cobalt	2,600	5,500	UG/KG	13,000,000	72
	PA-EE-14-10	Cobalt	3,000	4,500	UG/KG	13,000,000	40
	PA-EE-14-15	Cobalt	2,100	4,300	UG/KG	13,000,000	69
	PA-EE-14-20	Cobalt	2,300	3,600	UG/KG	13,000,000	44
PA-HH10	PA-HH10-5	Cobalt	3,600	4,900	UG/KG	13,000,000	31
	PA-HH10-10	Cobalt	3,900	5,600	UG/KG	13,000,000	36
	PA-HH10-15	Cobalt	3,000	5,000	UG/KG	13,000,000	50
	PA-HH10-20	Cobalt	4,000	< 3600	UG/KG	13,000,000	NA
PA-HH11	PA-HH11-5	Cobalt	3,200	4,800	UG/KG	13,000,000	40
	PA-HH11-10	Cobalt	3,800	< 3800	UG/KG	13,000,000	NA
	PA-HH11-15	Cobalt	2,500	< 3400	UG/KG	13,000,000	NA
	PA-HH11-20	Cobalt	3,500	4,300	UG/KG	13,000,000	21
	PA-HH11-25	Cobalt	4,300	4,200	UG/KG	13,000,000	2
PA-HH8	PA-HH8-5	Cobalt	3,100	5,200	UG/KG	13,000,000	51
	PA-HH8-10	Cobalt	4,400	4,000	UG/KG	13,000,000	10
	PA-HH8-15	Cobalt	3,400	2,100	UG/KG	13,000,000	47
	PA-HH8-20	Cobalt	2,800	3,100	UG/KG	13,000,000	10
	PA-HH8-25	Cobalt	3,600	4,100	UG/KG	13,000,000	13
PA-K9	PA-K9-1	Cobalt	3,800	4,800	UG/KG	13,000,000	23
	PA-K9-5	Cobalt	2,700	6,200	UG/KG	13,000,000	79
	PA-K9-10	Cobalt	3,100	< 3500	UG/KG	13,000,000	NA
PA-O1	PA-O1-1	Cobalt	3,200	< 4200	UG/KG	13,000,000	NA
	PA-O1-5	Cobalt	2,700	< 4000	UG/KG	13,000,000	NA
	PA-O1-10	Cobalt	2,700	10,900	UG/KG	13,000,000	121
PA-P19	PA-P19-20	Cobalt	4,200	11,100	UG/KG	13,000,000	90
PA-Q1	PA-Q1-1	Cobalt	5,200	< 3100	UG/KG	13,000,000	NA
	PA-Q1-5	Cobalt	2,700	< 3600	UG/KG	13,000,000	NA
	PA-Q1-10	Cobalt	3,400	< 4600	UG/KG	13,000,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-V1	PA-V1-1	Cobalt	3,000	< 4100	UG/KG	13,000,000	NA
	PA-V1-5	Cobalt	4,300	< 4600	UG/KG	13,000,000	NA
	PA-V1-10	Cobalt	3,200	< 3600	UG/KG	13,000,000	NA
PA-BBB2	PA-BBB2-5	Copper	1,000,000	1,490,000	UG/KG	41,000,000	39
	PA-BBB2-10	Copper	61,000	93,700	UG/KG	41,000,000	42
	PA-BBB2-15	Copper	190,000	231,000	UG/KG	41,000,000	19
	PA-BBB2-20	Copper	86,000	112,000	UG/KG	41,000,000	26
	PA-BBB2-25	Copper	60,000	71,500	UG/KG	41,000,000	17
PA-C2	PA-C2-1	Copper	58,000	59,200	UG/KG	41,000,000	2
	PA-C2-5	Copper	41,000	78,400	UG/KG	41,000,000	63
	PA-C2-10	Copper	47,000	57,700	UG/KG	41,000,000	20
PA-EE14	PA-EE-14-1	Copper	130,000	7,620,000	UG/KG	41,000,000	193
	PA-EE-14-5	Copper	48,000	218,000	UG/KG	41,000,000	128
	PA-EE-14-10	Copper	46,000	82,300	UG/KG	41,000,000	57
	PA-EE-14-15	Copper	38,000	75,600	UG/KG	41,000,000	66
	PA-EE-14-20	Copper	21,000	73,900	UG/KG	41,000,000	111
PA-HH10	PA-HH10-5	Copper	76,000	86,400	UG/KG	41,000,000	13
	PA-HH10-10	Copper	90,000	145,000	UG/KG	41,000,000	47
	PA-HH10-15	Copper	100,000	297,000	UG/KG	41,000,000	99
	PA-HH10-20	Copper	99,000	63,300	UG/KG	41,000,000	44
PA-HH11	PA-HH11-5	Copper	34,000	45,800	UG/KG	41,000,000	30
	PA-HH11-10	Copper	94,000	74,200	UG/KG	41,000,000	24
	PA-HH11-15	Copper	100,000	118,000	UG/KG	41,000,000	17
	PA-HH11-20	Copper	56,000	88,800	UG/KG	41,000,000	45
	PA-HH11-25	Copper	55,000	49,200	UG/KG	41,000,000	11
PA-HH8	PA-HH8-5	Copper	55,000	78,900	UG/KG	41,000,000	36
	PA-HH8-10	Copper	160,000	169,000	UG/KG	41,000,000	5
	PA-HH8-15	Copper	120,000	77,300	UG/KG	41,000,000	43
	PA-HH8-20	Copper	64,000	88,100	UG/KG	41,000,000	32
	PA-HH8-25	Copper	50,000	50,400	UG/KG	41,000,000	1
PA-K9	PA-K9-1	Copper	950,000	635,000	UG/KG	41,000,000	40
	PA-K9-5	Copper	52,000	378,000	UG/KG	41,000,000	152
	PA-K9-10	Copper	58,000	68,500	UG/KG	41,000,000	17
PA-O1	PA-O1-1	Copper	87,000	134,000	UG/KG	41,000,000	43
	PA-O1-5	Copper	44,000	58,600	UG/KG	41,000,000	28
	PA-O1-10	Copper	35,000	57,600	UG/KG	41,000,000	49
PA-P19	PA-P19-20	Copper	970,000	7,670,000	UG/KG	41,000,000	155
PA-Q1	PA-Q1-1	Copper	1,200,000	1,270,000	UG/KG	41,000,000	6
	PA-Q1-5	Copper	56,000	84,500	UG/KG	41,000,000	41
	PA-Q1-10	Copper	43,000	54,600	UG/KG	41,000,000	24
PA-V1	PA-V1-1	Copper	58,000	75,000	UG/KG	41,000,000	26
	PA-V1-5	Copper	78,000	64,000	UG/KG	41,000,000	20
	PA-V1-10	Copper	70,000	71,700	UG/KG	41,000,000	2
PA-BBB2	PA-BBB2-5	Iron	10,000	9,670	MG/KG	310,000	3
	PA-BBB2-10	Iron	12,000	11,500	MG/KG	310,000	4
	PA-BBB2-15	Iron	9,500	11,600	MG/KG	310,000	20
	PA-BBB2-20	Iron	15,000	12,300	MG/KG	310,000	20
	PA-BBB2-25	Iron	10,000	9,550	MG/KG	310,000	5
PA-C2	PA-C2-1	Iron	8,800	8,300	MG/KG	310,000	6
	PA-C2-5	Iron	6,700	7,380	MG/KG	310,000	10
	PA-C2-10	Iron	8,100	8,960	MG/KG	310,000	10
PA-EE14	PA-EE-14-1	Iron	8,600	10,200	MG/KG	310,000	17
	PA-EE-14-5	Iron	7,800	10,900	MG/KG	310,000	33
	PA-EE-14-10	Iron	9,700	9,360	MG/KG	310,000	4
	PA-EE-14-15	Iron	8,300	6,660	MG/KG	310,000	22
	PA-EE-14-20	Iron	10,000	9,170	MG/KG	310,000	9
PA-HH10	PA-HH10-5	Iron	11,000	10,800	MG/KG	310,000	2
	PA-HH10-10	Iron	11,000	14,000	MG/KG	310,000	24
	PA-HH10-15	Iron	11,000	13,600	MG/KG	310,000	21

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-20	Iron	8,100	7,950	MG/KG	310,000	2
PA-HH11	PA-HH11-5	Iron	11,000	10,200	MG/KG	310,000	8
	PA-HH11-10	Iron	9,500	7,580	MG/KG	310,000	22
	PA-HH11-15	Iron	8,300	11,700	MG/KG	310,000	34
	PA-HH11-20	Iron	11,000	10,300	MG/KG	310,000	7
	PA-HH11-25	Iron	12,000	9,850	MG/KG	310,000	20
PA-HH8	PA-HH8-5	Iron	7,800	9,760	MG/KG	310,000	22
	PA-HH8-10	Iron	10,000	11,900	MG/KG	310,000	17
	PA-HH8-15	Iron	7,200	4,390	MG/KG	310,000	48
	PA-HH8-20	Iron	7,700	7,160	MG/KG	310,000	7
	PA-HH8-25	Iron	7,900	7,770	MG/KG	310,000	2
PA-K9	PA-K9-1	Iron	8,100	11,200	MG/KG	310,000	32
	PA-K9-5	Iron	9,300	18,600	MG/KG	310,000	67
	PA-K9-10	Iron	8,500	6,750	MG/KG	310,000	23
PA-O1	PA-O1-1	Iron	8,200	8,310	MG/KG	310,000	1
	PA-O1-5	Iron	10,000	6,900	MG/KG	310,000	37
	PA-O1-10	Iron	8,400	6,670	MG/KG	310,000	23
PA-P19	PA-P19-20	Iron	13,000	11,700	MG/KG	310,000	11
PA-Q1	PA-Q1-1	Iron	13,000	21,700	MG/KG	310,000	50
	PA-Q1-5	Iron	8,000	7,910	MG/KG	310,000	1
	PA-Q1-10	Iron	11,000	8,010	MG/KG	310,000	31
PA-V1	PA-V1-1	Iron	10,000	7,390	MG/KG	310,000	30
	PA-V1-5	Iron	11,000	9,150	MG/KG	310,000	18
	PA-V1-10	Iron	10,000	6,910	MG/KG	310,000	37
PA-BBB2	PA-BBB2-5	Lead	2,700	3,100	UG/KG	na	14
	PA-BBB2-10	Lead	3,100	3,100	UG/KG	na	0
	PA-BBB2-15	Lead	3,700	3,000	UG/KG	na	21
	PA-BBB2-20	Lead	4,500	3,200	UG/KG	na	34
	PA-BBB2-25	Lead	3,000	2,600	UG/KG	na	14
PA-C2	PA-C2-1	Lead	3,400	2,800	UG/KG	na	19
	PA-C2-5	Lead	2,400	2,800	UG/KG	na	15
	PA-C2-10	Lead	3,300	2,800	UG/KG	na	16
PA-EE14	PA-EE-14-1	Lead	2,700	41,100	UG/KG	na	175
	PA-EE-14-5	Lead	2,300	4,000	UG/KG	na	54
	PA-EE-14-10	Lead	3,100	2,900	UG/KG	na	7
	PA-EE-14-15	Lead	1,700	2,200	UG/KG	na	26
	PA-EE-14-20	Lead	3,200	4,100	UG/KG	na	25
PA-HH10	PA-HH10-5	Lead	3,400	3,000	UG/KG	na	12
	PA-HH10-10	Lead	4,400	5,500	UG/KG	na	22
	PA-HH10-15	Lead	3,000	3,300	UG/KG	na	10
	PA-HH10-20	Lead	2,900	2,100	UG/KG	na	32
PA-HH11	PA-HH11-5	Lead	3,400	2,600	UG/KG	na	27
	PA-HH11-10	Lead	3,200	2,400	UG/KG	na	29
	PA-HH11-15	Lead	2,800	2,500	UG/KG	na	11
	PA-HH11-20	Lead	3,600	3,600	UG/KG	na	0
	PA-HH11-25	Lead	3,700	2,600	UG/KG	na	35
PA-HH8	PA-HH8-5	Lead	2,700	2,600	UG/KG	na	4
	PA-HH8-10	Lead	4,000	3,600	UG/KG	na	11
	PA-HH8-15	Lead	3,600	2,400	UG/KG	na	40
	PA-HH8-20	Lead	2,600	3,500	UG/KG	na	30
	PA-HH8-25	Lead	3,900	2,700	UG/KG	na	36
PA-K9	PA-K9-1	Lead	16,000	18,400	UG/KG	na	14
	PA-K9-5	Lead	2,300	21,800	UG/KG	na	162
	PA-K9-10	Lead	3,000	2,000	UG/KG	na	40
PA-O1	PA-O1-1	Lead	2,800	1,850,000	UG/KG	na	199
	PA-O1-5	Lead	2,500	9,800	UG/KG	na	119
	PA-O1-10	Lead	2,700	4,100	UG/KG	na	41
PA-P19	PA-P19-20	Lead	3,800	6,700	UG/KG	na	55
PA-Q1	PA-Q1-1	Lead	4,900	4,500	UG/KG	na	9
	PA-Q1-5	Lead	2,300	1,800	UG/KG	na	24

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-Q1-10	Lead	2,600	2,500	UG/KG	na	4
PA-V1	PA-V1-1	Lead	2,400	2,500	UG/KG	na	4
	PA-V1-5	Lead	3,300	3,400	UG/KG	na	3
	PA-V1-10	Lead	2,800	2,200	UG/KG	na	24
PA-BBB2	PA-BBB2-5	Magnesium	3,100	3,620	MG/KG	na	15
	PA-BBB2-10	Magnesium	3,900	4,150	MG/KG	na	6
	PA-BBB2-15	Magnesium	3,400	3,420	MG/KG	na	1
	PA-BBB2-20	Magnesium	5,400	4,230	MG/KG	na	24
	PA-BBB2-25	Magnesium	3,300	1,880	MG/KG	na	55
PA-C2	PA-C2-1	Magnesium	3,300	3,010	MG/KG	na	9
	PA-C2-5	Magnesium	2,700	3,080	MG/KG	na	13
	PA-C2-10	Magnesium	2,900	3,240	MG/KG	na	11
PA-EE14	PA-EE-14-1	Magnesium	2,900	3,930	MG/KG	na	30
	PA-EE-14-5	Magnesium	2,500	4,080	MG/KG	na	48
	PA-EE-14-10	Magnesium	3,500	2,900	MG/KG	na	19
	PA-EE-14-15	Magnesium	1,600	2,690	MG/KG	na	51
	PA-EE-14-20	Magnesium	2,600	2,850	MG/KG	na	9
PA-HH10	PA-HH10-5	Magnesium	3,200	3,420	MG/KG	na	7
	PA-HH10-10	Magnesium	3,200	3,790	MG/KG	na	17
	PA-HH10-15	Magnesium	3,000	3,420	MG/KG	na	13
	PA-HH10-20	Magnesium	1,700	2,160	MG/KG	na	24
PA-HH11	PA-HH11-5	Magnesium	2,900	3,200	MG/KG	na	10
	PA-HH11-10	Magnesium	3,300	3,040	MG/KG	na	8
	PA-HH11-15	Magnesium	2,200	2,490	MG/KG	na	12
	PA-HH11-20	Magnesium	3,400	2,790	MG/KG	na	20
	PA-HH11-25	Magnesium	3,200	2,370	MG/KG	na	30
PA-HH8	PA-HH8-5	Magnesium	2,900	3,270	MG/KG	na	12
	PA-HH8-10	Magnesium	2,900	2,830	MG/KG	na	2
	PA-HH8-15	Magnesium	1,800	1,550	MG/KG	na	15
	PA-HH8-20	Magnesium	1,900	2,490	MG/KG	na	27
	PA-HH8-25	Magnesium	2,600	2,580	MG/KG	na	1
PA-K9	PA-K9-1	Magnesium	3,300	2,940	MG/KG	na	12
	PA-K9-5	Magnesium	3,100	3,010	MG/KG	na	3
	PA-K9-10	Magnesium	2,700	2,190	MG/KG	na	21
PA-O1	PA-O1-1	Magnesium	2,600	2,740	MG/KG	na	5
	PA-O1-5	Magnesium	2,900	2,670	MG/KG	na	8
	PA-O1-10	Magnesium	2,200	2,120	MG/KG	na	4
PA-P19	PA-P19-20	Magnesium	2,700	4,330	MG/KG	na	46
PA-Q1	PA-Q1-1	Magnesium	4,200	5,380	MG/KG	na	25
	PA-Q1-5	Magnesium	3,000	2,480	MG/KG	na	19
	PA-Q1-10	Magnesium	3,800	3,570	MG/KG	na	6
PA-V1	PA-V1-1	Magnesium	3,200	3,330	MG/KG	na	4
	PA-V1-5	Magnesium	3,800	3,570	MG/KG	na	6
	PA-V1-10	Magnesium	3,200	2,750	MG/KG	na	15
PA-BBB2	PA-BBB2-5	Manganese	380,000	456,000	UG/KG	19,000,000	18
	PA-BBB2-10	Manganese	190,000	243,000	UG/KG	19,000,000	24
	PA-BBB2-15	Manganese	220,000	206,000	UG/KG	19,000,000	7
	PA-BBB2-20	Manganese	300,000	255,000	UG/KG	19,000,000	16
	PA-BBB2-25	Manganese	200,000	196,000	UG/KG	19,000,000	2
PA-C2	PA-C2-1	Manganese	170,000	157,000	UG/KG	19,000,000	8
	PA-C2-5	Manganese	120,000	153,000	UG/KG	19,000,000	24
	PA-C2-10	Manganese	160,000	199,000	UG/KG	19,000,000	22
PA-EE14	PA-EE-14-1	Manganese	140,000	214,000	UG/KG	19,000,000	42
	PA-EE-14-5	Manganese	140,000	212,000	UG/KG	19,000,000	41
	PA-EE-14-10	Manganese	140,000	180,000	UG/KG	19,000,000	25
	PA-EE-14-15	Manganese	82,000	187,000	UG/KG	19,000,000	78
	PA-EE-14-20	Manganese	160,000	224,000	UG/KG	19,000,000	33
PA-HH10	PA-HH10-5	Manganese	170,000	219,000	UG/KG	19,000,000	25
	PA-HH10-10	Manganese	240,000	270,000	UG/KG	19,000,000	12

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-15	Manganese	160,000	245,000	UG/KG	19,000,000	42
	PA-HH10-20	Manganese	150,000	179,000	UG/KG	19,000,000	18
PA-HH11	PA-HH11-5	Manganese	260,000	258,000	UG/KG	19,000,000	1
	PA-HH11-10	Manganese	170,000	173,000	UG/KG	19,000,000	2
	PA-HH11-15	Manganese	150,000	188,000	UG/KG	19,000,000	22
	PA-HH11-20	Manganese	200,000	200,000	UG/KG	19,000,000	0
	PA-HH11-25	Manganese	170,000	166,000	UG/KG	19,000,000	2
PA-HH8	PA-HH8-5	Manganese	160,000	178,000	UG/KG	19,000,000	11
	PA-HH8-10	Manganese	240,000	165,000	UG/KG	19,000,000	37
	PA-HH8-15	Manganese	230,000	145,000	UG/KG	19,000,000	45
	PA-HH8-20	Manganese	160,000	179,000	UG/KG	19,000,000	11
	PA-HH8-25	Manganese	220,000	186,000	UG/KG	19,000,000	17
PA-K9	PA-K9-1	Manganese	160,000	192,000	UG/KG	19,000,000	18
	PA-K9-5	Manganese	130,000	212,000	UG/KG	19,000,000	48
	PA-K9-10	Manganese	150,000	128,000	UG/KG	19,000,000	16
PA-O1	PA-O1-1	Manganese	130,000	223,000	UG/KG	19,000,000	53
	PA-O1-5	Manganese	110,000	172,000	UG/KG	19,000,000	44
	PA-O1-10	Manganese	130,000	180,000	UG/KG	19,000,000	32
PA-P19	PA-P19-20	Manganese	320,000	461,000	UG/KG	19,000,000	36
PA-Q1	PA-Q1-1	Manganese	290,000	56,400	UG/KG	19,000,000	135
	PA-Q1-5	Manganese	120,000	141,000	UG/KG	19,000,000	16
	PA-Q1-10	Manganese	160,000	207,000	UG/KG	19,000,000	26
PA-V1	PA-V1-1	Manganese	120,000	170,000	UG/KG	19,000,000	34
	PA-V1-5	Manganese	190,000	204,000	UG/KG	19,000,000	7
	PA-V1-10	Manganese	150,000	153,000	UG/KG	19,000,000	2
PA-BBB2	PA-BBB2-5	Mercury	< 0.00015	< 0.12	MG/KG	310	NA
	PA-BBB2-10	Mercury	0.00045	< 0.11	MG/KG	310	NA
	PA-BBB2-15	Mercury	0.0039	< 0.0045	MG/KG	310	NA
	PA-BBB2-20	Mercury	0.00074	0.01	MG/KG	310	172
	PA-BBB2-25	Mercury	0.001	0.0048	MG/KG	310	131
PA-C2	PA-C2-1	Mercury	0.012	0.1	MG/KG	310	157
	PA-C2-5	Mercury	0.0018	0.02	MG/KG	310	167
	PA-C2-10	Mercury	< 0.00014	0.03	MG/KG	310	NA
PA-EE14	PA-EE-14-1	Mercury	0.0047	0.96	MG/KG	310	198
	PA-EE-14-5	Mercury	0.00061	0.03	MG/KG	310	192
	PA-EE-14-10	Mercury	< 0.00014	0.01	MG/KG	310	NA
	PA-EE-14-15	Mercury	0.00043	0.01	MG/KG	310	184
	PA-EE-14-20	Mercury	0.011	0.02	MG/KG	310	58
PA-HH10	PA-HH10-5	Mercury	0.0032	0.01	MG/KG	310	103
	PA-HH10-10	Mercury	0.0018	0.0044	MG/KG	310	84
	PA-HH10-15	Mercury	< 0.00014	0.01	MG/KG	310	NA
	PA-HH10-20	Mercury	< 0.00014	< 0.1	MG/KG	310	NA
PA-HH11	PA-HH11-5	Mercury	0.001	< 0.0039	MG/KG	310	NA
	PA-HH11-10	Mercury	< 0.00014	< 0.0041	MG/KG	310	NA
	PA-HH11-15	Mercury	0.0011	< 0.11	MG/KG	310	NA
	PA-HH11-20	Mercury	0.0061	< 0.1	MG/KG	310	NA
	PA-HH11-25	Mercury	< 0.00014	< 0.1	MG/KG	310	NA
PA-HH8	PA-HH8-5	Mercury	0.0038	0.01	MG/KG	310	90
	PA-HH8-10	Mercury	0.0015	0.01	MG/KG	310	148
	PA-HH8-15	Mercury	0.00061	< 0.0048	MG/KG	310	NA
	PA-HH8-20	Mercury	0.0012	< 0.1	MG/KG	310	NA
	PA-HH8-25	Mercury	< 0.00014	< 0.0046	MG/KG	310	NA
PA-K9	PA-K9-1	Mercury	0.35	0.31	MG/KG	310	12
	PA-K9-5	Mercury	0.0078	0.25	MG/KG	310	188
	PA-K9-10	Mercury	0.0044	0.02	MG/KG	310	128
PA-O1	PA-O1-1	Mercury	0.013	0.8	MG/KG	310	194
	PA-O1-5	Mercury	0.0014	0.18	MG/KG	310	197
	PA-O1-10	Mercury	0.0012	0.19	MG/KG	310	197
PA-P19	PA-P19-20	Mercury	0.0006	0.11	MG/KG	310	198
PA-Q1	PA-Q1-1	Mercury	0.0014	0.37	MG/KG	310	198

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-Q1-5	Mercury	0.009	0.03	MG/KG	310	108
	PA-Q1-10	Mercury	< 0.00014	0.05	MG/KG	310	NA
PA-V1	PA-V1-1	Mercury	< 0.00014	0.04	MG/KG	310	NA
	PA-V1-5	Mercury	0.0025	0.07	MG/KG	310	186
	PA-V1-10	Mercury	0.0066	0.02	MG/KG	310	101
PA-BBB2	PA-BBB2-5	Nickel	6,600	9,000	UG/KG	20,000,000	31
	PA-BBB2-10	Nickel	4,800	6,500	UG/KG	20,000,000	30
	PA-BBB2-15	Nickel	5,800	5,300	UG/KG	20,000,000	9
	PA-BBB2-20	Nickel	7,700	6,400	UG/KG	20,000,000	18
	PA-BBB2-25	Nickel	4,500	3,200	UG/KG	20,000,000	34
PA-C2	PA-C2-1	Nickel	5,200	5,000	UG/KG	20,000,000	4
	PA-C2-5	Nickel	3,400	4,100	UG/KG	20,000,000	19
	PA-C2-10	Nickel	4,200	4,400	UG/KG	20,000,000	5
PA-EE14	PA-EE-14-1	Nickel	4,200	9,000	UG/KG	20,000,000	73
	PA-EE-14-5	Nickel	3,600	5,600	UG/KG	20,000,000	43
	PA-EE-14-10	Nickel	3,600	4,600	UG/KG	20,000,000	24
	PA-EE-14-15	Nickel	2,400	7,000	UG/KG	20,000,000	98
	PA-EE-14-20	Nickel	2,900	3,600	UG/KG	20,000,000	22
PA-HH10	PA-HH10-5	Nickel	4,300	5,200	UG/KG	20,000,000	19
	PA-HH10-10	Nickel	4,300	4,800	UG/KG	20,000,000	11
	PA-HH10-15	Nickel	3,500	5,600	UG/KG	20,000,000	46
	PA-HH10-20	Nickel	4,300	3,000	UG/KG	20,000,000	36
PA-HH11	PA-HH11-5	Nickel	4,500	4,700	UG/KG	20,000,000	4
	PA-HH11-10	Nickel	5,300	4,100	UG/KG	20,000,000	26
	PA-HH11-15	Nickel	2,900	3,100	UG/KG	20,000,000	7
	PA-HH11-20	Nickel	4,300	4,000	UG/KG	20,000,000	7
	PA-HH11-25	Nickel	5,200	3,900	UG/KG	20,000,000	29
PA-HH8	PA-HH8-5	Nickel	4,300	5,000	UG/KG	20,000,000	15
	PA-HH8-10	Nickel	5,400	3,500	UG/KG	20,000,000	43
	PA-HH8-15	Nickel	3,800	2,000	UG/KG	20,000,000	62
	PA-HH8-20	Nickel	3,400	3,200	UG/KG	20,000,000	6
	PA-HH8-25	Nickel	5,100	4,200	UG/KG	20,000,000	19
PA-K9	PA-K9-1	Nickel	7,700	8,300	UG/KG	20,000,000	8
	PA-K9-5	Nickel	3,800	8,500	UG/KG	20,000,000	76
	PA-K9-10	Nickel	4,500	3,400	UG/KG	20,000,000	28
PA-O1	PA-O1-1	Nickel	4,000	4,100	UG/KG	20,000,000	2
	PA-O1-5	Nickel	3,300	3,800	UG/KG	20,000,000	14
	PA-O1-10	Nickel	3,300	4,800	UG/KG	20,000,000	37
PA-P19	PA-P19-20	Nickel	8,100	14,500	UG/KG	20,000,000	57
PA-Q1	PA-Q1-1	Nickel	6,500	4,100	UG/KG	20,000,000	45
	PA-Q1-5	Nickel	3,600	3,200	UG/KG	20,000,000	12
	PA-Q1-10	Nickel	4,700	4,600	UG/KG	20,000,000	2
PA-V1	PA-V1-1	Nickel	3,700	4,500	UG/KG	20,000,000	20
	PA-V1-5	Nickel	6,000	4,700	UG/KG	20,000,000	24
	PA-V1-10	Nickel	4,300	3,700	UG/KG	20,000,000	15
PA-BBB2	PA-BBB2-5	Potassium	1,500	1,540	MG/KG	na	3
	PA-BBB2-10	Potassium	1,700	1,730	MG/KG	na	2
	PA-BBB2-15	Potassium	1,200	1,190	MG/KG	na	1
	PA-BBB2-20	Potassium	1,800	1,430	MG/KG	na	23
	PA-BBB2-25	Potassium	1,200	744	MG/KG	na	47
PA-C2	PA-C2-1	Potassium	1,700	1,380	MG/KG	na	21
	PA-C2-5	Potassium	1,200	1,560	MG/KG	na	26
	PA-C2-10	Potassium	1,200	1,440	MG/KG	na	18
PA-EE14	PA-EE-14-1	Potassium	890	1,420	MG/KG	na	46
	PA-EE-14-5	Potassium	860	1,390	MG/KG	na	47
	PA-EE-14-10	Potassium	1,200	1,290	MG/KG	na	7
	PA-EE-14-15	Potassium	670	924	MG/KG	na	32
	PA-EE-14-20	Potassium	1,000	1,200	MG/KG	na	18
PA-HH10	PA-HH10-5	Potassium	1,600	1,630	MG/KG	na	2

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-10	Potassium	1,400	1,760	MG/KG	na	23
	PA-HH10-15	Potassium	1,000	1,720	MG/KG	na	53
	PA-HH10-20	Potassium	760	1,000	MG/KG	na	27
PA-HH11	PA-HH11-5	Potassium	1,900	2,030	MG/KG	na	7
	PA-HH11-10	Potassium	1,000	947	MG/KG	na	5
	PA-HH11-15	Potassium	870	1,170	MG/KG	na	29
	PA-HH11-20	Potassium	1,500	1,360	MG/KG	na	10
	PA-HH11-25	Potassium	1,300	975	MG/KG	na	29
PA-HH8	PA-HH8-5	Potassium	1,000	1,300	MG/KG	na	26
	PA-HH8-10	Potassium	1,200	1,310	MG/KG	na	9
	PA-HH8-15	Potassium	580	693	MG/KG	na	18
	PA-HH8-20	Potassium	840	870	MG/KG	na	4
	PA-HH8-25	Potassium	1,000	957	MG/KG	na	4
PA-K9	PA-K9-1	Potassium	1,100	1,240	MG/KG	na	12
	PA-K9-5	Potassium	1,100	1,190	MG/KG	na	8
	PA-K9-10	Potassium	1,200	583	MG/KG	na	69
PA-O1	PA-O1-1	Potassium	740	1,110	MG/KG	na	40
	PA-O1-5	Potassium	1,000	949	MG/KG	na	5
	PA-O1-10	Potassium	1,000	755	MG/KG	na	28
PA-P19	PA-P19-20	Potassium	1,500	1,840	MG/KG	na	20
PA-Q1	PA-Q1-1	Potassium	2,800	1,330	MG/KG	na	71
	PA-Q1-5	Potassium	940	919	MG/KG	na	2
	PA-Q1-10	Potassium	1,400	1,010	MG/KG	na	32
PA-V1	PA-V1-1	Potassium	1,100	1,200	MG/KG	na	9
	PA-V1-5	Potassium	1,600	2,020	MG/KG	na	23
	PA-V1-10	Potassium	1,400	1,210	MG/KG	na	15
PA-BBB2	PA-BBB2-5	Selenium	300	< 3600	UG/KG	5,100,000	NA
	PA-BBB2-10	Selenium	260	< 2900	UG/KG	5,100,000	NA
	PA-BBB2-15	Selenium	360	< 2800	UG/KG	5,100,000	NA
	PA-BBB2-20	Selenium	370	< 3200	UG/KG	5,100,000	NA
	PA-BBB2-25	Selenium	380	< 2900	UG/KG	5,100,000	NA
PA-C2	PA-C2-1	Selenium	440	< 3700	UG/KG	5,100,000	NA
	PA-C2-5	Selenium	< 160	< 3700	UG/KG	5,100,000	NA
	PA-C2-10	Selenium	< 160	< 3600	UG/KG	5,100,000	NA
PA-EE14	PA-EE-14-1	Selenium	< 170	< 3700	UG/KG	5,100,000	NA
	PA-EE-14-5	Selenium	< 170	< 3600	UG/KG	5,100,000	NA
	PA-EE-14-10	Selenium	< 170	< 3500	UG/KG	5,100,000	NA
	PA-EE-14-15	Selenium	< 160	< 3500	UG/KG	5,100,000	NA
	PA-EE-14-20	Selenium	< 170	< 3600	UG/KG	5,100,000	NA
PA-HH10	PA-HH10-5	Selenium	340	< 3300	UG/KG	5,100,000	NA
	PA-HH10-10	Selenium	< 330	< 3100	UG/KG	5,100,000	NA
	PA-HH10-15	Selenium	< 330	< 3100	UG/KG	5,100,000	NA
	PA-HH10-20	Selenium	< 330	< 2900	UG/KG	5,100,000	NA
PA-HH11	PA-HH11-5	Selenium	< 330	< 3100	UG/KG	5,100,000	NA
	PA-HH11-10	Selenium	< 330	< 3100	UG/KG	5,100,000	NA
	PA-HH11-15	Selenium	< 330	< 3000	UG/KG	5,100,000	NA
	PA-HH11-20	Selenium	< 330	< 2600	UG/KG	5,100,000	NA
	PA-HH11-25	Selenium	< 340	< 2600	UG/KG	5,100,000	NA
PA-HH8	PA-HH8-5	Selenium	290	< 3200	UG/KG	5,100,000	NA
	PA-HH8-10	Selenium	510	< 3500	UG/KG	5,100,000	NA
	PA-HH8-15	Selenium	490	< 3700	UG/KG	5,100,000	NA
	PA-HH8-20	Selenium	380	< 3200	UG/KG	5,100,000	NA
	PA-HH8-25	Selenium	310	< 3500	UG/KG	5,100,000	NA
PA-K9	PA-K9-1	Selenium	710	< 3000	UG/KG	5,100,000	NA
	PA-K9-5	Selenium	< 350	< 3000	UG/KG	5,100,000	NA
	PA-K9-10	Selenium	< 330	< 2600	UG/KG	5,100,000	NA
PA-O1	PA-O1-1	Selenium	< 170	3,600	UG/KG	5,100,000	NA
	PA-O1-5	Selenium	210	< 3300	UG/KG	5,100,000	NA
	PA-O1-10	Selenium	< 170	< 3400	UG/KG	5,100,000	NA
PA-P19	PA-P19-20	Selenium	450	< 4000	UG/KG	5,100,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-Q1	PA-Q1-1	Selenium	980	5,900	UG/KG	5,100,000	143
	PA-Q1-5	Selenium	< 160	< 3600	UG/KG	5,100,000	NA
	PA-Q1-10	Selenium	210	< 3500	UG/KG	5,100,000	NA
PA-V1	PA-V1-1	Selenium	< 170	< 3400	UG/KG	5,100,000	NA
	PA-V1-5	Selenium	310	< 3600	UG/KG	5,100,000	NA
	PA-V1-10	Selenium	300	< 3700	UG/KG	5,100,000	NA
PA-BBB2	PA-BBB2-5	Silver	86	< 1000	UG/KG	5,100,000	NA
	PA-BBB2-10	Silver	78	< 840	UG/KG	5,100,000	NA
	PA-BBB2-15	Silver	120	< 790	UG/KG	5,100,000	NA
	PA-BBB2-20	Silver	140	< 910	UG/KG	5,100,000	NA
	PA-BBB2-25	Silver	73	< 820	UG/KG	5,100,000	NA
PA-C2	PA-C2-1	Silver	96	< 1100	UG/KG	5,100,000	NA
	PA-C2-5	Silver	57	< 1100	UG/KG	5,100,000	NA
	PA-C2-10	Silver	71	< 1000	UG/KG	5,100,000	NA
PA-EE14	PA-EE-14-1	Silver	< 46	< 1100	UG/KG	5,100,000	NA
	PA-EE-14-5	Silver	< 35	< 1000	UG/KG	5,100,000	NA
	PA-EE-14-10	Silver	< 48	< 990	UG/KG	5,100,000	NA
	PA-EE-14-15	Silver	< 30	< 1000	UG/KG	5,100,000	NA
	PA-EE-14-20	Silver	< 56	< 1000	UG/KG	5,100,000	NA
PA-HH10	PA-HH10-5	Silver	76	< 940	UG/KG	5,100,000	NA
	PA-HH10-10	Silver	< 74	< 880	UG/KG	5,100,000	NA
	PA-HH10-15	Silver	< 52	< 870	UG/KG	5,100,000	NA
	PA-HH10-20	Silver	< 56	< 830	UG/KG	5,100,000	NA
PA-HH11	PA-HH11-5	Silver	< 62	< 890	UG/KG	5,100,000	NA
	PA-HH11-10	Silver	< 60	< 870	UG/KG	5,100,000	NA
	PA-HH11-15	Silver	< 43	< 850	UG/KG	5,100,000	NA
	PA-HH11-20	Silver	< 71	< 750	UG/KG	5,100,000	NA
	PA-HH11-25	Silver	< 64	< 760	UG/KG	5,100,000	NA
PA-HH8	PA-HH8-5	Silver	67	< 920	UG/KG	5,100,000	NA
	PA-HH8-10	Silver	87	< 1000	UG/KG	5,100,000	NA
	PA-HH8-15	Silver	86	< 1000	UG/KG	5,100,000	NA
	PA-HH8-20	Silver	66	< 920	UG/KG	5,100,000	NA
	PA-HH8-25	Silver	91	< 1000	UG/KG	5,100,000	NA
PA-K9	PA-K9-1	Silver	100	< 860	UG/KG	5,100,000	NA
	PA-K9-5	Silver	50	< 860	UG/KG	5,100,000	NA
	PA-K9-10	Silver	59	< 750	UG/KG	5,100,000	NA
PA-O1	PA-O1-1	Silver	48	< 1000	UG/KG	5,100,000	NA
	PA-O1-5	Silver	< 36	< 960	UG/KG	5,100,000	NA
	PA-O1-10	Silver	< 44	< 970	UG/KG	5,100,000	NA
PA-P19	PA-P19-20	Silver	73	< 1100	UG/KG	5,100,000	NA
PA-Q1	PA-Q1-1	Silver	91	< 950	UG/KG	5,100,000	NA
	PA-Q1-5	Silver	46	< 1000	UG/KG	5,100,000	NA
	PA-Q1-10	Silver	48	< 1000	UG/KG	5,100,000	NA
PA-V1	PA-V1-1	Silver	74	< 970	UG/KG	5,100,000	NA
	PA-V1-5	Silver	66	< 1000	UG/KG	5,100,000	NA
	PA-V1-10	Silver	55	< 1000	UG/KG	5,100,000	NA
PA-BBB2	PA-BBB2-5	Sodium	180	159	MG/KG	na	12
	PA-BBB2-10	Sodium	300	298	MG/KG	na	1
	PA-BBB2-15	Sodium	260	329	MG/KG	na	23
	PA-BBB2-20	Sodium	480	401	MG/KG	na	18
	PA-BBB2-25	Sodium	310	688	MG/KG	na	76
PA-C2	PA-C2-1	Sodium	250	343	MG/KG	na	31
	PA-C2-5	Sodium	110	138	MG/KG	na	23
	PA-C2-10	Sodium	180	220	MG/KG	na	20
PA-EE14	PA-EE-14-1	Sodium	190	250	MG/KG	na	27
	PA-EE-14-5	Sodium	160	273	MG/KG	na	52
	PA-EE-14-10	Sodium	250	208	MG/KG	na	18
	PA-EE-14-15	Sodium	140	182	MG/KG	na	26
	PA-EE-14-20	Sodium	340	407	MG/KG	na	18

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH10	PA-HH10-5	Sodium	220	251	MG/KG	na	13
	PA-HH10-10	Sodium	730	851	MG/KG	na	15
	PA-HH10-15	Sodium	730	546	MG/KG	na	29
	PA-HH10-20	Sodium	230	449	MG/KG	na	65
PA-HH11	PA-HH11-5	Sodium	150	204	MG/KG	na	31
	PA-HH11-10	Sodium	210	255	MG/KG	na	19
	PA-HH11-15	Sodium	430	554	MG/KG	na	25
	PA-HH11-20	Sodium	540	423	MG/KG	na	24
	PA-HH11-25	Sodium	520	431	MG/KG	na	19
PA-HH8	PA-HH8-5	Sodium	250	267	MG/KG	na	7
	PA-HH8-10	Sodium	440	736	MG/KG	na	50
	PA-HH8-15	Sodium	530	661	MG/KG	na	22
	PA-HH8-20	Sodium	400	578	MG/KG	na	36
	PA-HH8-25	Sodium	420	< 410	MG/KG	na	NA
PA-K9	PA-K9-1	Sodium	86	120	MG/KG	na	33
	PA-K9-5	Sodium	160	205	MG/KG	na	25
	PA-K9-10	Sodium	150	122	MG/KG	na	21
PA-O1	PA-O1-1	Sodium	160	231	MG/KG	na	36
	PA-O1-5	Sodium	190	161	MG/KG	na	17
	PA-O1-10	Sodium	260	101	MG/KG	na	88
PA-P19	PA-P19-20	Sodium	650	515	MG/KG	na	23
PA-Q1	PA-Q1-1	Sodium	240	150	MG/KG	na	46
	PA-Q1-5	Sodium	460	400	MG/KG	na	14
	PA-Q1-10	Sodium	1,200	1,160	MG/KG	na	3
PA-V1	PA-V1-1	Sodium	180	198	MG/KG	na	10
	PA-V1-5	Sodium	190	174	MG/KG	na	9
	PA-V1-10	Sodium	210	185	MG/KG	na	13
PA-BBB2	PA-BBB2-5	Thallium	100	< 2600	UG/KG	67,000	NA
	PA-BBB2-10	Thallium	84	< 2100	UG/KG	67,000	NA
	PA-BBB2-15	Thallium	96	< 2000	UG/KG	67,000	NA
	PA-BBB2-20	Thallium	170	< 2300	UG/KG	67,000	NA
	PA-BBB2-25	Thallium	83	< 2100	UG/KG	67,000	NA
PA-C2	PA-C2-1	Thallium	67	< 2700	UG/KG	67,000	NA
	PA-C2-5	Thallium	40	< 2600	UG/KG	67,000	NA
	PA-C2-10	Thallium	48	< 2600	UG/KG	67,000	NA
PA-EE14	PA-EE-14-1	Thallium	43	< 2700	UG/KG	67,000	NA
	PA-EE-14-5	Thallium	28	< 2600	UG/KG	67,000	NA
	PA-EE-14-10	Thallium	31	< 2500	UG/KG	67,000	NA
	PA-EE-14-15	Thallium	9.2	< 2500	UG/KG	67,000	NA
	PA-EE-14-20	Thallium	33	< 2600	UG/KG	67,000	NA
PA-HH10	PA-HH10-5	Thallium	170	< 2300	UG/KG	67,000	NA
	PA-HH10-10	Thallium	72	< 2200	UG/KG	67,000	NA
	PA-HH10-15	Thallium	38	< 2200	UG/KG	67,000	NA
	PA-HH10-20	Thallium	64	< 2100	UG/KG	67,000	NA
PA-HH11	PA-HH11-5	Thallium	70	< 2200	UG/KG	67,000	NA
	PA-HH11-10	Thallium	64	< 2200	UG/KG	67,000	NA
	PA-HH11-15	Thallium	37	< 2100	UG/KG	67,000	NA
	PA-HH11-20	Thallium	79	< 1900	UG/KG	67,000	NA
	PA-HH11-25	Thallium	79	< 1900	UG/KG	67,000	NA
PA-HH8	PA-HH8-5	Thallium	51	< 2300	UG/KG	67,000	NA
	PA-HH8-10	Thallium	66	< 2500	UG/KG	67,000	NA
	PA-HH8-15	Thallium	46	< 2600	UG/KG	67,000	NA
	PA-HH8-20	Thallium	40	< 2300	UG/KG	67,000	NA
	PA-HH8-25	Thallium	64	< 2500	UG/KG	67,000	NA
PA-K9	PA-K9-1	Thallium	160	< 2100	UG/KG	67,000	NA
	PA-K9-5	Thallium	< 42	< 2200	UG/KG	67,000	NA
	PA-K9-10	Thallium	57	< 1900	UG/KG	67,000	NA
PA-O1	PA-O1-1	Thallium	160	< 2500	UG/KG	67,000	NA
	PA-O1-5	Thallium	38	< 2400	UG/KG	67,000	NA
	PA-O1-10	Thallium	34	< 2400	UG/KG	67,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-P19	PA-P19-20	Thallium	81	< 2900	UG/KG	67,000	NA
PA-Q1	PA-Q1-1	Thallium	180	< 2400	UG/KG	67,000	NA
	PA-Q1-5	Thallium	32	< 2600	UG/KG	67,000	NA
	PA-Q1-10	Thallium	38	< 2500	UG/KG	67,000	NA
PA-V1	PA-V1-1	Thallium	120	< 2400	UG/KG	67,000	NA
	PA-V1-5	Thallium	60	< 2600	UG/KG	67,000	NA
	PA-V1-10	Thallium	48	< 2600	UG/KG	67,000	NA
PA-BBB2	PA-BBB2-5	Vanadium	13,000	22,500	UG/KG	1,000,000	54
	PA-BBB2-10	Vanadium	15,000	28,500	UG/KG	1,000,000	62
	PA-BBB2-15	Vanadium	19,000	29,100	UG/KG	1,000,000	42
	PA-BBB2-20	Vanadium	23,000	30,300	UG/KG	1,000,000	27
	PA-BBB2-25	Vanadium	23,000	25,700	UG/KG	1,000,000	11
PA-C2	PA-C2-1	Vanadium	13,000	22,000	UG/KG	1,000,000	51
	PA-C2-5	Vanadium	9,000	16,100	UG/KG	1,000,000	57
	PA-C2-10	Vanadium	15,000	24,500	UG/KG	1,000,000	48
PA-EE14	PA-EE-14-1	Vanadium	14,000	23,100	UG/KG	1,000,000	49
	PA-EE-14-5	Vanadium	11,000	28,500	UG/KG	1,000,000	89
	PA-EE-14-10	Vanadium	12,000	24,700	UG/KG	1,000,000	69
	PA-EE-14-15	Vanadium	9,900	17,800	UG/KG	1,000,000	57
	PA-EE-14-20	Vanadium	10,000	19,000	UG/KG	1,000,000	62
PA-HH10	PA-HH10-5	Vanadium	13,000	26,300	UG/KG	1,000,000	68
	PA-HH10-10	Vanadium	12,000	27,000	UG/KG	1,000,000	77
	PA-HH10-15	Vanadium	12,000	27,000	UG/KG	1,000,000	77
	PA-HH10-20	Vanadium	14,000	16,000	UG/KG	1,000,000	13
PA-HH11	PA-HH11-5	Vanadium	10,000	24,100	UG/KG	1,000,000	83
	PA-HH11-10	Vanadium	15,000	17,600	UG/KG	1,000,000	16
	PA-HH11-15	Vanadium	11,000	21,200	UG/KG	1,000,000	63
	PA-HH11-20	Vanadium	13,000	24,500	UG/KG	1,000,000	61
	PA-HH11-25	Vanadium	13,000	25,100	UG/KG	1,000,000	64
PA-HH8	PA-HH8-5	Vanadium	13,000	24,200	UG/KG	1,000,000	60
	PA-HH8-10	Vanadium	14,000	22,600	UG/KG	1,000,000	47
	PA-HH8-15	Vanadium	14,000	8,000	UG/KG	1,000,000	55
	PA-HH8-20	Vanadium	12,000	13,100	UG/KG	1,000,000	9
	PA-HH8-25	Vanadium	16,000	18,300	UG/KG	1,000,000	13
PA-K9	PA-K9-1	Vanadium	15,000	21,900	UG/KG	1,000,000	37
	PA-K9-5	Vanadium	11,000	23,100	UG/KG	1,000,000	71
	PA-K9-10	Vanadium	12,000	17,000	UG/KG	1,000,000	34
PA-O1	PA-O1-1	Vanadium	15,000	22,900	UG/KG	1,000,000	42
	PA-O1-5	Vanadium	11,000	18,000	UG/KG	1,000,000	48
	PA-O1-10	Vanadium	11,000	16,300	UG/KG	1,000,000	39
PA-P19	PA-P19-20	Vanadium	13,000	22,900	UG/KG	1,000,000	55
PA-Q1	PA-Q1-1	Vanadium	14,000	21,800	UG/KG	1,000,000	44
	PA-Q1-5	Vanadium	12,000	19,900	UG/KG	1,000,000	50
	PA-Q1-10	Vanadium	13,000	19,000	UG/KG	1,000,000	38
PA-V1	PA-V1-1	Vanadium	10,000	17,700	UG/KG	1,000,000	56
	PA-V1-5	Vanadium	17,000	19,900	UG/KG	1,000,000	16
	PA-V1-10	Vanadium	14,000	16,600	UG/KG	1,000,000	17
PA-BBB2	PA-BBB2-5	Zinc	29,000	54,200	UG/KG	310,000,000	61
	PA-BBB2-10	Zinc	17,000	24,700	UG/KG	310,000,000	37
	PA-BBB2-15	Zinc	18,000	22,900	UG/KG	310,000,000	24
	PA-BBB2-20	Zinc	24,000	26,000	UG/KG	310,000,000	8
	PA-BBB2-25	Zinc	17,000	13,900	UG/KG	310,000,000	20
PA-C2	PA-C2-1	Zinc	15,000	18,600	UG/KG	310,000,000	21
	PA-C2-5	Zinc	10,000	16,000	UG/KG	310,000,000	46
	PA-C2-10	Zinc	13,000	18,700	UG/KG	310,000,000	36
PA-EE14	PA-EE-14-1	Zinc	14,000	30,000	UG/KG	310,000,000	73
	PA-EE-14-5	Zinc	11,000	22,600	UG/KG	310,000,000	69
	PA-EE-14-10	Zinc	13,000	19,300	UG/KG	310,000,000	39
	PA-EE-14-15	Zinc	10,000	16,100	UG/KG	310,000,000	47

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-20	Zinc	13,000	21,700	UG/KG	310,000,000	50
PA-HH10	PA-HH10-5	Zinc	15,000	21,500	UG/KG	310,000,000	36
	PA-HH10-10	Zinc	20,000	28,500	UG/KG	310,000,000	35
	PA-HH10-15	Zinc	17,000	22,300	UG/KG	310,000,000	27
	PA-HH10-20	Zinc	18,000	17,700	UG/KG	310,000,000	2
PA-HH11	PA-HH11-5	Zinc	21,000	23,000	UG/KG	310,000,000	9
	PA-HH11-10	Zinc	19,000	17,900	UG/KG	310,000,000	6
	PA-HH11-15	Zinc	16,000	18,900	UG/KG	310,000,000	17
	PA-HH11-20	Zinc	20,000	20,200	UG/KG	310,000,000	1
	PA-HH11-25	Zinc	19,000	18,600	UG/KG	310,000,000	2
PA-HH8	PA-HH8-5	Zinc	12,000	17,700	UG/KG	310,000,000	38
	PA-HH8-10	Zinc	17,000	22,400	UG/KG	310,000,000	27
	PA-HH8-15	Zinc	17,000	11,100	UG/KG	310,000,000	42
	PA-HH8-20	Zinc	14,000	16,000	UG/KG	310,000,000	13
	PA-HH8-25	Zinc	17,000	18,000	UG/KG	310,000,000	6
PA-K9	PA-K9-1	Zinc	190,000	127,000	UG/KG	310,000,000	40
	PA-K9-5	Zinc	14,000	124,000	UG/KG	310,000,000	159
	PA-K9-10	Zinc	18,000	13,700	UG/KG	310,000,000	27
PA-O1	PA-O1-1	Zinc	12,000	31,800	UG/KG	310,000,000	90
	PA-O1-5	Zinc	11,000	15,900	UG/KG	310,000,000	36
	PA-O1-10	Zinc	13,000	14,000	UG/KG	310,000,000	7
PA-P19	PA-P19-20	Zinc	23,000	121,000	UG/KG	310,000,000	136
PA-Q1	PA-Q1-1	Zinc	25,000	10,700	UG/KG	310,000,000	80
	PA-Q1-5	Zinc	11,000	14,700	UG/KG	310,000,000	29
	PA-Q1-10	Zinc	15,000	18,000	UG/KG	310,000,000	18
PA-V1	PA-V1-1	Zinc	12,000	18,700	UG/KG	310,000,000	44
	PA-V1-5	Zinc	16,000	21,400	UG/KG	310,000,000	29
	PA-V1-10	Zinc	14,000	14,200	UG/KG	310,000,000	1
Radionuclides							
PA-EE14	PA-EE-14-1	Radium-226	1	3	PCI/G	3.7	100
	PA-EE-14-5	Radium-226	1.2	2.59	PCI/G	3.7	73
	PA-EE-14-10	Radium-226	1.1	< 0.567	PCI/G	3.7	NA
	PA-EE-14-15	Radium-226	1	3.45	PCI/G	3.7	110
	PA-EE-14-20	Radium-226	1.6	2.67	PCI/G	3.7	50
PA-HH10	PA-HH10-5	Radium-226	1.9	2.34	PCI/G	3.7	21
	PA-HH10-10	Radium-226	2.1	3.22	PCI/G	3.7	42
	PA-HH10-15	Radium-226	2.3	2.25	PCI/G	3.7	2
	PA-HH10-20	Radium-226	2	2.62	PCI/G	3.7	27
PA-HH11	PA-HH11-5	Radium-226	1.8	2.37	PCI/G	3.7	27
	PA-HH11-10	Radium-226	1.9	2.09	PCI/G	3.7	10
	PA-HH11-15	Radium-226	2.5	3.41	PCI/G	3.7	31
	PA-HH11-20	Radium-226	1.9	3.31	PCI/G	3.7	54
	PA-HH11-25	Radium-226	1.6	2.51	PCI/G	3.7	44
PA-HH8	PA-HH8-5	Radium-226	1.7	2.59	PCI/G	3.7	41
	PA-HH8-10	Radium-226	2.1	2.82	PCI/G	3.7	29
	PA-HH8-15	Radium-226	1.4	3.23	PCI/G	3.7	79
	PA-HH8-20	Radium-226	1.4	2.69	PCI/G	3.7	63
	PA-HH8-25	Radium-226	< 1	2.09	PCI/G	3.7	NA
PA-P17	PA-P17-5	Radium-226	1	2.49	PCI/G	3.7	85
	PA-P17-10	Radium-226	0.9	1.91	PCI/G	3.7	72
	PA-P17-15	Radium-226	< 0.2	3.19	PCI/G	3.7	NA
	PA-P17-20	Radium-226	< 0.2	2.19	PCI/G	3.7	NA
PA-P19	PA-P19-20	Radium-226	1	5.73	PCI/G	3.7	141
PA-EE14	PA-EE-14-1	Radium-228	1.4	1.4	PCI/G	8.4	0
	PA-EE-14-5	Radium-228	1	1.16	PCI/G	8.4	15
	PA-EE-14-10	Radium-228	1.2	1.14	PCI/G	8.4	5
	PA-EE-14-15	Radium-228	1.3	1.11	PCI/G	8.4	16
	PA-EE-14-20	Radium-228	1.4	1.35	PCI/G	8.4	4
PA-HH10	PA-HH10-5	Radium-228	1.9	1.14	PCI/G	8.4	50

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-10	Radium-228	2.2	1.49	PCI/G	8.4	38
	PA-HH10-15	Radium-228	3.4	1.27	PCI/G	8.4	91
	PA-HH10-20	Radium-228	3.2	1.48	PCI/G	8.4	74
PA-HH11	PA-HH11-5	Radium-228	1.9	1.27	PCI/G	8.4	40
	PA-HH11-10	Radium-228	1.8	1.25	PCI/G	8.4	36
	PA-HH11-15	Radium-228	2.7	1.83	PCI/G	8.4	38
	PA-HH11-20	Radium-228	1.3	1.07	PCI/G	8.4	19
	PA-HH11-25	Radium-228	2.1	1.23	PCI/G	8.4	52
PA-HH8	PA-HH8-5	Radium-228	2.2	1.25	PCI/G	8.4	55
	PA-HH8-10	Radium-228	2.2	1.48	PCI/G	8.4	39
	PA-HH8-15	Radium-228	1.5	1.72	PCI/G	8.4	14
	PA-HH8-20	Radium-228	1.6	1.52	PCI/G	8.4	5
	PA-HH8-25	Radium-228	1.3	1.14	PCI/G	8.4	13
PA-P17	PA-P17-5	Radium-228	0.3	1.17	PCI/G	8.4	118
	PA-P17-10	Radium-228	2.2	1.25	PCI/G	8.4	55
	PA-P17-15	Radium-228	< 0.2	1.12	PCI/G	8.4	NA
	PA-P17-20	Radium-228	< 0.2	1.22	PCI/G	8.4	NA
PA-P19	PA-P19-20	Radium-228	< 0.2	1.6	PCI/G	8.4	NA
VOCs:							
PA-BBB2	PA-BBB2-5	1,1,1-Trichloroethane	< 0.076	< 10	UG/KG	6,900,000	NA
	PA-BBB2-10	1,1,1-Trichloroethane	< 0.064	< 10	UG/KG	6,900,000	NA
	PA-BBB2-15	1,1,1-Trichloroethane	< 0.064	< 10	UG/KG	6,900,000	NA
	PA-BBB2-20	1,1,1-Trichloroethane	< 0.074	< 11	UG/KG	6,900,000	NA
	PA-BBB2-25	1,1,1-Trichloroethane	< 0.07	< 11	UG/KG	6,900,000	NA
PA-C2	PA-C2-1	1,1,1-Trichloroethane	< 0.35	< 10	UG/KG	6,900,000	NA
	PA-C2-5	1,1,1-Trichloroethane	< 0.4	< 10	UG/KG	6,900,000	NA
	PA-C2-10	1,1,1-Trichloroethane	< 0.4	< 11	UG/KG	6,900,000	NA
PA-EE14	PA-EE-14-1	1,1,1-Trichloroethane	< 0.07	< 10	UG/KG	6,900,000	NA
	PA-EE-14-5	1,1,1-Trichloroethane	< 0.071	< 10	UG/KG	6,900,000	NA
	PA-EE-14-10	1,1,1-Trichloroethane	< 0.076	< 11	UG/KG	6,900,000	NA
	PA-EE-14-15	1,1,1-Trichloroethane	< 0.074	< 13	UG/KG	6,900,000	NA
	PA-EE-14-20	1,1,1-Trichloroethane	< 0.072	< 10	UG/KG	6,900,000	NA
PA-HH10	PA-HH10-5	1,1,1-Trichloroethane	< 0.33	< 10	UG/KG	6,900,000	NA
	PA-HH10-10	1,1,1-Trichloroethane	< 0.34	< 10	UG/KG	6,900,000	NA
	PA-HH10-15	1,1,1-Trichloroethane	< 0.34	< 10	UG/KG	6,900,000	NA
	PA-HH10-20	1,1,1-Trichloroethane	< 0.34	< 11	UG/KG	6,900,000	NA
PA-K9	PA-K9-1	1,1,1-Trichloroethane	< 0.1	< 10	UG/KG	6,900,000	NA
	PA-K9-5	1,1,1-Trichloroethane	< 0.082	< 10	UG/KG	6,900,000	NA
	PA-K9-10	1,1,1-Trichloroethane	< 0.072	< 11	UG/KG	6,900,000	NA
PA-P19	PA-P19-10	1,1,1-Trichloroethane	< 0.076	< 11	UG/KG	6,900,000	NA
	PA-P19-15	1,1,1-Trichloroethane	< 0.069	< 11	UG/KG	6,900,000	NA
	PA-P19-25	1,1,1-Trichloroethane	< 0.069	< 12	UG/KG	6,900,000	NA
PA-Q1	PA-Q1-1	1,1,1-Trichloroethane	< 0.076	< 11	UG/KG	6,900,000	NA
	PA-Q1-5	1,1,1-Trichloroethane	< 0.077	< 12	UG/KG	6,900,000	NA
	PA-Q1-10	1,1,1-Trichloroethane	< 0.075	< 10	UG/KG	6,900,000	NA
PA-V1	PA-V1-1	1,1,1-Trichloroethane	< 0.34	< 10	UG/KG	6,900,000	NA
	PA-V1-5	1,1,1-Trichloroethane	< 0.33	< 10	UG/KG	6,900,000	NA
	PA-V1-10	1,1,1-Trichloroethane	< 0.33	< 10	UG/KG	6,900,000	NA
PA-BBB2	PA-BBB2-5	1,1,2-Trichloroethane	< 0.21	< 10	UG/KG	130,000	NA
	PA-BBB2-10	1,1,2-Trichloroethane	< 0.18	< 10	UG/KG	130,000	NA
	PA-BBB2-15	1,1,2-Trichloroethane	< 0.18	< 10	UG/KG	130,000	NA
	PA-BBB2-20	1,1,2-Trichloroethane	< 0.2	< 11	UG/KG	130,000	NA
	PA-BBB2-25	1,1,2-Trichloroethane	< 0.2	< 11	UG/KG	130,000	NA
PA-C2	PA-C2-1	1,1,2-Trichloroethane	< 0.68	< 10	UG/KG	130,000	NA
	PA-C2-5	1,1,2-Trichloroethane	< 0.78	< 10	UG/KG	130,000	NA
	PA-C2-10	1,1,2-Trichloroethane	< 0.78	< 11	UG/KG	130,000	NA
PA-EE14	PA-EE-14-1	1,1,2-Trichloroethane	< 0.19	< 10	UG/KG	130,000	NA
	PA-EE-14-5	1,1,2-Trichloroethane	< 0.2	< 10	UG/KG	130,000	NA
	PA-EE-14-10	1,1,2-Trichloroethane	< 0.21	< 11	UG/KG	130,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-15	1,1,2-Trichloroethane	< 0.21	< 13	UG/KG	130,000	NA
	PA-EE-14-20	1,1,2-Trichloroethane	< 0.2	< 10	UG/KG	130,000	NA
PA-HH10	PA-HH10-5	1,1,2-Trichloroethane	< 0.63	< 10	UG/KG	130,000	NA
	PA-HH10-10	1,1,2-Trichloroethane	< 0.66	< 10	UG/KG	130,000	NA
	PA-HH10-15	1,1,2-Trichloroethane	< 0.67	< 10	UG/KG	130,000	NA
	PA-HH10-20	1,1,2-Trichloroethane	< 0.66	< 11	UG/KG	130,000	NA
PA-K9	PA-K9-1	1,1,2-Trichloroethane	< 0.29	< 10	UG/KG	130,000	NA
	PA-K9-5	1,1,2-Trichloroethane	< 0.23	< 10	UG/KG	130,000	NA
	PA-K9-10	1,1,2-Trichloroethane	< 0.2	< 11	UG/KG	130,000	NA
PA-P19	PA-P19-10	1,1,2-Trichloroethane	< 0.21	< 11	UG/KG	130,000	NA
	PA-P19-15	1,1,2-Trichloroethane	< 0.19	< 11	UG/KG	130,000	NA
	PA-P19-25	1,1,2-Trichloroethane	< 0.19	< 12	UG/KG	130,000	NA
PA-Q1	PA-Q1-1	1,1,2-Trichloroethane	< 0.21	< 11	UG/KG	130,000	NA
	PA-Q1-5	1,1,2-Trichloroethane	< 0.21	< 12	UG/KG	130,000	NA
	PA-Q1-10	1,1,2-Trichloroethane	< 0.21	< 10	UG/KG	130,000	NA
PA-V1	PA-V1-1	1,1,2-Trichloroethane	< 0.67	< 10	UG/KG	130,000	NA
	PA-V1-5	1,1,2-Trichloroethane	< 0.64	< 10	UG/KG	130,000	NA
	PA-V1-10	1,1,2-Trichloroethane	< 0.65	< 10	UG/KG	130,000	NA
PA-BBB2	PA-BBB2-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-BBB2-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-BBB2-15	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-BBB2-20	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-BBB2-25	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-C2	PA-C2-1	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-C2-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-C2-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-EE14	PA-EE-14-1	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-EE-14-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-EE-14-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-EE-14-15	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-EE-14-20	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-HH10	PA-HH10-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-HH10-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-HH10-15	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-HH10-20	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-K9	PA-K9-1	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-K9-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-K9-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-P19	PA-P19-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-P19-15	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-P19-25	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-Q1	PA-Q1-1	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-Q1-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-Q1-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-V1	PA-V1-1	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-V1-5	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
	PA-V1-10	1,1-Dichloroethane	< 0.087	< 10	UG/KG	510,000	NA
PA-BBB2	PA-BBB2-5	1,1-Dichloroethene	< 0.1	< 10	UG/KG	410,000	NA
	PA-BBB2-10	1,1-Dichloroethene	< 0.085	< 10	UG/KG	410,000	NA
	PA-BBB2-15	1,1-Dichloroethene	< 0.085	< 10	UG/KG	410,000	NA
	PA-BBB2-20	1,1-Dichloroethene	< 0.098	< 11	UG/KG	410,000	NA
	PA-BBB2-25	1,1-Dichloroethene	< 0.094	< 11	UG/KG	410,000	NA
PA-C2	PA-C2-1	1,1-Dichloroethene	< 0.4	< 10	UG/KG	410,000	NA
	PA-C2-5	1,1-Dichloroethene	< 0.46	< 10	UG/KG	410,000	NA
	PA-C2-10	1,1-Dichloroethene	0.6	< 11	UG/KG	410,000	NA
PA-EE14	PA-EE-14-1	1,1-Dichloroethene	< 0.093	< 10	UG/KG	410,000	NA
	PA-EE-14-5	1,1-Dichloroethene	< 0.095	< 10	UG/KG	410,000	NA
	PA-EE-14-10	1,1-Dichloroethene	< 0.1	< 11	UG/KG	410,000	NA
	PA-EE-14-15	1,1-Dichloroethene	< 0.099	< 13	UG/KG	410,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-20	1,1-Dichloroethene	< 0.095	< 10	UG/KG	410,000	NA
PA-HH10	PA-HH10-5	1,1-Dichloroethene	< 0.38	< 10	UG/KG	410,000	NA
	PA-HH10-10	1,1-Dichloroethene	< 0.39	< 10	UG/KG	410,000	NA
	PA-HH10-15	1,1-Dichloroethene	< 0.4	< 10	UG/KG	410,000	NA
	PA-HH10-20	1,1-Dichloroethene	< 0.39	< 11	UG/KG	410,000	NA
PA-K9	PA-K9-1	1,1-Dichloroethene	< 0.14	< 10	UG/KG	410,000	NA
	PA-K9-5	1,1-Dichloroethene	< 0.11	< 10	UG/KG	410,000	NA
	PA-K9-10	1,1-Dichloroethene	< 0.097	< 11	UG/KG	410,000	NA
PA-P19	PA-P19-10	1,1-Dichloroethene	< 0.1	< 11	UG/KG	410,000	NA
	PA-P19-15	1,1-Dichloroethene	< 0.092	< 11	UG/KG	410,000	NA
	PA-P19-25	1,1-Dichloroethene	< 0.092	< 12	UG/KG	410,000	NA
PA-Q1	PA-Q1-1	1,1-Dichloroethene	< 0.1	< 11	UG/KG	410,000	NA
	PA-Q1-5	1,1-Dichloroethene	< 0.1	< 12	UG/KG	410,000	NA
	PA-Q1-10	1,1-Dichloroethene	< 0.1	< 10	UG/KG	410,000	NA
PA-V1	PA-V1-1	1,1-Dichloroethene	< 0.4	< 10	UG/KG	410,000	NA
	PA-V1-5	1,1-Dichloroethene	< 0.38	< 10	UG/KG	410,000	NA
	PA-V1-10	1,1-Dichloroethene	< 0.38	< 10	UG/KG	410,000	NA
PA-BBB2	PA-BBB2-5	1,2,4-Trichlorobenzene	< 0.092	< 10	UG/KG	220,000	NA
	PA-BBB2-10	1,2,4-Trichlorobenzene	< 0.077	< 10	UG/KG	220,000	NA
	PA-BBB2-15	1,2,4-Trichlorobenzene	< 0.077	< 10	UG/KG	220,000	NA
	PA-BBB2-20	1,2,4-Trichlorobenzene	< 0.089	< 11	UG/KG	220,000	NA
	PA-BBB2-25	1,2,4-Trichlorobenzene	< 0.085	< 11	UG/KG	220,000	NA
PA-C2	PA-C2-1	1,2,4-Trichlorobenzene	< 0.9	< 10	UG/KG	220,000	NA
	PA-C2-5	1,2,4-Trichlorobenzene	< 1	< 10	UG/KG	220,000	NA
	PA-C2-10	1,2,4-Trichlorobenzene	< 1	< 11	UG/KG	220,000	NA
PA-EE14	PA-EE-14-1	1,2,4-Trichlorobenzene	< 0.085	< 10	UG/KG	220,000	NA
	PA-EE-14-5	1,2,4-Trichlorobenzene	< 0.086	< 10	UG/KG	220,000	NA
	PA-EE-14-10	1,2,4-Trichlorobenzene	< 0.092	< 11	UG/KG	220,000	NA
	PA-EE-14-15	1,2,4-Trichlorobenzene	< 0.09	< 13	UG/KG	220,000	NA
	PA-EE-14-20	1,2,4-Trichlorobenzene	< 0.087	< 10	UG/KG	220,000	NA
PA-HH10	PA-HH10-5	1,2,4-Trichlorobenzene	< 0.84	< 10	UG/KG	220,000	NA
	PA-HH10-10	1,2,4-Trichlorobenzene	< 0.87	< 10	UG/KG	220,000	NA
	PA-HH10-15	1,2,4-Trichlorobenzene	< 0.88	< 10	UG/KG	220,000	NA
	PA-HH10-20	1,2,4-Trichlorobenzene	< 0.87	< 11	UG/KG	220,000	NA
PA-P19	PA-P19-10	1,2,4-Trichlorobenzene	< 0.092	< 11	UG/KG	220,000	NA
	PA-P19-15	1,2,4-Trichlorobenzene	< 0.083	< 11	UG/KG	220,000	NA
	PA-P19-25	1,2,4-Trichlorobenzene	< 0.083	< 12	UG/KG	220,000	NA
PA-Q1	PA-Q1-1	1,2,4-Trichlorobenzene	< 0.092	< 11	UG/KG	220,000	NA
	PA-Q1-5	1,2,4-Trichlorobenzene	< 0.093	< 12	UG/KG	220,000	NA
	PA-Q1-10	1,2,4-Trichlorobenzene	< 0.091	< 10	UG/KG	220,000	NA
PA-V1	PA-V1-1	1,2,4-Trichlorobenzene	< 0.88	< 10	UG/KG	220,000	NA
	PA-V1-5	1,2,4-Trichlorobenzene	< 0.84	< 10	UG/KG	220,000	NA
	PA-V1-10	1,2,4-Trichlorobenzene	< 0.85	< 10	UG/KG	220,000	NA
PA-BBB2	PA-BBB2-5	1,2-Dichlorobenzene	< 0.082	< 10	UG/KG	4,100,000	NA
	PA-BBB2-10	1,2-Dichlorobenzene	< 0.069	< 10	UG/KG	4,100,000	NA
	PA-BBB2-15	1,2-Dichlorobenzene	< 0.069	< 10	UG/KG	4,100,000	NA
	PA-BBB2-20	1,2-Dichlorobenzene	< 0.08	< 11	UG/KG	4,100,000	NA
	PA-BBB2-25	1,2-Dichlorobenzene	< 0.076	< 11	UG/KG	4,100,000	NA
PA-C2	PA-C2-1	1,2-Dichlorobenzene	< 0.85	< 10	UG/KG	4,100,000	NA
	PA-C2-5	1,2-Dichlorobenzene	< 0.98	< 10	UG/KG	4,100,000	NA
	PA-C2-10	1,2-Dichlorobenzene	< 0.98	< 11	UG/KG	4,100,000	NA
PA-EE14	PA-EE-14-1	1,2-Dichlorobenzene	< 0.076	< 10	UG/KG	4,100,000	NA
	PA-EE-14-5	1,2-Dichlorobenzene	< 0.078	< 10	UG/KG	4,100,000	NA
	PA-EE-14-10	1,2-Dichlorobenzene	< 0.082	< 11	UG/KG	4,100,000	NA
	PA-EE-14-15	1,2-Dichlorobenzene	< 0.08	< 13	UG/KG	4,100,000	NA
	PA-EE-14-20	1,2-Dichlorobenzene	< 0.078	< 10	UG/KG	4,100,000	NA
PA-HH10	PA-HH10-5	1,2-Dichlorobenzene	< 0.79	< 10	UG/KG	4,100,000	NA
	PA-HH10-10	1,2-Dichlorobenzene	< 0.83	< 10	UG/KG	4,100,000	NA
	PA-HH10-15	1,2-Dichlorobenzene	< 0.84	< 10	UG/KG	4,100,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-20	1,2-Dichlorobenzene	< 0.83	< 11	UG/KG	4,100,000	NA
PA-P19	PA-P19-10	1,2-Dichlorobenzene	< 0.083	< 11	UG/KG	4,100,000	NA
	PA-P19-15	1,2-Dichlorobenzene	< 0.075	< 11	UG/KG	4,100,000	NA
	PA-P19-25	1,2-Dichlorobenzene	< 0.075	< 12	UG/KG	4,100,000	NA
PA-Q1	PA-Q1-1	1,2-Dichlorobenzene	< 0.082	< 11	UG/KG	4,100,000	NA
	PA-Q1-5	1,2-Dichlorobenzene	< 0.083	< 12	UG/KG	4,100,000	NA
	PA-Q1-10	1,2-Dichlorobenzene	< 0.082	< 10	UG/KG	4,100,000	NA
PA-V1	PA-V1-1	1,2-Dichlorobenzene	< 0.84	< 10	UG/KG	4,100,000	NA
	PA-V1-5	1,2-Dichlorobenzene	< 0.8	< 10	UG/KG	4,100,000	NA
	PA-V1-10	1,2-Dichlorobenzene	< 0.81	< 10	UG/KG	4,100,000	NA
PA-BBB2	PA-BBB2-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-BBB2-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-BBB2-15	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-BBB2-20	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-BBB2-25	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-C2	PA-C2-1	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-C2-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-C2-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-EE14	PA-EE-14-1	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-EE-14-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-EE-14-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-EE-14-15	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-EE-14-20	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-HH10	PA-HH10-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-HH10-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-HH10-15	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-HH10-20	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-K9	PA-K9-1	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-K9-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-K9-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-P19	PA-P19-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-P19-15	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-P19-25	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-Q1	PA-Q1-1	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-Q1-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-Q1-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-V1	PA-V1-1	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-V1-5	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
	PA-V1-10	1,2-Dichloroethane	< 0.16	< 10	UG/KG	8,500	NA
PA-BBB2	PA-BBB2-5	1,2-Dichloropropane	< 0.07	< 10	UG/KG	21,000	NA
	PA-BBB2-10	1,2-Dichloropropane	< 0.059	< 10	UG/KG	21,000	NA
	PA-BBB2-15	1,2-Dichloropropane	< 0.059	< 10	UG/KG	21,000	NA
	PA-BBB2-20	1,2-Dichloropropane	< 0.068	< 11	UG/KG	21,000	NA
	PA-BBB2-25	1,2-Dichloropropane	< 0.065	< 11	UG/KG	21,000	NA
PA-C2	PA-C2-1	1,2-Dichloropropane	< 0.27	< 10	UG/KG	21,000	NA
	PA-C2-5	1,2-Dichloropropane	< 0.31	< 10	UG/KG	21,000	NA
	PA-C2-10	1,2-Dichloropropane	< 0.31	< 11	UG/KG	21,000	NA
PA-EE14	PA-EE-14-1	1,2-Dichloropropane	< 0.065	< 10	UG/KG	21,000	NA
	PA-EE-14-5	1,2-Dichloropropane	< 0.066	< 10	UG/KG	21,000	NA
	PA-EE-14-10	1,2-Dichloropropane	< 0.07	< 11	UG/KG	21,000	NA
	PA-EE-14-15	1,2-Dichloropropane	< 0.069	< 13	UG/KG	21,000	NA
	PA-EE-14-20	1,2-Dichloropropane	< 0.066	< 10	UG/KG	21,000	NA
PA-HH10	PA-HH10-5	1,2-Dichloropropane	< 0.25	< 10	UG/KG	21,000	NA
	PA-HH10-10	1,2-Dichloropropane	< 0.26	< 10	UG/KG	21,000	NA
	PA-HH10-15	1,2-Dichloropropane	< 0.27	< 10	UG/KG	21,000	NA
	PA-HH10-20	1,2-Dichloropropane	< 0.26	< 11	UG/KG	21,000	NA
PA-K9	PA-K9-1	1,2-Dichloropropane	< 0.096	< 10	UG/KG	21,000	NA
	PA-K9-5	1,2-Dichloropropane	< 0.076	< 10	UG/KG	21,000	NA
	PA-K9-10	1,2-Dichloropropane	< 0.067	< 11	UG/KG	21,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-P19	PA-P19-10	1,2-Dichloropropane	< 0.071	< 11	UG/KG	21,000	NA
	PA-P19-15	1,2-Dichloropropane	< 0.064	< 11	UG/KG	21,000	NA
	PA-P19-25	1,2-Dichloropropane	< 0.064	< 12	UG/KG	21,000	NA
PA-Q1	PA-Q1-1	1,2-Dichloropropane	< 0.07	< 11	UG/KG	21,000	NA
	PA-Q1-5	1,2-Dichloropropane	< 0.071	< 12	UG/KG	21,000	NA
	PA-Q1-10	1,2-Dichloropropane	< 0.07	< 10	UG/KG	21,000	NA
PA-V1	PA-V1-1	1,2-Dichloropropane	< 0.26	< 10	UG/KG	21,000	NA
	PA-V1-5	1,2-Dichloropropane	< 0.25	< 10	UG/KG	21,000	NA
	PA-V1-10	1,2-Dichloropropane	< 0.26	< 10	UG/KG	21,000	NA
PA-BBB2	PA-BBB2-5	1,3-Dichlorobenzene	< 0.076	< 10	UG/KG	2,100,000	NA
	PA-BBB2-10	1,3-Dichlorobenzene	< 0.064	< 10	UG/KG	2,100,000	NA
	PA-BBB2-15	1,3-Dichlorobenzene	< 0.064	< 10	UG/KG	2,100,000	NA
	PA-BBB2-20	1,3-Dichlorobenzene	< 0.074	< 11	UG/KG	2,100,000	NA
	PA-BBB2-25	1,3-Dichlorobenzene	< 0.07	< 11	UG/KG	2,100,000	NA
PA-C2	PA-C2-1	1,3-Dichlorobenzene	< 0.75	< 10	UG/KG	2,100,000	NA
	PA-C2-5	1,3-Dichlorobenzene	< 0.87	< 10	UG/KG	2,100,000	NA
	PA-C2-10	1,3-Dichlorobenzene	< 0.87	< 11	UG/KG	2,100,000	NA
PA-EE14	PA-EE-14-1	1,3-Dichlorobenzene	< 0.07	< 10	UG/KG	2,100,000	NA
	PA-EE-14-5	1,3-Dichlorobenzene	< 0.071	< 10	UG/KG	2,100,000	NA
	PA-EE-14-10	1,3-Dichlorobenzene	< 0.076	< 11	UG/KG	2,100,000	NA
	PA-EE-14-15	1,3-Dichlorobenzene	< 0.074	< 13	UG/KG	2,100,000	NA
	PA-EE-14-20	1,3-Dichlorobenzene	< 0.072	< 10	UG/KG	2,100,000	NA
PA-HH10	PA-HH10-5	1,3-Dichlorobenzene	< 0.7	< 10	UG/KG	2,100,000	NA
	PA-HH10-10	1,3-Dichlorobenzene	< 0.73	< 10	UG/KG	2,100,000	NA
	PA-HH10-15	1,3-Dichlorobenzene	< 0.74	< 10	UG/KG	2,100,000	NA
	PA-HH10-20	1,3-Dichlorobenzene	< 0.73	< 11	UG/KG	2,100,000	NA
PA-P19	PA-P19-10	1,3-Dichlorobenzene	< 0.076	< 11	UG/KG	2,100,000	NA
	PA-P19-15	1,3-Dichlorobenzene	< 0.069	< 11	UG/KG	2,100,000	NA
	PA-P19-25	1,3-Dichlorobenzene	< 0.069	< 12	UG/KG	2,100,000	NA
PA-Q1	PA-Q1-1	1,3-Dichlorobenzene	< 0.076	< 11	UG/KG	2,100,000	NA
	PA-Q1-5	1,3-Dichlorobenzene	< 0.077	< 12	UG/KG	2,100,000	NA
	PA-Q1-10	1,3-Dichlorobenzene	< 0.075	< 10	UG/KG	2,100,000	NA
PA-V1	PA-V1-1	1,3-Dichlorobenzene	< 0.74	< 10	UG/KG	2,100,000	NA
	PA-V1-5	1,3-Dichlorobenzene	< 0.7	< 10	UG/KG	2,100,000	NA
	PA-V1-10	1,3-Dichlorobenzene	< 0.71	< 10	UG/KG	2,100,000	NA
PA-BBB2	PA-BBB2-5	1,4-Dichlorobenzene	< 0.081	< 10	UG/KG	10,000,000	NA
	PA-BBB2-10	1,4-Dichlorobenzene	< 0.069	< 10	UG/KG	10,000,000	NA
	PA-BBB2-15	1,4-Dichlorobenzene	< 0.068	< 10	UG/KG	10,000,000	NA
	PA-BBB2-20	1,4-Dichlorobenzene	< 0.079	< 11	UG/KG	10,000,000	NA
	PA-BBB2-25	1,4-Dichlorobenzene	< 0.076	< 11	UG/KG	10,000,000	NA
PA-C2	PA-C2-1	1,4-Dichlorobenzene	< 0.84	< 10	UG/KG	10,000,000	NA
	PA-C2-5	1,4-Dichlorobenzene	< 0.97	< 10	UG/KG	10,000,000	NA
	PA-C2-10	1,4-Dichlorobenzene	< 0.97	< 11	UG/KG	10,000,000	NA
PA-EE14	PA-EE-14-1	1,4-Dichlorobenzene	< 0.075	< 10	UG/KG	10,000,000	NA
	PA-EE-14-5	1,4-Dichlorobenzene	< 0.077	< 10	UG/KG	10,000,000	NA
	PA-EE-14-10	1,4-Dichlorobenzene	< 0.081	< 11	UG/KG	10,000,000	NA
	PA-EE-14-15	1,4-Dichlorobenzene	< 0.079	< 13	UG/KG	10,000,000	NA
	PA-EE-14-20	1,4-Dichlorobenzene	< 0.077	< 10	UG/KG	10,000,000	NA
PA-HH10	PA-HH10-5	1,4-Dichlorobenzene	< 0.79	< 10	UG/KG	10,000,000	NA
	PA-HH10-10	1,4-Dichlorobenzene	< 0.82	< 10	UG/KG	10,000,000	NA
	PA-HH10-15	1,4-Dichlorobenzene	< 0.83	< 10	UG/KG	10,000,000	NA
	PA-HH10-20	1,4-Dichlorobenzene	< 0.82	< 11	UG/KG	10,000,000	NA
PA-P19	PA-P19-10	1,4-Dichlorobenzene	< 0.082	< 11	UG/KG	10,000,000	NA
	PA-P19-15	1,4-Dichlorobenzene	< 0.074	< 11	UG/KG	10,000,000	NA
	PA-P19-25	1,4-Dichlorobenzene	< 0.074	< 12	UG/KG	10,000,000	NA
PA-Q1	PA-Q1-1	1,4-Dichlorobenzene	< 0.081	< 11	UG/KG	10,000,000	NA
	PA-Q1-5	1,4-Dichlorobenzene	< 0.083	< 12	UG/KG	10,000,000	NA
	PA-Q1-10	1,4-Dichlorobenzene	< 0.081	< 10	UG/KG	10,000,000	NA
PA-V1	PA-V1-1	1,4-Dichlorobenzene	< 0.83	< 10	UG/KG	10,000,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-5	1,4-Dichlorobenzene	< 0.79	< 10	UG/KG	10,000,000	NA
	PA-V1-10	1,4-Dichlorobenzene	< 0.8	< 10	UG/KG	10,000,000	NA
PA-BBB2	PA-BBB2-5	Benzene	< 0.053	< 10	UG/KG	120,000	NA
	PA-BBB2-10	Benzene	< 0.045	< 10	UG/KG	120,000	NA
	PA-BBB2-15	Benzene	< 0.045	< 10	UG/KG	120,000	NA
	PA-BBB2-20	Benzene	< 0.052	< 11	UG/KG	120,000	NA
	PA-BBB2-25	Benzene	< 0.05	< 11	UG/KG	120,000	NA
PA-C2	PA-C2-1	Benzene	< 0.45	< 10	UG/KG	120,000	NA
	PA-C2-5	Benzene	< 0.52	< 10	UG/KG	120,000	NA
	PA-C2-10	Benzene	< 0.52	< 11	UG/KG	120,000	NA
PA-EE14	PA-EE-14-1	Benzene	0.13	< 10	UG/KG	120,000	NA
	PA-EE-14-5	Benzene	< 0.05	< 10	UG/KG	120,000	NA
	PA-EE-14-10	Benzene	< 0.053	< 11	UG/KG	120,000	NA
	PA-EE-14-15	Benzene	< 0.052	< 13	UG/KG	120,000	NA
	PA-EE-14-20	Benzene	< 0.05	< 10	UG/KG	120,000	NA
PA-HH10	PA-HH10-5	Benzene	< 0.42	< 10	UG/KG	120,000	NA
	PA-HH10-10	Benzene	< 0.44	< 10	UG/KG	120,000	NA
	PA-HH10-15	Benzene	< 0.44	< 10	UG/KG	120,000	NA
	PA-HH10-20	Benzene	< 0.44	< 11	UG/KG	120,000	NA
PA-K9	PA-K9-1	Benzene	< 0.073	< 10	UG/KG	120,000	NA
	PA-K9-5	Benzene	< 0.058	< 10	UG/KG	120,000	NA
	PA-K9-10	Benzene	< 0.051	< 11	UG/KG	120,000	NA
PA-P19	PA-P19-10	Benzene	< 0.054	< 11	UG/KG	120,000	NA
	PA-P19-15	Benzene	< 0.049	< 11	UG/KG	120,000	NA
	PA-P19-25	Benzene	< 0.048	< 12	UG/KG	120,000	NA
PA-Q1	PA-Q1-1	Benzene	< 0.053	< 11	UG/KG	120,000	NA
	PA-Q1-5	Benzene	< 0.054	< 12	UG/KG	120,000	NA
	PA-Q1-10	Benzene	< 0.053	< 10	UG/KG	120,000	NA
PA-V1	PA-V1-1	Benzene	< 0.44	< 10	UG/KG	120,000	NA
	PA-V1-5	Benzene	< 0.42	< 10	UG/KG	120,000	NA
	PA-V1-10	Benzene	4.4	< 10	UG/KG	120,000	NA
PA-BBB2	PA-BBB2-5	Bromodichloromethane	< 0.23	< 10	UG/KG	810,000	NA
	PA-BBB2-10	Bromodichloromethane	< 0.2	< 10	UG/KG	810,000	NA
	PA-BBB2-15	Bromodichloromethane	< 0.2	< 10	UG/KG	810,000	NA
	PA-BBB2-20	Bromodichloromethane	< 0.23	< 11	UG/KG	810,000	NA
	PA-BBB2-25	Bromodichloromethane	< 0.22	< 11	UG/KG	810,000	NA
PA-C2	PA-C2-1	Bromodichloromethane	< 0.38	< 10	UG/KG	810,000	NA
	PA-C2-5	Bromodichloromethane	< 0.43	< 10	UG/KG	810,000	NA
	PA-C2-10	Bromodichloromethane	< 0.43	< 11	UG/KG	810,000	NA
PA-EE14	PA-EE-14-1	Bromodichloromethane	< 0.22	< 10	UG/KG	810,000	NA
	PA-EE-14-5	Bromodichloromethane	< 0.22	< 10	UG/KG	810,000	NA
	PA-EE-14-10	Bromodichloromethane	< 0.23	< 11	UG/KG	810,000	NA
	PA-EE-14-15	Bromodichloromethane	< 0.23	< 13	UG/KG	810,000	NA
	PA-EE-14-20	Bromodichloromethane	< 0.22	< 10	UG/KG	810,000	NA
PA-HH10	PA-HH10-5	Bromodichloromethane	< 0.35	< 10	UG/KG	810,000	NA
	PA-HH10-10	Bromodichloromethane	< 0.37	< 10	UG/KG	810,000	NA
	PA-HH10-15	Bromodichloromethane	< 0.37	< 10	UG/KG	810,000	NA
	PA-HH10-20	Bromodichloromethane	< 0.37	< 11	UG/KG	810,000	NA
PA-K9	PA-K9-1	Bromodichloromethane	< 0.32	< 10	UG/KG	810,000	NA
	PA-K9-5	Bromodichloromethane	< 0.25	< 10	UG/KG	810,000	NA
	PA-K9-10	Bromodichloromethane	< 0.22	< 11	UG/KG	810,000	NA
PA-P19	PA-P19-10	Bromodichloromethane	< 0.23	< 11	UG/KG	810,000	NA
	PA-P19-15	Bromodichloromethane	< 0.21	< 11	UG/KG	810,000	NA
	PA-P19-25	Bromodichloromethane	< 0.21	< 12	UG/KG	810,000	NA
PA-Q1	PA-Q1-1	Bromodichloromethane	< 0.23	< 11	UG/KG	810,000	NA
	PA-Q1-5	Bromodichloromethane	< 0.24	< 12	UG/KG	810,000	NA
	PA-Q1-10	Bromodichloromethane	< 0.23	< 10	UG/KG	810,000	NA
PA-V1	PA-V1-1	Bromodichloromethane	< 0.37	< 10	UG/KG	810,000	NA
	PA-V1-5	Bromodichloromethane	< 0.35	< 10	UG/KG	810,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-10	Bromodichloromethane	< 0.36	< 10	UG/KG	810,000	NA
PA-BBB2	PA-BBB2-5	Bromomethane	< 0.17	< 10	UG/KG	13,000	NA
	PA-BBB2-10	Bromomethane	< 0.14	< 10	UG/KG	13,000	NA
	PA-BBB2-15	Bromomethane	< 0.14	< 10	UG/KG	13,000	NA
	PA-BBB2-20	Bromomethane	< 0.16	< 11	UG/KG	13,000	NA
	PA-BBB2-25	Bromomethane	< 0.15	< 11	UG/KG	13,000	NA
PA-C2	PA-C2-1	Bromomethane	< 0.83	< 10	UG/KG	13,000	NA
	PA-C2-5	Bromomethane	< 0.95	< 10	UG/KG	13,000	NA
	PA-C2-10	Bromomethane	< 0.95	< 11	UG/KG	13,000	NA
PA-EE14	PA-EE-14-1	Bromomethane	< 0.15	< 10	UG/KG	13,000	NA
	PA-EE-14-5	Bromomethane	< 0.16	< 10	UG/KG	13,000	NA
	PA-EE-14-10	Bromomethane	< 0.17	< 11	UG/KG	13,000	NA
	PA-EE-14-15	Bromomethane	< 0.16	< 13	UG/KG	13,000	NA
	PA-EE-14-20	Bromomethane	< 0.16	< 10	UG/KG	13,000	NA
PA-HH10	PA-HH10-5	Bromomethane	< 0.77	< 10	UG/KG	13,000	NA
	PA-HH10-10	Bromomethane	< 0.8	< 10	UG/KG	13,000	NA
	PA-HH10-15	Bromomethane	< 0.81	< 10	UG/KG	13,000	NA
	PA-HH10-20	Bromomethane	< 0.8	< 11	UG/KG	13,000	NA
PA-K9	PA-K9-1	Bromomethane	< 0.23	< 10	UG/KG	13,000	NA
	PA-K9-5	Bromomethane	< 0.18	< 10	UG/KG	13,000	NA
	PA-K9-10	Bromomethane	< 0.16	< 11	UG/KG	13,000	NA
PA-P19	PA-P19-10	Bromomethane	< 0.17	< 11	UG/KG	13,000	NA
	PA-P19-15	Bromomethane	< 0.15	< 11	UG/KG	13,000	NA
	PA-P19-25	Bromomethane	< 0.15	< 12	UG/KG	13,000	NA
PA-Q1	PA-Q1-1	Bromomethane	< 0.17	< 11	UG/KG	13,000	NA
	PA-Q1-5	Bromomethane	< 0.17	< 12	UG/KG	13,000	NA
	PA-Q1-10	Bromomethane	< 0.17	< 10	UG/KG	13,000	NA
PA-V1	PA-V1-1	Bromomethane	< 0.81	< 10	UG/KG	13,000	NA
	PA-V1-5	Bromomethane	< 0.77	< 10	UG/KG	13,000	NA
	PA-V1-10	Bromomethane	< 0.78	< 10	UG/KG	13,000	NA
PA-BBB2	PA-BBB2-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-BBB2-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-BBB2-15	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-BBB2-20	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-BBB2-25	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-C2	PA-C2-1	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-C2-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-C2-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-EE14	PA-EE-14-1	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-EE-14-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-EE-14-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-EE-14-15	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-EE-14-20	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-HH10	PA-HH10-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-HH10-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-HH10-15	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-HH10-20	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-K9	PA-K9-1	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-K9-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-K9-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-P19	PA-P19-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-P19-15	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-P19-25	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-Q1	PA-Q1-1	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-Q1-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-Q1-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
PA-V1	PA-V1-1	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-V1-5	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA
	PA-V1-10	Carbon Tetrachloride	< 0.098	< 10	UG/KG	2,200	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-BBB2	PA-BBB2-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-BBB2-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-BBB2-15	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-BBB2-20	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-BBB2-25	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-C2	PA-C2-1	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-C2-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-C2-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-EE14	PA-EE-14-1	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-EE-14-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-EE-14-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-EE-14-15	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-EE-14-20	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-HH10	PA-HH10-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-HH10-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-HH10-15	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-HH10-20	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-K9	PA-K9-1	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-K9-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-K9-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-P19	PA-P19-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-P19-15	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-P19-25	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-Q1	PA-Q1-1	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-Q1-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-Q1-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-V1	PA-V1-1	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-V1-5	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
	PA-V1-10	Chlorobenzene	< 0.095	< 10	UG/KG	150,000	NA
PA-BBB2	PA-BBB2-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-BBB2-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-BBB2-15	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-BBB2-20	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-BBB2-25	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-C2	PA-C2-1	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-C2-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-C2-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-EE14	PA-EE-14-1	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-EE-14-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-EE-14-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-EE-14-15	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-EE-14-20	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-HH10	PA-HH10-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-HH10-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-HH10-15	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-HH10-20	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-K9	PA-K9-1	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-K9-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-K9-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-P19	PA-P19-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-P19-15	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-P19-25	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-Q1	PA-Q1-1	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-Q1-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-Q1-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
PA-V1	PA-V1-1	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-V1-5	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA
	PA-V1-10	Chloroethane	< 0.45	< 10	UG/KG	5,000,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-BBB2	PA-BBB2-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-BBB2-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-BBB2-15	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-BBB2-20	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-BBB2-25	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-C2	PA-C2-1	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-C2-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-C2-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-EE14	PA-EE-14-1	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-EE-14-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-EE-14-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-EE-14-15	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-EE-14-20	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-HH10	PA-HH10-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-HH10-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-HH10-15	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-HH10-20	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-K9	PA-K9-1	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-K9-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-K9-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-P19	PA-P19-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-P19-15	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-P19-25	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-Q1	PA-Q1-1	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-Q1-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-Q1-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-V1	PA-V1-1	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-V1-5	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
	PA-V1-10	Chloromethane	< 1.7	< 10	UG/KG	47,000	NA
PA-BBB2	PA-BBB2-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-BBB2-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-BBB2-15	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-BBB2-20	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-BBB2-25	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-C2	PA-C2-1	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-C2-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-C2-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-EE14	PA-EE-14-1	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-EE-14-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-EE-14-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-EE-14-15	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-EE-14-20	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-HH10	PA-HH10-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-HH10-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-HH10-15	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-HH10-20	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-K9	PA-K9-1	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-K9-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-K9-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-P19	PA-P19-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-P19-15	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-P19-25	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-Q1	PA-Q1-1	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-Q1-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-Q1-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-V1	PA-V1-1	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-V1-5	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
	PA-V1-10	Dibromochloromethane	< 0.1	< 10	UG/KG	380,000	NA
PA-BBB2	PA-BBB2-5	Ethylbenzene	< 0.16	< 10	UG/KG	7,400,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-10	Ethylbenzene	< 0.14	< 10	UG/KG	7,400,000	NA
	PA-BBB2-15	Ethylbenzene	< 0.14	< 10	UG/KG	7,400,000	NA
	PA-BBB2-20	Ethylbenzene	< 0.16	< 11	UG/KG	7,400,000	NA
	PA-BBB2-25	Ethylbenzene	< 0.15	< 11	UG/KG	7,400,000	NA
PA-C2	PA-C2-1	Ethylbenzene	< 0.46	< 10	UG/KG	7,400,000	NA
	PA-C2-5	Ethylbenzene	< 0.53	< 10	UG/KG	7,400,000	NA
	PA-C2-10	Ethylbenzene	< 0.53	< 11	UG/KG	7,400,000	NA
PA-EE14	PA-EE-14-1	Ethylbenzene	< 0.15	< 10	UG/KG	7,400,000	NA
	PA-EE-14-5	Ethylbenzene	< 0.15	< 10	UG/KG	7,400,000	NA
	PA-EE-14-10	Ethylbenzene	< 0.16	< 11	UG/KG	7,400,000	NA
	PA-EE-14-15	Ethylbenzene	< 0.16	< 13	UG/KG	7,400,000	NA
	PA-EE-14-20	Ethylbenzene	< 0.15	< 10	UG/KG	7,400,000	NA
PA-HH10	PA-HH10-5	Ethylbenzene	< 0.43	< 10	UG/KG	7,400,000	NA
	PA-HH10-10	Ethylbenzene	< 0.45	< 10	UG/KG	7,400,000	NA
	PA-HH10-15	Ethylbenzene	< 0.45	< 10	UG/KG	7,400,000	NA
	PA-HH10-20	Ethylbenzene	< 0.44	< 11	UG/KG	7,400,000	NA
PA-P19	PA-P19-10	Ethylbenzene	< 0.16	< 11	UG/KG	7,400,000	NA
	PA-P19-15	Ethylbenzene	< 0.15	< 11	UG/KG	7,400,000	NA
	PA-P19-25	Ethylbenzene	< 0.15	< 12	UG/KG	7,400,000	NA
PA-Q1	PA-Q1-1	Ethylbenzene	< 0.16	< 11	UG/KG	7,400,000	NA
	PA-Q1-5	Ethylbenzene	< 0.17	< 12	UG/KG	7,400,000	NA
	PA-Q1-10	Ethylbenzene	< 0.16	< 10	UG/KG	7,400,000	NA
PA-V1	PA-V1-1	Ethylbenzene	< 0.45	< 10	UG/KG	7,400,000	NA
	PA-V1-5	Ethylbenzene	< 0.43	< 10	UG/KG	7,400,000	NA
	PA-V1-10	Ethylbenzene	0.43	< 10	UG/KG	7,400,000	NA
PA-BBB2	PA-BBB2-5	Hexachlorobutadiene	< 0.11	< 360	UG/KG	180,000	NA
	PA-BBB2-10	Hexachlorobutadiene	< 0.089	< 340	UG/KG	180,000	NA
	PA-BBB2-15	Hexachlorobutadiene	< 0.089	< 340	UG/KG	180,000	NA
	PA-BBB2-20	Hexachlorobutadiene	< 0.1	< 340	UG/KG	180,000	NA
	PA-BBB2-25	Hexachlorobutadiene	< 0.098	< 340	UG/KG	180,000	NA
PA-C2	PA-C2-1	Hexachlorobutadiene	< 0.65	< 350	UG/KG	180,000	NA
	PA-C2-5	Hexachlorobutadiene	< 0.75	< 350	UG/KG	180,000	NA
	PA-C2-10	Hexachlorobutadiene	< 0.75	< 340	UG/KG	180,000	NA
PA-EE14	PA-EE-14-1	Hexachlorobutadiene	< 0.098	< 350	UG/KG	180,000	NA
	PA-EE-14-5	Hexachlorobutadiene	< 0.1	< 360	UG/KG	180,000	NA
	PA-EE-14-10	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-EE-14-15	Hexachlorobutadiene	< 0.1	< 340	UG/KG	180,000	NA
	PA-EE-14-20	Hexachlorobutadiene	< 0.1	< 350	UG/KG	180,000	NA
PA-HH10	PA-HH10-5	Hexachlorobutadiene	< 0.61	< 350	UG/KG	180,000	NA
	PA-HH10-10	Hexachlorobutadiene	< 0.64	< 350	UG/KG	180,000	NA
	PA-HH10-15	Hexachlorobutadiene	< 0.65	< 350	UG/KG	180,000	NA
	PA-HH10-20	Hexachlorobutadiene	< 0.64	< 340	UG/KG	180,000	NA
PA-HH11	PA-HH11-5	Hexachlorobutadiene	< 0.093	< 340	UG/KG	180,000	NA
	PA-HH11-10	Hexachlorobutadiene	< 0.094	< 340	UG/KG	180,000	NA
	PA-HH11-15	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-HH11-20	Hexachlorobutadiene	< 0.1	< 340	UG/KG	180,000	NA
	PA-HH11-25	Hexachlorobutadiene	< 0.097	< 340	UG/KG	180,000	NA
PA-HH8	PA-HH8-5	Hexachlorobutadiene	< 0.095	< 340	UG/KG	180,000	NA
	PA-HH8-10	Hexachlorobutadiene	< 0.094	< 350	UG/KG	180,000	NA
	PA-HH8-15	Hexachlorobutadiene	< 0.11	< 350	UG/KG	180,000	NA
	PA-HH8-20	Hexachlorobutadiene	< 0.1	< 340	UG/KG	180,000	NA
	PA-HH8-25	Hexachlorobutadiene	< 0.1	< 340	UG/KG	180,000	NA
PA-K9	PA-K9-1	Hexachlorobutadiene	< 0.15	< 350	UG/KG	180,000	NA
	PA-K9-5	Hexachlorobutadiene	< 0.11	< 360	UG/KG	180,000	NA
	PA-K9-10	Hexachlorobutadiene	< 0.1	< 360	UG/KG	180,000	NA
PA-P17	PA-P17-5	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-P17-10	Hexachlorobutadiene	< 0.11	< 350	UG/KG	180,000	NA
	PA-P17-15	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-P17-20	Hexachlorobutadiene	< 0.12	< 340	UG/KG	180,000	NA
PA-P19	PA-P19-10	Hexachlorobutadiene	< 0.11	< 360	UG/KG	180,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-P19-15	Hexachlorobutadiene	< 0.096	< 350	UG/KG	180,000	NA
	PA-P19-25	Hexachlorobutadiene	< 0.096	< 350	UG/KG	180,000	NA
PA-Q1	PA-Q1-1	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-Q1-5	Hexachlorobutadiene	< 0.11	< 340	UG/KG	180,000	NA
	PA-Q1-10	Hexachlorobutadiene	< 0.11	< 350	UG/KG	180,000	NA
PA-V1	PA-V1-1	Hexachlorobutadiene	< 0.64	< 350	UG/KG	180,000	NA
	PA-V1-5	Hexachlorobutadiene	< 0.61	< 350	UG/KG	180,000	NA
	PA-V1-10	Hexachlorobutadiene	< 0.62	< 350	UG/KG	180,000	NA
PA-BBB2	PA-BBB2-5	Isopropylbenzene (Cumene)	< 0.028	< 10	UG/KG	2,000,000	NA
	PA-BBB2-10	Isopropylbenzene (Cumene)	< 0.024	< 10	UG/KG	2,000,000	NA
	PA-BBB2-15	Isopropylbenzene (Cumene)	< 0.024	< 10	UG/KG	2,000,000	NA
	PA-BBB2-20	Isopropylbenzene (Cumene)	< 0.027	< 11	UG/KG	2,000,000	NA
	PA-BBB2-25	Isopropylbenzene (Cumene)	< 0.026	< 11	UG/KG	2,000,000	NA
PA-C2	PA-C2-1	Isopropylbenzene (Cumene)	< 0.48	< 10	UG/KG	2,000,000	NA
	PA-C2-5	Isopropylbenzene (Cumene)	< 0.56	< 10	UG/KG	2,000,000	NA
	PA-C2-10	Isopropylbenzene (Cumene)	< 0.56	< 11	UG/KG	2,000,000	NA
PA-EE14	PA-EE-14-1	Isopropylbenzene (Cumene)	< 0.026	< 10	UG/KG	2,000,000	NA
	PA-EE-14-5	Isopropylbenzene (Cumene)	< 0.026	< 10	UG/KG	2,000,000	NA
	PA-EE-14-10	Isopropylbenzene (Cumene)	< 0.028	< 11	UG/KG	2,000,000	NA
	PA-EE-14-15	Isopropylbenzene (Cumene)	< 0.027	< 13	UG/KG	2,000,000	NA
	PA-EE-14-20	Isopropylbenzene (Cumene)	< 0.027	< 10	UG/KG	2,000,000	NA
PA-HH10	PA-HH10-5	Isopropylbenzene (Cumene)	< 0.45	< 10	UG/KG	2,000,000	NA
	PA-HH10-10	Isopropylbenzene (Cumene)	< 0.47	< 10	UG/KG	2,000,000	NA
	PA-HH10-15	Isopropylbenzene (Cumene)	< 0.48	< 10	UG/KG	2,000,000	NA
	PA-HH10-20	Isopropylbenzene (Cumene)	< 0.47	< 11	UG/KG	2,000,000	NA
PA-P19	PA-P19-10	Isopropylbenzene (Cumene)	< 0.028	< 11	UG/KG	2,000,000	NA
	PA-P19-15	Isopropylbenzene (Cumene)	< 0.026	< 11	UG/KG	2,000,000	NA
	PA-P19-25	Isopropylbenzene (Cumene)	< 0.025	< 12	UG/KG	2,000,000	NA
PA-Q1	PA-Q1-1	Isopropylbenzene (Cumene)	< 0.028	< 11	UG/KG	2,000,000	NA
	PA-Q1-5	Isopropylbenzene (Cumene)	< 0.028	< 12	UG/KG	2,000,000	NA
	PA-Q1-10	Isopropylbenzene (Cumene)	< 0.028	< 10	UG/KG	2,000,000	NA
PA-V1	PA-V1-1	Isopropylbenzene (Cumene)	< 0.48	< 10	UG/KG	2,000,000	NA
	PA-V1-5	Isopropylbenzene (Cumene)	< 0.45	< 10	UG/KG	2,000,000	NA
	PA-V1-10	Isopropylbenzene (Cumene)	< 0.46	< 10	UG/KG	2,000,000	NA
PA-BBB2	PA-BBB2-5	Methylene Chloride	< 0.32	< 10	UG/KG	9,300,000	NA
	PA-BBB2-10	Methylene Chloride	< 0.27	< 10	UG/KG	9,300,000	NA
	PA-BBB2-15	Methylene Chloride	< 0.27	< 10	UG/KG	9,300,000	NA
	PA-BBB2-20	Methylene Chloride	< 0.31	< 11	UG/KG	9,300,000	NA
	PA-BBB2-25	Methylene Chloride	< 0.3	< 11	UG/KG	9,300,000	NA
PA-C2	PA-C2-1	Methylene Chloride	< 5.8	3	UG/KG	9,300,000	NA
	PA-C2-5	Methylene Chloride	< 6.7	3	UG/KG	9,300,000	NA
	PA-C2-10	Methylene Chloride	< 6.7	< 11	UG/KG	9,300,000	NA
PA-EE14	PA-EE-14-1	Methylene Chloride	< 0.44	< 10	UG/KG	9,300,000	NA
	PA-EE-14-5	Methylene Chloride	< 0.3	< 10	UG/KG	9,300,000	NA
	PA-EE-14-10	Methylene Chloride	< 0.32	< 11	UG/KG	9,300,000	NA
	PA-EE-14-15	Methylene Chloride	< 0.31	< 13	UG/KG	9,300,000	NA
	PA-EE-14-20	Methylene Chloride	< 0.3	< 10	UG/KG	9,300,000	NA
PA-HH10	PA-HH10-5	Methylene Chloride	< 5.4	4	UG/KG	9,300,000	NA
	PA-HH10-10	Methylene Chloride	< 5.7	6	UG/KG	9,300,000	NA
	PA-HH10-15	Methylene Chloride	< 5.7	< 10	UG/KG	9,300,000	NA
	PA-HH10-20	Methylene Chloride	< 5.7	< 11	UG/KG	9,300,000	NA
PA-K9	PA-K9-1	Methylene Chloride	< 0.44	< 10	UG/KG	9,300,000	NA
	PA-K9-5	Methylene Chloride	< 0.34	< 10	UG/KG	9,300,000	NA
	PA-K9-10	Methylene Chloride	< 0.31	< 11	UG/KG	9,300,000	NA
PA-P19	PA-P19-10	Methylene Chloride	< 0.32	< 11	UG/KG	9,300,000	NA
	PA-P19-15	Methylene Chloride	< 0.29	< 11	UG/KG	9,300,000	NA
	PA-P19-25	Methylene Chloride	< 0.29	< 12	UG/KG	9,300,000	NA
PA-Q1	PA-Q1-1	Methylene Chloride	< 1.2	< 11	UG/KG	9,300,000	NA
	PA-Q1-5	Methylene Chloride	1.3	< 12	UG/KG	9,300,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-Q1-10	Methylene Chloride	< 0.88	< 10	UG/KG	9,300,000	NA
PA-V1	PA-V1-1	Methylene Chloride	< 5.7	2	UG/KG	9,300,000	NA
	PA-V1-5	Methylene Chloride	< 5.4	< 10	UG/KG	9,300,000	NA
	PA-V1-10	Methylene Chloride	< 5.5	< 10	UG/KG	9,300,000	NA
PA-BBB2	PA-BBB2-5	Naphthalene	< 0.053	< 360	UG/KG	190,000	NA
	PA-BBB2-10	Naphthalene	< 0.045	< 340	UG/KG	190,000	NA
	PA-BBB2-15	Naphthalene	< 0.045	< 340	UG/KG	190,000	NA
	PA-BBB2-20	Naphthalene	< 0.052	< 340	UG/KG	190,000	NA
	PA-BBB2-25	Naphthalene	< 0.05	< 340	UG/KG	190,000	NA
PA-C2	PA-C2-1	Naphthalene	< 0.99	< 350	UG/KG	190,000	NA
	PA-C2-5	Naphthalene	< 1.1	< 350	UG/KG	190,000	NA
	PA-C2-10	Naphthalene	< 1.1	< 340	UG/KG	190,000	NA
PA-EE14	PA-EE-14-1	Naphthalene	< 0.095	< 350	UG/KG	190,000	NA
	PA-EE-14-5	Naphthalene	< 0.05	< 360	UG/KG	190,000	NA
	PA-EE-14-10	Naphthalene	< 0.053	< 340	UG/KG	190,000	NA
	PA-EE-14-15	Naphthalene	< 0.86	< 340	UG/KG	190,000	NA
	PA-EE-14-20	Naphthalene	< 0.05	< 350	UG/KG	190,000	NA
PA-HH10	PA-HH10-5	Naphthalene	< 0.92	< 350	UG/KG	190,000	NA
	PA-HH10-10	Naphthalene	< 0.96	< 350	UG/KG	190,000	NA
	PA-HH10-15	Naphthalene	< 0.97	< 350	UG/KG	190,000	NA
	PA-HH10-20	Naphthalene	< 0.96	< 340	UG/KG	190,000	NA
PA-HH11	PA-HH11-5	Naphthalene	< 0.049	< 340	UG/KG	190,000	NA
	PA-HH11-10	Naphthalene	< 0.048	< 340	UG/KG	190,000	NA
	PA-HH11-15	Naphthalene	< 0.058	< 340	UG/KG	190,000	NA
	PA-HH11-20	Naphthalene	< 0.051	< 340	UG/KG	190,000	NA
	PA-HH11-25	Naphthalene	< 0.049	< 340	UG/KG	190,000	NA
PA-HH8	PA-HH8-5	Naphthalene	< 0.048	< 340	UG/KG	190,000	NA
	PA-HH8-10	Naphthalene	< 0.048	< 350	UG/KG	190,000	NA
	PA-HH8-15	Naphthalene	< 0.054	< 350	UG/KG	190,000	NA
	PA-HH8-20	Naphthalene	< 0.053	< 340	UG/KG	190,000	NA
	PA-HH8-25	Naphthalene	< 0.051	< 340	UG/KG	190,000	NA
PA-K9	PA-K9-1	Naphthalene	< 0.09	< 350	UG/KG	190,000	NA
	PA-K9-5	Naphthalene	< 0.058	< 360	UG/KG	190,000	NA
	PA-K9-10	Naphthalene	< 0.051	< 360	UG/KG	190,000	NA
PA-P17	PA-P17-5	Naphthalene	< 0.053	< 340	UG/KG	190,000	NA
	PA-P17-10	Naphthalene	< 0.054	< 350	UG/KG	190,000	NA
	PA-P17-15	Naphthalene	< 0.055	< 340	UG/KG	190,000	NA
	PA-P17-20	Naphthalene	< 0.058	< 340	UG/KG	190,000	NA
PA-P19	PA-P19-10	Naphthalene	< 0.054	< 360	UG/KG	190,000	NA
	PA-P19-15	Naphthalene	< 0.049	< 350	UG/KG	190,000	NA
	PA-P19-25	Naphthalene	< 0.048	< 350	UG/KG	190,000	NA
PA-Q1	PA-Q1-1	Naphthalene	< 0.053	< 340	UG/KG	190,000	NA
	PA-Q1-5	Naphthalene	< 0.054	< 340	UG/KG	190,000	NA
	PA-Q1-10	Naphthalene	< 0.053	< 350	UG/KG	190,000	NA
PA-V1	PA-V1-1	Naphthalene	< 0.97	< 350	UG/KG	190,000	NA
	PA-V1-5	Naphthalene	< 0.92	< 350	UG/KG	190,000	NA
	PA-V1-10	Naphthalene	< 0.94	< 350	UG/KG	190,000	NA
PA-BBB2	PA-BBB2-5	Styrene	< 0.055	< 10	UG/KG	18,000,000	NA
	PA-BBB2-10	Styrene	< 0.046	< 10	UG/KG	18,000,000	NA
	PA-BBB2-15	Styrene	< 0.046	< 10	UG/KG	18,000,000	NA
	PA-BBB2-20	Styrene	< 0.054	< 11	UG/KG	18,000,000	NA
	PA-BBB2-25	Styrene	< 0.051	< 11	UG/KG	18,000,000	NA
PA-C2	PA-C2-1	Styrene	< 0.52	< 10	UG/KG	18,000,000	NA
	PA-C2-5	Styrene	< 0.6	< 10	UG/KG	18,000,000	NA
	PA-C2-10	Styrene	< 0.6	< 11	UG/KG	18,000,000	NA
PA-EE14	PA-EE-14-1	Styrene	< 0.051	< 10	UG/KG	18,000,000	NA
	PA-EE-14-5	Styrene	< 0.052	< 10	UG/KG	18,000,000	NA
	PA-EE-14-10	Styrene	< 0.055	< 11	UG/KG	18,000,000	NA
	PA-EE-14-15	Styrene	< 0.054	< 13	UG/KG	18,000,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-20	Styrene	< 0.052	< 10	UG/KG	18,000,000	NA
PA-HH10	PA-HH10-5	Styrene	< 0.48	< 10	UG/KG	18,000,000	NA
	PA-HH10-10	Styrene	< 0.51	< 10	UG/KG	18,000,000	NA
	PA-HH10-15	Styrene	< 0.51	< 10	UG/KG	18,000,000	NA
	PA-HH10-20	Styrene	< 0.51	< 11	UG/KG	18,000,000	NA
PA-P19	PA-P19-10	Styrene	< 0.055	< 11	UG/KG	18,000,000	NA
	PA-P19-15	Styrene	< 0.05	< 11	UG/KG	18,000,000	NA
	PA-P19-25	Styrene	< 0.05	< 12	UG/KG	18,000,000	NA
PA-Q1	PA-Q1-1	Styrene	< 0.055	< 11	UG/KG	18,000,000	NA
	PA-Q1-5	Styrene	< 0.056	< 12	UG/KG	18,000,000	NA
	PA-Q1-10	Styrene	< 0.055	< 10	UG/KG	18,000,000	NA
PA-V1	PA-V1-1	Styrene	< 0.51	< 10	UG/KG	18,000,000	NA
	PA-V1-5	Styrene	< 0.49	< 10	UG/KG	18,000,000	NA
	PA-V1-10	Styrene	< 0.49	< 10	UG/KG	18,000,000	NA
PA-BBB2	PA-BBB2-5	Tetrachloroethylene(PCE)	< 0.071	< 10	UG/KG	130,000	NA
	PA-BBB2-10	Tetrachloroethylene(PCE)	< 0.06	< 10	UG/KG	130,000	NA
	PA-BBB2-15	Tetrachloroethylene(PCE)	< 0.06	< 10	UG/KG	130,000	NA
	PA-BBB2-20	Tetrachloroethylene(PCE)	< 0.069	< 11	UG/KG	130,000	NA
	PA-BBB2-25	Tetrachloroethylene(PCE)	< 0.066	< 11	UG/KG	130,000	NA
PA-C2	PA-C2-1	Tetrachloroethylene(PCE)	< 0.44	< 10	UG/KG	130,000	NA
	PA-C2-5	Tetrachloroethylene(PCE)	< 0.51	< 10	UG/KG	130,000	NA
	PA-C2-10	Tetrachloroethylene(PCE)	< 0.51	< 11	UG/KG	130,000	NA
PA-EE14	PA-EE-14-1	Tetrachloroethylene(PCE)	< 0.066	< 10	UG/KG	130,000	NA
	PA-EE-14-5	Tetrachloroethylene(PCE)	< 0.067	< 10	UG/KG	130,000	NA
	PA-EE-14-10	Tetrachloroethylene(PCE)	0.24	< 11	UG/KG	130,000	NA
	PA-EE-14-15	Tetrachloroethylene(PCE)	< 0.069	< 13	UG/KG	130,000	NA
	PA-EE-14-20	Tetrachloroethylene(PCE)	< 0.067	< 10	UG/KG	130,000	NA
PA-HH10	PA-HH10-5	Tetrachloroethylene(PCE)	< 0.41	< 10	UG/KG	130,000	NA
	PA-HH10-10	Tetrachloroethylene(PCE)	< 0.43	< 10	UG/KG	130,000	NA
	PA-HH10-15	Tetrachloroethylene(PCE)	< 0.43	< 10	UG/KG	130,000	NA
	PA-HH10-20	Tetrachloroethylene(PCE)	< 0.43	< 11	UG/KG	130,000	NA
PA-K9	PA-K9-1	Tetrachloroethylene(PCE)	< 0.098	< 10	UG/KG	130,000	NA
	PA-K9-5	Tetrachloroethylene(PCE)	< 0.077	< 10	UG/KG	130,000	NA
	PA-K9-10	Tetrachloroethylene(PCE)	< 0.068	< 11	UG/KG	130,000	NA
PA-P19	PA-P19-10	Tetrachloroethylene(PCE)	< 0.071	< 11	UG/KG	130,000	NA
	PA-P19-15	Tetrachloroethylene(PCE)	< 0.065	< 11	UG/KG	130,000	NA
	PA-P19-25	Tetrachloroethylene(PCE)	< 0.064	< 12	UG/KG	130,000	NA
PA-Q1	PA-Q1-1	Tetrachloroethylene(PCE)	0.35	< 11	UG/KG	130,000	NA
	PA-Q1-5	Tetrachloroethylene(PCE)	< 0.072	< 12	UG/KG	130,000	NA
	PA-Q1-10	Tetrachloroethylene(PCE)	0.2	< 10	UG/KG	130,000	NA
PA-V1	PA-V1-1	Tetrachloroethylene(PCE)	< 0.43	< 10	UG/KG	130,000	NA
	PA-V1-5	Tetrachloroethylene(PCE)	< 0.41	< 10	UG/KG	130,000	NA
	PA-V1-10	Tetrachloroethylene(PCE)	< 0.42	< 10	UG/KG	130,000	NA
PA-BBB2	PA-BBB2-5	Trichloroethene (TCE)	< 0.093	< 10	UG/KG	110,000	NA
	PA-BBB2-10	Trichloroethene (TCE)	< 0.078	< 10	UG/KG	110,000	NA
	PA-BBB2-15	Trichloroethene (TCE)	< 0.078	< 10	UG/KG	110,000	NA
	PA-BBB2-20	Trichloroethene (TCE)	< 0.09	< 11	UG/KG	110,000	NA
	PA-BBB2-25	Trichloroethene (TCE)	< 0.086	< 11	UG/KG	110,000	NA
PA-C2	PA-C2-1	Trichloroethene (TCE)	< 0.3	< 10	UG/KG	110,000	NA
	PA-C2-5	Trichloroethene (TCE)	< 0.35	< 10	UG/KG	110,000	NA
	PA-C2-10	Trichloroethene (TCE)	< 0.35	< 11	UG/KG	110,000	NA
PA-EE14	PA-EE-14-1	Trichloroethene (TCE)	< 0.085	< 10	UG/KG	110,000	NA
	PA-EE-14-5	Trichloroethene (TCE)	< 0.087	< 10	UG/KG	110,000	NA
	PA-EE-14-10	Trichloroethene (TCE)	< 0.093	< 11	UG/KG	110,000	NA
	PA-EE-14-15	Trichloroethene (TCE)	< 0.09	< 13	UG/KG	110,000	NA
	PA-EE-14-20	Trichloroethene (TCE)	< 0.087	< 10	UG/KG	110,000	NA
PA-HH10	PA-HH10-5	Trichloroethene (TCE)	< 0.28	< 10	UG/KG	110,000	NA
	PA-HH10-10	Trichloroethene (TCE)	< 0.3	< 10	UG/KG	110,000	NA
	PA-HH10-15	Trichloroethene (TCE)	< 0.3	< 10	UG/KG	110,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-20	Trichloroethene (TCE)	< 0.3	< 11	UG/KG	110,000	NA
PA-K9	PA-K9-1	Trichloroethene (TCE)	< 0.13	< 10	UG/KG	110,000	NA
	PA-K9-5	Trichloroethene (TCE)	< 0.1	< 10	UG/KG	110,000	NA
	PA-K9-10	Trichloroethene (TCE)	< 0.089	< 11	UG/KG	110,000	NA
PA-P19	PA-P19-10	Trichloroethene (TCE)	< 0.093	< 11	UG/KG	110,000	NA
	PA-P19-15	Trichloroethene (TCE)	< 0.084	< 11	UG/KG	110,000	NA
	PA-P19-25	Trichloroethene (TCE)	< 0.084	< 12	UG/KG	110,000	NA
PA-Q1	PA-Q1-1	Trichloroethene (TCE)	< 0.092	< 11	UG/KG	110,000	NA
	PA-Q1-5	Trichloroethene (TCE)	< 0.094	< 12	UG/KG	110,000	NA
	PA-Q1-10	Trichloroethene (TCE)	< 0.092	< 10	UG/KG	110,000	NA
PA-V1	PA-V1-1	Trichloroethene (TCE)	< 0.3	< 10	UG/KG	110,000	NA
	PA-V1-5	Trichloroethene (TCE)	< 0.28	< 10	UG/KG	110,000	NA
	PA-V1-10	Trichloroethene (TCE)	< 0.29	< 10	UG/KG	110,000	NA
PA-BBB2	PA-BBB2-5	Trichlorofluoromethane	< 0.12	< 10	UG/KG	1,300,000	NA
	PA-BBB2-10	Trichlorofluoromethane	< 0.1	< 10	UG/KG	1,300,000	NA
	PA-BBB2-15	Trichlorofluoromethane	< 0.1	< 10	UG/KG	1,300,000	NA
	PA-BBB2-20	Trichlorofluoromethane	< 0.12	< 11	UG/KG	1,300,000	NA
	PA-BBB2-25	Trichlorofluoromethane	< 0.11	< 11	UG/KG	1,300,000	NA
PA-C2	PA-C2-1	Trichlorofluoromethane	< 0.36	< 10	UG/KG	1,300,000	NA
	PA-C2-5	Trichlorofluoromethane	< 0.41	< 10	UG/KG	1,300,000	NA
	PA-C2-10	Trichlorofluoromethane	< 0.41	< 11	UG/KG	1,300,000	NA
PA-EE14	PA-EE-14-1	Trichlorofluoromethane	< 0.11	< 10	UG/KG	1,300,000	NA
	PA-EE-14-5	Trichlorofluoromethane	< 0.11	< 10	UG/KG	1,300,000	NA
	PA-EE-14-10	Trichlorofluoromethane	< 0.12	< 11	UG/KG	1,300,000	NA
	PA-EE-14-15	Trichlorofluoromethane	< 0.12	< 13	UG/KG	1,300,000	NA
	PA-EE-14-20	Trichlorofluoromethane	< 0.11	< 10	UG/KG	1,300,000	NA
PA-HH10	PA-HH10-5	Trichlorofluoromethane	< 0.33	< 10	UG/KG	1,300,000	NA
	PA-HH10-10	Trichlorofluoromethane	< 0.35	< 10	UG/KG	1,300,000	NA
	PA-HH10-15	Trichlorofluoromethane	< 0.35	< 10	UG/KG	1,300,000	NA
	PA-HH10-20	Trichlorofluoromethane	< 0.35	< 11	UG/KG	1,300,000	NA
PA-K9	PA-K9-1	Trichlorofluoromethane	< 0.16	< 10	UG/KG	1,300,000	NA
	PA-K9-5	Trichlorofluoromethane	< 0.13	< 10	UG/KG	1,300,000	NA
	PA-K9-10	Trichlorofluoromethane	< 0.11	< 11	UG/KG	1,300,000	NA
PA-P19	PA-P19-10	Trichlorofluoromethane	< 0.12	< 11	UG/KG	1,300,000	NA
	PA-P19-15	Trichlorofluoromethane	< 0.11	< 11	UG/KG	1,300,000	NA
	PA-P19-25	Trichlorofluoromethane	< 0.11	< 12	UG/KG	1,300,000	NA
PA-Q1	PA-Q1-1	Trichlorofluoromethane	< 0.12	< 11	UG/KG	1,300,000	NA
	PA-Q1-5	Trichlorofluoromethane	< 0.12	< 12	UG/KG	1,300,000	NA
	PA-Q1-10	Trichlorofluoromethane	< 0.12	< 10	UG/KG	1,300,000	NA
PA-V1	PA-V1-1	Trichlorofluoromethane	< 0.35	< 10	UG/KG	1,300,000	NA
	PA-V1-5	Trichlorofluoromethane	< 0.33	< 10	UG/KG	1,300,000	NA
	PA-V1-10	Trichlorofluoromethane	< 0.34	< 10	UG/KG	1,300,000	NA
PA-BBB2	PA-BBB2-5	Vinyl Chloride	< 0.053	< 10	UG/KG	140,000	NA
	PA-BBB2-10	Vinyl Chloride	< 0.045	< 10	UG/KG	140,000	NA
	PA-BBB2-15	Vinyl Chloride	< 0.045	< 10	UG/KG	140,000	NA
	PA-BBB2-20	Vinyl Chloride	< 0.052	< 11	UG/KG	140,000	NA
	PA-BBB2-25	Vinyl Chloride	< 0.05	< 11	UG/KG	140,000	NA
PA-C2	PA-C2-1	Vinyl Chloride	< 0.82	< 10	UG/KG	140,000	NA
	PA-C2-5	Vinyl Chloride	< 0.94	< 10	UG/KG	140,000	NA
	PA-C2-10	Vinyl Chloride	< 0.94	< 11	UG/KG	140,000	NA
PA-EE14	PA-EE-14-1	Vinyl Chloride	< 0.049	< 10	UG/KG	140,000	NA
	PA-EE-14-5	Vinyl Chloride	< 0.05	< 10	UG/KG	140,000	NA
	PA-EE-14-10	Vinyl Chloride	< 0.053	< 11	UG/KG	140,000	NA
	PA-EE-14-15	Vinyl Chloride	< 0.052	< 13	UG/KG	140,000	NA
	PA-EE-14-20	Vinyl Chloride	< 0.05	< 10	UG/KG	140,000	NA
PA-HH10	PA-HH10-5	Vinyl Chloride	< 0.76	< 10	UG/KG	140,000	NA
	PA-HH10-10	Vinyl Chloride	< 0.79	< 10	UG/KG	140,000	NA
	PA-HH10-15	Vinyl Chloride	< 0.8	< 10	UG/KG	140,000	NA
	PA-HH10-20	Vinyl Chloride	< 0.79	< 11	UG/KG	140,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-K9	PA-K9-1	Vinyl Chloride	< 0.073	< 10	UG/KG	140,000	NA
	PA-K9-5	Vinyl Chloride	< 0.058	< 10	UG/KG	140,000	NA
	PA-K9-10	Vinyl Chloride	< 0.051	< 11	UG/KG	140,000	NA
PA-P19	PA-P19-10	Vinyl Chloride	< 0.054	< 11	UG/KG	140,000	NA
	PA-P19-15	Vinyl Chloride	< 0.049	< 11	UG/KG	140,000	NA
	PA-P19-25	Vinyl Chloride	< 0.048	< 12	UG/KG	140,000	NA
PA-Q1	PA-Q1-1	Vinyl Chloride	< 0.053	< 11	UG/KG	140,000	NA
	PA-Q1-5	Vinyl Chloride	< 0.054	< 12	UG/KG	140,000	NA
	PA-Q1-10	Vinyl Chloride	< 0.053	< 10	UG/KG	140,000	NA
PA-V1	PA-V1-1	Vinyl Chloride	< 0.8	< 10	UG/KG	140,000	NA
	PA-V1-5	Vinyl Chloride	< 0.76	< 10	UG/KG	140,000	NA
	PA-V1-10	Vinyl Chloride	< 0.77	< 10	UG/KG	140,000	NA
PA-BBB2	PA-BBB2-5	Xylenes, Total	< 0.32	< 10	UG/KG	900,000	NA
	PA-BBB2-10	Xylenes, Total	< 0.27	< 10	UG/KG	900,000	NA
	PA-BBB2-15	Xylenes, Total	< 0.27	< 10	UG/KG	900,000	NA
	PA-BBB2-20	Xylenes, Total	< 0.31	< 11	UG/KG	900,000	NA
	PA-BBB2-25	Xylenes, Total	< 0.29	< 11	UG/KG	900,000	NA
PA-C2	PA-C2-1	Xylenes, Total	< 0.67	< 10	UG/KG	900,000	NA
	PA-C2-5	Xylenes, Total	< 0.77	< 10	UG/KG	900,000	NA
	PA-C2-10	Xylenes, Total	< 0.77	< 11	UG/KG	900,000	NA
PA-EE14	PA-EE-14-1	Xylenes, Total	0.41	< 10	UG/KG	900,000	NA
	PA-EE-14-5	Xylenes, Total	< 0.3	< 10	UG/KG	900,000	NA
	PA-EE-14-10	Xylenes, Total	< 0.32	< 11	UG/KG	900,000	NA
	PA-EE-14-15	Xylenes, Total	< 0.31	< 13	UG/KG	900,000	NA
	PA-EE-14-20	Xylenes, Total	< 0.3	< 10	UG/KG	900,000	NA
PA-HH10	PA-HH10-5	Xylenes, Total	< 0.63	< 10	UG/KG	900,000	NA
	PA-HH10-10	Xylenes, Total	< 0.65	< 10	UG/KG	900,000	NA
	PA-HH10-15	Xylenes, Total	< 0.66	< 10	UG/KG	900,000	NA
	PA-HH10-20	Xylenes, Total	< 0.65	< 11	UG/KG	900,000	NA
PA-P19	PA-P19-10	Xylenes, Total	< 0.32	< 11	UG/KG	900,000	NA
	PA-P19-15	Xylenes, Total	< 0.29	< 11	UG/KG	900,000	NA
	PA-P19-25	Xylenes, Total	< 0.29	< 12	UG/KG	900,000	NA
PA-Q1	PA-Q1-1	Xylenes, Total	< 0.32	< 11	UG/KG	900,000	NA
	PA-Q1-5	Xylenes, Total	< 0.32	< 12	UG/KG	900,000	NA
	PA-Q1-10	Xylenes, Total	< 0.31	< 10	UG/KG	900,000	NA
PA-V1	PA-V1-1	Xylenes, Total	< 0.66	< 10	UG/KG	900,000	NA
	PA-V1-5	Xylenes, Total	< 0.63	< 10	UG/KG	900,000	NA
	PA-V1-10	Xylenes, Total	3.9	< 10	UG/KG	900,000	NA
SVOCs:							
PA-BBB2	PA-BBB2-5	2,4,5-Trichlorophenol	< 0.06	< 0.9	MG/KG	62,000	NA
	PA-BBB2-10	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-BBB2-15	2,4,5-Trichlorophenol	< 0.058	< 0.84	MG/KG	62,000	NA
	PA-BBB2-20	2,4,5-Trichlorophenol	< 0.059	< 0.86	MG/KG	62,000	NA
	PA-BBB2-25	2,4,5-Trichlorophenol	< 0.058	< 0.85	MG/KG	62,000	NA
PA-C2	PA-C2-1	2,4,5-Trichlorophenol	< 0.015	< 0.88	MG/KG	62,000	NA
	PA-C2-5	2,4,5-Trichlorophenol	< 0.014	< 0.88	MG/KG	62,000	NA
	PA-C2-10	2,4,5-Trichlorophenol	< 0.014	< 0.85	MG/KG	62,000	NA
PA-EE14	PA-EE-14-1	2,4,5-Trichlorophenol	< 0.019	< 0.87	MG/KG	62,000	NA
	PA-EE-14-5	2,4,5-Trichlorophenol	< 0.019	< 0.91	MG/KG	62,000	NA
	PA-EE-14-10	2,4,5-Trichlorophenol	< 0.019	< 0.86	MG/KG	62,000	NA
	PA-EE-14-15	2,4,5-Trichlorophenol	< 0.018	< 0.85	MG/KG	62,000	NA
	PA-EE-14-20	2,4,5-Trichlorophenol	< 0.019	< 0.88	MG/KG	62,000	NA
PA-HH10	PA-HH10-5	2,4,5-Trichlorophenol	< 0.059	< 0.87	MG/KG	62,000	NA
	PA-HH10-10	2,4,5-Trichlorophenol	< 0.059	< 0.88	MG/KG	62,000	NA
	PA-HH10-15	2,4,5-Trichlorophenol	< 0.059	< 0.87	MG/KG	62,000	NA
	PA-HH10-20	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
PA-HH11	PA-HH11-5	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-HH11-10	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-HH11-15	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-20	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-HH11-25	2,4,5-Trichlorophenol	< 0.06	< 0.86	MG/KG	62,000	NA
PA-HH8	PA-HH8-5	2,4,5-Trichlorophenol	< 0.059	< 0.86	MG/KG	62,000	NA
	PA-HH8-10	2,4,5-Trichlorophenol	< 0.059	< 0.87	MG/KG	62,000	NA
	PA-HH8-15	2,4,5-Trichlorophenol	< 0.059	< 0.87	MG/KG	62,000	NA
	PA-HH8-20	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-HH8-25	2,4,5-Trichlorophenol	< 0.059	< 0.86	MG/KG	62,000	NA
PA-K9	PA-K9-1	2,4,5-Trichlorophenol	< 0.015	< 0.89	MG/KG	62,000	NA
	PA-K9-5	2,4,5-Trichlorophenol	< 0.015	< 0.9	MG/KG	62,000	NA
	PA-K9-10	2,4,5-Trichlorophenol	< 0.014	< 0.9	MG/KG	62,000	NA
PA-P17	PA-P17-5	2,4,5-Trichlorophenol	< 0.058	< 0.85	MG/KG	62,000	NA
	PA-P17-10	2,4,5-Trichlorophenol	< 0.057	< 0.87	MG/KG	62,000	NA
	PA-P17-15	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-P17-20	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
PA-P19	PA-P19-20	2,4,5-Trichlorophenol	< 0.058	< 0.92	MG/KG	62,000	NA
PA-Q1	PA-Q1-1	2,4,5-Trichlorophenol	< 0.059	< 0.86	MG/KG	62,000	NA
	PA-Q1-5	2,4,5-Trichlorophenol	< 0.058	< 0.86	MG/KG	62,000	NA
	PA-Q1-10	2,4,5-Trichlorophenol	< 0.059	< 0.87	MG/KG	62,000	NA
PA-V1	PA-V1-1	2,4,5-Trichlorophenol	< 0.015	< 0.88	MG/KG	62,000	NA
	PA-V1-5	2,4,5-Trichlorophenol	< 0.014	< 0.89	MG/KG	62,000	NA
	PA-V1-10	2,4,5-Trichlorophenol	< 0.014	< 0.87	MG/KG	62,000	NA
PA-BBB2	PA-BBB2-5	2,4,6-Trichlorophenol	< 0.06	< 0.36	MG/KG	62	NA
	PA-BBB2-10	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
	PA-BBB2-15	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-BBB2-20	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
	PA-BBB2-25	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
PA-C2	PA-C2-1	2,4,6-Trichlorophenol	< 0.01	< 0.35	MG/KG	62	NA
	PA-C2-5	2,4,6-Trichlorophenol	< 0.0097	< 0.35	MG/KG	62	NA
	PA-C2-10	2,4,6-Trichlorophenol	< 0.0097	< 0.34	MG/KG	62	NA
PA-EE14	PA-EE-14-1	2,4,6-Trichlorophenol	< 0.022	< 0.35	MG/KG	62	NA
	PA-EE-14-5	2,4,6-Trichlorophenol	< 0.022	< 0.36	MG/KG	62	NA
	PA-EE-14-10	2,4,6-Trichlorophenol	< 0.022	< 0.34	MG/KG	62	NA
	PA-EE-14-15	2,4,6-Trichlorophenol	< 0.022	< 0.34	MG/KG	62	NA
	PA-EE-14-20	2,4,6-Trichlorophenol	< 0.022	< 0.35	MG/KG	62	NA
PA-HH10	PA-HH10-5	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
	PA-HH10-10	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
	PA-HH10-15	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
	PA-HH10-20	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
PA-HH11	PA-HH11-5	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-HH11-10	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-HH11-15	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-HH11-20	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
	PA-HH11-25	2,4,6-Trichlorophenol	< 0.059	< 0.34	MG/KG	62	NA
PA-HH8	PA-HH8-5	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
	PA-HH8-10	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
	PA-HH8-15	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
	PA-HH8-20	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-HH8-25	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
PA-K9	PA-K9-1	2,4,6-Trichlorophenol	< 0.01	< 0.35	MG/KG	62	NA
	PA-K9-5	2,4,6-Trichlorophenol	< 0.01	< 0.36	MG/KG	62	NA
	PA-K9-10	2,4,6-Trichlorophenol	< 0.0099	< 0.36	MG/KG	62	NA
PA-P17	PA-P17-5	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-P17-10	2,4,6-Trichlorophenol	< 0.057	< 0.35	MG/KG	62	NA
	PA-P17-15	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-P17-20	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
PA-P19	PA-P19-20	2,4,6-Trichlorophenol	< 0.058	< 0.36	MG/KG	62	NA
PA-Q1	PA-Q1-1	2,4,6-Trichlorophenol	< 0.058	< 0.34	MG/KG	62	NA
	PA-Q1-5	2,4,6-Trichlorophenol	< 0.057	< 0.34	MG/KG	62	NA
	PA-Q1-10	2,4,6-Trichlorophenol	< 0.058	< 0.35	MG/KG	62	NA
PA-V1	PA-V1-1	2,4,6-Trichlorophenol	< 0.01	< 0.35	MG/KG	62	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-5	2,4,6-Trichlorophenol	< 0.0098	< 0.35	MG/KG	62	NA
	PA-V1-10	2,4,6-Trichlorophenol	< 0.0099	< 0.35	MG/KG	62	NA
PA-BBB2	PA-BBB2-5	2,4-Dichlorophenol	< 0.043	< 0.36	MG/KG	1,800	NA
	PA-BBB2-10	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-BBB2-15	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-BBB2-20	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-BBB2-25	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
PA-C2	PA-C2-1	2,4-Dichlorophenol	< 0.016	< 0.35	MG/KG	1,800	NA
	PA-C2-5	2,4-Dichlorophenol	< 0.015	< 0.35	MG/KG	1,800	NA
	PA-C2-10	2,4-Dichlorophenol	< 0.015	< 0.34	MG/KG	1,800	NA
PA-EE14	PA-EE-14-1	2,4-Dichlorophenol	< 0.02	< 0.35	MG/KG	1,800	NA
	PA-EE-14-5	2,4-Dichlorophenol	< 0.019	< 0.36	MG/KG	1,800	NA
	PA-EE-14-10	2,4-Dichlorophenol	< 0.019	< 0.34	MG/KG	1,800	NA
	PA-EE-14-15	2,4-Dichlorophenol	< 0.019	< 0.34	MG/KG	1,800	NA
	PA-EE-14-20	2,4-Dichlorophenol	< 0.019	< 0.35	MG/KG	1,800	NA
PA-HH10	PA-HH10-5	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
	PA-HH10-10	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
	PA-HH10-15	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
	PA-HH10-20	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
PA-HH11	PA-HH11-5	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-HH11-10	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-HH11-15	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-HH11-20	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-HH11-25	2,4-Dichlorophenol	< 0.043	< 0.34	MG/KG	1,800	NA
PA-HH8	PA-HH8-5	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-HH8-10	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
	PA-HH8-15	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
	PA-HH8-20	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-HH8-25	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
PA-K9	PA-K9-1	2,4-Dichlorophenol	< 0.016	< 0.35	MG/KG	1,800	NA
	PA-K9-5	2,4-Dichlorophenol	< 0.016	< 0.36	MG/KG	1,800	NA
	PA-K9-10	2,4-Dichlorophenol	< 0.016	< 0.36	MG/KG	1,800	NA
PA-P17	PA-P17-5	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-P17-10	2,4-Dichlorophenol	< 0.041	< 0.35	MG/KG	1,800	NA
	PA-P17-15	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-P17-20	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
PA-P19	PA-P19-20	2,4-Dichlorophenol	< 0.042	< 0.36	MG/KG	1,800	NA
PA-Q1	PA-Q1-1	2,4-Dichlorophenol	< 0.042	< 0.34	MG/KG	1,800	NA
	PA-Q1-5	2,4-Dichlorophenol	< 0.041	< 0.34	MG/KG	1,800	NA
	PA-Q1-10	2,4-Dichlorophenol	< 0.042	< 0.35	MG/KG	1,800	NA
PA-V1	PA-V1-1	2,4-Dichlorophenol	< 0.016	< 0.35	MG/KG	1,800	NA
	PA-V1-5	2,4-Dichlorophenol	< 0.015	< 0.35	MG/KG	1,800	NA
	PA-V1-10	2,4-Dichlorophenol	< 0.016	< 0.35	MG/KG	1,800	NA
PA-BBB2	PA-BBB2-5	2,4-Dimethylphenol	< 0.046	< 0.36	MG/KG	12,000	NA
	PA-BBB2-10	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-BBB2-15	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-BBB2-20	2,4-Dimethylphenol	< 0.045	< 0.34	MG/KG	12,000	NA
	PA-BBB2-25	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
PA-C2	PA-C2-1	2,4-Dimethylphenol	< 0.038	< 0.35	MG/KG	12,000	NA
	PA-C2-5	2,4-Dimethylphenol	< 0.037	< 0.35	MG/KG	12,000	NA
	PA-C2-10	2,4-Dimethylphenol	< 0.037	< 0.34	MG/KG	12,000	NA
PA-EE14	PA-EE-14-1	2,4-Dimethylphenol	< 0.31	< 0.35	MG/KG	12,000	NA
	PA-EE-14-5	2,4-Dimethylphenol	< 0.31	< 0.36	MG/KG	12,000	NA
	PA-EE-14-10	2,4-Dimethylphenol	< 0.3	< 0.34	MG/KG	12,000	NA
	PA-EE-14-15	2,4-Dimethylphenol	< 0.3	< 0.34	MG/KG	12,000	NA
	PA-EE-14-20	2,4-Dimethylphenol	< 0.3	< 0.35	MG/KG	12,000	NA
PA-HH10	PA-HH10-5	2,4-Dimethylphenol	< 0.045	< 0.35	MG/KG	12,000	NA
	PA-HH10-10	2,4-Dimethylphenol	< 0.045	< 0.35	MG/KG	12,000	NA
	PA-HH10-15	2,4-Dimethylphenol	< 0.044	< 0.35	MG/KG	12,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-20	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
PA-HH11	PA-HH11-5	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH11-10	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH11-15	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH11-20	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH11-25	2,4-Dimethylphenol	< 0.045	< 0.34	MG/KG	12,000	NA
PA-HH8	PA-HH8-5	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH8-10	2,4-Dimethylphenol	< 0.045	< 0.35	MG/KG	12,000	NA
	PA-HH8-15	2,4-Dimethylphenol	< 0.044	< 0.35	MG/KG	12,000	NA
	PA-HH8-20	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-HH8-25	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
PA-K9	PA-K9-1	2,4-Dimethylphenol	< 0.039	< 0.35	MG/KG	12,000	NA
	PA-K9-5	2,4-Dimethylphenol	< 0.039	< 0.36	MG/KG	12,000	NA
	PA-K9-10	2,4-Dimethylphenol	< 0.038	< 0.36	MG/KG	12,000	NA
PA-P17	PA-P17-5	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-P17-10	2,4-Dimethylphenol	< 0.044	< 0.35	MG/KG	12,000	NA
	PA-P17-15	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-P17-20	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
PA-P19	PA-P19-20	2,4-Dimethylphenol	< 0.044	< 0.36	MG/KG	12,000	NA
PA-Q1	PA-Q1-1	2,4-Dimethylphenol	< 0.045	< 0.34	MG/KG	12,000	NA
	PA-Q1-5	2,4-Dimethylphenol	< 0.044	< 0.34	MG/KG	12,000	NA
	PA-Q1-10	2,4-Dimethylphenol	< 0.045	< 0.35	MG/KG	12,000	NA
PA-V1	PA-V1-1	2,4-Dimethylphenol	< 0.038	< 0.35	MG/KG	12,000	NA
	PA-V1-5	2,4-Dimethylphenol	< 0.038	< 0.35	MG/KG	12,000	NA
	PA-V1-10	2,4-Dimethylphenol	< 0.038	< 0.35	MG/KG	12,000	NA
PA-BBB2	PA-BBB2-5	2,4-Dinitrophenol	< 0.075	< 0.9	MG/KG	1,200	NA
	PA-BBB2-10	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
	PA-BBB2-15	2,4-Dinitrophenol	< 0.072	< 0.84	MG/KG	1,200	NA
	PA-BBB2-20	2,4-Dinitrophenol	< 0.073	< 0.86	MG/KG	1,200	NA
	PA-BBB2-25	2,4-Dinitrophenol	< 0.072	< 0.85	MG/KG	1,200	NA
PA-C2	PA-C2-1	2,4-Dinitrophenol	< 0.011	< 0.88	MG/KG	1,200	NA
	PA-C2-5	2,4-Dinitrophenol	< 0.011	< 0.88	MG/KG	1,200	NA
	PA-C2-10	2,4-Dinitrophenol	< 0.011	< 0.85	MG/KG	1,200	NA
PA-EE14	PA-EE-14-1	2,4-Dinitrophenol	< 0.19	< 0.87	MG/KG	1,200	NA
	PA-EE-14-5	2,4-Dinitrophenol	< 0.19	< 0.91	MG/KG	1,200	NA
	PA-EE-14-10	2,4-Dinitrophenol	< 0.19	< 0.86	MG/KG	1,200	NA
	PA-EE-14-15	2,4-Dinitrophenol	< 0.18	< 0.85	MG/KG	1,200	NA
	PA-EE-14-20	2,4-Dinitrophenol	< 0.19	< 0.88	MG/KG	1,200	NA
PA-HH10	PA-HH10-5	2,4-Dinitrophenol	< 0.073	< 0.87	MG/KG	1,200	NA
	PA-HH10-10	2,4-Dinitrophenol	< 0.073	< 0.88	MG/KG	1,200	NA
	PA-HH10-15	2,4-Dinitrophenol	< 0.072	< 0.87	MG/KG	1,200	NA
	PA-HH10-20	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
PA-HH11	PA-HH11-5	2,4-Dinitrophenol	< 0.071	< 0.86	MG/KG	1,200	NA
	PA-HH11-10	2,4-Dinitrophenol	< 0.071	< 0.86	MG/KG	1,200	NA
	PA-HH11-15	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
	PA-HH11-20	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
	PA-HH11-25	2,4-Dinitrophenol	< 0.074	< 0.86	MG/KG	1,200	NA
PA-HH8	PA-HH8-5	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
	PA-HH8-10	2,4-Dinitrophenol	< 0.072	< 0.87	MG/KG	1,200	NA
	PA-HH8-15	2,4-Dinitrophenol	< 0.072	< 0.87	MG/KG	1,200	NA
	PA-HH8-20	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
	PA-HH8-25	2,4-Dinitrophenol	< 0.072	< 0.86	MG/KG	1,200	NA
PA-K9	PA-K9-1	2,4-Dinitrophenol	< 0.011	< 0.89	MG/KG	1,200	NA
	PA-K9-5	2,4-Dinitrophenol	< 0.011	< 0.9	MG/KG	1,200	NA
	PA-K9-10	2,4-Dinitrophenol	< 0.011	< 0.9	MG/KG	1,200	NA
PA-P17	PA-P17-5	2,4-Dinitrophenol	< 0.071	< 0.85	MG/KG	1,200	NA
	PA-P17-10	2,4-Dinitrophenol	< 0.071	< 0.87	MG/KG	1,200	NA
	PA-P17-15	2,4-Dinitrophenol	< 0.071	< 0.86	MG/KG	1,200	NA
	PA-P17-20	2,4-Dinitrophenol	< 0.071	< 0.86	MG/KG	1,200	NA
PA-P19	PA-P19-20	2,4-Dinitrophenol	< 0.072	< 0.92	MG/KG	1,200	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-Q1	PA-Q1-1	2,4-Dinitrophenol	< 0.073	< 0.86	MG/KG	1,200	NA
	PA-Q1-5	2,4-Dinitrophenol	< 0.071	< 0.86	MG/KG	1,200	NA
	PA-Q1-10	2,4-Dinitrophenol	< 0.072	< 0.87	MG/KG	1,200	NA
PA-V1	PA-V1-1	2,4-Dinitrophenol	< 0.011	< 0.88	MG/KG	1,200	NA
	PA-V1-5	2,4-Dinitrophenol	< 0.011	< 0.89	MG/KG	1,200	NA
	PA-V1-10	2,4-Dinitrophenol	< 0.011	< 0.87	MG/KG	1,200	NA
PA-BBB2	PA-BBB2-5	2,4-Dinitrotoluene	< 0.038	< 0.36	MG/KG	1,200	NA
	PA-BBB2-10	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-BBB2-15	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-BBB2-20	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-BBB2-25	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
PA-C2	PA-C2-1	2,4-Dinitrotoluene	< 0.021	< 0.35	MG/KG	1,200	NA
	PA-C2-5	2,4-Dinitrotoluene	< 0.02	< 0.35	MG/KG	1,200	NA
	PA-C2-10	2,4-Dinitrotoluene	< 0.02	< 0.34	MG/KG	1,200	NA
PA-EE14	PA-EE-14-1	2,4-Dinitrotoluene	< 0.026	< 0.35	MG/KG	1,200	NA
	PA-EE-14-5	2,4-Dinitrotoluene	< 0.025	< 0.36	MG/KG	1,200	NA
	PA-EE-14-10	2,4-Dinitrotoluene	< 0.025	< 0.34	MG/KG	1,200	NA
	PA-EE-14-15	2,4-Dinitrotoluene	< 0.025	< 0.34	MG/KG	1,200	NA
	PA-EE-14-20	2,4-Dinitrotoluene	< 0.025	< 0.35	MG/KG	1,200	NA
PA-HH10	PA-HH10-5	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
	PA-HH10-10	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
	PA-HH10-15	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
	PA-HH10-20	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
PA-HH11	PA-HH11-5	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH11-10	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH11-15	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH11-20	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH11-25	2,4-Dinitrotoluene	< 0.038	< 0.34	MG/KG	1,200	NA
PA-HH8	PA-HH8-5	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH8-10	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
	PA-HH8-15	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
	PA-HH8-20	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-HH8-25	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
PA-K9	PA-K9-1	2,4-Dinitrotoluene	< 0.021	< 0.35	MG/KG	1,200	NA
	PA-K9-5	2,4-Dinitrotoluene	< 0.022	< 0.36	MG/KG	1,200	NA
	PA-K9-10	2,4-Dinitrotoluene	< 0.021	< 0.36	MG/KG	1,200	NA
PA-P17	PA-P17-5	2,4-Dinitrotoluene	< 0.036	< 0.34	MG/KG	1,200	NA
	PA-P17-10	2,4-Dinitrotoluene	< 0.036	< 0.35	MG/KG	1,200	NA
	PA-P17-15	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-P17-20	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
PA-P19	PA-P19-20	2,4-Dinitrotoluene	< 0.037	< 0.36	MG/KG	1,200	NA
PA-Q1	PA-Q1-1	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-Q1-5	2,4-Dinitrotoluene	< 0.037	< 0.34	MG/KG	1,200	NA
	PA-Q1-10	2,4-Dinitrotoluene	< 0.037	< 0.35	MG/KG	1,200	NA
PA-V1	PA-V1-1	2,4-Dinitrotoluene	< 0.021	< 0.35	MG/KG	1,200	NA
	PA-V1-5	2,4-Dinitrotoluene	< 0.021	< 0.35	MG/KG	1,200	NA
	PA-V1-10	2,4-Dinitrotoluene	< 0.021	< 0.35	MG/KG	1,200	NA
PA-BBB2	PA-BBB2-5	2,6-Dinitrotoluene	< 0.056	< 0.36	MG/KG	620	NA
	PA-BBB2-10	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-BBB2-15	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-BBB2-20	2,6-Dinitrotoluene	< 0.055	< 0.34	MG/KG	620	NA
	PA-BBB2-25	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
PA-C2	PA-C2-1	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
	PA-C2-5	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
	PA-C2-10	2,6-Dinitrotoluene	< 0.014	< 0.34	MG/KG	620	NA
PA-EE14	PA-EE-14-1	2,6-Dinitrotoluene	< 0.099	< 0.35	MG/KG	620	NA
	PA-EE-14-5	2,6-Dinitrotoluene	< 0.097	< 0.36	MG/KG	620	NA
	PA-EE-14-10	2,6-Dinitrotoluene	< 0.096	< 0.34	MG/KG	620	NA
	PA-EE-14-15	2,6-Dinitrotoluene	< 0.095	< 0.34	MG/KG	620	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-20	2,6-Dinitrotoluene	< 0.096	< 0.35	MG/KG	620	NA
PA-HH10	PA-HH10-5	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
	PA-HH10-10	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
	PA-HH10-15	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
	PA-HH10-20	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
PA-HH11	PA-HH11-5	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-HH11-10	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-HH11-15	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-HH11-20	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-HH11-25	2,6-Dinitrotoluene	< 0.056	< 0.34	MG/KG	620	NA
PA-HH8	PA-HH8-5	2,6-Dinitrotoluene	< 0.055	< 0.34	MG/KG	620	NA
	PA-HH8-10	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
	PA-HH8-15	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
	PA-HH8-20	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-HH8-25	2,6-Dinitrotoluene	< 0.055	< 0.34	MG/KG	620	NA
PA-K9	PA-K9-1	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
	PA-K9-5	2,6-Dinitrotoluene	< 0.015	< 0.36	MG/KG	620	NA
	PA-K9-10	2,6-Dinitrotoluene	< 0.014	< 0.36	MG/KG	620	NA
PA-P17	PA-P17-5	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-P17-10	2,6-Dinitrotoluene	< 0.053	< 0.35	MG/KG	620	NA
	PA-P17-15	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-P17-20	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
PA-P19	PA-P19-20	2,6-Dinitrotoluene	< 0.054	< 0.36	MG/KG	620	NA
PA-Q1	PA-Q1-1	2,6-Dinitrotoluene	< 0.055	< 0.34	MG/KG	620	NA
	PA-Q1-5	2,6-Dinitrotoluene	< 0.054	< 0.34	MG/KG	620	NA
	PA-Q1-10	2,6-Dinitrotoluene	< 0.055	< 0.35	MG/KG	620	NA
PA-V1	PA-V1-1	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
	PA-V1-5	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
	PA-V1-10	2,6-Dinitrotoluene	< 0.014	< 0.35	MG/KG	620	NA
PA-BBB2	PA-BBB2-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-BBB2-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-BBB2-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-BBB2-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-BBB2-25	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-C2	PA-C2-1	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-C2-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-C2-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-EE14	PA-EE-14-1	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-EE-14-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-EE-14-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-EE-14-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-EE-14-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-HH10	PA-HH10-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH10-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH10-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH10-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-HH11	PA-HH11-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH11-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH11-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH11-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH11-25	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-HH8	PA-HH8-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH8-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH8-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH8-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-HH8-25	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-K9	PA-K9-1	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-K9-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-K9-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-P17	PA-P17-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-P17-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-P17-15	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-P17-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-P19	PA-P19-20	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-Q1	PA-Q1-1	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-Q1-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-Q1-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-V1	PA-V1-1	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-V1-5	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
	PA-V1-10	2-Chloronaphthalene	< 0.011	< 0.35	MG/KG	4,900	NA
PA-BBB2	PA-BBB2-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-BBB2-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-BBB2-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-BBB2-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-BBB2-25	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-C2	PA-C2-1	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-C2-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-C2-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-EE14	PA-EE-14-1	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-EE-14-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-EE-14-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-EE-14-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-EE-14-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-HH10	PA-HH10-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH10-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH10-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH10-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-HH11	PA-HH11-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH11-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH11-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH11-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH11-25	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-HH8	PA-HH8-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH8-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH8-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH8-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-HH8-25	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-K9	PA-K9-1	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-K9-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-K9-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-P17	PA-P17-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-P17-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-P17-15	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-P17-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-P19	PA-P19-20	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-Q1	PA-Q1-1	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-Q1-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-Q1-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-V1	PA-V1-1	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-V1-5	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
	PA-V1-10	2-Chlorophenol	< 0.017	< 0.35	MG/KG	63	NA
PA-BBB2	PA-BBB2-5	2-Methylnaphthalene	< 0.036	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	2-Methylnaphthalene	< 0.011	0.16	MG/KG	NA	NA
	PA-C2-5	2-Methylnaphthalene	< 0.011	< 0.35	MG/KG	NA	NA
	PA-C2-10	2-Methylnaphthalene	< 0.011	< 0.34	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-EE14	PA-EE-14-1	2-Methylnaphthalene	< 0.053	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	2-Methylnaphthalene	< 0.052	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	2-Methylnaphthalene	< 0.052	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	2-Methylnaphthalene	< 0.051	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	2-Methylnaphthalene	< 0.052	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
	PA-HH10-10	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
	PA-HH10-15	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
	PA-HH10-20	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH11-10	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH11-15	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH11-20	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH11-25	2-Methylnaphthalene	< 0.036	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH8-10	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
	PA-HH8-15	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
	PA-HH8-20	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-HH8-25	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	2-Methylnaphthalene	< 0.011	< 0.35	MG/KG	NA	NA
	PA-K9-5	2-Methylnaphthalene	< 0.011	< 0.36	MG/KG	NA	NA
	PA-K9-10	2-Methylnaphthalene	< 0.011	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	2-Methylnaphthalene	< 0.034	< 0.34	MG/KG	NA	NA
	PA-P17-10	2-Methylnaphthalene	< 0.034	< 0.35	MG/KG	NA	NA
	PA-P17-15	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-P17-20	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	2-Methylnaphthalene	< 0.035	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-Q1-5	2-Methylnaphthalene	< 0.035	< 0.34	MG/KG	NA	NA
	PA-Q1-10	2-Methylnaphthalene	< 0.035	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	2-Methylnaphthalene	< 0.011	< 0.35	MG/KG	NA	NA
	PA-V1-5	2-Methylnaphthalene	< 0.011	< 0.35	MG/KG	NA	NA
	PA-V1-10	2-Methylnaphthalene	< 0.011	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	2-Methylphenol (o-Cresol)	< 0.057	< 0.36	MG/KG	31,000	NA
	PA-BBB2-10	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-BBB2-15	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-BBB2-20	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-BBB2-25	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
PA-C2	PA-C2-1	2-Methylphenol (o-Cresol)	< 0.017	< 0.35	MG/KG	31,000	NA
	PA-C2-5	2-Methylphenol (o-Cresol)	< 0.016	< 0.35	MG/KG	31,000	NA
	PA-C2-10	2-Methylphenol (o-Cresol)	< 0.016	< 0.34	MG/KG	31,000	NA
PA-EE14	PA-EE-14-1	2-Methylphenol (o-Cresol)	< 0.056	< 0.35	MG/KG	31,000	NA
	PA-EE-14-5	2-Methylphenol (o-Cresol)	< 0.055	< 0.36	MG/KG	31,000	NA
	PA-EE-14-10	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-EE-14-15	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-EE-14-20	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
PA-HH10	PA-HH10-5	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
	PA-HH10-10	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
	PA-HH10-15	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
	PA-HH10-20	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
PA-HH11	PA-HH11-5	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-HH11-10	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-HH11-15	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-HH11-20	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-HH11-25	2-Methylphenol (o-Cresol)	< 0.056	< 0.34	MG/KG	31,000	NA
PA-HH8	PA-HH8-5	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-HH8-10	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
	PA-HH8-15	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
	PA-HH8-20	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-HH8-25	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-K9	PA-K9-1	2-Methylphenol (o-Cresol)	< 0.017	< 0.35	MG/KG	31,000	NA
	PA-K9-5	2-Methylphenol (o-Cresol)	< 0.017	< 0.36	MG/KG	31,000	NA
	PA-K9-10	2-Methylphenol (o-Cresol)	< 0.017	< 0.36	MG/KG	31,000	NA
PA-P17	PA-P17-5	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-P17-10	2-Methylphenol (o-Cresol)	< 0.054	< 0.35	MG/KG	31,000	NA
	PA-P17-15	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-P17-20	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
PA-P19	PA-P19-20	2-Methylphenol (o-Cresol)	< 0.055	< 0.36	MG/KG	31,000	NA
PA-Q1	PA-Q1-1	2-Methylphenol (o-Cresol)	< 0.055	< 0.34	MG/KG	31,000	NA
	PA-Q1-5	2-Methylphenol (o-Cresol)	< 0.054	< 0.34	MG/KG	31,000	NA
	PA-Q1-10	2-Methylphenol (o-Cresol)	< 0.055	< 0.35	MG/KG	31,000	NA
PA-V1	PA-V1-1	2-Methylphenol (o-Cresol)	< 0.017	< 0.35	MG/KG	31,000	NA
	PA-V1-5	2-Methylphenol (o-Cresol)	< 0.016	< 0.35	MG/KG	31,000	NA
	PA-V1-10	2-Methylphenol (o-Cresol)	< 0.017	< 0.35	MG/KG	31,000	NA
PA-BBB2	PA-BBB2-5	2-Nitroaniline	< 0.061	< 0.9	MG/KG	1,800	NA
	PA-BBB2-10	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-BBB2-15	2-Nitroaniline	< 0.058	< 0.84	MG/KG	1,800	NA
	PA-BBB2-20	2-Nitroaniline	< 0.059	< 0.86	MG/KG	1,800	NA
	PA-BBB2-25	2-Nitroaniline	< 0.058	< 0.85	MG/KG	1,800	NA
PA-C2	PA-C2-1	2-Nitroaniline	< 0.018	< 0.88	MG/KG	1,800	NA
	PA-C2-5	2-Nitroaniline	< 0.018	< 0.88	MG/KG	1,800	NA
	PA-C2-10	2-Nitroaniline	< 0.018	< 0.85	MG/KG	1,800	NA
PA-EE14	PA-EE-14-1	2-Nitroaniline	< 0.016	< 0.87	MG/KG	1,800	NA
	PA-EE-14-5	2-Nitroaniline	< 0.015	< 0.91	MG/KG	1,800	NA
	PA-EE-14-10	2-Nitroaniline	< 0.015	< 0.86	MG/KG	1,800	NA
	PA-EE-14-15	2-Nitroaniline	< 0.015	< 0.85	MG/KG	1,800	NA
	PA-EE-14-20	2-Nitroaniline	< 0.015	< 0.88	MG/KG	1,800	NA
PA-HH10	PA-HH10-5	2-Nitroaniline	< 0.059	< 0.87	MG/KG	1,800	NA
	PA-HH10-10	2-Nitroaniline	< 0.059	< 0.88	MG/KG	1,800	NA
	PA-HH10-15	2-Nitroaniline	< 0.059	< 0.87	MG/KG	1,800	NA
	PA-HH10-20	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
PA-HH11	PA-HH11-5	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-HH11-10	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-HH11-15	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-HH11-20	2-Nitroaniline	< 0.059	< 0.86	MG/KG	1,800	NA
	PA-HH11-25	2-Nitroaniline	< 0.06	< 0.86	MG/KG	1,800	NA
PA-HH8	PA-HH8-5	2-Nitroaniline	< 0.059	< 0.86	MG/KG	1,800	NA
	PA-HH8-10	2-Nitroaniline	< 0.059	< 0.87	MG/KG	1,800	NA
	PA-HH8-15	2-Nitroaniline	< 0.059	< 0.87	MG/KG	1,800	NA
	PA-HH8-20	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-HH8-25	2-Nitroaniline	< 0.059	< 0.86	MG/KG	1,800	NA
PA-K9	PA-K9-1	2-Nitroaniline	< 0.018	< 0.89	MG/KG	1,800	NA
	PA-K9-5	2-Nitroaniline	< 0.019	< 0.9	MG/KG	1,800	NA
	PA-K9-10	2-Nitroaniline	< 0.018	< 0.9	MG/KG	1,800	NA
PA-P17	PA-P17-5	2-Nitroaniline	< 0.058	< 0.85	MG/KG	1,800	NA
	PA-P17-10	2-Nitroaniline	< 0.058	< 0.87	MG/KG	1,800	NA
	PA-P17-15	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-P17-20	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
PA-P19	PA-P19-20	2-Nitroaniline	< 0.058	< 0.92	MG/KG	1,800	NA
PA-Q1	PA-Q1-1	2-Nitroaniline	< 0.059	< 0.86	MG/KG	1,800	NA
	PA-Q1-5	2-Nitroaniline	< 0.058	< 0.86	MG/KG	1,800	NA
	PA-Q1-10	2-Nitroaniline	< 0.059	< 0.87	MG/KG	1,800	NA
PA-V1	PA-V1-1	2-Nitroaniline	< 0.018	< 0.88	MG/KG	1,800	NA
	PA-V1-5	2-Nitroaniline	< 0.018	< 0.89	MG/KG	1,800	NA
	PA-V1-10	2-Nitroaniline	< 0.018	< 0.87	MG/KG	1,800	NA
PA-BBB2	PA-BBB2-5	2-Nitrophenol	< 0.088	< 0.36	MG/KG	43,000	NA
	PA-BBB2-10	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA
	PA-BBB2-15	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-BBB2-20	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-25	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
PA-C2	PA-C2-1	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
	PA-C2-5	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
	PA-C2-10	2-Nitrophenol	< 0.015	< 0.34	MG/KG	43,000	NA
PA-EE14	PA-EE-14-1	2-Nitrophenol	< 0.083	< 0.35	MG/KG	43,000	NA
	PA-EE-14-5	2-Nitrophenol	< 0.082	< 0.36	MG/KG	43,000	NA
	PA-EE-14-10	2-Nitrophenol	< 0.081	< 0.34	MG/KG	43,000	NA
	PA-EE-14-15	2-Nitrophenol	< 0.08	< 0.34	MG/KG	43,000	NA
	PA-EE-14-20	2-Nitrophenol	< 0.081	< 0.35	MG/KG	43,000	NA
PA-HH10	PA-HH10-5	2-Nitrophenol	< 0.086	< 0.35	MG/KG	43,000	NA
	PA-HH10-10	2-Nitrophenol	< 0.086	< 0.35	MG/KG	43,000	NA
	PA-HH10-15	2-Nitrophenol	< 0.085	< 0.35	MG/KG	43,000	NA
	PA-HH10-20	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA
PA-HH11	PA-HH11-5	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-HH11-10	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-HH11-15	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-HH11-20	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA
	PA-HH11-25	2-Nitrophenol	< 0.087	< 0.34	MG/KG	43,000	NA
PA-HH8	PA-HH8-5	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA
	PA-HH8-10	2-Nitrophenol	< 0.085	< 0.35	MG/KG	43,000	NA
	PA-HH8-15	2-Nitrophenol	< 0.085	< 0.35	MG/KG	43,000	NA
	PA-HH8-20	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-HH8-25	2-Nitrophenol	< 0.085	< 0.34	MG/KG	43,000	NA
PA-K9	PA-K9-1	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
	PA-K9-5	2-Nitrophenol	< 0.016	< 0.36	MG/KG	43,000	NA
	PA-K9-10	2-Nitrophenol	< 0.015	< 0.36	MG/KG	43,000	NA
PA-P17	PA-P17-5	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-P17-10	2-Nitrophenol	< 0.083	< 0.35	MG/KG	43,000	NA
	PA-P17-15	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-P17-20	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
PA-P19	PA-P19-20	2-Nitrophenol	< 0.085	< 0.36	MG/KG	43,000	NA
PA-Q1	PA-Q1-1	2-Nitrophenol	< 0.086	< 0.34	MG/KG	43,000	NA
	PA-Q1-5	2-Nitrophenol	< 0.084	< 0.34	MG/KG	43,000	NA
	PA-Q1-10	2-Nitrophenol	< 0.085	< 0.35	MG/KG	43,000	NA
PA-V1	PA-V1-1	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
	PA-V1-5	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
	PA-V1-10	2-Nitrophenol	< 0.015	< 0.35	MG/KG	43,000	NA
PA-BBB2	PA-BBB2-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-BBB2-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-BBB2-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-BBB2-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-BBB2-25	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-C2	PA-C2-1	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-C2-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-C2-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-EE-14-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-EE-14-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-EE-14-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH10-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH10-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH10-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-HH11	PA-HH11-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH11-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH11-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH11-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH11-25	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-HH8	PA-HH8-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH8-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH8-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH8-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-HH8-25	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-K9	PA-K9-1	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-K9-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-K9-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-P17	PA-P17-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-P17-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-P17-15	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-P17-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-P19	PA-P19-20	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-Q1	PA-Q1-1	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-Q1-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-Q1-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-V1-5	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
	PA-V1-10	3,3'-Dichlorobenzidine	< 0.047	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	3-Nitroaniline	< 0.54	< 0.9	MG/KG	180	NA
	PA-BBB2-10	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-BBB2-15	3-Nitroaniline	< 0.52	< 0.84	MG/KG	180	NA
	PA-BBB2-20	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-BBB2-25	3-Nitroaniline	< 0.52	< 0.85	MG/KG	180	NA
PA-C2	PA-C2-1	3-Nitroaniline	< 0.019	< 0.88	MG/KG	180	NA
	PA-C2-5	3-Nitroaniline	< 0.018	< 0.88	MG/KG	180	NA
	PA-C2-10	3-Nitroaniline	< 0.018	< 0.85	MG/KG	180	NA
PA-EE14	PA-EE-14-1	3-Nitroaniline	< 0.082	< 0.87	MG/KG	180	NA
	PA-EE-14-5	3-Nitroaniline	< 0.081	< 0.91	MG/KG	180	NA
	PA-EE-14-10	3-Nitroaniline	< 0.08	< 0.86	MG/KG	180	NA
	PA-EE-14-15	3-Nitroaniline	< 0.079	< 0.85	MG/KG	180	NA
	PA-EE-14-20	3-Nitroaniline	< 0.08	< 0.88	MG/KG	180	NA
PA-HH10	PA-HH10-5	3-Nitroaniline	< 0.53	< 0.87	MG/KG	180	NA
	PA-HH10-10	3-Nitroaniline	< 0.53	< 0.88	MG/KG	180	NA
	PA-HH10-15	3-Nitroaniline	< 0.52	< 0.87	MG/KG	180	NA
	PA-HH10-20	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
PA-HH11	PA-HH11-5	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-HH11-10	3-Nitroaniline	< 0.51	< 0.86	MG/KG	180	NA
	PA-HH11-15	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-HH11-20	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-HH11-25	3-Nitroaniline	< 0.53	< 0.86	MG/KG	180	NA
PA-HH8	PA-HH8-5	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-HH8-10	3-Nitroaniline	< 0.52	< 0.87	MG/KG	180	NA
	PA-HH8-15	3-Nitroaniline	< 0.52	< 0.87	MG/KG	180	NA
	PA-HH8-20	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-HH8-25	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
PA-K9	PA-K9-1	3-Nitroaniline	< 0.019	< 0.89	MG/KG	180	NA
	PA-K9-5	3-Nitroaniline	< 0.02	< 0.9	MG/KG	180	NA
	PA-K9-10	3-Nitroaniline	< 0.019	< 0.9	MG/KG	180	NA
PA-P17	PA-P17-5	3-Nitroaniline	< 0.51	< 0.85	MG/KG	180	NA
	PA-P17-10	3-Nitroaniline	< 0.51	< 0.87	MG/KG	180	NA
	PA-P17-15	3-Nitroaniline	< 0.51	< 0.86	MG/KG	180	NA
	PA-P17-20	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
PA-P19	PA-P19-20	3-Nitroaniline	< 0.52	< 0.92	MG/KG	180	NA
PA-Q1	PA-Q1-1	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-Q1-5	3-Nitroaniline	< 0.52	< 0.86	MG/KG	180	NA
	PA-Q1-10	3-Nitroaniline	< 0.52	< 0.87	MG/KG	180	NA
PA-V1	PA-V1-1	3-Nitroaniline	< 0.019	< 0.88	MG/KG	180	NA
	PA-V1-5	3-Nitroaniline	< 0.019	< 0.89	MG/KG	180	NA
	PA-V1-10	3-Nitroaniline	< 0.019	< 0.87	MG/KG	180	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-BBB2	PA-BBB2-5	4,6-Dinitro-2-Methylphenol	< 0.044	< 0.9	MG/KG	NA	NA
	PA-BBB2-10	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-BBB2-15	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.84	MG/KG	NA	NA
	PA-BBB2-20	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-BBB2-25	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.85	MG/KG	NA	NA
PA-C2	PA-C2-1	4,6-Dinitro-2-Methylphenol	< 0.019	< 0.88	MG/KG	NA	NA
	PA-C2-5	4,6-Dinitro-2-Methylphenol	< 0.018	< 0.88	MG/KG	NA	NA
	PA-C2-10	4,6-Dinitro-2-Methylphenol	< 0.018	< 0.85	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	4,6-Dinitro-2-Methylphenol	< 0.064	< 0.87	MG/KG	NA	NA
	PA-EE-14-5	4,6-Dinitro-2-Methylphenol	< 0.063	< 0.91	MG/KG	NA	NA
	PA-EE-14-10	4,6-Dinitro-2-Methylphenol	< 0.062	< 0.86	MG/KG	NA	NA
	PA-EE-14-15	4,6-Dinitro-2-Methylphenol	< 0.061	< 0.85	MG/KG	NA	NA
	PA-EE-14-20	4,6-Dinitro-2-Methylphenol	< 0.062	< 0.88	MG/KG	NA	NA
PA-HH10	PA-HH10-5	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.87	MG/KG	NA	NA
	PA-HH10-10	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.88	MG/KG	NA	NA
	PA-HH10-15	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.87	MG/KG	NA	NA
	PA-HH10-20	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
PA-HH11	PA-HH11-5	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.86	MG/KG	NA	NA
	PA-HH11-10	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.86	MG/KG	NA	NA
	PA-HH11-15	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-HH11-20	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-HH11-25	4,6-Dinitro-2-Methylphenol	< 0.044	< 0.86	MG/KG	NA	NA
PA-HH8	PA-HH8-5	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-HH8-10	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.87	MG/KG	NA	NA
	PA-HH8-15	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.87	MG/KG	NA	NA
	PA-HH8-20	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-HH8-25	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
PA-K9	PA-K9-1	4,6-Dinitro-2-Methylphenol	< 0.019	< 0.89	MG/KG	NA	NA
	PA-K9-5	4,6-Dinitro-2-Methylphenol	< 0.019	< 0.9	MG/KG	NA	NA
	PA-K9-10	4,6-Dinitro-2-Methylphenol	< 0.018	< 0.9	MG/KG	NA	NA
PA-P17	PA-P17-5	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.85	MG/KG	NA	NA
	PA-P17-10	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.87	MG/KG	NA	NA
	PA-P17-15	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.86	MG/KG	NA	NA
	PA-P17-20	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.86	MG/KG	NA	NA
PA-P19	PA-P19-20	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.92	MG/KG	NA	NA
PA-Q1	PA-Q1-1	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.86	MG/KG	NA	NA
	PA-Q1-5	4,6-Dinitro-2-Methylphenol	< 0.042	< 0.86	MG/KG	NA	NA
	PA-Q1-10	4,6-Dinitro-2-Methylphenol	< 0.043	< 0.87	MG/KG	NA	NA
PA-V1	PA-V1-1	4,6-Dinitro-2-Methylphenol	< 0.019	< 0.88	MG/KG	NA	NA
	PA-V1-5	4,6-Dinitro-2-Methylphenol	< 0.018	< 0.89	MG/KG	NA	NA
	PA-V1-10	4,6-Dinitro-2-Methylphenol	< 0.018	< 0.87	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	4-Bromophenyl Phenyl Ether	< 0.032	< 0.36	MG/KG	na	NA
	PA-BBB2-10	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-BBB2-15	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-BBB2-20	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-BBB2-25	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	4-Bromophenyl Phenyl Ether	< 0.014	< 0.35	MG/KG	na	NA
	PA-C2-5	4-Bromophenyl Phenyl Ether	< 0.013	< 0.35	MG/KG	na	NA
	PA-C2-10	4-Bromophenyl Phenyl Ether	< 0.013	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	4-Bromophenyl Phenyl Ether	< 0.017	< 0.35	MG/KG	na	NA
	PA-EE-14-5	4-Bromophenyl Phenyl Ether	< 0.017	< 0.36	MG/KG	na	NA
	PA-EE-14-10	4-Bromophenyl Phenyl Ether	< 0.017	< 0.34	MG/KG	na	NA
	PA-EE-14-15	4-Bromophenyl Phenyl Ether	< 0.017	< 0.34	MG/KG	na	NA
	PA-EE-14-20	4-Bromophenyl Phenyl Ether	< 0.017	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
	PA-HH10-10	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
	PA-HH10-15	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
	PA-HH10-20	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA
	PA-HH11-10	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-15	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-HH11-20	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-HH11-25	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-HH8-10	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
	PA-HH8-15	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
	PA-HH8-20	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-HH8-25	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	4-Bromophenyl Phenyl Ether	< 0.014	< 0.35	MG/KG	na	NA
	PA-K9-5	4-Bromophenyl Phenyl Ether	< 0.014	< 0.36	MG/KG	na	NA
	PA-K9-10	4-Bromophenyl Phenyl Ether	< 0.013	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA
	PA-P17-10	4-Bromophenyl Phenyl Ether	< 0.03	< 0.35	MG/KG	na	NA
	PA-P17-15	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA
	PA-P17-20	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	4-Bromophenyl Phenyl Ether	< 0.031	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	4-Bromophenyl Phenyl Ether	< 0.031	< 0.34	MG/KG	na	NA
	PA-Q1-5	4-Bromophenyl Phenyl Ether	< 0.03	< 0.34	MG/KG	na	NA
	PA-Q1-10	4-Bromophenyl Phenyl Ether	< 0.031	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	4-Bromophenyl Phenyl Ether	< 0.014	< 0.35	MG/KG	na	NA
	PA-V1-5	4-Bromophenyl Phenyl Ether	< 0.013	< 0.35	MG/KG	na	NA
	PA-V1-10	4-Bromophenyl Phenyl Ether	< 0.013	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	4-Chloro-3-Methylphenol	< 0.04	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	4-Chloro-3-Methylphenol	< 0.011	< 0.35	MG/KG	NA	NA
	PA-C2-5	4-Chloro-3-Methylphenol	< 0.011	< 0.35	MG/KG	NA	NA
	PA-C2-10	4-Chloro-3-Methylphenol	< 0.011	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	4-Chloro-3-Methylphenol	< 0.02	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	4-Chloro-3-Methylphenol	< 0.02	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	4-Chloro-3-Methylphenol	< 0.02	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	4-Chloro-3-Methylphenol	< 0.019	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	4-Chloro-3-Methylphenol	< 0.02	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	4-Chloro-3-Methylphenol	< 0.039	< 0.35	MG/KG	NA	NA
	PA-HH10-10	4-Chloro-3-Methylphenol	< 0.04	< 0.35	MG/KG	NA	NA
	PA-HH10-15	4-Chloro-3-Methylphenol	< 0.039	< 0.35	MG/KG	NA	NA
	PA-HH10-20	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH11-10	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH11-15	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH11-20	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH11-25	4-Chloro-3-Methylphenol	< 0.04	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH8-10	4-Chloro-3-Methylphenol	< 0.039	< 0.35	MG/KG	NA	NA
	PA-HH8-15	4-Chloro-3-Methylphenol	< 0.039	< 0.35	MG/KG	NA	NA
	PA-HH8-20	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-HH8-25	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	4-Chloro-3-Methylphenol	< 0.012	< 0.35	MG/KG	NA	NA
	PA-K9-5	4-Chloro-3-Methylphenol	< 0.012	< 0.36	MG/KG	NA	NA
	PA-K9-10	4-Chloro-3-Methylphenol	< 0.011	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-P17-10	4-Chloro-3-Methylphenol	< 0.038	< 0.35	MG/KG	NA	NA
	PA-P17-15	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-P17-20	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	4-Chloro-3-Methylphenol	< 0.039	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-Q1-5	4-Chloro-3-Methylphenol	< 0.039	< 0.34	MG/KG	NA	NA
	PA-Q1-10	4-Chloro-3-Methylphenol	< 0.039	< 0.35	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-V1	PA-V1-1	4-Chloro-3-Methylphenol	< 0.011	< 0.35	MG/KG	NA	NA
	PA-V1-5	4-Chloro-3-Methylphenol	< 0.011	< 0.35	MG/KG	NA	NA
	PA-V1-10	4-Chloro-3-Methylphenol	< 0.011	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-BBB2-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-BBB2-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-BBB2-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-BBB2-25	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-C2	PA-C2-1	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-C2-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-C2-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-EE14	PA-EE-14-1	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-EE-14-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-EE-14-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-EE-14-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-EE-14-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-HH10	PA-HH10-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH10-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH10-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH10-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-HH11	PA-HH11-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH11-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH11-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH11-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH11-25	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-HH8	PA-HH8-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH8-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH8-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH8-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-HH8-25	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-K9	PA-K9-1	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-K9-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-K9-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-P17	PA-P17-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-P17-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-P17-15	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-P17-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-P19	PA-P19-20	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-Q1	PA-Q1-1	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-Q1-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-Q1-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-V1	PA-V1-1	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-V1-5	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
	PA-V1-10	4-Chloroaniline	< 0.063	< 0.35	MG/KG	240	NA
PA-BBB2	PA-BBB2-5	4-Methylphenol (p-Cresol)	< 0.044	< 0.36	MG/KG	3,100	NA
	PA-BBB2-10	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-BBB2-15	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-BBB2-20	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
	PA-BBB2-25	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
PA-C2	PA-C2-1	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
	PA-C2-5	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
	PA-C2-10	4-Methylphenol (p-Cresol)	< 0.012	< 0.34	MG/KG	3,100	NA
PA-EE14	PA-EE-14-1	4-Methylphenol (p-Cresol)	< 0.045	< 0.35	MG/KG	3,100	NA
	PA-EE-14-5	4-Methylphenol (p-Cresol)	< 0.044	< 0.36	MG/KG	3,100	NA
	PA-EE-14-10	4-Methylphenol (p-Cresol)	< 0.044	< 0.34	MG/KG	3,100	NA
	PA-EE-14-15	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
	PA-EE-14-20	4-Methylphenol (p-Cresol)	< 0.044	< 0.35	MG/KG	3,100	NA
PA-HH10	PA-HH10-5	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA
	PA-HH10-10	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-15	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA
	PA-HH10-20	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
PA-HH11	PA-HH11-5	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-HH11-10	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-HH11-15	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-HH11-20	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
	PA-HH11-25	4-Methylphenol (p-Cresol)	< 0.044	< 0.34	MG/KG	3,100	NA
PA-HH8	PA-HH8-5	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
	PA-HH8-10	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA
	PA-HH8-15	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA
	PA-HH8-20	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-HH8-25	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
PA-K9	PA-K9-1	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
	PA-K9-5	4-Methylphenol (p-Cresol)	< 0.012	< 0.36	MG/KG	3,100	NA
	PA-K9-10	4-Methylphenol (p-Cresol)	< 0.012	< 0.36	MG/KG	3,100	NA
PA-P17	PA-P17-5	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-P17-10	4-Methylphenol (p-Cresol)	< 0.042	< 0.35	MG/KG	3,100	NA
	PA-P17-15	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-P17-20	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
PA-P19	PA-P19-20	4-Methylphenol (p-Cresol)	< 0.042	< 0.36	MG/KG	3,100	NA
PA-Q1	PA-Q1-1	4-Methylphenol (p-Cresol)	< 0.043	< 0.34	MG/KG	3,100	NA
	PA-Q1-5	4-Methylphenol (p-Cresol)	< 0.042	< 0.34	MG/KG	3,100	NA
	PA-Q1-10	4-Methylphenol (p-Cresol)	< 0.043	< 0.35	MG/KG	3,100	NA
PA-V1	PA-V1-1	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
	PA-V1-5	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
	PA-V1-10	4-Methylphenol (p-Cresol)	< 0.012	< 0.35	MG/KG	3,100	NA
PA-BBB2	PA-BBB2-5	4-Nitroaniline	< 0.068	< 0.9	MG/KG	1,800	NA
	PA-BBB2-10	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-BBB2-15	4-Nitroaniline	< 0.065	< 0.84	MG/KG	1,800	NA
	PA-BBB2-20	4-Nitroaniline	< 0.066	< 0.86	MG/KG	1,800	NA
	PA-BBB2-25	4-Nitroaniline	< 0.065	< 0.85	MG/KG	1,800	NA
PA-C2	PA-C2-1	4-Nitroaniline	< 0.024	< 0.88	MG/KG	1,800	NA
	PA-C2-5	4-Nitroaniline	< 0.023	< 0.88	MG/KG	1,800	NA
	PA-C2-10	4-Nitroaniline	< 0.023	< 0.85	MG/KG	1,800	NA
PA-EE14	PA-EE-14-1	4-Nitroaniline	< 0.081	< 0.87	MG/KG	1,800	NA
	PA-EE-14-5	4-Nitroaniline	< 0.08	< 0.91	MG/KG	1,800	NA
	PA-EE-14-10	4-Nitroaniline	< 0.079	< 0.86	MG/KG	1,800	NA
	PA-EE-14-15	4-Nitroaniline	< 0.078	< 0.85	MG/KG	1,800	NA
	PA-EE-14-20	4-Nitroaniline	< 0.079	< 0.88	MG/KG	1,800	NA
PA-HH10	PA-HH10-5	4-Nitroaniline	< 0.066	< 0.87	MG/KG	1,800	NA
	PA-HH10-10	4-Nitroaniline	< 0.066	< 0.88	MG/KG	1,800	NA
	PA-HH10-15	4-Nitroaniline	< 0.066	< 0.87	MG/KG	1,800	NA
	PA-HH10-20	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
PA-HH11	PA-HH11-5	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-HH11-10	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-HH11-15	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-HH11-20	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-HH11-25	4-Nitroaniline	< 0.067	< 0.86	MG/KG	1,800	NA
PA-HH8	PA-HH8-5	4-Nitroaniline	< 0.066	< 0.86	MG/KG	1,800	NA
	PA-HH8-10	4-Nitroaniline	< 0.066	< 0.87	MG/KG	1,800	NA
	PA-HH8-15	4-Nitroaniline	< 0.066	< 0.87	MG/KG	1,800	NA
	PA-HH8-20	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-HH8-25	4-Nitroaniline	< 0.066	< 0.86	MG/KG	1,800	NA
PA-K9	PA-K9-1	4-Nitroaniline	< 0.024	< 0.89	MG/KG	1,800	NA
	PA-K9-5	4-Nitroaniline	< 0.025	< 0.9	MG/KG	1,800	NA
	PA-K9-10	4-Nitroaniline	< 0.024	< 0.9	MG/KG	1,800	NA
PA-P17	PA-P17-5	4-Nitroaniline	< 0.064	< 0.85	MG/KG	1,800	NA
	PA-P17-10	4-Nitroaniline	< 0.064	< 0.87	MG/KG	1,800	NA
	PA-P17-15	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-P17-20	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-P19	PA-P19-20	4-Nitroaniline	< 0.065	< 0.92	MG/KG	1,800	NA
PA-Q1	PA-Q1-1	4-Nitroaniline	< 0.066	< 0.86	MG/KG	1,800	NA
	PA-Q1-5	4-Nitroaniline	< 0.065	< 0.86	MG/KG	1,800	NA
	PA-Q1-10	4-Nitroaniline	< 0.066	< 0.87	MG/KG	1,800	NA
PA-V1	PA-V1-1	4-Nitroaniline	< 0.024	< 0.88	MG/KG	1,800	NA
	PA-V1-5	4-Nitroaniline	< 0.023	< 0.89	MG/KG	1,800	NA
	PA-V1-10	4-Nitroaniline	< 0.024	< 0.87	MG/KG	1,800	NA
PA-BBB2	PA-BBB2-5	4-Nitrophenol	< 0.092	< 0.9	MG/KG	NA	NA
	PA-BBB2-10	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-BBB2-15	4-Nitrophenol	< 0.088	< 0.84	MG/KG	NA	NA
	PA-BBB2-20	4-Nitrophenol	< 0.089	< 0.86	MG/KG	NA	NA
	PA-BBB2-25	4-Nitrophenol	< 0.088	< 0.85	MG/KG	NA	NA
PA-C2	PA-C2-1	4-Nitrophenol	< 0.025	< 0.88	MG/KG	NA	NA
	PA-C2-5	4-Nitrophenol	< 0.024	< 0.88	MG/KG	NA	NA
	PA-C2-10	4-Nitrophenol	< 0.024	< 0.85	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	4-Nitrophenol	< 0.078	< 0.87	MG/KG	NA	NA
	PA-EE-14-5	4-Nitrophenol	< 0.077	< 0.91	MG/KG	NA	NA
	PA-EE-14-10	4-Nitrophenol	< 0.076	< 0.86	MG/KG	NA	NA
	PA-EE-14-15	4-Nitrophenol	< 0.075	< 0.85	MG/KG	NA	NA
	PA-EE-14-20	4-Nitrophenol	< 0.076	< 0.88	MG/KG	NA	NA
PA-HH10	PA-HH10-5	4-Nitrophenol	< 0.09	< 0.87	MG/KG	NA	NA
	PA-HH10-10	4-Nitrophenol	< 0.09	< 0.88	MG/KG	NA	NA
	PA-HH10-15	4-Nitrophenol	< 0.089	< 0.87	MG/KG	NA	NA
	PA-HH10-20	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
PA-HH11	PA-HH11-5	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-HH11-10	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-HH11-15	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-HH11-20	4-Nitrophenol	< 0.089	< 0.86	MG/KG	NA	NA
	PA-HH11-25	4-Nitrophenol	< 0.091	< 0.86	MG/KG	NA	NA
PA-HH8	PA-HH8-5	4-Nitrophenol	< 0.089	< 0.86	MG/KG	NA	NA
	PA-HH8-10	4-Nitrophenol	< 0.089	< 0.87	MG/KG	NA	NA
	PA-HH8-15	4-Nitrophenol	< 0.089	< 0.87	MG/KG	NA	NA
	PA-HH8-20	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-HH8-25	4-Nitrophenol	< 0.089	< 0.86	MG/KG	NA	NA
PA-K9	PA-K9-1	4-Nitrophenol	< 0.025	< 0.89	MG/KG	NA	NA
	PA-K9-5	4-Nitrophenol	< 0.026	< 0.9	MG/KG	NA	NA
	PA-K9-10	4-Nitrophenol	< 0.025	< 0.9	MG/KG	NA	NA
PA-P17	PA-P17-5	4-Nitrophenol	< 0.087	< 0.85	MG/KG	NA	NA
	PA-P17-10	4-Nitrophenol	< 0.087	< 0.87	MG/KG	NA	NA
	PA-P17-15	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-P17-20	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
PA-P19	PA-P19-20	4-Nitrophenol	< 0.088	< 0.92	MG/KG	NA	NA
PA-Q1	PA-Q1-1	4-Nitrophenol	< 0.09	< 0.86	MG/KG	NA	NA
	PA-Q1-5	4-Nitrophenol	< 0.088	< 0.86	MG/KG	NA	NA
	PA-Q1-10	4-Nitrophenol	< 0.089	< 0.87	MG/KG	NA	NA
PA-V1	PA-V1-1	4-Nitrophenol	< 0.025	< 0.88	MG/KG	NA	NA
	PA-V1-5	4-Nitrophenol	< 0.024	< 0.89	MG/KG	NA	NA
	PA-V1-10	4-Nitrophenol	< 0.025	< 0.87	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Acenaphthene	< 0.043	< 0.36	MG/KG	29,000	NA
	PA-BBB2-10	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-BBB2-15	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-BBB2-20	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-BBB2-25	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
PA-C2	PA-C2-1	Acenaphthene	< 0.0092	< 0.35	MG/KG	29,000	NA
	PA-C2-5	Acenaphthene	< 0.009	< 0.35	MG/KG	29,000	NA
	PA-C2-10	Acenaphthene	< 0.009	< 0.34	MG/KG	29,000	NA
PA-EE14	PA-EE-14-1	Acenaphthene	< 0.023	< 0.35	MG/KG	29,000	NA
	PA-EE-14-5	Acenaphthene	< 0.023	< 0.36	MG/KG	29,000	NA
	PA-EE-14-10	Acenaphthene	< 0.023	< 0.34	MG/KG	29,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-15	Acenaphthene	< 0.023	< 0.34	MG/KG	29,000	NA
	PA-EE-14-20	Acenaphthene	< 0.023	< 0.35	MG/KG	29,000	NA
PA-HH10	PA-HH10-5	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
	PA-HH10-10	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
	PA-HH10-15	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
	PA-HH10-20	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
PA-HH11	PA-HH11-5	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-HH11-10	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-HH11-15	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-HH11-20	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-HH11-25	Acenaphthene	< 0.043	< 0.34	MG/KG	29,000	NA
PA-HH8	PA-HH8-5	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-HH8-10	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
	PA-HH8-15	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
	PA-HH8-20	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-HH8-25	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
PA-K9	PA-K9-1	Acenaphthene	< 0.0093	< 0.35	MG/KG	29,000	NA
	PA-K9-5	Acenaphthene	< 0.0095	< 0.36	MG/KG	29,000	NA
	PA-K9-10	Acenaphthene	< 0.0091	< 0.36	MG/KG	29,000	NA
PA-P17	PA-P17-5	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-P17-10	Acenaphthene	< 0.041	< 0.35	MG/KG	29,000	NA
	PA-P17-15	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-P17-20	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
PA-P19	PA-P19-20	Acenaphthene	< 0.042	< 0.36	MG/KG	29,000	NA
PA-Q1	PA-Q1-1	Acenaphthene	< 0.042	< 0.34	MG/KG	29,000	NA
	PA-Q1-5	Acenaphthene	< 0.041	< 0.34	MG/KG	29,000	NA
	PA-Q1-10	Acenaphthene	< 0.042	< 0.35	MG/KG	29,000	NA
PA-V1	PA-V1-1	Acenaphthene	< 0.0092	< 0.35	MG/KG	29,000	NA
	PA-V1-5	Acenaphthene	< 0.0091	< 0.35	MG/KG	29,000	NA
	PA-V1-10	Acenaphthene	< 0.0091	< 0.35	MG/KG	29,000	NA
PA-BBB2	PA-BBB2-5	Acenaphthylene	< 0.043	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Acenaphthylene	< 0.0081	< 0.35	MG/KG	na	NA
	PA-C2-5	Acenaphthylene	< 0.0079	< 0.35	MG/KG	na	NA
	PA-C2-10	Acenaphthylene	< 0.0079	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Acenaphthylene	< 0.044	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Acenaphthylene	< 0.044	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Acenaphthylene	< 0.043	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Acenaphthylene	< 0.043	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Acenaphthylene	< 0.043	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Acenaphthylene	< 0.041	< 0.35	MG/KG	na	NA
	PA-HH10-10	Acenaphthylene	< 0.042	< 0.35	MG/KG	na	NA
	PA-HH10-15	Acenaphthylene	< 0.041	< 0.35	MG/KG	na	NA
	PA-HH10-20	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH11-10	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH11-15	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH11-20	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH11-25	Acenaphthylene	< 0.042	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH8-10	Acenaphthylene	< 0.041	< 0.35	MG/KG	na	NA
	PA-HH8-15	Acenaphthylene	< 0.041	< 0.35	MG/KG	na	NA
	PA-HH8-20	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-HH8-25	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Acenaphthylene	< 0.0082	< 0.35	MG/KG	na	NA
	PA-K9-5	Acenaphthylene	< 0.0084	< 0.36	MG/KG	na	NA
	PA-K9-10	Acenaphthylene	< 0.008	< 0.36	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-P17	PA-P17-5	Acenaphthylene	< 0.04	< 0.34	MG/KG	na	NA
	PA-P17-10	Acenaphthylene	< 0.04	< 0.35	MG/KG	na	NA
	PA-P17-15	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-P17-20	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Acenaphthylene	< 0.041	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-Q1-5	Acenaphthylene	< 0.041	< 0.34	MG/KG	na	NA
	PA-Q1-10	Acenaphthylene	< 0.041	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Acenaphthylene	< 0.0081	< 0.35	MG/KG	na	NA
	PA-V1-5	Acenaphthylene	< 0.0079	< 0.35	MG/KG	na	NA
	PA-V1-10	Acenaphthylene	< 0.008	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Anthracene	< 0.033	< 0.36	MG/KG	240,000	NA
	PA-BBB2-10	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-BBB2-15	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-BBB2-20	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-BBB2-25	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
PA-C2	PA-C2-1	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
	PA-C2-5	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
	PA-C2-10	Anthracene	< 0.015	< 0.34	MG/KG	240,000	NA
PA-EE14	PA-EE-14-1	Anthracene	< 0.12	< 0.35	MG/KG	240,000	NA
	PA-EE-14-5	Anthracene	< 0.12	< 0.36	MG/KG	240,000	NA
	PA-EE-14-10	Anthracene	< 0.12	< 0.34	MG/KG	240,000	NA
	PA-EE-14-15	Anthracene	< 0.12	< 0.34	MG/KG	240,000	NA
	PA-EE-14-20	Anthracene	< 0.12	< 0.35	MG/KG	240,000	NA
PA-HH10	PA-HH10-5	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
	PA-HH10-10	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
	PA-HH10-15	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
	PA-HH10-20	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
PA-HH11	PA-HH11-5	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH11-10	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH11-15	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH11-20	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH11-25	Anthracene	< 0.033	< 0.34	MG/KG	240,000	NA
PA-HH8	PA-HH8-5	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH8-10	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
	PA-HH8-15	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
	PA-HH8-20	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-HH8-25	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
PA-K9	PA-K9-1	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
	PA-K9-5	Anthracene	< 0.015	< 0.36	MG/KG	240,000	NA
	PA-K9-10	Anthracene	< 0.015	< 0.36	MG/KG	240,000	NA
PA-P17	PA-P17-5	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-P17-10	Anthracene	< 0.031	< 0.35	MG/KG	240,000	NA
	PA-P17-15	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-P17-20	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
PA-P19	PA-P19-20	Anthracene	< 0.032	< 0.36	MG/KG	240,000	NA
PA-Q1	PA-Q1-1	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-Q1-5	Anthracene	< 0.032	< 0.34	MG/KG	240,000	NA
	PA-Q1-10	Anthracene	< 0.032	< 0.35	MG/KG	240,000	NA
PA-V1	PA-V1-1	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
	PA-V1-5	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
	PA-V1-10	Anthracene	< 0.015	< 0.35	MG/KG	240,000	NA
PA-BBB2	PA-BBB2-5	Benzo(a) Anthracene	< 0.019	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzo(a) Anthracene	< 0.0081	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzo(a) Anthracene	< 0.0078	< 0.35	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-C2-10	Benzo(a) Anthracene	< 0.0078	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzo(a) Anthracene	< 0.023	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzo(a) Anthracene	< 0.023	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzo(a) Anthracene	< 0.023	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzo(a) Anthracene	< 0.022	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzo(a) Anthracene	< 0.023	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-HH8-25	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzo(a) Anthracene	< 0.0081	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzo(a) Anthracene	< 0.0083	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzo(a) Anthracene	< 0.008	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzo(a) Anthracene	< 0.018	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzo(a) Anthracene	< 0.018	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzo(a) Anthracene	< 0.018	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzo(a) Anthracene	< 0.0081	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzo(a) Anthracene	< 0.0079	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzo(a) Anthracene	< 0.008	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Benzo(a) Pyrene	< 0.034	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzo(a) Pyrene	< 0.011	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzo(a) Pyrene	< 0.01	< 0.35	MG/KG	na	NA
	PA-C2-10	Benzo(a) Pyrene	< 0.01	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzo(a) Pyrene	< 0.11	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzo(a) Pyrene	< 0.11	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzo(a) Pyrene	< 0.11	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzo(a) Pyrene	< 0.1	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzo(a) Pyrene	< 0.1	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH8-25	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzo(a) Pyrene	< 0.011	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzo(a) Pyrene	< 0.011	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzo(a) Pyrene	< 0.011	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzo(a) Pyrene	< 0.032	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzo(a) Pyrene	< 0.033	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzo(a) Pyrene	< 0.033	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzo(a) Pyrene	< 0.032	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzo(a) Pyrene	< 0.033	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzo(a) Pyrene	< 0.011	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzo(a) Pyrene	< 0.01	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzo(a) Pyrene	< 0.011	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Benzo(b) Fluoranthene	< 0.035	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzo(b) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzo(b) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
	PA-C2-10	Benzo(b) Fluoranthene	< 0.26	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzo(b) Fluoranthene	< 0.13	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzo(b) Fluoranthene	< 0.13	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzo(b) Fluoranthene	< 0.13	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzo(b) Fluoranthene	< 0.13	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzo(b) Fluoranthene	< 0.13	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-HH8-25	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzo(b) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzo(b) Fluoranthene	< 0.27	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzo(b) Fluoranthene	< 0.26	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzo(b) Fluoranthene	< 0.033	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzo(b) Fluoranthene	< 0.033	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzo(b) Fluoranthene	< 0.034	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzo(b) Fluoranthene	< 0.033	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzo(b) Fluoranthene	< 0.034	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzo(b) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzo(b) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzo(b) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Benzo(g,h,i) Perylene	< 0.054	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-20	Benzo(g,h,i) Perylene	< 0.053	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzo(g,h,i) Perylene	< 0.0094	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzo(g,h,i) Perylene	< 0.0091	< 0.35	MG/KG	na	NA
	PA-C2-10	Benzo(g,h,i) Perylene	< 0.0091	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzo(g,h,i) Perylene	< 0.025	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzo(g,h,i) Perylene	< 0.025	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzo(g,h,i) Perylene	< 0.024	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzo(g,h,i) Perylene	< 0.024	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzo(g,h,i) Perylene	< 0.024	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzo(g,h,i) Perylene	< 0.053	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzo(g,h,i) Perylene	< 0.053	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzo(g,h,i) Perylene	< 0.052	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzo(g,h,i) Perylene	< 0.054	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzo(g,h,i) Perylene	< 0.053	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzo(g,h,i) Perylene	< 0.053	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-HH8-25	Benzo(g,h,i) Perylene	< 0.053	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzo(g,h,i) Perylene	< 0.0095	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzo(g,h,i) Perylene	< 0.0097	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzo(g,h,i) Perylene	< 0.0093	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzo(g,h,i) Perylene	< 0.051	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzo(g,h,i) Perylene	< 0.052	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzo(g,h,i) Perylene	< 0.053	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzo(g,h,i) Perylene	< 0.052	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzo(g,h,i) Perylene	< 0.053	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzo(g,h,i) Perylene	< 0.0094	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzo(g,h,i) Perylene	< 0.0092	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzo(g,h,i) Perylene	< 0.0093	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Benzo(k) Fluoranthene	< 0.045	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Benzo(k) Fluoranthene	< 0.044	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzo(k) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzo(k) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
	PA-C2-10	Benzo(k) Fluoranthene	< 0.26	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzo(k) Fluoranthene	< 0.057	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzo(k) Fluoranthene	< 0.056	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzo(k) Fluoranthene	< 0.056	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzo(k) Fluoranthene	< 0.055	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzo(k) Fluoranthene	< 0.056	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzo(k) Fluoranthene	< 0.044	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzo(k) Fluoranthene	< 0.044	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzo(k) Fluoranthene	< 0.043	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzo(k) Fluoranthene	< 0.044	< 0.34	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH8	PA-HH8-5	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzo(k) Fluoranthene	< 0.044	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzo(k) Fluoranthene	< 0.044	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-HH8-25	Benzo(k) Fluoranthene	< 0.044	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzo(k) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzo(k) Fluoranthene	< 0.27	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzo(k) Fluoranthene	< 0.26	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzo(k) Fluoranthene	< 0.043	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzo(k) Fluoranthene	< 0.043	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzo(k) Fluoranthene	< 0.044	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzo(k) Fluoranthene	< 0.043	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzo(k) Fluoranthene	< 0.044	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzo(k) Fluoranthene	< 0.27	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzo(k) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzo(k) Fluoranthene	< 0.26	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Benzyl Butyl Phthalate	< 0.03	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA
	PA-C2-5	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA
	PA-C2-10	Benzyl Butyl Phthalate	< 0.012	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Benzyl Butyl Phthalate	< 0.051	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Benzyl Butyl Phthalate	< 0.05	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Benzyl Butyl Phthalate	< 0.05	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Benzyl Butyl Phthalate	< 0.049	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Benzyl Butyl Phthalate	< 0.049	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
	PA-HH10-10	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
	PA-HH10-15	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
	PA-HH10-20	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
	PA-HH11-10	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
	PA-HH11-15	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-HH11-20	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-HH11-25	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-HH8-10	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
	PA-HH8-15	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
	PA-HH8-20	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-HH8-25	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA
	PA-K9-5	Benzyl Butyl Phthalate	< 0.012	< 0.36	MG/KG	na	NA
	PA-K9-10	Benzyl Butyl Phthalate	< 0.012	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
	PA-P17-10	Benzyl Butyl Phthalate	< 0.028	< 0.35	MG/KG	na	NA
	PA-P17-15	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
	PA-P17-20	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Benzyl Butyl Phthalate	< 0.029	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Benzyl Butyl Phthalate	< 0.029	< 0.34	MG/KG	na	NA
	PA-Q1-5	Benzyl Butyl Phthalate	< 0.028	< 0.34	MG/KG	na	NA
	PA-Q1-10	Benzyl Butyl Phthalate	< 0.029	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA
	PA-V1-5	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA
	PA-V1-10	Benzyl Butyl Phthalate	< 0.012	< 0.35	MG/KG	na	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-BBB2	PA-BBB2-5	Bis (2-Chloroethyl) Ether	< 0.16	< 0.36	MG/KG	na	NA
	PA-BBB2-10	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-BBB2-15	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-BBB2-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-BBB2-25	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
PA-C2	PA-C2-1	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
	PA-C2-5	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
	PA-C2-10	Bis (2-Chloroethyl) Ether	< 0.016	< 0.34	MG/KG	na	NA
PA-EE14	PA-EE-14-1	Bis (2-Chloroethyl) Ether	< 0.046	< 0.35	MG/KG	na	NA
	PA-EE-14-5	Bis (2-Chloroethyl) Ether	< 0.045	< 0.36	MG/KG	na	NA
	PA-EE-14-10	Bis (2-Chloroethyl) Ether	< 0.045	< 0.34	MG/KG	na	NA
	PA-EE-14-15	Bis (2-Chloroethyl) Ether	< 0.044	< 0.34	MG/KG	na	NA
	PA-EE-14-20	Bis (2-Chloroethyl) Ether	< 0.044	< 0.35	MG/KG	na	NA
PA-HH10	PA-HH10-5	Bis (2-Chloroethyl) Ether	< 0.16	< 0.35	MG/KG	na	NA
	PA-HH10-10	Bis (2-Chloroethyl) Ether	< 0.16	< 0.35	MG/KG	na	NA
	PA-HH10-15	Bis (2-Chloroethyl) Ether	< 0.15	< 0.35	MG/KG	na	NA
	PA-HH10-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
PA-HH11	PA-HH11-5	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH11-10	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH11-15	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH11-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH11-25	Bis (2-Chloroethyl) Ether	< 0.16	< 0.34	MG/KG	na	NA
PA-HH8	PA-HH8-5	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH8-10	Bis (2-Chloroethyl) Ether	< 0.15	< 0.35	MG/KG	na	NA
	PA-HH8-15	Bis (2-Chloroethyl) Ether	< 0.15	< 0.35	MG/KG	na	NA
	PA-HH8-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-HH8-25	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
PA-K9	PA-K9-1	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
	PA-K9-5	Bis (2-Chloroethyl) Ether	< 0.017	< 0.36	MG/KG	na	NA
	PA-K9-10	Bis (2-Chloroethyl) Ether	< 0.016	< 0.36	MG/KG	na	NA
PA-P17	PA-P17-5	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-P17-10	Bis (2-Chloroethyl) Ether	< 0.15	< 0.35	MG/KG	na	NA
	PA-P17-15	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-P17-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
PA-P19	PA-P19-20	Bis (2-Chloroethyl) Ether	< 0.15	< 0.36	MG/KG	na	NA
PA-Q1	PA-Q1-1	Bis (2-Chloroethyl) Ether	< 0.16	< 0.34	MG/KG	na	NA
	PA-Q1-5	Bis (2-Chloroethyl) Ether	< 0.15	< 0.34	MG/KG	na	NA
	PA-Q1-10	Bis (2-Chloroethyl) Ether	< 0.15	< 0.35	MG/KG	na	NA
PA-V1	PA-V1-1	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
	PA-V1-5	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
	PA-V1-10	Bis (2-Chloroethyl) Ether	< 0.016	< 0.35	MG/KG	na	NA
PA-BBB2	PA-BBB2-5	Bis (2-Ethylhexyl) Phthalate	< 0.039	< 0.36	MG/KG	12,000	NA
	PA-BBB2-10	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-BBB2-15	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-BBB2-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-BBB2-25	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
PA-C2	PA-C2-1	Bis (2-Ethylhexyl) Phthalate	< 0.0099	< 0.35	MG/KG	12,000	NA
	PA-C2-5	Bis (2-Ethylhexyl) Phthalate	< 0.0096	< 0.35	MG/KG	12,000	NA
	PA-C2-10	Bis (2-Ethylhexyl) Phthalate	< 0.0096	< 0.34	MG/KG	12,000	NA
PA-EE14	PA-EE-14-1	Bis (2-Ethylhexyl) Phthalate	< 0.048	< 0.35	MG/KG	12,000	NA
	PA-EE-14-5	Bis (2-Ethylhexyl) Phthalate	< 0.048	< 0.36	MG/KG	12,000	NA
	PA-EE-14-10	Bis (2-Ethylhexyl) Phthalate	< 0.047	< 0.34	MG/KG	12,000	NA
	PA-EE-14-15	Bis (2-Ethylhexyl) Phthalate	< 0.047	< 0.34	MG/KG	12,000	NA
	PA-EE-14-20	Bis (2-Ethylhexyl) Phthalate	< 0.047	< 0.35	MG/KG	12,000	NA
PA-HH10	PA-HH10-5	Bis (2-Ethylhexyl) Phthalate	< 0.038	< 0.35	MG/KG	12,000	NA
	PA-HH10-10	Bis (2-Ethylhexyl) Phthalate	< 0.038	< 0.35	MG/KG	12,000	NA
	PA-HH10-15	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.35	MG/KG	12,000	NA
	PA-HH10-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
PA-HH11	PA-HH11-5	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-10	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-HH11-15	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-HH11-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-HH11-25	Bis (2-Ethylhexyl) Phthalate	< 0.038	< 0.34	MG/KG	12,000	NA
PA-HH8	PA-HH8-5	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-HH8-10	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.35	MG/KG	12,000	NA
	PA-HH8-15	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.35	MG/KG	12,000	NA
	PA-HH8-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-HH8-25	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
PA-K9	PA-K9-1	Bis (2-Ethylhexyl) Phthalate	< 0.01	< 0.35	MG/KG	12,000	NA
	PA-K9-5	Bis (2-Ethylhexyl) Phthalate	< 0.01	< 0.36	MG/KG	12,000	NA
	PA-K9-10	Bis (2-Ethylhexyl) Phthalate	< 0.0098	< 0.36	MG/KG	12,000	NA
PA-P17	PA-P17-5	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-P17-10	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.35	MG/KG	12,000	NA
	PA-P17-15	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-P17-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
PA-P19	PA-P19-20	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.36	MG/KG	12,000	NA
PA-Q1	PA-Q1-1	Bis (2-Ethylhexyl) Phthalate	< 0.038	< 0.34	MG/KG	12,000	NA
	PA-Q1-5	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.34	MG/KG	12,000	NA
	PA-Q1-10	Bis (2-Ethylhexyl) Phthalate	< 0.037	< 0.35	MG/KG	12,000	NA
PA-V1	PA-V1-1	Bis (2-Ethylhexyl) Phthalate	< 0.0099	< 0.35	MG/KG	12,000	NA
	PA-V1-5	Bis (2-Ethylhexyl) Phthalate	< 0.0097	< 0.35	MG/KG	12,000	NA
	PA-V1-10	Bis (2-Ethylhexyl) Phthalate	< 0.0098	< 0.35	MG/KG	12,000	NA
PA-BBB2	PA-BBB2-5	Carbazole	< 0.27	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	Carbazole	< 0.27	< 0.35	MG/KG	NA	NA
	PA-C2-5	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-C2-10	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Carbazole	< 0.27	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Carbazole	< 0.26	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-HH10-10	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH11-10	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH11-15	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH11-20	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH11-25	Carbazole	< 0.27	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH8-10	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-HH8-25	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	Carbazole	< 0.27	< 0.35	MG/KG	NA	NA
	PA-K9-5	Carbazole	< 0.27	< 0.36	MG/KG	NA	NA
	PA-K9-10	Carbazole	< 0.26	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-P17-10	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-P17-15	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-P17-20	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	Carbazole	< 0.26	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA
	PA-Q1-5	Carbazole	< 0.26	< 0.34	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-Q1-10	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Carbazole	< 0.27	< 0.35	MG/KG	NA	NA
	PA-V1-5	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
	PA-V1-10	Carbazole	< 0.26	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-BBB2-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-BBB2-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-BBB2-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-BBB2-25	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-C2	PA-C2-1	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-EE-14-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-EE-14-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-EE-14-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH10-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH11-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH11-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH11-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH11-25	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH8-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-HH8-25	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-K9	PA-K9-1	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-K9-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-K9-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-P17	PA-P17-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-P17-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-P17-15	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-P17-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-P19	PA-P19-20	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-Q1-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-Q1-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-V1-5	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-V1-10	Chrysene	< 0.012	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-BBB2-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-BBB2-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-BBB2-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-BBB2-25	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-C2	PA-C2-1	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-C2-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-C2-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-EE-14-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-EE-14-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-EE-14-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH11-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH11-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH11-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH11-25	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH8-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-HH8-25	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-K9	PA-K9-1	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-K9-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-K9-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-P17	PA-P17-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-P17-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-P17-15	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-P17-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-P19	PA-P19-20	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-Q1-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-Q1-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-V1-5	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
	PA-V1-10	Dibenz(a,h)Anthracene	< 0.019	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-BBB2-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-BBB2-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-BBB2-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-BBB2-25	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-C2	PA-C2-1	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-C2-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-C2-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-EE14	PA-EE-14-1	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-EE-14-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-EE-14-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-EE-14-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-EE-14-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-HH10	PA-HH10-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH10-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH10-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH10-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-HH11	PA-HH11-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH11-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH11-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH11-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH11-25	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-HH8	PA-HH8-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH8-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH8-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH8-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-HH8-25	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-K9	PA-K9-1	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-K9-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-K9-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-P17	PA-P17-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-P17-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-P17-15	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-P17-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-P19	PA-P19-20	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-Q1	PA-Q1-1	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-Q1-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-Q1-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-V1	PA-V1-1	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-V1-5	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
	PA-V1-10	Dibenzofuran	< 0.01	< 0.35	MG/KG	150	NA
PA-BBB2	PA-BBB2-5	Diethyl Phthalate	< 0.042	< 0.36	MG/KG	490,000	NA
	PA-BBB2-10	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-BBB2-15	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-BBB2-20	Diethyl Phthalate	< 0.041	< 0.34	MG/KG	490,000	NA
	PA-BBB2-25	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
PA-C2	PA-C2-1	Diethyl Phthalate	< 0.015	< 0.35	MG/KG	490,000	NA
	PA-C2-5	Diethyl Phthalate	< 0.015	< 0.35	MG/KG	490,000	NA
	PA-C2-10	Diethyl Phthalate	< 0.015	< 0.34	MG/KG	490,000	NA
PA-EE14	PA-EE-14-1	Diethyl Phthalate	< 0.11	< 0.35	MG/KG	490,000	NA
	PA-EE-14-5	Diethyl Phthalate	< 0.11	< 0.36	MG/KG	490,000	NA
	PA-EE-14-10	Diethyl Phthalate	< 0.11	< 0.34	MG/KG	490,000	NA
	PA-EE-14-15	Diethyl Phthalate	< 0.11	< 0.34	MG/KG	490,000	NA
	PA-EE-14-20	Diethyl Phthalate	< 0.11	< 0.35	MG/KG	490,000	NA
PA-HH10	PA-HH10-5	Diethyl Phthalate	< 0.041	< 0.35	MG/KG	490,000	NA
	PA-HH10-10	Diethyl Phthalate	< 0.041	< 0.35	MG/KG	490,000	NA
	PA-HH10-15	Diethyl Phthalate	< 0.04	< 0.35	MG/KG	490,000	NA
	PA-HH10-20	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
PA-HH11	PA-HH11-5	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH11-10	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH11-15	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH11-20	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH11-25	Diethyl Phthalate	< 0.041	< 0.34	MG/KG	490,000	NA
PA-HH8	PA-HH8-5	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH8-10	Diethyl Phthalate	< 0.041	< 0.35	MG/KG	490,000	NA
	PA-HH8-15	Diethyl Phthalate	< 0.041	< 0.35	MG/KG	490,000	NA
	PA-HH8-20	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-HH8-25	Diethyl Phthalate	< 0.041	< 0.34	MG/KG	490,000	NA
PA-K9	PA-K9-1	Diethyl Phthalate	0.051	< 0.35	MG/KG	490,000	NA
	PA-K9-5	Diethyl Phthalate	< 0.016	< 0.36	MG/KG	490,000	NA
	PA-K9-10	Diethyl Phthalate	< 0.044	< 0.36	MG/KG	490,000	NA
PA-P17	PA-P17-5	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-P17-10	Diethyl Phthalate	< 0.04	< 0.35	MG/KG	490,000	NA
	PA-P17-15	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-P17-20	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
PA-P19	PA-P19-20	Diethyl Phthalate	< 0.04	< 0.36	MG/KG	490,000	NA
PA-Q1	PA-Q1-1	Diethyl Phthalate	< 0.041	< 0.34	MG/KG	490,000	NA
	PA-Q1-5	Diethyl Phthalate	< 0.04	< 0.34	MG/KG	490,000	NA
	PA-Q1-10	Diethyl Phthalate	< 0.041	< 0.35	MG/KG	490,000	NA
PA-V1	PA-V1-1	Diethyl Phthalate	< 0.015	< 0.35	MG/KG	490,000	NA
	PA-V1-5	Diethyl Phthalate	< 0.015	< 0.35	MG/KG	490,000	NA
	PA-V1-10	Diethyl Phthalate	< 0.015	< 0.35	MG/KG	490,000	NA
PA-BBB2	PA-BBB2-5	Dimethyl Phthalate	< 0.044	< 0.36	MG/KG	6,200,000	NA
	PA-BBB2-10	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-BBB2-15	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-BBB2-20	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-BBB2-25	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
PA-C2	PA-C2-1	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
	PA-C2-5	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
	PA-C2-10	Dimethyl Phthalate	< 0.012	< 0.34	MG/KG	6,200,000	NA
PA-EE14	PA-EE-14-1	Dimethyl Phthalate	< 0.026	< 0.35	MG/KG	6,200,000	NA
	PA-EE-14-5	Dimethyl Phthalate	< 0.026	< 0.36	MG/KG	6,200,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-10	Dimethyl Phthalate	< 0.025	< 0.34	MG/KG	6,200,000	NA
	PA-EE-14-15	Dimethyl Phthalate	< 0.025	< 0.34	MG/KG	6,200,000	NA
	PA-EE-14-20	Dimethyl Phthalate	< 0.025	< 0.35	MG/KG	6,200,000	NA
PA-HH10	PA-HH10-5	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
	PA-HH10-10	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
	PA-HH10-15	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
	PA-HH10-20	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
PA-HH11	PA-HH11-5	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
	PA-HH11-10	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
	PA-HH11-15	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-HH11-20	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-HH11-25	Dimethyl Phthalate	< 0.044	< 0.34	MG/KG	6,200,000	NA
PA-HH8	PA-HH8-5	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-HH8-10	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
	PA-HH8-15	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
	PA-HH8-20	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-HH8-25	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
PA-K9	PA-K9-1	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
	PA-K9-5	Dimethyl Phthalate	< 0.012	< 0.36	MG/KG	6,200,000	NA
	PA-K9-10	Dimethyl Phthalate	< 0.012	< 0.36	MG/KG	6,200,000	NA
PA-P17	PA-P17-5	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
	PA-P17-10	Dimethyl Phthalate	< 0.042	< 0.35	MG/KG	6,200,000	NA
	PA-P17-15	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
	PA-P17-20	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
PA-P19	PA-P19-20	Dimethyl Phthalate	< 0.043	< 0.36	MG/KG	6,200,000	NA
PA-Q1	PA-Q1-1	Dimethyl Phthalate	< 0.043	< 0.34	MG/KG	6,200,000	NA
	PA-Q1-5	Dimethyl Phthalate	< 0.042	< 0.34	MG/KG	6,200,000	NA
	PA-Q1-10	Dimethyl Phthalate	< 0.043	< 0.35	MG/KG	6,200,000	NA
PA-V1	PA-V1-1	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
	PA-V1-5	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
	PA-V1-10	Dimethyl Phthalate	< 0.012	< 0.35	MG/KG	6,200,000	NA
PA-BBB2	PA-BBB2-5	Di-n-Butyl Phthalate	< 0.023	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	Di-n-Butyl Phthalate	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-5	Di-n-Butyl Phthalate	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-10	Di-n-Butyl Phthalate	< 0.012	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Di-n-Butyl Phthalate	< 0.014	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Di-n-Butyl Phthalate	< 0.014	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	Di-n-Butyl Phthalate	< 0.014	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	Di-n-Butyl Phthalate	< 0.014	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	Di-n-Butyl Phthalate	< 0.014	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-HH10-10	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Di-n-Butyl Phthalate	0.023	< 0.34	MG/KG	NA	NA
	PA-HH11-10	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-HH11-15	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-HH11-20	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-HH11-25	Di-n-Butyl Phthalate	< 0.023	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-HH8-10	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-HH8-25	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	Di-n-Butyl Phthalate	< 0.013	< 0.35	MG/KG	NA	NA
	PA-K9-5	Di-n-Butyl Phthalate	< 0.013	< 0.36	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-K9-10	Di-n-Butyl Phthalate	< 0.012	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-P17-10	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
	PA-P17-15	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-P17-20	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	Di-n-Butyl Phthalate	< 0.022	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-Q1-5	Di-n-Butyl Phthalate	< 0.022	< 0.34	MG/KG	NA	NA
	PA-Q1-10	Di-n-Butyl Phthalate	< 0.022	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Di-n-Butyl Phthalate	< 0.012	< 0.35	MG/KG	NA	NA
	PA-V1-5	Di-n-Butyl Phthalate	< 0.012	< 0.35	MG/KG	NA	NA
	PA-V1-10	Di-n-Butyl Phthalate	< 0.012	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Di-n-Octylphthalate	< 0.033	< 0.36	MG/KG	25,000	NA
	PA-BBB2-10	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-BBB2-15	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-BBB2-20	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-BBB2-25	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
PA-C2	PA-C2-1	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
	PA-C2-5	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
	PA-C2-10	Di-n-Octylphthalate	< 0.012	< 0.34	MG/KG	25,000	NA
PA-EE14	PA-EE-14-1	Di-n-Octylphthalate	< 0.033	< 0.35	MG/KG	25,000	NA
	PA-EE-14-5	Di-n-Octylphthalate	< 0.032	< 0.36	MG/KG	25,000	NA
	PA-EE-14-10	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-EE-14-15	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-EE-14-20	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
PA-HH10	PA-HH10-5	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
	PA-HH10-10	Di-n-Octylphthalate	< 0.033	< 0.35	MG/KG	25,000	NA
	PA-HH10-15	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
	PA-HH10-20	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
PA-HH11	PA-HH11-5	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH11-10	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH11-15	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH11-20	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH11-25	Di-n-Octylphthalate	< 0.033	< 0.34	MG/KG	25,000	NA
PA-HH8	PA-HH8-5	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH8-10	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
	PA-HH8-15	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
	PA-HH8-20	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-HH8-25	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
PA-K9	PA-K9-1	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
	PA-K9-5	Di-n-Octylphthalate	< 0.012	< 0.36	MG/KG	25,000	NA
	PA-K9-10	Di-n-Octylphthalate	< 0.012	< 0.36	MG/KG	25,000	NA
PA-P17	PA-P17-5	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-P17-10	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
	PA-P17-15	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-P17-20	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
PA-P19	PA-P19-20	Di-n-Octylphthalate	< 0.032	< 0.36	MG/KG	25,000	NA
PA-Q1	PA-Q1-1	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-Q1-5	Di-n-Octylphthalate	< 0.032	< 0.34	MG/KG	25,000	NA
	PA-Q1-10	Di-n-Octylphthalate	< 0.032	< 0.35	MG/KG	25,000	NA
PA-V1	PA-V1-1	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
	PA-V1-5	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
	PA-V1-10	Di-n-Octylphthalate	< 0.012	< 0.35	MG/KG	25,000	NA
PA-BBB2	PA-BBB2-5	Fluoranthene	< 0.019	< 0.36	MG/KG	22,000	NA
	PA-BBB2-10	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-BBB2-15	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-BBB2-20	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
	PA-BBB2-25	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
PA-C2	PA-C2-1	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-C2-5	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA
	PA-C2-10	Fluoranthene	< 0.012	< 0.34	MG/KG	22,000	NA
PA-EE14	PA-EE-14-1	Fluoranthene	< 0.11	< 0.35	MG/KG	22,000	NA
	PA-EE-14-5	Fluoranthene	< 0.11	< 0.36	MG/KG	22,000	NA
	PA-EE-14-10	Fluoranthene	< 0.11	< 0.34	MG/KG	22,000	NA
	PA-EE-14-15	Fluoranthene	< 0.11	< 0.34	MG/KG	22,000	NA
	PA-EE-14-20	Fluoranthene	< 0.11	< 0.35	MG/KG	22,000	NA
PA-HH10	PA-HH10-5	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
	PA-HH10-10	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
	PA-HH10-15	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
	PA-HH10-20	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
PA-HH11	PA-HH11-5	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-HH11-10	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-HH11-15	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-HH11-20	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
	PA-HH11-25	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
PA-HH8	PA-HH8-5	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
	PA-HH8-10	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
	PA-HH8-15	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
	PA-HH8-20	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-HH8-25	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
PA-K9	PA-K9-1	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA
	PA-K9-5	Fluoranthene	< 0.012	< 0.36	MG/KG	22,000	NA
	PA-K9-10	Fluoranthene	< 0.012	< 0.36	MG/KG	22,000	NA
PA-P17	PA-P17-5	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-P17-10	Fluoranthene	< 0.018	< 0.35	MG/KG	22,000	NA
	PA-P17-15	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-P17-20	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
PA-P19	PA-P19-20	Fluoranthene	< 0.018	< 0.36	MG/KG	22,000	NA
PA-Q1	PA-Q1-1	Fluoranthene	< 0.019	< 0.34	MG/KG	22,000	NA
	PA-Q1-5	Fluoranthene	< 0.018	< 0.34	MG/KG	22,000	NA
	PA-Q1-10	Fluoranthene	< 0.019	< 0.35	MG/KG	22,000	NA
PA-V1	PA-V1-1	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA
	PA-V1-5	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA
	PA-V1-10	Fluoranthene	< 0.012	< 0.35	MG/KG	22,000	NA
PA-BBB2	PA-BBB2-5	Fluorene	< 0.041	< 0.36	MG/KG	26,000	NA
	PA-BBB2-10	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-BBB2-15	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-BBB2-20	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-BBB2-25	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
PA-C2	PA-C2-1	Fluorene	< 0.0084	< 0.35	MG/KG	26,000	NA
	PA-C2-5	Fluorene	< 0.0081	< 0.35	MG/KG	26,000	NA
	PA-C2-10	Fluorene	< 0.0081	< 0.34	MG/KG	26,000	NA
PA-EE14	PA-EE-14-1	Fluorene	< 0.026	< 0.35	MG/KG	26,000	NA
	PA-EE-14-5	Fluorene	< 0.025	< 0.36	MG/KG	26,000	NA
	PA-EE-14-10	Fluorene	< 0.025	< 0.34	MG/KG	26,000	NA
	PA-EE-14-15	Fluorene	< 0.025	< 0.34	MG/KG	26,000	NA
	PA-EE-14-20	Fluorene	< 0.025	< 0.35	MG/KG	26,000	NA
PA-HH10	PA-HH10-5	Fluorene	< 0.04	< 0.35	MG/KG	26,000	NA
	PA-HH10-10	Fluorene	< 0.041	< 0.35	MG/KG	26,000	NA
	PA-HH10-15	Fluorene	< 0.04	< 0.35	MG/KG	26,000	NA
	PA-HH10-20	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
PA-HH11	PA-HH11-5	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH11-10	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH11-15	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH11-20	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH11-25	Fluorene	< 0.041	< 0.34	MG/KG	26,000	NA
PA-HH8	PA-HH8-5	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH8-10	Fluorene	< 0.04	< 0.35	MG/KG	26,000	NA
	PA-HH8-15	Fluorene	< 0.04	< 0.35	MG/KG	26,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH8-20	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-HH8-25	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
PA-K9	PA-K9-1	Fluorene	< 0.0084	< 0.35	MG/KG	26,000	NA
	PA-K9-5	Fluorene	< 0.0086	< 0.36	MG/KG	26,000	NA
	PA-K9-10	Fluorene	< 0.0083	< 0.36	MG/KG	26,000	NA
PA-P17	PA-P17-5	Fluorene	< 0.039	< 0.34	MG/KG	26,000	NA
	PA-P17-10	Fluorene	< 0.039	< 0.35	MG/KG	26,000	NA
	PA-P17-15	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-P17-20	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
PA-P19	PA-P19-20	Fluorene	< 0.04	< 0.36	MG/KG	26,000	NA
PA-Q1	PA-Q1-1	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-Q1-5	Fluorene	< 0.04	< 0.34	MG/KG	26,000	NA
	PA-Q1-10	Fluorene	< 0.04	< 0.35	MG/KG	26,000	NA
PA-V1	PA-V1-1	Fluorene	< 0.0084	< 0.35	MG/KG	26,000	NA
	PA-V1-5	Fluorene	< 0.0082	< 0.35	MG/KG	26,000	NA
	PA-V1-10	Fluorene	< 0.0083	< 0.35	MG/KG	26,000	NA
PA-BBB2	PA-BBB2-5	Hexachlorobenzene	< 0.035	< 0.36	MG/KG	490	NA
	PA-BBB2-10	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-BBB2-15	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-BBB2-20	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-BBB2-25	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
PA-C2	PA-C2-1	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
	PA-C2-5	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
	PA-C2-10	Hexachlorobenzene	< 0.016	< 0.34	MG/KG	490	NA
PA-EE14	PA-EE-14-1	Hexachlorobenzene	< 0.02	< 0.35	MG/KG	490	NA
	PA-EE-14-5	Hexachlorobenzene	< 0.02	< 0.36	MG/KG	490	NA
	PA-EE-14-10	Hexachlorobenzene	< 0.019	< 0.34	MG/KG	490	NA
	PA-EE-14-15	Hexachlorobenzene	< 0.019	< 0.34	MG/KG	490	NA
	PA-EE-14-20	Hexachlorobenzene	< 0.019	< 0.35	MG/KG	490	NA
PA-HH10	PA-HH10-5	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
	PA-HH10-10	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
	PA-HH10-15	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
	PA-HH10-20	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
PA-HH11	PA-HH11-5	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH11-10	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH11-15	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH11-20	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH11-25	Hexachlorobenzene	< 0.035	< 0.34	MG/KG	490	NA
PA-HH8	PA-HH8-5	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH8-10	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
	PA-HH8-15	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
	PA-HH8-20	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-HH8-25	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
PA-K9	PA-K9-1	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
	PA-K9-5	Hexachlorobenzene	< 0.017	< 0.36	MG/KG	490	NA
	PA-K9-10	Hexachlorobenzene	< 0.016	< 0.36	MG/KG	490	NA
PA-P17	PA-P17-5	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-P17-10	Hexachlorobenzene	< 0.033	< 0.35	MG/KG	490	NA
	PA-P17-15	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-P17-20	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
PA-P19	PA-P19-20	Hexachlorobenzene	< 0.034	< 0.36	MG/KG	490	NA
PA-Q1	PA-Q1-1	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-Q1-5	Hexachlorobenzene	< 0.034	< 0.34	MG/KG	490	NA
	PA-Q1-10	Hexachlorobenzene	< 0.034	< 0.35	MG/KG	490	NA
PA-V1	PA-V1-1	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
	PA-V1-5	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
	PA-V1-10	Hexachlorobenzene	< 0.016	< 0.35	MG/KG	490	NA
PA-BBB2	PA-BBB2-5	Hexachlorocyclopentadiene	< 0.076	< 0.36	MG/KG	3,700	NA
	PA-BBB2-10	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-15	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-BBB2-20	Hexachlorocyclopentadiene	< 0.074	< 0.34	MG/KG	3,700	NA
	PA-BBB2-25	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
PA-C2	PA-C2-1	Hexachlorocyclopentadiene	< 0.011	< 0.35	MG/KG	3,700	NA
	PA-C2-5	Hexachlorocyclopentadiene	< 0.01	< 0.35	MG/KG	3,700	NA
	PA-C2-10	Hexachlorocyclopentadiene	< 0.01	< 0.34	MG/KG	3,700	NA
PA-EE14	PA-EE-14-1	Hexachlorocyclopentadiene	< 0.021	< 0.35	MG/KG	3,700	NA
	PA-EE-14-5	Hexachlorocyclopentadiene	< 0.021	< 0.36	MG/KG	3,700	NA
	PA-EE-14-10	Hexachlorocyclopentadiene	< 0.02	< 0.34	MG/KG	3,700	NA
	PA-EE-14-15	Hexachlorocyclopentadiene	< 0.02	< 0.34	MG/KG	3,700	NA
	PA-EE-14-20	Hexachlorocyclopentadiene	< 0.02	< 0.35	MG/KG	3,700	NA
PA-HH10	PA-HH10-5	Hexachlorocyclopentadiene	< 0.074	< 0.35	MG/KG	3,700	NA
	PA-HH10-10	Hexachlorocyclopentadiene	< 0.074	< 0.35	MG/KG	3,700	NA
	PA-HH10-15	Hexachlorocyclopentadiene	< 0.073	< 0.35	MG/KG	3,700	NA
	PA-HH10-20	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
PA-HH11	PA-HH11-5	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-HH11-10	Hexachlorocyclopentadiene	< 0.072	< 0.34	MG/KG	3,700	NA
	PA-HH11-15	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-HH11-20	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-HH11-25	Hexachlorocyclopentadiene	< 0.075	< 0.34	MG/KG	3,700	NA
PA-HH8	PA-HH8-5	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-HH8-10	Hexachlorocyclopentadiene	< 0.074	< 0.35	MG/KG	3,700	NA
	PA-HH8-15	Hexachlorocyclopentadiene	< 0.073	< 0.35	MG/KG	3,700	NA
	PA-HH8-20	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-HH8-25	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
PA-K9	PA-K9-1	Hexachlorocyclopentadiene	< 0.011	< 0.35	MG/KG	3,700	NA
	PA-K9-5	Hexachlorocyclopentadiene	< 0.011	< 0.36	MG/KG	3,700	NA
	PA-K9-10	Hexachlorocyclopentadiene	< 0.01	< 0.36	MG/KG	3,700	NA
PA-P17	PA-P17-5	Hexachlorocyclopentadiene	< 0.072	< 0.34	MG/KG	3,700	NA
	PA-P17-10	Hexachlorocyclopentadiene	< 0.072	< 0.35	MG/KG	3,700	NA
	PA-P17-15	Hexachlorocyclopentadiene	< 0.072	< 0.34	MG/KG	3,700	NA
	PA-P17-20	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
PA-P19	PA-P19-20	Hexachlorocyclopentadiene	< 0.073	< 0.36	MG/KG	3,700	NA
PA-Q1	PA-Q1-1	Hexachlorocyclopentadiene	< 0.074	< 0.34	MG/KG	3,700	NA
	PA-Q1-5	Hexachlorocyclopentadiene	< 0.073	< 0.34	MG/KG	3,700	NA
	PA-Q1-10	Hexachlorocyclopentadiene	< 0.074	< 0.35	MG/KG	3,700	NA
PA-V1	PA-V1-1	Hexachlorocyclopentadiene	< 0.011	< 0.35	MG/KG	3,700	NA
	PA-V1-5	Hexachlorocyclopentadiene	< 0.01	< 0.35	MG/KG	3,700	NA
	PA-V1-10	Hexachlorocyclopentadiene	< 0.01	< 0.35	MG/KG	3,700	NA
PA-BBB2	PA-BBB2-5	Hexachloroethane	< 0.22	< 0.36	MG/KG	620	NA
	PA-BBB2-10	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-BBB2-15	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-BBB2-20	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-BBB2-25	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
PA-C2	PA-C2-1	Hexachloroethane	< 0.019	< 0.35	MG/KG	620	NA
	PA-C2-5	Hexachloroethane	< 0.018	< 0.35	MG/KG	620	NA
	PA-C2-10	Hexachloroethane	< 0.018	< 0.34	MG/KG	620	NA
PA-EE14	PA-EE-14-1	Hexachloroethane	< 0.14	< 0.35	MG/KG	620	NA
	PA-EE-14-5	Hexachloroethane	< 0.14	< 0.36	MG/KG	620	NA
	PA-EE-14-10	Hexachloroethane	< 0.14	< 0.34	MG/KG	620	NA
	PA-EE-14-15	Hexachloroethane	< 0.13	< 0.34	MG/KG	620	NA
	PA-EE-14-20	Hexachloroethane	< 0.14	< 0.35	MG/KG	620	NA
PA-HH10	PA-HH10-5	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
	PA-HH10-10	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
	PA-HH10-15	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
	PA-HH10-20	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
PA-HH11	PA-HH11-5	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-HH11-10	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-HH11-15	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-HH11-20	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-25	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
PA-HH8	PA-HH8-5	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-HH8-10	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
	PA-HH8-15	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
	PA-HH8-20	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-HH8-25	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
PA-K9	PA-K9-1	Hexachloroethane	< 0.019	< 0.35	MG/KG	620	NA
	PA-K9-5	Hexachloroethane	< 0.019	< 0.36	MG/KG	620	NA
	PA-K9-10	Hexachloroethane	< 0.018	< 0.36	MG/KG	620	NA
PA-P17	PA-P17-5	Hexachloroethane	< 0.2	< 0.34	MG/KG	620	NA
	PA-P17-10	Hexachloroethane	< 0.2	< 0.35	MG/KG	620	NA
	PA-P17-15	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-P17-20	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
PA-P19	PA-P19-20	Hexachloroethane	< 0.21	< 0.36	MG/KG	620	NA
PA-Q1	PA-Q1-1	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-Q1-5	Hexachloroethane	< 0.21	< 0.34	MG/KG	620	NA
	PA-Q1-10	Hexachloroethane	< 0.21	< 0.35	MG/KG	620	NA
PA-V1	PA-V1-1	Hexachloroethane	< 0.019	< 0.35	MG/KG	620	NA
	PA-V1-5	Hexachloroethane	< 0.018	< 0.35	MG/KG	620	NA
	PA-V1-10	Hexachloroethane	< 0.018	< 0.35	MG/KG	620	NA
PA-BBB2	PA-BBB2-5	Indeno(1,2,3-c,d)Pyrene	< 0.052	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	Indeno(1,2,3-c,d)Pyrene	< 0.051	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-5	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-C2-10	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Indeno(1,2,3-c,d)Pyrene	< 0.018	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Indeno(1,2,3-c,d)Pyrene	< 0.018	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	Indeno(1,2,3-c,d)Pyrene	< 0.018	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	Indeno(1,2,3-c,d)Pyrene	< 0.017	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	Indeno(1,2,3-c,d)Pyrene	< 0.018	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Indeno(1,2,3-c,d)Pyrene	< 0.051	< 0.35	MG/KG	NA	NA
	PA-HH10-10	Indeno(1,2,3-c,d)Pyrene	< 0.051	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH11-10	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH11-15	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH11-20	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH11-25	Indeno(1,2,3-c,d)Pyrene	< 0.051	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH8-10	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-HH8-25	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-K9-5	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.36	MG/KG	NA	NA
	PA-K9-10	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	Indeno(1,2,3-c,d)Pyrene	< 0.049	< 0.34	MG/KG	NA	NA
	PA-P17-10	Indeno(1,2,3-c,d)Pyrene	< 0.049	< 0.35	MG/KG	NA	NA
	PA-P17-15	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-P17-20	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Indeno(1,2,3-c,d)Pyrene	< 0.051	< 0.34	MG/KG	NA	NA
	PA-Q1-5	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.34	MG/KG	NA	NA
	PA-Q1-10	Indeno(1,2,3-c,d)Pyrene	< 0.05	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA
	PA-V1-5	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-V1-10	Indeno(1,2,3-c,d)Pyrene	< 0.012	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Isophorone	< 0.047	< 0.36	MG/KG	120,000	NA
	PA-BBB2-10	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-BBB2-15	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-BBB2-20	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-BBB2-25	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
PA-C2	PA-C2-1	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
	PA-C2-5	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
	PA-C2-10	Isophorone	< 0.015	< 0.34	MG/KG	120,000	NA
PA-EE14	PA-EE-14-1	Isophorone	< 0.021	< 0.35	MG/KG	120,000	NA
	PA-EE-14-5	Isophorone	< 0.02	< 0.36	MG/KG	120,000	NA
	PA-EE-14-10	Isophorone	< 0.02	< 0.34	MG/KG	120,000	NA
	PA-EE-14-15	Isophorone	< 0.02	< 0.34	MG/KG	120,000	NA
	PA-EE-14-20	Isophorone	< 0.02	< 0.35	MG/KG	120,000	NA
PA-HH10	PA-HH10-5	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
	PA-HH10-10	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
	PA-HH10-15	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
	PA-HH10-20	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
PA-HH11	PA-HH11-5	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
	PA-HH11-10	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
	PA-HH11-15	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-HH11-20	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-HH11-25	Isophorone	< 0.047	< 0.34	MG/KG	120,000	NA
PA-HH8	PA-HH8-5	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-HH8-10	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
	PA-HH8-15	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
	PA-HH8-20	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-HH8-25	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
PA-K9	PA-K9-1	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
	PA-K9-5	Isophorone	< 0.016	< 0.36	MG/KG	120,000	NA
	PA-K9-10	Isophorone	< 0.015	< 0.36	MG/KG	120,000	NA
PA-P17	PA-P17-5	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
	PA-P17-10	Isophorone	< 0.045	< 0.35	MG/KG	120,000	NA
	PA-P17-15	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
	PA-P17-20	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
PA-P19	PA-P19-20	Isophorone	< 0.046	< 0.36	MG/KG	120,000	NA
PA-Q1	PA-Q1-1	Isophorone	< 0.046	< 0.34	MG/KG	120,000	NA
	PA-Q1-5	Isophorone	< 0.045	< 0.34	MG/KG	120,000	NA
	PA-Q1-10	Isophorone	< 0.046	< 0.35	MG/KG	120,000	NA
PA-V1	PA-V1-1	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
	PA-V1-5	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
	PA-V1-10	Isophorone	< 0.015	< 0.35	MG/KG	120,000	NA
PA-BBB2	PA-BBB2-5	n-Nitrosodi-n-Propylamine	< 0.067	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	n-Nitrosodi-n-Propylamine	< 0.065	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	n-Nitrosodi-n-Propylamine	< 0.016	< 0.35	MG/KG	NA	NA
	PA-C2-5	n-Nitrosodi-n-Propylamine	< 0.015	< 0.35	MG/KG	NA	NA
	PA-C2-10	n-Nitrosodi-n-Propylamine	< 0.015	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	n-Nitrosodi-n-Propylamine	< 0.021	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	n-Nitrosodi-n-Propylamine	< 0.021	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	n-Nitrosodi-n-Propylamine	< 0.021	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	n-Nitrosodi-n-Propylamine	< 0.021	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	n-Nitrosodi-n-Propylamine	< 0.021	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
	PA-HH10-10	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
	PA-HH10-15	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
	PA-HH10-20	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH11	PA-HH11-5	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-HH11-10	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-HH11-15	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-HH11-20	n-Nitrosodi-n-Propylamine	< 0.065	< 0.34	MG/KG	NA	NA
	PA-HH11-25	n-Nitrosodi-n-Propylamine	< 0.066	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	n-Nitrosodi-n-Propylamine	< 0.065	< 0.34	MG/KG	NA	NA
	PA-HH8-10	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
	PA-HH8-15	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
	PA-HH8-20	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-HH8-25	n-Nitrosodi-n-Propylamine	< 0.065	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	n-Nitrosodi-n-Propylamine	< 0.016	< 0.35	MG/KG	NA	NA
	PA-K9-5	n-Nitrosodi-n-Propylamine	< 0.016	< 0.36	MG/KG	NA	NA
	PA-K9-10	n-Nitrosodi-n-Propylamine	< 0.015	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-P17-10	n-Nitrosodi-n-Propylamine	< 0.064	< 0.35	MG/KG	NA	NA
	PA-P17-15	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-P17-20	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	n-Nitrosodi-n-Propylamine	< 0.064	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	n-Nitrosodi-n-Propylamine	< 0.065	< 0.34	MG/KG	NA	NA
	PA-Q1-5	n-Nitrosodi-n-Propylamine	< 0.064	< 0.34	MG/KG	NA	NA
	PA-Q1-10	n-Nitrosodi-n-Propylamine	< 0.065	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	n-Nitrosodi-n-Propylamine	< 0.016	< 0.35	MG/KG	NA	NA
	PA-V1-5	n-Nitrosodi-n-Propylamine	< 0.015	< 0.35	MG/KG	NA	NA
	PA-V1-10	n-Nitrosodi-n-Propylamine	< 0.015	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	n-Nitrosodiphenylamine	< 0.057	< 0.36	MG/KG	12,000	NA
	PA-BBB2-10	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-BBB2-15	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-BBB2-20	n-Nitrosodiphenylamine	< 0.056	< 0.34	MG/KG	12,000	NA
	PA-BBB2-25	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
PA-C2	PA-C2-1	n-Nitrosodiphenylamine	< 0.018	< 0.35	MG/KG	12,000	NA
	PA-C2-5	n-Nitrosodiphenylamine	< 0.017	< 0.35	MG/KG	12,000	NA
	PA-C2-10	n-Nitrosodiphenylamine	< 0.017	< 0.34	MG/KG	12,000	NA
PA-EE14	PA-EE-14-1	n-Nitrosodiphenylamine	< 0.07	< 0.35	MG/KG	12,000	NA
	PA-EE-14-5	n-Nitrosodiphenylamine	< 0.068	< 0.36	MG/KG	12,000	NA
	PA-EE-14-10	n-Nitrosodiphenylamine	< 0.068	< 0.34	MG/KG	12,000	NA
	PA-EE-14-15	n-Nitrosodiphenylamine	< 0.067	< 0.34	MG/KG	12,000	NA
	PA-EE-14-20	n-Nitrosodiphenylamine	< 0.068	< 0.35	MG/KG	12,000	NA
PA-HH10	PA-HH10-5	n-Nitrosodiphenylamine	< 0.056	< 0.35	MG/KG	12,000	NA
	PA-HH10-10	n-Nitrosodiphenylamine	< 0.056	< 0.35	MG/KG	12,000	NA
	PA-HH10-15	n-Nitrosodiphenylamine	< 0.055	< 0.35	MG/KG	12,000	NA
	PA-HH10-20	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
PA-HH11	PA-HH11-5	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH11-10	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH11-15	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH11-20	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH11-25	n-Nitrosodiphenylamine	< 0.057	< 0.34	MG/KG	12,000	NA
PA-HH8	PA-HH8-5	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH8-10	n-Nitrosodiphenylamine	< 0.055	< 0.35	MG/KG	12,000	NA
	PA-HH8-15	n-Nitrosodiphenylamine	< 0.055	< 0.35	MG/KG	12,000	NA
	PA-HH8-20	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-HH8-25	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
PA-K9	PA-K9-1	n-Nitrosodiphenylamine	< 0.018	< 0.35	MG/KG	12,000	NA
	PA-K9-5	n-Nitrosodiphenylamine	< 0.018	< 0.36	MG/KG	12,000	NA
	PA-K9-10	n-Nitrosodiphenylamine	< 0.017	< 0.36	MG/KG	12,000	NA
PA-P17	PA-P17-5	n-Nitrosodiphenylamine	< 0.054	< 0.34	MG/KG	12,000	NA
	PA-P17-10	n-Nitrosodiphenylamine	< 0.054	< 0.35	MG/KG	12,000	NA
	PA-P17-15	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-P17-20	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
PA-P19	PA-P19-20	n-Nitrosodiphenylamine	< 0.055	< 0.36	MG/KG	12,000	NA
PA-Q1	PA-Q1-1	n-Nitrosodiphenylamine	< 0.056	< 0.34	MG/KG	12,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-Q1-5	n-Nitrosodiphenylamine	< 0.055	< 0.34	MG/KG	12,000	NA
	PA-Q1-10	n-Nitrosodiphenylamine	< 0.055	< 0.35	MG/KG	12,000	NA
PA-V1	PA-V1-1	n-Nitrosodiphenylamine	< 0.018	< 0.35	MG/KG	12,000	NA
	PA-V1-5	n-Nitrosodiphenylamine	< 0.017	< 0.35	MG/KG	12,000	NA
	PA-V1-10	n-Nitrosodiphenylamine	< 0.017	< 0.35	MG/KG	12,000	NA
PA-BBB2	PA-BBB2-5	Phenanthrene	< 0.033	< 0.36	MG/KG	NA	NA
	PA-BBB2-10	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-BBB2-15	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-BBB2-20	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-BBB2-25	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
PA-C2	PA-C2-1	Phenanthrene	< 0.014	0.12	MG/KG	NA	NA
	PA-C2-5	Phenanthrene	< 0.014	< 0.35	MG/KG	NA	NA
	PA-C2-10	Phenanthrene	< 0.014	< 0.34	MG/KG	NA	NA
PA-EE14	PA-EE-14-1	Phenanthrene	< 0.023	< 0.35	MG/KG	NA	NA
	PA-EE-14-5	Phenanthrene	< 0.022	< 0.36	MG/KG	NA	NA
	PA-EE-14-10	Phenanthrene	< 0.022	< 0.34	MG/KG	NA	NA
	PA-EE-14-15	Phenanthrene	< 0.022	< 0.34	MG/KG	NA	NA
	PA-EE-14-20	Phenanthrene	< 0.022	< 0.35	MG/KG	NA	NA
PA-HH10	PA-HH10-5	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
	PA-HH10-10	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
	PA-HH10-15	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
	PA-HH10-20	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
PA-HH11	PA-HH11-5	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-HH11-10	Phenanthrene	< 0.031	< 0.34	MG/KG	NA	NA
	PA-HH11-15	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-HH11-20	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-HH11-25	Phenanthrene	< 0.033	< 0.34	MG/KG	NA	NA
PA-HH8	PA-HH8-5	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-HH8-10	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
	PA-HH8-15	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
	PA-HH8-20	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-HH8-25	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
PA-K9	PA-K9-1	Phenanthrene	< 0.015	< 0.35	MG/KG	NA	NA
	PA-K9-5	Phenanthrene	< 0.015	< 0.36	MG/KG	NA	NA
	PA-K9-10	Phenanthrene	< 0.014	< 0.36	MG/KG	NA	NA
PA-P17	PA-P17-5	Phenanthrene	< 0.031	< 0.34	MG/KG	NA	NA
	PA-P17-10	Phenanthrene	< 0.031	< 0.35	MG/KG	NA	NA
	PA-P17-15	Phenanthrene	< 0.031	< 0.34	MG/KG	NA	NA
	PA-P17-20	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
PA-P19	PA-P19-20	Phenanthrene	< 0.032	< 0.36	MG/KG	NA	NA
PA-Q1	PA-Q1-1	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-Q1-5	Phenanthrene	< 0.032	< 0.34	MG/KG	NA	NA
	PA-Q1-10	Phenanthrene	< 0.032	< 0.35	MG/KG	NA	NA
PA-V1	PA-V1-1	Phenanthrene	< 0.014	< 0.35	MG/KG	NA	NA
	PA-V1-5	Phenanthrene	< 0.014	< 0.35	MG/KG	NA	NA
	PA-V1-10	Phenanthrene	< 0.014	< 0.35	MG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Phenol	< 0.057	< 0.36	MG/KG	180,000	NA
	PA-BBB2-10	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-BBB2-15	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-BBB2-20	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-BBB2-25	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
PA-C2	PA-C2-1	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
	PA-C2-5	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
	PA-C2-10	Phenol	< 0.013	< 0.34	MG/KG	180,000	NA
PA-EE14	PA-EE-14-1	Phenol	< 0.057	< 0.35	MG/KG	180,000	NA
	PA-EE-14-5	Phenol	< 0.056	< 0.36	MG/KG	180,000	NA
	PA-EE-14-10	Phenol	< 0.056	< 0.34	MG/KG	180,000	NA
	PA-EE-14-15	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-EE-14-20	Phenol	< 0.056	< 0.35	MG/KG	180,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH10	PA-HH10-5	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
	PA-HH10-10	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
	PA-HH10-15	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
	PA-HH10-20	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
PA-HH11	PA-HH11-5	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-HH11-10	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-HH11-15	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-HH11-20	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-HH11-25	Phenol	< 0.056	< 0.34	MG/KG	180,000	NA
PA-HH8	PA-HH8-5	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-HH8-10	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
	PA-HH8-15	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
	PA-HH8-20	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-HH8-25	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
PA-K9	PA-K9-1	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
	PA-K9-5	Phenol	< 0.014	< 0.36	MG/KG	180,000	NA
	PA-K9-10	Phenol	< 0.013	< 0.36	MG/KG	180,000	NA
PA-P17	PA-P17-5	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-P17-10	Phenol	< 0.054	< 0.35	MG/KG	180,000	NA
	PA-P17-15	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-P17-20	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
PA-P19	PA-P19-20	Phenol	< 0.055	< 0.36	MG/KG	180,000	NA
PA-Q1	PA-Q1-1	Phenol	< 0.055	< 0.34	MG/KG	180,000	NA
	PA-Q1-5	Phenol	< 0.054	< 0.34	MG/KG	180,000	NA
	PA-Q1-10	Phenol	< 0.055	< 0.35	MG/KG	180,000	NA
PA-V1	PA-V1-1	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
	PA-V1-5	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
	PA-V1-10	Phenol	< 0.013	< 0.35	MG/KG	180,000	NA
PA-BBB2	PA-BBB2-5	Pyrene	< 0.041	< 0.36	MG/KG	29,000	NA
	PA-BBB2-10	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-BBB2-15	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-BBB2-20	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
	PA-BBB2-25	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
PA-C2	PA-C2-1	Pyrene	< 0.013	< 0.35	MG/KG	29,000	NA
	PA-C2-5	Pyrene	< 0.012	< 0.35	MG/KG	29,000	NA
	PA-C2-10	Pyrene	< 0.012	< 0.34	MG/KG	29,000	NA
PA-EE14	PA-EE-14-1	Pyrene	< 0.023	< 0.35	MG/KG	29,000	NA
	PA-EE-14-5	Pyrene	< 0.023	< 0.36	MG/KG	29,000	NA
	PA-EE-14-10	Pyrene	< 0.023	< 0.34	MG/KG	29,000	NA
	PA-EE-14-15	Pyrene	< 0.022	< 0.34	MG/KG	29,000	NA
	PA-EE-14-20	Pyrene	< 0.023	< 0.35	MG/KG	29,000	NA
PA-HH10	PA-HH10-5	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
	PA-HH10-10	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
	PA-HH10-15	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
	PA-HH10-20	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
PA-HH11	PA-HH11-5	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-HH11-10	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-HH11-15	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-HH11-20	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
	PA-HH11-25	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
PA-HH8	PA-HH8-5	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
	PA-HH8-10	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
	PA-HH8-15	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
	PA-HH8-20	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-HH8-25	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
PA-K9	PA-K9-1	Pyrene	< 0.013	< 0.35	MG/KG	29,000	NA
	PA-K9-5	Pyrene	< 0.013	< 0.36	MG/KG	29,000	NA
	PA-K9-10	Pyrene	< 0.013	< 0.36	MG/KG	29,000	NA
PA-P17	PA-P17-5	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-P17-10	Pyrene	< 0.039	< 0.35	MG/KG	29,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-P17-15	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-P17-20	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
PA-P19	PA-P19-20	Pyrene	< 0.039	< 0.36	MG/KG	29,000	NA
PA-Q1	PA-Q1-1	Pyrene	< 0.04	< 0.34	MG/KG	29,000	NA
	PA-Q1-5	Pyrene	< 0.039	< 0.34	MG/KG	29,000	NA
	PA-Q1-10	Pyrene	< 0.04	< 0.35	MG/KG	29,000	NA
PA-V1	PA-V1-1	Pyrene	< 0.013	< 0.35	MG/KG	29,000	NA
	PA-V1-5	Pyrene	< 0.012	< 0.35	MG/KG	29,000	NA
	PA-V1-10	Pyrene	< 0.013	< 0.35	MG/KG	29,000	NA
TPH:							
PA-BBB2	PA-BBB2-5	GASOLINE C4-C12	< 4.2	< 4.8	MG/KG	100	NA
	PA-BBB2-10	GASOLINE C4-C12	< 4.5	< 4.7	MG/KG	100	NA
	PA-BBB2-15	GASOLINE C4-C12	< 3.9	< 5.1	MG/KG	100	NA
	PA-BBB2-20	GASOLINE C4-C12	< 4.6	< 5.5	MG/KG	100	NA
	PA-BBB2-25	GASOLINE C4-C12	< 4.3	< 9.9	MG/KG	100	NA
PA-C2	PA-C2-1	GASOLINE C4-C12	< 4.4	4.9	MG/KG	100	NA
	PA-C2-5	GASOLINE C4-C12	< 4.1	5.4	MG/KG	100	NA
	PA-C2-10	GASOLINE C4-C12	< 5.2	< 5.3	MG/KG	100	NA
PA-EE14	PA-EE-14-1	GASOLINE C4-C12	< 4	< 4.9	MG/KG	100	NA
	PA-EE-14-5	GASOLINE C4-C12	< 4.3	< 4.9	MG/KG	100	NA
	PA-EE-14-10	GASOLINE C4-C12	< 4.4	< 5.3	MG/KG	100	NA
	PA-EE-14-15	GASOLINE C4-C12	< 4.4	< 5.4	MG/KG	100	NA
	PA-EE-14-20	GASOLINE C4-C12	< 4	< 5.6	MG/KG	100	NA
PA-HH10	PA-HH10-5	GASOLINE C4-C12	< 3.9	< 4.8	MG/KG	100	NA
	PA-HH10-15	GASOLINE C4-C12	< 4.2	< 4.8	MG/KG	100	NA
	PA-HH10-10	GASOLINE C4-C12	< 4.8	< 4.9	MG/KG	100	NA
	PA-HH10-20	GASOLINE C4-C12	< 4.9	< 5.8	MG/KG	100	NA
PA-K9	PA-K9-1	GASOLINE C4-C12	< 3.7	< 4.6	MG/KG	100	NA
	PA-K9-5	GASOLINE C4-C12	< 3.5	< 4.5	MG/KG	100	NA
	PA-K9-10	GASOLINE C4-C12	< 4.4	< 4.8	MG/KG	100	NA
PA-P19	PA-P19-20	GASOLINE C4-C12	< 4.4	< 6	MG/KG	100	NA
PA-Q1	PA-Q1-1	GASOLINE C4-C12	< 4	< 5.2	MG/KG	100	NA
	PA-Q1-5	GASOLINE C4-C12	< 3.9	< 6	MG/KG	100	NA
	PA-Q1-10	GASOLINE C4-C12	< 4.1	< 5.2	MG/KG	100	NA
PA-V1	PA-V1-1	GASOLINE C4-C12	< 4.2	< 4.9	MG/KG	100	NA
	PA-V1-5	GASOLINE C4-C12	< 4.1	< 5	MG/KG	100	NA
	PA-V1-10	GASOLINE C4-C12	< 4.1	< 5	MG/KG	100	NA
PA-BBB2	PA-BBB2-5	DIESEL COMPONENTS	< 0.88	< 5.4	MG/KG	100	NA
	PA-BBB2-10	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-BBB2-15	DIESEL COMPONENTS	1.8	< 5.2	MG/KG	100	NA
	PA-BBB2-20	DIESEL COMPONENTS	0.93	< 5.2	MG/KG	100	NA
	PA-BBB2-25	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
PA-C2	PA-C2-1	DIESEL COMPONENTS	7.4	130	MG/KG	100	178
	PA-C2-5	DIESEL COMPONENTS	1.9	3.3	MG/KG	100	54
	PA-C2-10	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
PA-EE14	PA-EE-14-1	DIESEL COMPONENTS	< 0.87	< 5.3	MG/KG	100	NA
	PA-EE-14-5	DIESEL COMPONENTS	< 0.86	< 5.4	MG/KG	100	NA
	PA-EE-14-10	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-EE-14-15	DIESEL COMPONENTS	< 0.84	< 5.2	MG/KG	100	NA
	PA-EE-14-20	DIESEL COMPONENTS	< 0.85	< 5.3	MG/KG	100	NA
PA-HH10	PA-HH10-5	DIESEL COMPONENTS	< 0.86	< 5.2	MG/KG	100	NA
	PA-HH10-15	DIESEL COMPONENTS	1.9	11	MG/KG	100	141
	PA-HH10-10	DIESEL COMPONENTS	< 0.86	< 5.3	MG/KG	100	NA
	PA-HH10-20	DIESEL COMPONENTS	< 0.85	< 5.3	MG/KG	100	NA
PA-HH11	PA-HH11-5	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-HH11-10	DIESEL COMPONENTS	< 0.84	< 5.2	MG/KG	100	NA
	PA-HH11-15	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-HH11-20	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-HH11-25	DIESEL COMPONENTS	< 0.87	< 5.3	MG/KG	100	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH8	PA-HH8-5	DIESEL COMPONENTS	< 0.86	< 5.2	MG/KG	100	NA
	PA-HH8-10	DIESEL COMPONENTS	< 0.86	< 5.3	MG/KG	100	NA
	PA-HH8-15	DIESEL COMPONENTS	< 0.86	< 5.2	MG/KG	100	NA
	PA-HH8-20	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-HH8-25	DIESEL COMPONENTS	< 0.86	< 5.2	MG/KG	100	NA
PA-K9	PA-K9-1	DIESEL COMPONENTS	11	< 5.4	MG/KG	100	NA
	PA-K9-5	DIESEL COMPONENTS	1.3	< 5.4	MG/KG	100	NA
	PA-K9-10	DIESEL COMPONENTS	< 0.9	< 5.2	MG/KG	100	NA
PA-P17	PA-P17-10	DIESEL COMPONENTS	< 0.84	< 5.2	MG/KG	100	NA
	PA-P17-15	DIESEL COMPONENTS	< 0.84	< 5.2	MG/KG	100	NA
	PA-P17-20	DIESEL COMPONENTS	2.1	< 5.2	MG/KG	100	NA
	PA-P17-25	DIESEL COMPONENTS	1.8	< 5.2	MG/KG	100	NA
PA-P19	PA-P19-20	DIESEL COMPONENTS	< 0.85	< 5.5	MG/KG	100	NA
PA-Q1	PA-Q1-1	DIESEL COMPONENTS	1.8	< 5.3	MG/KG	100	NA
	PA-Q1-5	DIESEL COMPONENTS	< 0.85	< 5.2	MG/KG	100	NA
	PA-Q1-10	DIESEL COMPONENTS	< 0.86	< 5.3	MG/KG	100	NA
PA-V1	PA-V1-1	DIESEL COMPONENTS	< 0.87	< 5.3	MG/KG	100	NA
	PA-V1-5	DIESEL COMPONENTS	< 0.86	< 5.3	MG/KG	100	NA
	PA-V1-10	DIESEL COMPONENTS	1.3	< 5.2	MG/KG	100	NA
PA-BBB2	PA-BBB2-5	MOTOR OILS	2.5	< 22	MG/KG	100	NA
	PA-BBB2-10	MOTOR OILS	2.3	< 21	MG/KG	100	NA
	PA-BBB2-15	MOTOR OILS	13	14	MG/KG	100	7
	PA-BBB2-20	MOTOR OILS	6.7	< 21	MG/KG	100	NA
	PA-BBB2-25	MOTOR OILS	< 1.9	72	MG/KG	100	NA
PA-C2	PA-C2-1	MOTOR OILS	15	100	MG/KG	100	148
	PA-C2-5	MOTOR OILS	2.6	< 21	MG/KG	100	NA
	PA-C2-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
PA-EE14	PA-EE-14-1	MOTOR OILS	< 2	17	MG/KG	100	NA
	PA-EE-14-5	MOTOR OILS	< 1.9	< 22	MG/KG	100	NA
	PA-EE-14-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-EE-14-15	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-EE-14-20	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
PA-HH10	PA-HH10-5	MOTOR OILS	2.2	< 21	MG/KG	100	NA
	PA-HH10-15	MOTOR OILS	3	18	MG/KG	100	143
	PA-HH10-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH10-20	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
PA-HH11	PA-HH11-5	MOTOR OILS	2.8	< 21	MG/KG	100	NA
	PA-HH11-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH11-15	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH11-20	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH11-25	MOTOR OILS	< 2	< 21	MG/KG	100	NA
PA-HH8	PA-HH8-5	MOTOR OILS	2.5	< 21	MG/KG	100	NA
	PA-HH8-10	MOTOR OILS	2.5	< 21	MG/KG	100	NA
	PA-HH8-15	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH8-20	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-HH8-25	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
PA-K9	PA-K9-1	MOTOR OILS	190	66	MG/KG	100	97
	PA-K9-5	MOTOR OILS	14	< 22	MG/KG	100	NA
	PA-K9-10	MOTOR OILS	< 2	< 21	MG/KG	100	NA
PA-P17	PA-P17-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-P17-15	MOTOR OILS	3.2	< 21	MG/KG	100	NA
	PA-P17-20	MOTOR OILS	3.9	< 21	MG/KG	100	NA
	PA-P17-25	MOTOR OILS	6.1	< 21	MG/KG	100	NA
PA-P19	PA-P19-20	MOTOR OILS	< 1.9	< 22	MG/KG	100	NA
PA-Q1	PA-Q1-1	MOTOR OILS	5.4	15	MG/KG	100	94
	PA-Q1-5	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-Q1-10	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
PA-V1	PA-V1-1	MOTOR OILS	< 2	< 21	MG/KG	100	NA
	PA-V1-5	MOTOR OILS	< 1.9	< 21	MG/KG	100	NA
	PA-V1-10	MOTOR OILS	7.5	20	MG/KG	100	91

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
Pesticides:							
PA-BBB2	PA-BBB2-5	Aldrin	< 0.22	< 1.9	UG/KG	18,000	NA
	PA-BBB2-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-BBB2-15	Aldrin	< 0.21	< 1.7	UG/KG	18,000	NA
	PA-BBB2-20	Aldrin	< 0.21	< 1.7	UG/KG	18,000	NA
	PA-BBB2-25	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-EE14	PA-EE-14-1	Aldrin	< 0.22	< 1.8	UG/KG	18,000	NA
	PA-EE-14-5	Aldrin	< 0.21	< 1.9	UG/KG	18,000	NA
	PA-EE-14-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-EE-14-15	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-EE-14-20	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-HH10	PA-HH10-5	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH10-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH10-15	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH10-20	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-HH11	PA-HH11-5	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH11-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH11-15	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH11-20	Aldrin	< 0.21	< 1.7	UG/KG	18,000	NA
	PA-HH11-25	Aldrin	< 0.22	< 1.8	UG/KG	18,000	NA
PA-HH8	PA-HH8-5	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH8-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH8-15	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH8-20	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-HH8-25	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-K9	PA-K9-1	Aldrin	< 0.22	< 1.8	UG/KG	18,000	NA
	PA-K9-5	Aldrin	< 0.22	< 1.8	UG/KG	18,000	NA
	PA-K9-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-P17	PA-P17-5	Aldrin	< 0.21	< 1.7	UG/KG	18,000	NA
	PA-P17-10	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-P17-15	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
	PA-P17-20	Aldrin	< 0.21	< 1.8	UG/KG	18,000	NA
PA-P19	PA-P19-20	Aldrin	< 0.21	< 1.9	UG/KG	18,000	NA
PA-BBB2	PA-BBB2-5	Alpha Endosulfan	< 0.59	< 1.9	UG/KG	NA	NA
	PA-BBB2-10	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-BBB2-15	Alpha Endosulfan	< 0.57	< 1.7	UG/KG	NA	NA
	PA-BBB2-20	Alpha Endosulfan	< 0.57	< 1.7	UG/KG	NA	NA
	PA-BBB2-25	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Alpha Endosulfan	< 0.59	< 1.8	UG/KG	NA	NA
	PA-EE-14-5	Alpha Endosulfan	< 0.58	< 1.9	UG/KG	NA	NA
	PA-EE-14-10	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-EE-14-15	Alpha Endosulfan	< 0.56	< 1.8	UG/KG	NA	NA
	PA-EE-14-20	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Alpha Endosulfan	< 0.58	< 1.8	UG/KG	NA	NA
	PA-HH10-10	Alpha Endosulfan	< 0.58	< 1.8	UG/KG	NA	NA
	PA-HH10-15	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH10-20	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH11-10	Alpha Endosulfan	< 0.56	< 1.8	UG/KG	NA	NA
	PA-HH11-15	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH11-20	Alpha Endosulfan	< 0.57	< 1.7	UG/KG	NA	NA
	PA-HH11-25	Alpha Endosulfan	< 0.58	< 1.8	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH8-10	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH8-15	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH8-20	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
	PA-HH8-25	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
PA-K9	PA-K9-1	Alpha Endosulfan	< 0.59	< 1.8	UG/KG	NA	NA
	PA-K9-5	Alpha Endosulfan	< 0.6	< 1.8	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-K9-10	Alpha Endosulfan	< 0.58	< 1.8	UG/KG	NA	NA
PA-P17	PA-P17-5	Alpha Endosulfan	< 0.56	< 1.7	UG/KG	NA	NA
	PA-P17-10	Alpha Endosulfan	< 0.56	< 1.8	UG/KG	NA	NA
	PA-P17-15	Alpha Endosulfan	< 0.56	< 1.8	UG/KG	NA	NA
	PA-P17-20	Alpha Endosulfan	< 0.57	< 1.8	UG/KG	NA	NA
PA-P19	PA-P19-20	Alpha Endosulfan	< 0.57	< 1.9	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-BBB2-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-BBB2-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-BBB2-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-BBB2-25	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-EE-14-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-EE-14-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-EE-14-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-EE-14-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH10-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH10-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH10-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH11-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH11-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH11-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH11-25	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH8-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH8-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH8-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-HH8-25	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-K9	PA-K9-1	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-K9-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-K9-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-P17	PA-P17-5	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-P17-10	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-P17-15	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
	PA-P17-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-P19	PA-P19-20	Alpha-Chlordane	< 1.1	< 1.8	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Beta Endosulfan	< 0.82	< 3.6	UG/KG	NA	NA
	PA-BBB2-10	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-BBB2-15	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-BBB2-20	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
	PA-BBB2-25	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Beta Endosulfan	< 0.82	< 3.5	UG/KG	NA	NA
	PA-EE-14-5	Beta Endosulfan	< 0.8	< 3.6	UG/KG	NA	NA
	PA-EE-14-10	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
	PA-EE-14-15	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-EE-14-20	Beta Endosulfan	< 0.8	< 3.6	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Beta Endosulfan	< 0.8	< 3.5	UG/KG	NA	NA
	PA-HH10-10	Beta Endosulfan	< 0.81	< 3.5	UG/KG	NA	NA
	PA-HH10-15	Beta Endosulfan	< 0.8	< 3.5	UG/KG	NA	NA
	PA-HH10-20	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-HH11-10	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-HH11-15	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-HH11-20	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
	PA-HH11-25	Beta Endosulfan	< 0.82	< 3.5	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
	PA-HH8-10	Beta Endosulfan	< 0.8	< 3.5	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH8-15	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
	PA-HH8-20	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-HH8-25	Beta Endosulfan	< 0.8	< 3.4	UG/KG	NA	NA
PA-K9	PA-K9-1	Beta Endosulfan	< 0.82	< 3.6	UG/KG	NA	NA
	PA-K9-5	Beta Endosulfan	< 0.84	< 3.6	UG/KG	NA	NA
	PA-K9-10	Beta Endosulfan	< 0.81	< 3.6	UG/KG	NA	NA
PA-P17	PA-P17-5	Beta Endosulfan	< 0.78	< 3.4	UG/KG	NA	NA
	PA-P17-10	Beta Endosulfan	< 0.78	< 3.5	UG/KG	NA	NA
	PA-P17-15	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
	PA-P17-20	Beta Endosulfan	< 0.79	< 3.4	UG/KG	NA	NA
PA-P19	PA-P19-20	Beta Endosulfan	< 0.79	< 3.6	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	BHC Alpha	< 0.19	< 1.9	UG/KG	400,000	NA
	PA-BBB2-10	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-BBB2-15	BHC Alpha	< 0.18	< 1.7	UG/KG	400,000	NA
	PA-BBB2-20	BHC Alpha	< 0.18	< 1.7	UG/KG	400,000	NA
	PA-BBB2-25	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
PA-EE14	PA-EE-14-1	BHC Alpha	< 0.19	< 1.8	UG/KG	400,000	NA
	PA-EE-14-5	BHC Alpha	< 0.18	< 1.9	UG/KG	400,000	NA
	PA-EE-14-10	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-EE-14-15	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-EE-14-20	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
PA-HH10	PA-HH10-5	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH10-10	BHC Alpha	< 0.19	< 1.8	UG/KG	400,000	NA
	PA-HH10-15	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH10-20	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
PA-HH11	PA-HH11-5	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH11-10	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH11-15	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH11-20	BHC Alpha	< 0.18	< 1.7	UG/KG	400,000	NA
	PA-HH11-25	BHC Alpha	< 0.19	< 1.8	UG/KG	400,000	NA
PA-HH8	PA-HH8-5	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH8-10	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH8-15	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH8-20	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-HH8-25	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
PA-K9	PA-K9-1	BHC Alpha	0.49	< 1.8	UG/KG	400,000	NA
	PA-K9-5	BHC Alpha	< 0.19	< 1.8	UG/KG	400,000	NA
	PA-K9-10	BHC Alpha	0.24	< 1.8	UG/KG	400,000	NA
PA-P17	PA-P17-5	BHC Alpha	< 0.18	< 1.7	UG/KG	400,000	NA
	PA-P17-10	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-P17-15	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
	PA-P17-20	BHC Alpha	< 0.18	< 1.8	UG/KG	400,000	NA
PA-P19	PA-P19-20	BHC Alpha	< 0.18	< 1.9	UG/KG	400,000	NA
PA-BBB2	PA-BBB2-5	BHC Beta	< 0.3	< 1.9	UG/KG	160,000	NA
	PA-BBB2-10	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-BBB2-15	BHC Beta	< 0.29	< 1.7	UG/KG	160,000	NA
	PA-BBB2-20	BHC Beta	< 0.29	< 1.7	UG/KG	160,000	NA
	PA-BBB2-25	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-EE14	PA-EE-14-1	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-EE-14-5	BHC Beta	< 0.29	< 1.9	UG/KG	160,000	NA
	PA-EE-14-10	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-EE-14-15	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA
	PA-EE-14-20	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-HH10	PA-HH10-5	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH10-10	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH10-15	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH10-20	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-HH11	PA-HH11-5	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA
	PA-HH11-10	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH11-15	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH11-20	BHC Beta	< 0.29	< 1.7	UG/KG	160,000	NA
	PA-HH11-25	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-HH8	PA-HH8-5	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH8-10	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH8-15	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH8-20	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
	PA-HH8-25	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-K9	PA-K9-1	BHC Beta	< 0.3	< 1.8	UG/KG	160,000	NA
	PA-K9-5	BHC Beta	< 0.3	< 1.8	UG/KG	160,000	NA
	PA-K9-10	BHC Beta	< 0.29	< 1.8	UG/KG	160,000	NA
PA-P17	PA-P17-5	BHC Beta	< 0.28	< 1.7	UG/KG	160,000	NA
	PA-P17-10	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA
	PA-P17-15	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA
	PA-P17-20	BHC Beta	< 0.28	< 1.8	UG/KG	160,000	NA
PA-P19	PA-P19-20	BHC Beta	< 0.29	< 1.9	UG/KG	160,000	NA
PA-BBB2	PA-BBB2-5	BHC Delta	< 0.32	< 1.9	UG/KG	na	NA
	PA-BBB2-10	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-BBB2-15	BHC Delta	< 0.3	< 1.7	UG/KG	na	NA
	PA-BBB2-20	BHC Delta	< 0.31	< 1.7	UG/KG	na	NA
	PA-BBB2-25	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
PA-EE14	PA-EE-14-1	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-EE-14-5	BHC Delta	< 0.31	< 1.9	UG/KG	na	NA
	PA-EE-14-10	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-EE-14-15	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-EE-14-20	BHC Delta	0.42	< 1.8	UG/KG	na	NA
PA-HH10	PA-HH10-5	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH10-10	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH10-15	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH10-20	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
PA-HH11	PA-HH11-5	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-HH11-10	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-HH11-15	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-HH11-20	BHC Delta	< 0.3	< 1.7	UG/KG	na	NA
	PA-HH11-25	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
PA-HH8	PA-HH8-5	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH8-10	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH8-15	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-HH8-20	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-HH8-25	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
PA-K9	PA-K9-1	BHC Delta	< 0.31	< 1.8	UG/KG	na	NA
	PA-K9-5	BHC Delta	< 0.32	< 1.8	UG/KG	na	NA
	PA-K9-10	BHC Delta	0.35	< 1.8	UG/KG	na	NA
PA-P17	PA-P17-5	BHC Delta	< 0.3	< 1.7	UG/KG	na	NA
	PA-P17-10	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-P17-15	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
	PA-P17-20	BHC Delta	< 0.3	< 1.8	UG/KG	na	NA
PA-P19	PA-P19-20	BHC Delta	< 0.3	< 1.9	UG/KG	na	NA
PA-BBB2	PA-BBB2-5	BHC Gamma (Lindane)	< 0.21	< 1.9	UG/KG	240,000	NA
	PA-BBB2-10	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-BBB2-15	BHC Gamma (Lindane)	< 0.2	< 1.7	UG/KG	240,000	NA
	PA-BBB2-20	BHC Gamma (Lindane)	< 0.21	< 1.7	UG/KG	240,000	NA
	PA-BBB2-25	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
PA-EE14	PA-EE-14-1	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
	PA-EE-14-5	BHC Gamma (Lindane)	< 0.21	< 1.9	UG/KG	240,000	NA
	PA-EE-14-10	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-EE-14-15	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-EE-14-20	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
PA-HH10	PA-HH10-5	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH10-10	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
	PA-HH10-15	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH10-20	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
PA-HH11	PA-HH11-5	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH11-10	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH11-15	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH11-20	BHC Gamma (Lindane)	< 0.2	< 1.7	UG/KG	240,000	NA
	PA-HH11-25	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
PA-HH8	PA-HH8-5	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH8-10	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH8-15	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH8-20	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-HH8-25	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
PA-K9	PA-K9-1	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
	PA-K9-5	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
	PA-K9-10	BHC Gamma (Lindane)	< 0.21	< 1.8	UG/KG	240,000	NA
PA-P17	PA-P17-5	BHC Gamma (Lindane)	< 0.2	< 1.7	UG/KG	240,000	NA
	PA-P17-10	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-P17-15	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
	PA-P17-20	BHC Gamma (Lindane)	< 0.2	< 1.8	UG/KG	240,000	NA
PA-P19	PA-P19-20	BHC Gamma (Lindane)	< 0.2	< 1.9	UG/KG	240,000	NA
PA-BBB2	PA-BBB2-5	Dieldrin	< 0.66	< 3.6	UG/KG	31,000	NA
	PA-BBB2-10	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-BBB2-15	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-BBB2-20	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
	PA-BBB2-25	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
PA-EE14	PA-EE-14-1	Dieldrin	< 0.65	< 3.5	UG/KG	31,000	NA
	PA-EE-14-5	Dieldrin	< 0.64	< 3.6	UG/KG	31,000	NA
	PA-EE-14-10	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
	PA-EE-14-15	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-EE-14-20	Dieldrin	< 0.64	< 3.6	UG/KG	31,000	NA
PA-HH10	PA-HH10-5	Dieldrin	< 0.64	< 3.5	UG/KG	31,000	NA
	PA-HH10-10	Dieldrin	< 0.64	< 3.5	UG/KG	31,000	NA
	PA-HH10-15	Dieldrin	< 0.64	< 3.5	UG/KG	31,000	NA
	PA-HH10-20	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
PA-HH11	PA-HH11-5	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-HH11-10	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-HH11-15	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-HH11-20	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
	PA-HH11-25	Dieldrin	< 0.65	< 3.5	UG/KG	31,000	NA
PA-HH8	PA-HH8-5	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
	PA-HH8-10	Dieldrin	< 0.64	< 3.5	UG/KG	31,000	NA
	PA-HH8-15	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
	PA-HH8-20	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-HH8-25	Dieldrin	< 0.64	< 3.4	UG/KG	31,000	NA
PA-K9	PA-K9-1	Dieldrin	< 0.66	< 3.6	UG/KG	31,000	NA
	PA-K9-5	Dieldrin	< 0.67	< 3.6	UG/KG	31,000	NA
	PA-K9-10	Dieldrin	< 0.64	< 3.6	UG/KG	31,000	NA
PA-P17	PA-P17-5	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-P17-10	Dieldrin	< 0.63	< 3.5	UG/KG	31,000	NA
	PA-P17-15	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
	PA-P17-20	Dieldrin	< 0.63	< 3.4	UG/KG	31,000	NA
PA-P19	PA-P19-20	Dieldrin	< 0.63	< 3.6	UG/KG	31,000	NA
PA-BBB2	PA-BBB2-5	Endosulfan Sulfate	< 2.5	< 3.6	UG/KG	3,700,000	NA
	PA-BBB2-10	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-BBB2-15	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-BBB2-20	Endosulfan Sulfate	< 2.5	< 3.4	UG/KG	3,700,000	NA
	PA-BBB2-25	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
PA-EE14	PA-EE-14-1	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-5	Endosulfan Sulfate	< 2.5	< 3.6	UG/KG	3,700,000	NA
	PA-EE-14-10	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-EE-14-15	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-EE-14-20	Endosulfan Sulfate	< 2.4	< 3.6	UG/KG	3,700,000	NA
PA-HH10	PA-HH10-5	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA
	PA-HH10-10	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA
	PA-HH10-15	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA
	PA-HH10-20	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
PA-HH11	PA-HH11-5	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-HH11-10	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-HH11-15	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-HH11-20	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-HH11-25	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA
PA-HH8	PA-HH8-5	Endosulfan Sulfate	< 2.5	< 3.4	UG/KG	3,700,000	NA
	PA-HH8-10	Endosulfan Sulfate	< 2.5	< 3.5	UG/KG	3,700,000	NA
	PA-HH8-15	Endosulfan Sulfate	< 2.5	< 3.4	UG/KG	3,700,000	NA
	PA-HH8-20	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-HH8-25	Endosulfan Sulfate	< 2.5	< 3.4	UG/KG	3,700,000	NA
PA-K9	PA-K9-1	Endosulfan Sulfate	< 2.5	< 3.6	UG/KG	3,700,000	NA
	PA-K9-5	Endosulfan Sulfate	< 2.6	< 3.6	UG/KG	3,700,000	NA
	PA-K9-10	Endosulfan Sulfate	< 2.5	< 3.6	UG/KG	3,700,000	NA
PA-P17	PA-P17-5	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-P17-10	Endosulfan Sulfate	< 2.4	< 3.5	UG/KG	3,700,000	NA
	PA-P17-15	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
	PA-P17-20	Endosulfan Sulfate	< 2.4	< 3.4	UG/KG	3,700,000	NA
PA-P19	PA-P19-20	Endosulfan Sulfate	< 2.4	< 3.6	UG/KG	3,700,000	NA
PA-BBB2	PA-BBB2-5	Endrin	< 0.71	< 3.6	UG/KG	180,000	NA
	PA-BBB2-10	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-BBB2-15	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-BBB2-20	Endrin	< 0.7	< 3.4	UG/KG	180,000	NA
	PA-BBB2-25	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
PA-EE14	PA-EE-14-1	Endrin	< 0.71	< 3.5	UG/KG	180,000	NA
	PA-EE-14-5	Endrin	< 0.7	< 3.6	UG/KG	180,000	NA
	PA-EE-14-10	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-EE-14-15	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
	PA-EE-14-20	Endrin	< 0.69	< 3.6	UG/KG	180,000	NA
PA-HH10	PA-HH10-5	Endrin	< 0.7	< 3.5	UG/KG	180,000	NA
	PA-HH10-10	Endrin	< 0.7	< 3.5	UG/KG	180,000	NA
	PA-HH10-15	Endrin	< 0.69	< 3.5	UG/KG	180,000	NA
	PA-HH10-20	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
PA-HH11	PA-HH11-5	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
	PA-HH11-10	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
	PA-HH11-15	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-HH11-20	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-HH11-25	Endrin	< 0.71	< 3.5	UG/KG	180,000	NA
PA-HH8	PA-HH8-5	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-HH8-10	Endrin	< 0.69	< 3.5	UG/KG	180,000	NA
	PA-HH8-15	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-HH8-20	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
	PA-HH8-25	Endrin	< 0.69	< 3.4	UG/KG	180,000	NA
PA-K9	PA-K9-1	Endrin	< 0.71	< 3.6	UG/KG	180,000	NA
	PA-K9-5	Endrin	< 0.73	< 3.6	UG/KG	180,000	NA
	PA-K9-10	Endrin	< 0.7	< 3.6	UG/KG	180,000	NA
PA-P17	PA-P17-5	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
	PA-P17-10	Endrin	< 0.68	< 3.5	UG/KG	180,000	NA
	PA-P17-15	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
	PA-P17-20	Endrin	< 0.68	< 3.4	UG/KG	180,000	NA
PA-P19	PA-P19-20	Endrin	< 0.69	< 3.6	UG/KG	180,000	NA
PA-BBB2	PA-BBB2-5	Endrin Aldehyde	< 2.6	< 3.6	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-10	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-15	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-20	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-25	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
	PA-EE-14-5	Endrin Aldehyde	< 2.5	< 3.6	UG/KG	NA	NA
	PA-EE-14-10	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-EE-14-15	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
	PA-EE-14-20	Endrin Aldehyde	< 2.5	< 3.6	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH10-10	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH10-15	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH10-20	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
	PA-HH11-10	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
	PA-HH11-15	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-20	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-25	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-10	Endrin Aldehyde	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH8-15	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-20	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-25	Endrin Aldehyde	< 2.5	< 3.4	UG/KG	NA	NA
PA-K9	PA-K9-1	Endrin Aldehyde	< 2.5	< 3.6	UG/KG	NA	NA
	PA-K9-5	Endrin Aldehyde	< 2.6	< 3.6	UG/KG	NA	NA
	PA-K9-10	Endrin Aldehyde	< 2.5	< 3.6	UG/KG	NA	NA
PA-P17	PA-P17-5	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
	PA-P17-10	Endrin Aldehyde	< 2.4	< 3.5	UG/KG	NA	NA
	PA-P17-15	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
	PA-P17-20	Endrin Aldehyde	< 2.4	< 3.4	UG/KG	NA	NA
PA-P19	PA-P19-20	Endrin Aldehyde	< 2.5	< 3.6	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Endrin Ketone	< 2.6	< 3.6	UG/KG	NA	NA
	PA-BBB2-10	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-15	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-20	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-BBB2-25	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Endrin Ketone	< 2.6	< 3.5	UG/KG	NA	NA
	PA-EE-14-5	Endrin Ketone	< 2.6	< 3.6	UG/KG	NA	NA
	PA-EE-14-10	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-EE-14-15	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-EE-14-20	Endrin Ketone	< 2.5	< 3.6	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Endrin Ketone	< 2.6	< 3.5	UG/KG	NA	NA
	PA-HH10-10	Endrin Ketone	< 2.6	< 3.5	UG/KG	NA	NA
	PA-HH10-15	Endrin Ketone	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH10-20	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-10	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-15	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-20	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH11-25	Endrin Ketone	< 2.6	< 3.5	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-10	Endrin Ketone	< 2.5	< 3.5	UG/KG	NA	NA
	PA-HH8-15	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-20	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-HH8-25	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
PA-K9	PA-K9-1	Endrin Ketone	< 2.6	< 3.6	UG/KG	NA	NA
	PA-K9-5	Endrin Ketone	< 2.7	< 3.6	UG/KG	NA	NA
	PA-K9-10	Endrin Ketone	< 2.6	< 3.6	UG/KG	NA	NA
PA-P17	PA-P17-5	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-P17-10	Endrin Ketone	< 2.5	< 3.5	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-P17-15	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
	PA-P17-20	Endrin Ketone	< 2.5	< 3.4	UG/KG	NA	NA
PA-P19	PA-P19-20	Endrin Ketone	< 2.5	< 3.6	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-BBB2-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-BBB2-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-BBB2-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-BBB2-25	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-EE14	PA-EE-14-1	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-EE-14-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-EE-14-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-EE-14-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-EE-14-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-HH10	PA-HH10-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH10-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH10-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH10-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-HH11	PA-HH11-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH11-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH11-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH11-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH11-25	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-HH8	PA-HH8-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH8-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH8-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH8-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-HH8-25	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-K9	PA-K9-1	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-K9-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-K9-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-P17	PA-P17-5	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-P17-10	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-P17-15	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
	PA-P17-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-P19	PA-P19-20	Gamma-Chlordane	< 1.1	< 1.8	UG/KG	35,000	NA
PA-BBB2	PA-BBB2-5	Heptachlor	< 0.37	< 1.9	UG/KG	310,000	NA
	PA-BBB2-10	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-BBB2-15	Heptachlor	< 0.36	< 1.7	UG/KG	310,000	NA
	PA-BBB2-20	Heptachlor	< 0.36	< 1.7	UG/KG	310,000	NA
	PA-BBB2-25	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
PA-EE14	PA-EE-14-1	Heptachlor	< 0.37	< 1.8	UG/KG	310,000	NA
	PA-EE-14-5	Heptachlor	< 0.36	< 1.9	UG/KG	310,000	NA
	PA-EE-14-10	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-EE-14-15	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-EE-14-20	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
PA-HH10	PA-HH10-5	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH10-10	Heptachlor	< 0.37	< 1.8	UG/KG	310,000	NA
	PA-HH10-15	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH10-20	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
PA-HH11	PA-HH11-5	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH11-10	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH11-15	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH11-20	Heptachlor	< 0.36	< 1.7	UG/KG	310,000	NA
	PA-HH11-25	Heptachlor	< 0.37	< 1.8	UG/KG	310,000	NA
PA-HH8	PA-HH8-5	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH8-10	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH8-15	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH8-20	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-HH8-25	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-K9	PA-K9-1	Heptachlor	< 0.37	< 1.8	UG/KG	310,000	NA
	PA-K9-5	Heptachlor	< 0.38	< 1.8	UG/KG	310,000	NA
	PA-K9-10	Heptachlor	< 0.37	< 1.8	UG/KG	310,000	NA
PA-P17	PA-P17-5	Heptachlor	< 0.36	< 1.7	UG/KG	310,000	NA
	PA-P17-10	Heptachlor	< 0.35	< 1.8	UG/KG	310,000	NA
	PA-P17-15	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
	PA-P17-20	Heptachlor	< 0.36	< 1.8	UG/KG	310,000	NA
PA-P19	PA-P19-20	Heptachlor	< 0.36	< 1.9	UG/KG	310,000	NA
PA-BBB2	PA-BBB2-5	Heptachlor Epoxide	< 0.28	< 1.9	UG/KG	8,000	NA
	PA-BBB2-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-BBB2-15	Heptachlor Epoxide	< 0.27	< 1.7	UG/KG	8,000	NA
	PA-BBB2-20	Heptachlor Epoxide	< 0.27	< 1.7	UG/KG	8,000	NA
	PA-BBB2-25	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-EE14	PA-EE-14-1	Heptachlor Epoxide	< 0.28	< 1.8	UG/KG	8,000	NA
	PA-EE-14-5	Heptachlor Epoxide	< 0.27	< 1.9	UG/KG	8,000	NA
	PA-EE-14-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-EE-14-15	Heptachlor Epoxide	< 0.26	< 1.8	UG/KG	8,000	NA
	PA-EE-14-20	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-HH10	PA-HH10-5	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH10-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH10-15	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH10-20	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-HH11	PA-HH11-5	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH11-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH11-15	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH11-20	Heptachlor Epoxide	< 0.27	< 1.7	UG/KG	8,000	NA
	PA-HH11-25	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-HH8	PA-HH8-5	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH8-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH8-15	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH8-20	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-HH8-25	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-K9	PA-K9-1	Heptachlor Epoxide	< 0.28	< 1.8	UG/KG	8,000	NA
	PA-K9-5	Heptachlor Epoxide	< 0.28	< 1.8	UG/KG	8,000	NA
	PA-K9-10	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-P17	PA-P17-5	Heptachlor Epoxide	< 0.26	< 1.7	UG/KG	8,000	NA
	PA-P17-10	Heptachlor Epoxide	< 0.26	< 1.8	UG/KG	8,000	NA
	PA-P17-15	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
	PA-P17-20	Heptachlor Epoxide	< 0.27	< 1.8	UG/KG	8,000	NA
PA-P19	PA-P19-20	Heptachlor Epoxide	< 0.27	< 1.9	UG/KG	8,000	NA
PA-BBB2	PA-BBB2-5	Methoxychlor	< 1.5	< 19	UG/KG	3,100,000	NA
	PA-BBB2-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-BBB2-15	Methoxychlor	< 1.5	< 17	UG/KG	3,100,000	NA
	PA-BBB2-20	Methoxychlor	< 1.5	< 17	UG/KG	3,100,000	NA
	PA-BBB2-25	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-EE14	PA-EE-14-1	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-EE-14-5	Methoxychlor	< 1.5	< 19	UG/KG	3,100,000	NA
	PA-EE-14-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-EE-14-15	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-EE-14-20	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-HH10	PA-HH10-5	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH10-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH10-15	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH10-20	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-HH11	PA-HH11-5	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH11-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH11-15	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH11-20	Methoxychlor	< 1.5	< 17	UG/KG	3,100,000	NA
	PA-HH11-25	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH8	PA-HH8-5	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH8-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH8-15	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH8-20	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-HH8-25	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-K9	PA-K9-1	Methoxychlor	2.3	< 18	UG/KG	3,100,000	NA
	PA-K9-5	Methoxychlor	< 1.6	< 18	UG/KG	3,100,000	NA
	PA-K9-10	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-P17	PA-P17-5	Methoxychlor	< 1.5	< 17	UG/KG	3,100,000	NA
	PA-P17-10	Methoxychlor	< 1.4	< 18	UG/KG	3,100,000	NA
	PA-P17-15	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
	PA-P17-20	Methoxychlor	< 1.5	< 18	UG/KG	3,100,000	NA
PA-P19	PA-P19-20	Methoxychlor	< 1.5	< 19	UG/KG	3,100,000	NA
PA-BBB2	PA-BBB2-5	p,p'-DDD	< 2	< 3.6	UG/KG	NA	NA
	PA-BBB2-10	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-BBB2-15	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-BBB2-20	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-BBB2-25	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	p,p'-DDD	< 2	< 3.5	UG/KG	NA	NA
	PA-EE-14-5	p,p'-DDD	< 2	< 3.6	UG/KG	NA	NA
	PA-EE-14-10	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-EE-14-15	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-EE-14-20	p,p'-DDD	< 1.9	< 3.6	UG/KG	NA	NA
PA-HH10	PA-HH10-5	p,p'-DDD	< 2	< 3.5	UG/KG	NA	NA
	PA-HH10-10	p,p'-DDD	< 2	< 3.5	UG/KG	NA	NA
	PA-HH10-15	p,p'-DDD	< 1.9	< 3.5	UG/KG	NA	NA
	PA-HH10-20	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
PA-HH11	PA-HH11-5	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH11-10	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH11-15	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH11-20	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH11-25	p,p'-DDD	< 2	< 3.5	UG/KG	NA	NA
PA-HH8	PA-HH8-5	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH8-10	p,p'-DDD	< 1.9	< 3.5	UG/KG	NA	NA
	PA-HH8-15	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH8-20	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-HH8-25	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
PA-K9	PA-K9-1	p,p'-DDD	< 2	< 3.6	UG/KG	NA	NA
	PA-K9-5	p,p'-DDD	< 2	< 3.6	UG/KG	NA	NA
	PA-K9-10	p,p'-DDD	2.8	< 3.6	UG/KG	NA	NA
PA-P17	PA-P17-5	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-P17-10	p,p'-DDD	< 1.9	< 3.5	UG/KG	NA	NA
	PA-P17-15	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
	PA-P17-20	p,p'-DDD	< 1.9	< 3.4	UG/KG	NA	NA
PA-P19	PA-P19-20	p,p'-DDD	< 1.9	< 3.6	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	p,p'-DDE	< 0.7	< 3.6	UG/KG	NA	NA
	PA-BBB2-10	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-BBB2-15	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-BBB2-20	p,p'-DDE	< 0.68	< 3.4	UG/KG	NA	NA
	PA-BBB2-25	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	p,p'-DDE	< 0.69	< 3.5	UG/KG	NA	NA
	PA-EE-14-5	p,p'-DDE	< 0.68	< 3.6	UG/KG	NA	NA
	PA-EE-14-10	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-EE-14-15	p,p'-DDE	< 0.66	< 3.4	UG/KG	NA	NA
	PA-EE-14-20	p,p'-DDE	< 0.67	< 3.6	UG/KG	NA	NA
PA-HH10	PA-HH10-5	p,p'-DDE	< 0.68	< 3.5	UG/KG	NA	NA
	PA-HH10-10	p,p'-DDE	< 0.68	< 3.5	UG/KG	NA	NA
	PA-HH10-15	p,p'-DDE	< 0.67	< 3.5	UG/KG	NA	NA
	PA-HH10-20	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-HH11	PA-HH11-5	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH11-10	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH11-15	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH11-20	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH11-25	p,p'-DDE	< 0.69	< 3.5	UG/KG	NA	NA
PA-HH8	PA-HH8-5	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH8-10	p,p'-DDE	< 0.68	< 3.5	UG/KG	NA	NA
	PA-HH8-15	p,p'-DDE	< 0.68	< 3.4	UG/KG	NA	NA
	PA-HH8-20	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-HH8-25	p,p'-DDE	< 0.68	< 3.4	UG/KG	NA	NA
PA-K9	PA-K9-1	p,p'-DDE	1.7	2.4	UG/KG	NA	34
	PA-K9-5	p,p'-DDE	< 0.71	1.2	UG/KG	NA	NA
	PA-K9-10	p,p'-DDE	< 0.68	< 3.6	UG/KG	NA	NA
PA-P17	PA-P17-5	p,p'-DDE	< 0.66	< 3.4	UG/KG	NA	NA
	PA-P17-10	p,p'-DDE	< 0.66	< 3.5	UG/KG	NA	NA
	PA-P17-15	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
	PA-P17-20	p,p'-DDE	< 0.67	< 3.4	UG/KG	NA	NA
PA-P19	PA-P19-20	p,p'-DDE	< 0.67	< 3.6	UG/KG	NA	NA
PA-BBB2	PA-BBB2-5	p,p'-DDT	< 2	< 3.6	UG/KG	430,000	NA
	PA-BBB2-10	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-BBB2-15	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-BBB2-20	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-BBB2-25	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
PA-EE14	PA-EE-14-1	p,p'-DDT	< 2	< 3.5	UG/KG	430,000	NA
	PA-EE-14-5	p,p'-DDT	< 1.9	< 3.6	UG/KG	430,000	NA
	PA-EE-14-10	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-EE-14-15	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-EE-14-20	p,p'-DDT	< 1.9	< 3.6	UG/KG	430,000	NA
PA-HH10	PA-HH10-5	p,p'-DDT	< 1.9	< 3.5	UG/KG	430,000	NA
	PA-HH10-10	p,p'-DDT	< 1.9	< 3.5	UG/KG	430,000	NA
	PA-HH10-15	p,p'-DDT	< 1.9	< 3.5	UG/KG	430,000	NA
	PA-HH10-20	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
PA-HH11	PA-HH11-5	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH11-10	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH11-15	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH11-20	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH11-25	p,p'-DDT	< 2	< 3.5	UG/KG	430,000	NA
PA-HH8	PA-HH8-5	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH8-10	p,p'-DDT	< 1.9	< 3.5	UG/KG	430,000	NA
	PA-HH8-15	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH8-20	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-HH8-25	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
PA-K9	PA-K9-1	p,p'-DDT	6	7.4	UG/KG	430,000	21
	PA-K9-5	p,p'-DDT	< 2	1.5	UG/KG	430,000	NA
	PA-K9-10	p,p'-DDT	3.3	< 3.6	UG/KG	430,000	NA
PA-P17	PA-P17-5	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-P17-10	p,p'-DDT	< 1.9	< 3.5	UG/KG	430,000	NA
	PA-P17-15	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
	PA-P17-20	p,p'-DDT	< 1.9	< 3.4	UG/KG	430,000	NA
PA-P19	PA-P19-20	p,p'-DDT	< 1.9	< 3.6	UG/KG	430,000	NA
PA-BBB2	PA-BBB2-5	Toxaphene	< 86	< 190	UG/KG	NA	NA
	PA-BBB2-10	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-BBB2-15	Toxaphene	< 83	< 170	UG/KG	NA	NA
	PA-BBB2-20	Toxaphene	< 84	< 170	UG/KG	NA	NA
	PA-BBB2-25	Toxaphene	< 83	< 180	UG/KG	NA	NA
PA-EE14	PA-EE-14-1	Toxaphene	< 85	< 180	UG/KG	NA	NA
	PA-EE-14-5	Toxaphene	< 84	< 190	UG/KG	NA	NA
	PA-EE-14-10	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-EE-14-15	Toxaphene	< 82	< 180	UG/KG	NA	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-EE-14-20	Toxaphene	< 83	< 180	UG/KG	NA	NA
PA-HH10	PA-HH10-5	Toxaphene	< 84	< 180	UG/KG	NA	NA
	PA-HH10-10	Toxaphene	< 84	< 180	UG/KG	NA	NA
	PA-HH10-15	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-HH10-20	Toxaphene	< 83	< 180	UG/KG	NA	NA
PA-HH11	PA-HH11-5	Toxaphene	< 82	< 180	UG/KG	NA	NA
	PA-HH11-10	Toxaphene	< 82	< 180	UG/KG	NA	NA
	PA-HH11-15	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-HH11-20	Toxaphene	< 83	< 170	UG/KG	NA	NA
	PA-HH11-25	Toxaphene	< 85	< 180	UG/KG	NA	NA
PA-HH8	PA-HH8-5	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-HH8-10	Toxaphene	< 84	< 180	UG/KG	NA	NA
	PA-HH8-15	Toxaphene	< 84	< 180	UG/KG	NA	NA
	PA-HH8-20	Toxaphene	< 83	< 180	UG/KG	NA	NA
	PA-HH8-25	Toxaphene	< 84	< 180	UG/KG	NA	NA
PA-K9	PA-K9-1	Toxaphene	< 86	< 180	UG/KG	NA	NA
	PA-K9-5	Toxaphene	< 88	< 180	UG/KG	NA	NA
	PA-K9-10	Toxaphene	< 84	< 180	UG/KG	NA	NA
PA-P17	PA-P17-5	Toxaphene	< 82	< 170	UG/KG	NA	NA
	PA-P17-10	Toxaphene	< 82	< 180	UG/KG	NA	NA
	PA-P17-15	Toxaphene	< 82	< 180	UG/KG	NA	NA
	PA-P17-20	Toxaphene	< 82	< 180	UG/KG	NA	NA
PA-P19	PA-P19-20	Toxaphene	< 83	< 190	UG/KG	NA	NA
PCBs:							
PA-BBB2	PA-BBB2-5	PCB 1016	< 1.9	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1016	< 1.9	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1016	< 1.9	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1016	< 1.8	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1016	< 1.8	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
	PA-HH8-15	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1016	< 1.9	< 36	UG/KG	37,000	NA
	PA-K9-10	PCB 1016	< 1.9	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1016	< 1.8	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1016	< 1.8	< 34	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1016	< 1.8	< 36	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1221	< 22	< 74	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1221	< 21	< 69	UG/KG	37,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-BBB2-20	PCB 1221	< 21	< 68	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1221	< 21	< 69	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1221	< 21	< 74	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1221	< 21	< 69	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1221	< 21	< 69	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1221	< 21	< 72	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH10-10	PCB 1221	< 21	< 71	UG/KG	37,000	NA
	PA-HH10-15	PCB 1221	< 21	< 71	UG/KG	37,000	NA
	PA-HH10-20	PCB 1221	< 21	< 70	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH11-10	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH11-15	PCB 1221	< 21	< 69	UG/KG	37,000	NA
	PA-HH11-20	PCB 1221	< 21	< 69	UG/KG	37,000	NA
	PA-HH11-25	PCB 1221	< 21	< 71	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH8-10	PCB 1221	< 21	< 71	UG/KG	37,000	NA
	PA-HH8-15	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH8-20	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-HH8-25	PCB 1221	< 21	< 69	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1221	< 21	< 72	UG/KG	37,000	NA
	PA-K9-5	PCB 1221	< 22	< 73	UG/KG	37,000	NA
	PA-K9-10	PCB 1221	< 21	< 72	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1221	< 20	< 68	UG/KG	37,000	NA
	PA-P17-10	PCB 1221	< 20	< 71	UG/KG	37,000	NA
	PA-P17-15	PCB 1221	< 21	< 70	UG/KG	37,000	NA
	PA-P17-20	PCB 1221	< 21	< 69	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1221	< 21	< 73	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1232	< 22	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1232	< 21	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1232	< 21	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1232	< 21	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1232	< 21	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1232	< 21	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-HH8-15	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1232	< 21	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1232	< 21	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1232	< 22	< 36	UG/KG	37,000	NA
	PA-K9-10	PCB 1232	< 21	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1232	< 20	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1232	< 20	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1232	< 21	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1232	< 21	< 34	UG/KG	37,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
PA-P19	PA-P19-20	PCB 1232	< 21	< 36	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1242	< 22	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1242	< 21	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1242	< 21	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1242	< 21	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1242	< 21	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1242	< 21	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-HH8-15	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1242	< 21	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1242	< 21	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1242	< 22	< 36	UG/KG	37,000	NA
	PA-K9-10	PCB 1242	< 21	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1242	< 20	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1242	< 20	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1242	< 21	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1242	< 21	< 34	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1242	< 21	< 36	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1248	< 22	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1248	< 21	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1248	< 21	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1248	< 21	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1248	< 21	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1248	< 21	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-HH8-15	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1248	< 21	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1248	< 21	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1248	< 22	< 36	UG/KG	37,000	NA

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-K9-10	PCB 1248	< 21	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1248	< 20	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1248	< 20	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1248	< 21	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1248	< 21	< 34	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1248	< 21	< 36	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1254	< 22	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1254	< 21	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1254	< 21	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1254	< 21	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1254	< 21	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1254	< 21	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-HH8-15	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1254	< 21	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1254	< 21	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1254	< 22	< 36	UG/KG	37,000	NA
	PA-K9-10	PCB 1254	< 21	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1254	< 20	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1254	< 20	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1254	< 21	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1254	< 21	< 34	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1254	< 21	< 36	UG/KG	37,000	NA
PA-BBB2	PA-BBB2-5	PCB 1260	< 1.4	< 36	UG/KG	37,000	NA
	PA-BBB2-10	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-BBB2-15	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-BBB2-20	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-BBB2-25	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
PA-EE14	PA-EE-14-1	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
	PA-EE-14-5	PCB 1260	< 1.4	< 36	UG/KG	37,000	NA
	PA-EE-14-10	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-EE-14-15	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
	PA-EE-14-20	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
PA-HH10	PA-HH10-5	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
	PA-HH10-10	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
	PA-HH10-15	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
	PA-HH10-20	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
PA-HH11	PA-HH11-5	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
	PA-HH11-10	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
	PA-HH11-15	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-HH11-20	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-HH11-25	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
PA-HH8	PA-HH8-5	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-HH8-10	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA

Appendix F - EPA Split Sample Comparison

Location Name	Sample Name	Analyte	ARC Primary Sample	EPA Dup Sample	Units	Industrial PRG	Relative Percent Difference
	PA-HH8-15	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-HH8-20	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
	PA-HH8-25	PCB 1260	< 1.4	< 34	UG/KG	37,000	NA
PA-K9	PA-K9-1	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
	PA-K9-5	PCB 1260	< 1.4	< 36	UG/KG	37,000	NA
	PA-K9-10	PCB 1260	< 1.4	< 35	UG/KG	37,000	NA
PA-P17	PA-P17-5	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
	PA-P17-10	PCB 1260	< 1.3	< 35	UG/KG	37,000	NA
	PA-P17-15	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
	PA-P17-20	PCB 1260	< 1.3	< 34	UG/KG	37,000	NA
PA-P19	PA-P19-20	PCB 1260	< 1.4	< 36	UG/KG	37,000	NA

Highlighted cell indicates results that exceeds Industrial PRG