Indoor Air, Sub-Slab and Outdoor Air Sample Results ($\mu g/m^3$)

Residential Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
1	Vacant	Indoor Air	07/25/11	ND	0.65	ND	**7.3**	ND	**1.4**	**2.9**	0.22	ND
1	Vacant	Sub-Slab	07/27/11	ND	9.1	ND	250	ND	2800	ND	40	ND
1	Vacant	Sub-Slab duplicate	07/27/11	ND	8.1	ND	260	ND	2600	ND	41	ND
1	Vacant	Sub-slab	10/05/11	ND	ND	ND	220	ND	830	ND	12	ND
1	Vacant	Sub-slab Duplicate	10/05/11	ND	ND	ND	220	ND	830	ND	13	ND
1	Vacant	Sub-slab	10/05/11	ND	ND	ND	57	ND	1800	ND	ND	ND
1	Vacant	Sub-slab	10/05/11	ND	ND	ND	35	ND	550	ND	7.6	ND
1	Vacant	Sub-slab - EPA	10/05/11	ND	ND	ND	300	ND	900	ND	10	ND
1	Vacant	Sub-slab - EPA	10/05/11	ND	10	ND	70	ND	2700	ND	30	ND
1	Vacant	Sub-slab - EPA	10/05/11	ND	ND	ND	40	ND	600	ND	8	ND
2	Occupied	Indoor Air	07/25/11	ND	0.68	ND	**7.1**	ND	0.31	**3.8**	0.22	ND
2	Occupied	Sub-Slab	07/26/11	ND	ND	ND	37	ND	470	ND	9.4	ND
3	Occupied	Indoor Air	07/25/11	ND	0.68	ND	**7.7**	ND	ND	**3.8**	0.22	ND
3	Occupied	Indoor Air	02/22/12	ND	0.54	ND	**3.1**	ND	ND	**3.6**	0.44	ND
3	Occupied	Indoor Air Duplicate	02/22/12	ND	0.54	ND	**3**	ND	0.16	**3.7**	0.48	ND
3	Occupied	Sub-Slab	07/27/11	ND	ND	ND	10	ND	47	ND	7.6	ND
4	Vacant	Indoor Air	07/25/11	ND	0.65	ND	**4.8**	ND	ND	**2.7**	0.18	ND
4	Vacant	Indoor Air	02/22/12	ND	0.56	ND	**0.99**	ND	ND	**1.1**	0.33	ND
4	Vacant	Sub-Slab	07/27/11	ND	ND	ND	22	ND	75	ND	10	ND
5	Vacant	Indoor Air	07/25/11	ND	0.67	ND	**3.5**	ND	0.21	**1.3**	0.26	ND
5	Vacant	Indoor Air	02/22/12	ND	0.57	ND	0.21	ND	0.18	ND	0.33	ND
5	Vacant	Sub-Slab	07/27/11	ND	ND	ND	7.3	ND	46	ND	ND	ND
6	Vacant	Indoor Air	07/25/11	ND	0.65	ND	**0.41**	ND	ND	ND	ND	ND
6	Vacant	Indoor Air	02/22/12	ND	0.57	ND	0.21	ND	0.14	ND	0.32	ND
6	Vacant	Sub-Slab	07/27/11	ND	ND	ND	6.6	ND	51	ND	8.5	ND
7	Occupied	Indoor Air	07/25/11	ND	0.66	ND	**1.7**	ND	ND	**0.64**	0.27	ND
7	Occupied	Indoor Air	02/21/12	ND	0.53	ND	**3.1**	ND	ND	**0.92**	0.25	ND
7	Occupied	Sub-Slab	07/26/11	ND	ND	ND	43	ND	28	ND	11	ND
7	Occupied	Sub-slab duplicate	07/26/11	ND	ND	ND	41	ND	28	ND	8.7	ND
8	Occupied	Indoor Air	07/25/11	ND	0.61	ND	**3.6**	ND	ND	**1.2**	0.27	ND
8	Occupied	Indoor Air	02/21/12	ND	0.55	ND	**0.88**	ND	ND	**0.74**	0.26	ND
8	Occupied	Sub-Slab	07/26/11	ND	ND	ND	49	ND	61	ND	15	ND
9	Occupied	Indoor Air	07/25/11	ND	0.66	ND	**5.3**	ND	ND	**2.7**	0.25	ND
9	Occupied	Indoor Air - EPA	07/26/11	ND	NA	ND	**5.9**	ND	ND	NA	0.3	ND
9	Occupied	Indoor Air	02/22/12	ND	0.59	ND	**0.43**	ND	ND	**0.23**	0.28	ND
9	Occupied	Sub-Slab	07/26/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
9	Occupied	Sub-Slab - EPA	07/26/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Occupied	Indoor Air	07/25/11	ND	0.60	ND	**8.4**	ND	ND	**2.4**	3.2	ND
10	Occupied	Indoor Air	02/23/12	ND	0.63	ND	0.21	ND	ND	ND	0.41	ND
10	Occupied	Sub-Slab	07/26/11	ND	ND	ND	ND	ND	ND	ND	37	ND
11	Occupied	Indoor Air	02/23/12	ND	0.64	ND	0.31	ND	ND	ND	0.4	ND
11	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	4	NA	34	NA
12	Occupied	Indoor Air	07/26/11	ND	0.65	ND	**2.8**	2.9	0.22	**1.2**	0.34	ND
12	Occupied	Indoor Air	02/23/12	ND	0.66	ND	**1.9**	2.5	0.25	**0.38**	0.7	ND
12	Occupied	Sub-Slab	07/27/11	ND	20	ND	10	ND	ND	ND	ND	ND
12	Occupied	Sub-Slab	07/27/11	ND	120	ND	7.1	7.9	59	ND	72	ND
12	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	11	NA	16	NA
12	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	12	NA	16	NA
12	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	36	NA	29	NA
13	Occupied	Indoor Air	10/05/11	ND	0.66	ND	**1.3**	ND	0.15	**0.64**	0.36	0.24
13	Occupied	Sub-slab	10/06/11	ND	28	ND	ND	ND	17	ND	37	ND
14	Occupied	Indoor Air	10/05/11	ND	0.61	ND	**5.1**	ND	ND	**3.6**	ND	ND
14	Occupied	Indoor Air Duplicate	10/05/11	ND	0.60	ND	**4.5**	ND	ND	**3.8**	ND	ND
14	Occupied	Sub-slab	10/06/11	ND	20	ND	57	ND	71	ND	27	ND
14	Occupied	Sub-slab Duplicate	10/06/11	ND	18	ND	54	ND	70	ND	27	ND
15	Occupied	Indoor Air	07/25/11	ND	0.67	ND	**1.2**	ND	ND	**0.18**	0.19	ND
15	Occupied	Sub-Slab	07/26/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
16	Occupied	Indoor Air	07/25/11	ND	0.60	ND	**3.7**	ND	**0.43**	**1.5**	ND	ND
16	Occupied	Indoor Air	02/24/12	ND	0.61	ND	**1**	ND	ND	**0.46**	0.43	ND
16	Occupied	Sub-Slab	07/26/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
16	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	17	NA	NA	NA

Indoor Air, Sub-Slab and Outdoor Air Sample Results ($\mu g/m^3$)

Residential Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
17	Occupied	Indoor Air	07/25/11	ND	0.68	ND	**1.2**	ND	ND	**0.55**	ND	ND
17	Occupied	Indoor Air	02/24/12	ND	0.53	ND	**1.7**	ND	0.21	**1.2**	0.48	ND
17	Occupied	Sub-Slab	07/26/11	ND	ND	ND	19	ND	31	ND	9.8	ND
18	Vacant	Indoor Air	07/25/11	ND	0.69	ND	**6.1**	ND	ND	**3.2**	ND	ND
18	Vacant	Indoor Air Duplicate	07/25/11	ND	0.67	ND	**6.1**	ND	ND	**3.4**	ND	ND
18	Vacant	Indoor Air	02/24/12	ND	0.61	ND	**0.54**	ND	0.23	ND	0.63	0.26
18	Vacant	Sub-Slab	07/26/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Vacant	Indoor Air	07/25/11	ND	0.58	ND	**5.1**	ND	0.21	**1.9**	0.27	ND
19	Vacant	Indoor Air - EPA	07/26/11	ND	NA	ND	**6**	ND	0.23	NA	0.32	ND
19	Vacant	Sub-Slab	07/26/11	ND	11	ND	11	ND	140	ND	31	ND
19	Vacant	Sub-Slab - EPA	07/26/11	ND	11	ND	10	ND	100	ND	30	ND
20		Sub-Slab	07/25/11	ND	29	ND	12	ND	100	ND	30	ND
21	Vacant	Indoor Air	07/25/11	ND	0.60	ND	**1.5**	ND	ND	**0.40**	ND	ND
21	Vacant	Sub-Slab	07/26/11	ND	31	ND	ND	ND	ND	ND	30	ND
22	Vacant	Indoor Air	07/25/11	ND	0.73	ND	**0.82**	ND	ND	**0.22**	0.27	ND
22	Vacant	Indoor Air Duplicate	07/25/11	ND	0.68	ND	**0.73**	ND	ND	**0.20**	0.27	ND
22	Vacant	Sub-Slab	07/26/11	ND	53	ND	6.7	ND	29	ND	35	ND
23	Vacant	Indoor Air	07/25/11	ND	0.75	ND	**1.9**	ND	0.21	**0.50**	0.22	ND
23	Vacant	Indoor Air - EPA	07/26/11	ND	NA	ND	**1.9**	ND	0.15	NA	0.23	ND
23	Vacant	Sub-Slab	07/26/11	14	170	ND	68	ND	200	ND	110	ND
23	Vacant	Sub-slab duplicate	07/26/11	14	170	ND	69	ND	210	ND	120	ND
23	Vacant	Sub-Slab - EPA	07/26/11	10	100	ND	60	ND	200	ND	100	ND
23	Vacant	Sub-Slab duplicate - EPA	07/26/11	10	100	6	60	ND	200	ND	100	ND
24	Occupied	Indoor Air	10/05/11	ND	0.64	ND	**0.56**	ND	ND	**0.42**	0.79	ND
24	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	Occupied	Indoor Air	10/05/11	ND	0.60	ND	**0.86**	ND	**0.53**	**0.43**	ND	ND
25	Occupied	Indoor Air	02/22/12	ND	0.62	ND	**1**	ND	**3.8**	**0.64**	0.35	ND
25	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	7.8	230	ND	9.6	ND
25	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	82	ND	ND	ND
25	Occupied	Sub-Slab	02/22/12	ND	ND	ND	ND	ND	430	ND	ND	ND
25	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	867	NA	7	NA
25	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	666	NA	7	NA
26	Occupied	Indoor Air	02/23/12	ND	0.59	ND	**3**	1.6	ND	**0.52**	0.39	ND
26	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	19	NA	3	NA
27	Occupied	Indoor Air	02/23/12	ND	0.61	ND	**2.2**	ND	ND	**1.1**	5.3	ND
27	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	20	NA	3	NA
28	Occupied	Indoor Air	02/24/12	ND	0.53	ND	**0.4**	ND	0.34	ND	0.4	ND
28	Occupied	Sub-Slab	02/23/12	ND	27	ND	24	ND	1100	11	13	ND
28	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	2400	NA	24	NA
29	Occupied	Indoor Air	02/25/12	ND	0.62	ND	**3**	5.8	0.22	**1.2**	0.57	ND
30	Occupied	Indoor Air	02/25/12	ND	0.58	ND	**1.3**	ND	ND	**0.56**	0.44	ND
30	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	13.9	NA	2	NA
31	Occupied	Indoor Air	02/24/12	ND	0.53	ND	**2.3**	ND	0.26	**0.53**	0.42	ND
31	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	37	NA	1	NA
31	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	600	NA	4	NA
32	Occupied	Indoor Air	02/24/12	ND	0.53	ND	**1.6**	ND	ND	**1.1**	0.35	ND
32	Occupied	Indoor Air - EPA	02/24/12	ND	0.56	ND	**1.8**	ND	ND	NA	0.33	ND
32	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	9	NA	2.6	NA
32	Occupied	Sub-Slab - EPA	02/23/12	ND	ND	ND	5	ND	ND	ND	ND	ND
32	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	11	NA	2.8	NA
33	Occupied	Indoor Air	10/05/11	ND	0.60	ND	**4.8**	ND	0.42	**1.6**	ND	ND
33	Occupied	Indoor Air	02/21/12	ND	0.56	ND	**0.89**	ND	**2.6**	**0.34**	0.41	ND
33	Occupied	Sub-slab	10/06/11	ND	ND	ND	6.9	ND	270	ND	ND	ND
33	Occupied	Sub-slab	10/06/11	ND	17	ND	8.7	ND	660	ND	7.9	ND
33	Occupied	Sub-Slab	02/21/12	ND	20	ND	12	ND	810	ND	ND	ND
33	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	1170	NA	9	NA
33	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	1250	NA	13	NA

Indoor Air, Sub-Slab and Outdoor Air Sample Results (μg/m^3)

Residential Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
34	Occupied	Indoor Air	10/05/11	ND	0.62	ND	**14**	ND	0.42	**6.6**	ND	ND
34	Occupied	Indoor Air	02/24/12	ND	0.55	ND	**5.3**	ND	**1.8**	**2.7**	0.36	ND
34	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	55	ND	ND	ND
34	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	241	NA	3.9	NA
34	Occupied	Sub-Slab-EPA	02/23/12	ND	ND	ND	ND	ND	200	ND	ND	ND
35	Occupied	Indoor Air	02/25/12	ND	0.54	ND	**0.94**	ND	**0.56**	ND	0.37	ND
35	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	10000	NA	56	NA
36	Occupied	Indoor Air	02/23/12	ND	0.89	ND	**1.5**	ND	**24**	**1**	0.83	ND
36	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	5600	NA	20	NA
37	Occupied	Indoor Air	02/23/12	ND	0.7	ND	**0.62**	ND	**5.1**	**0.39**	0.47	ND
37	Occupied	Indoor Air Duplicate	02/23/12	ND	0.75	ND	**0.68**	ND	**3.9**	**0.41**	0.49	ND
37	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	3040	NA	14	NA
37	Occupied	Sub-Slab-M Duplicate	02/22/12	NA	NA	NA	NA	NA	3170	NA	14	NA
38	Occupied	Indoor Air	02/24/12	ND	0.64	ND	**1.9**	ND	**7.6**	**0.76**	2.1	ND
38	Occupied	Indoor Air - EPA	02/24/12	ND	0.62	ND	**2**	ND	**9.3**	NA	1.7	ND
38	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	5400	NA	31	NA
38	Occupied	Sub-Slab - EPA	02/23/12	ND	70	ND	40	ND	6500	ND	20	ND
38	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	13000	NA	87	NA
39	Vacant	Indoor Air	02/22/12	ND	0.94	ND	**23**	ND	**12**	**0.19**	0.29	ND
39	Vacant	Indoor Air - EPA	02/22/12	ND	0.74	ND	**22**	ND	**10**	NA	0.28	ND
39	Vacant	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	43000	NA	160	NA
39	Vacant	Sub-Slab - EPA	02/22/12	20	1200	ND	100	ND	29000	ND	100	ND
39	Vacant	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	16500	NA	85	NA
39	Vacant	Sub-Slab-M Duplicate	02/22/12	NA	NA	NA	NA	NA	19000	NA	100	NA
40	Occupied	Indoor Air	02/24/12	ND	0.8	ND	**0.96**	ND	**14**	**0.28**	0.39	ND
40	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	3170	NA	20	NA
40	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	10500	NA	80	NA
41	Occupied	Indoor Air	10/05/11	ND	0.66	ND	**1**	ND	**1.7**	**0.54**	ND	ND
41	Occupied	Indoor Air - EPA	10/05/11	ND	0.79	ND	**0.85**	ND	**2.6**	NA	0.26	ND
41	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	3700	ND	ND	ND
41	Occupied	Sub-slab	10/06/11	ND	78	ND	31	ND	3200	ND	ND	ND
41	Occupied	Sub-slab - EPA	10/06/11	ND	100	ND	40	ND	7600	ND	20	ND
41	Occupied	Sub-slab - EPA	10/06/11	ND	80	ND	40	ND	5300	ND	10	ND
42	Occupied	Indoor Air	10/05/11	ND	0.65	ND	**8.8**	ND	**2.4**	**3.2**	**9.3**	ND
42	Occupied	Indoor Air Duplicate	10/05/11	ND	0.64	ND	**8.5**	ND	**2.1**	**3.1**	ND	ND
42	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	4700	ND	ND	ND
43	Occupied	Indoor Air	02/27/12	ND	0.63	ND	**1.4**	ND	**2.8**	**0.97**	0.4	ND
43	Occupied	Sub-Slab	02/23/12	ND	160	ND	25	ND	1200	13	7.8	ND
43	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	2500	NA	15	NA
43	Occupied	Sub-Slab-M Duplicate	02/23/12	NA	NA	NA	NA	NA	2400	NA	16	NA
44	Occupied	Indoor Air	10/05/11	ND	0.66	ND	**1.2**	ND	**1.3**	**0.53**	ND	ND
44	Occupied	Sub-slab	10/06/11	ND	ND	ND	210	ND	1700	ND	ND	ND
44	Occupied	Sub-slab	10/06/11	ND	62	ND	ND	ND	2600	ND	ND	ND
45	Occupied	Indoor Air	02/24/12	ND	0.54	ND	**1.9**	ND	**3.6**	**1.1**	0.47	ND
45	Occupied	Indoor Air	02/24/12	ND	0.56	ND	**2**	ND	**3.7**	**1.1**	0.5	ND
45	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	10000	NA	75	NA
46	Occupied	Indoor Air	10/05/11	ND	0.61	ND	0.21	ND	0.28	ND	ND	ND
46	Occupied	Sub-slab	10/06/11	ND	55	ND	ND	ND	4100	ND	ND	ND
46	Occupied	Sub-slab	10/06/11	ND	ND	ND	ND	ND	13000	ND	ND	ND
47	Occupied	Indoor Air	02/23/12	ND	0.67	ND	**0.74**	ND	0.26	**0.46**	0.32	ND
47	Occupied	Sub-Slab	02/24/12	ND	49	ND	ND	ND	150	ND	ND	ND
47	Occupied	Sub-Slab-M	02/24/12	NA	NA	NA	NA	NA	340	NA	7	NA
48	Occupied	Indoor Air	02/25/12	ND	0.55	ND	**0.53**	ND	ND	ND	0.22	ND
48	Occupied	Sub-Slab-M	02/24/12	NA	NA	NA	NA	NA	2	NA	2	NA
48	Occupied	Sub-Slab - EPA	02/24/12	ND	ND	ND	ND	ND	ND	ND	ND	ND
49	Occupied	Indoor Air	02/24/12	ND	0.7	ND	**1.4**	0.32	**1.2**	**0.89**	1.8	ND
49	Occupied	Sub-Slab	02/23/12	ND	37	ND	ND	ND	270	ND	ND	ND
49	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	450	NA	5	NA
49	Occupied	Sub-Slab-M Duplicate	02/23/12	NA	NA	NA	NA	NA	487	NA	5.2	NA

Indoor Air, Sub-Slab and Outdoor Air Sample Results (μg/m^3)

Residential Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
50	Occupied	Indoor Air	02/24/12	ND	0.58	ND	**0.92**	ND	**0.58**	**0.6**	0.44	ND
50	Occupied	Sub-Slab	02/23/12	7.1	ND	ND	91	ND	ND	38	ND	ND
50	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	431	NA	8	NA
51	Occupied	Indoor Air	02/25/12	ND	0.52	ND	**1.3**	ND	ND	**0.71**	0.33	ND
51	Occupied	Sub-Slab-M	02/24/12	NA	NA	NA	NA	NA	2	NA	1	NA
52	Occupied	Indoor Air	02/24/12	ND	0.55	ND	**0.79**	ND	0.18	**0.36**	0.34	ND
52	Occupied	Sub-Slab	02/23/12	ND	14	ND	15	ND	120	ND	ND	ND
52	Occupied	Sub-Slab-M	02/23/12	NA	NA	NA	NA	NA	222	NA	3.2	NA
53	Occupied	Indoor Air	02/22/12	ND	0.59	ND	**1.6**	ND	**0.61**	**0.53**	0.68	ND
53	Occupied	Sub-Slab	02/21/12	ND	11	ND	65	ND	210	ND	16	ND
53	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	300	NA	21	NA
54	Occupied	Indoor Air	02/22/12	ND	0.57	ND	**1.1**	ND	0.24	**0.84**	4.6	ND
54	Occupied	Sub-Slab	02/21/12	ND	ND	ND	32	ND	15	ND	ND	ND
54	Occupied	Sub-Slab-F Duplicate	02/21/12	ND	ND	ND	29	ND	13	ND	ND	ND
54	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	62	NA	5	NA
55	Occupied	Indoor Air	02/23/12	ND	0.52	ND	**1**	ND	ND	**0.78**	0.48	ND
55	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	70	NA	82	NA
56	Occupied	Indoor Air	02/22/12	ND	0.6	ND	0.38	ND	ND	**0.18**	0.47	ND
56	Occupied	Indoor Air Duplicate	02/22/12	ND	0.61	ND	0.39	ND	ND	**0.18**	0.46	ND
56	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	21	NA	19	NA
57	Occupied	Indoor Air	10/05/11	ND	0.63	ND	**5.2**	ND	**0.49**	**3.7**	0.56	ND
57	Occupied	Indoor Air	02/21/12	ND	0.58	ND	**2.4**	ND	**0.59**	**1.5**	0.49	ND
57	Occupied	Sub-slab	10/06/11	10	40	ND	450	ND	550	ND	81	ND
57	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	837	NA	136	NA
58	Occupied	Indoor Air	02/23/12	ND	0.64	ND	**16**	ND	0.29	**0.77**	0.53	ND
58	Occupied	Sub-Slab	02/22/12	24	57	ND	360	ND	530	ND	96	ND
58	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	990	NA	148	NA
58	Occupied	Sub-Slab-M Duplicate	02/22/12	NA	NA	NA	NA	NA	1000	NA	147	NA
59	Occupied	Indoor Air	02/22/12	ND	0.58	ND	**0.61**	ND	ND	**0.34**	0.4	ND
59	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	7	NA	7	NA
60	Occupied	Indoor Air	02/22/12	ND	0.6	ND	**2.5**	ND	0.23	**1.6**	3.7	ND
60	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	13	NA	3	NA
61	Occupied	Indoor Air	02/23/12	ND	0.66	ND	**2.3**	ND	**0.82**	**1.6**	0.54	ND
61	Occupied	Sub-Slab	02/22/12	ND	23	ND	170	ND	270	ND	28	ND
61	Occupied	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	490	NA	39	NA
62	Occupied	Indoor Air	02/22/12	ND	0.61	ND	**0.94**	0.19	**0.45**	**0.48**	0.53	ND
62	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	48	NA	14	NA
63	Occupied	Indoor Air	10/05/11	ND	0.60	ND	**2.8**	ND	ND	**1.1**	ND	ND
63	Occupied	Indoor Air	02/21/12	ND	0.72	ND	**4**	ND	ND	**0.95**	0.48	ND
63	Occupied	Sub-slab	10/06/11	ND	ND	ND	42	ND	ND	ND	ND	ND
64	Occupied	Indoor Air	07/25/11	0.14	0.64	ND	**34**	ND	**2.4**	**12**	0.66	0.35
64	Occupied	Sub-Slab	07/26/11	ND	ND	ND	35	ND	8.8	ND	8.1	ND
65	Occupied	Indoor Air	10/05/11	ND	0.61	ND	**11**	ND	**0.89**	**4.9**	0.18	ND
65	Occupied	Sub-slab	10/06/11	ND	19	ND	74	ND	1400	ND	19	ND
65	Occupied	Sub-slab Duplicate	10/06/11	ND	17	ND	79	ND	1400	ND	23	ND
66	Occupied	Indoor Air	07/25/11	ND	0.66	ND	**23**	ND	**3.8**	**9.6**	0.30	0.16
66	Occupied	Indoor Air - EPA	07/26/11	ND	NA	ND	**31**	ND	**3.7**	NA	0.35	0.29
66	Occupied	Sub-Slab	07/26/11	ND	9.2	ND	64	ND	180	ND	8.7	ND
66	Occupied	Sub-Slab - EPA	07/26/11	ND	ND	ND	50	ND	200	ND	7	ND
67	Occupied	Indoor Air	07/25/11	0.11	0.58	ND	**9.4**	0.84	0.22	**4.6**	2.7	ND
67	Occupied	Indoor Air	02/22/12	ND	0.59	ND	**3.5**	ND	ND	**3.6**	0.37	ND
67	Occupied	Sub-Slab	07/26/11	ND	ND	ND	38	ND	160	ND	12	ND
68	Occupied	Indoor Air	07/25/11	ND	0.69	ND	**3.4**	0.23	0.26	**2.2**	0.26	ND
68	Occupied	Indoor Air Duplicate	07/25/11	ND	0.63	ND	**4.7**	0.17	0.20	**1.7**	0.23	ND
68	Occupied	Indoor Air - EPA	07/26/11	ND	NA	ND	**4.5**	0.2	0.23	NA	0.28	ND
68	Occupied	Indoor Air	02/21/12	ND	0.57	ND	**1.7**	ND	ND	**1.1**	0.48	ND
68	Occupied	Indoor Air Duplicate	02/21/12	ND	0.55	ND	**1.7**	ND	ND	**0.96**	0.45	ND
68	Occupied	Sub-Slab	07/26/11	ND	ND	ND	19	ND	130	ND	ND	ND
68	Occupied	Sub-Slab - EPA	07/26/11	ND	ND	ND	ND	ND	100	ND	ND	ND

Indoor Air, Sub-Slab and Outdoor Air Sample Results (μg/m^3)

Residential Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
69	Occupied	Indoor Air	07/26/11	ND	0.72	ND	**12**	0.39	0.23	**3.8**	0.92	ND
69	Occupied	Indoor Air	02/21/12	ND	0.57	ND	**4.1**	ND	0.3	**1.7**	0.28	ND
69	Occupied	Sub-Slab	07/26/11	ND	ND	ND	88	ND	180	ND	11	ND
70	Occupied	Indoor Air	02/22/12	ND	0.6	ND	**1.9**	ND	**0.55**	**1.3**	0.53	ND
70	Occupied	Sub-Slab	02/21/12	ND	17	ND	100	ND	550	ND	29	ND
70	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	723	NA	33	NA
71	Occupied	Indoor Air	10/05/11	ND	0.60	ND	**3.6**	ND	0.18	**2.4**	0.55	ND
71	Occupied	Sub-slab	10/06/11	ND	13	ND	340	ND	260	14	21	ND
71	Occupied	Indoor Air	02/21/12	ND	0.56	ND	**0.57**	ND	ND	**0.4**	0.47	ND
71	Occupied	Sub-Slab	02/21/12	ND	12	ND	390	ND	200	14	20	ND
71	Occupied	Sub-Slab-F Duplicate	02/21/12	ND	ND	ND	370	ND	200	13	21	ND
71	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	375	NA	28	NA
72	Vacant	Indoor Air	02/24/12	ND	0.56	ND	**2**	ND	0.34	**0.63**	0.71	ND
72	Vacant	Sub-Slab	02/22/12	ND	27	ND	140	ND	180	31	18	ND
72	Vacant	Sub-Slab-M	02/22/12	NA	NA	NA	NA	NA	672	NA	28	NA
73	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	68	NA	5	NA
74	Occupied	Indoor Air	10/05/11	0.17	0.65	ND	**51**	ND	0.31	**6.2**	0.35	ND
74	Occupied	Sub-slab	10/06/11	ND	14	ND	76	ND	360	8.0	21	ND
75	Occupied	Indoor Air	02/22/12	ND	0.5	ND	**35**	ND	**0.75**	**1.5**	0.99	ND
75	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	71	NA	15	NA
76	Vacant	Indoor Air	02/22/12	ND	0.54	ND	**1.1**	ND	ND	ND	0.31	ND
76	Vacant	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	5	NA	4	NA
77	Occupied	Indoor Air	02/22/12	ND	0.6	ND	**0.58**	ND	ND	**0.35**	0.6	ND
77	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	3	NA	5	NA
Commercial Location												
1	Vacant	Indoor Air	10/05/11	ND	1	0.42	**0.8**	ND	**8.3**	ND	0.37	0.65
1	Vacant	Indoor Air	10/05/11	ND	1	0.11	0.52	ND	**8.6**	ND	1.1	0.62
2	Occupied	Indoor Air	07/26/11	ND	1.2	ND	**2.0**	ND	2.2	ND	ND	ND
2	Occupied	Indoor Air	07/26/11	ND	0.42	ND	**0.73**	ND	0.71	ND	ND	0.13
2	Occupied	Indoor Air	07/26/11	ND	0.55	ND	**0.92**	ND	1.0	ND	ND	0.14
2	Occupied	Indoor Air	02/21/12	ND	0.59	ND	0.31	ND	2.7	ND	0.84	ND
2	Occupied	Indoor Air Duplicate	02/21/12	ND	0.61	ND	0.32	ND	2.7	ND	0.88	ND
2	Occupied	Indoor Air	02/21/12	ND	0.56	ND	0.24	ND	1.7	ND	0.64	ND
2	Occupied	Indoor Air	02/21/12	ND	0.64	ND	0.29	ND	2.3	ND	0.88	ND
2	Occupied	Indoor Air	02/21/12	ND	0.62	ND	0.3	ND	0.15	ND	0.74	ND
3	Occupied	Indoor Air	10/06/11	ND	0.60	ND	0.18	ND	ND	ND	0.23	ND
3	Occupied	Indoor Air	10/06/11	ND	0.60	ND	0.23	ND	ND	ND	ND	ND
3	Occupied	Indoor Air	10/06/11	ND	0.62	ND	0.18	ND	ND	ND	0.27	ND
3	Occupied	Indoor Air	02/21/12	ND	0.57	ND	0.27	ND	0.2	ND	0.5	ND
3	Occupied	Indoor Air	02/21/12	ND	0.56	ND	0.39	ND	0.44	ND	0.63	ND
3	Occupied	Indoor Air	02/21/12	ND	0.59	ND	0.26	ND	0.18	ND	0.58	ND
4	Occupied	Indoor Air	10/05/11	ND	0.61	ND	0.24	ND	ND	ND	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.60	ND	0.31	ND	ND	ND	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.57	ND	**0.47**	ND	ND	**0.2**	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.59	ND	0.27	ND	ND	ND	ND	ND
4	Occupied	Indoor Air - EPA	10/05/11	ND	0.63	ND	0.34	ND	ND	NA	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.59	ND	0.23	ND	ND	ND	0.23	0.13
4	Occupied	Indoor Air	10/05/11	ND	0.60	ND	0.34	ND	ND	ND	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.68	ND	**0.63**	ND	ND	ND	ND	ND
4	Occupied	Indoor Air	10/05/11	ND	0.61	ND	0.28	ND	ND	ND	0.23	ND
4	Occupied	Indoor Air	10/05/11	ND	0.62	0.24	**0.63**	ND	ND	ND	0.72	ND
4	Occupied	Indoor Air	02/21/12	ND	0.59	0.45	0.28	ND	**0.55**	ND	0.66	ND
4	Occupied	Indoor Air	02/21/12	ND	0.54	ND	0.22	ND	ND	ND	0.29	ND
4	Occupied	Indoor Air	02/21/12	ND	0.52	0.14	0.2	ND	0.22	ND	0.43	ND
4	Occupied	Indoor Air	02/21/12	ND	0.53	ND	0.2	ND	ND	ND	0.29	ND
4	Occupied	Indoor Air	02/21/12	ND	0.57	ND	0.24	ND	0.14	ND	0.31	ND
4	Occupied	Indoor Air	02/21/12	ND	0.53	ND	0.19	ND	ND	ND	0.23	ND
4	Occupied	Indoor Air	02/21/12	ND	0.53	ND	0.2	ND	ND	ND	0.29	ND
4	Occupied	Indoor Air	02/21/12	ND	0.55	ND	0.24	ND	ND	ND	0.3	ND
4	Occupied	Indoor Air	02/21/12	ND	0.55	ND	0.25	ND	ND	ND	0.46	ND
4	Occupied	Indoor Air - EPA	02/21/12	ND	0.57	ND	0.25	ND	ND	NA	0.31	ND

Indoor Air, Sub-Slab and Outdoor Air Sample Results (μg/m^3)

Commercial Location	Occupied/Vacant	Sample Type	Sample Date	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
5	Vacant	Indoor Air	10/05/11	ND	0.78	ND	**0.53**	ND	0.47	0.41	0.24	ND
5	Vacant	Indoor Air	02/21/12	ND	0.58	ND	0.22	ND	0.65	ND	0.19	ND
6	Occupied	Indoor Air	10/05/11	ND	0.71	0.35	**1.5**	ND	1.7	**0.56**	4.4	ND
6	Occupied	Indoor Air	10/05/11	ND	0.65	ND	**1.1**	ND	1.6	**0.35**	0.17	ND
6	Occupied	Indoor Air	02/23/12	ND	0.53	ND	**0.95**	ND	0.6	0.3	0.61	ND
7	Occupied	Indoor Air	02/22/12	ND	0.58	ND	**5**	ND	ND	**1.4**	0.41	ND
7	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	25	NA	4	NA
8	Occupied	Indoor Air	02/22/12	ND	0.6	ND	**5.3**	ND	ND	**2.7**	0.38	ND
8	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	10	NA	3	NA
9	Occupied	Indoor Air	02/22/12	ND	0.6	ND	**0.59**	ND	0.14	ND	0.54	ND
9	Occupied	Indoor Air Duplicate	02/22/12	ND	0.6	ND	**0.58**	ND	0.15	ND	0.56	ND
9	Occupied	Sub-Slab-M	02/21/12	NA	NA	NA	NA	NA	7	NA	2	NA
10	Occupied	Indoor Air	10/05/11	ND	0.77	ND	**0.46**	ND	0.16	ND	1.3	ND
10	Occupied	Indoor Air	10/05/11	ND	0.82	ND	0.38	ND	ND	ND	ND	ND
10	Occupied	Indoor Air	10/05/11	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Occupied	Indoor Air	10/05/11	ND	0.77	ND	**0.41**	ND	ND	ND	0.29	ND
10	Occupied	Indoor Air - EPA	10/05/11	ND	0.71	ND	**0.46**	ND	ND	NA	ND	ND
10	Occupied	Indoor Air	02/21/12	ND	0.62	ND	0.32	ND	0.15	ND	0.38	ND
10	Occupied	Indoor Air	02/21/12	ND	0.6	ND	0.29	ND	ND	ND	0.35	ND
10	Occupied	Indoor Air	02/21/12	ND	0.56	ND	0.27	ND	0.15	ND	0.32	ND
10	Occupied	Indoor Air	02/21/12	ND	0.55	ND	0.25	ND	0.19	ND	0.34	ND
10	Occupied	Indoor Air - EPA	02/21/12	ND	0.61	ND	0.35	ND	0.13	NA	0.37	0.22
Outdoor Location												
1		Outdoor Air	07/26/11	ND	0.66	ND	0.13	ND	0.65	ND	ND	ND
2		Outdoor Air	07/25/11	ND	0.79	ND	0.43	ND	1.4	ND	0.27	ND
3		Outdoor Air	07/25/11	ND	0.64	ND	0.62	ND	0.14	0.18	0.23	ND
4		Outdoor Air	07/25/11	ND	0.68	ND	0.66	ND	ND	0.23	0.21	ND
5		Outdoor Air	07/25/11	ND	0.67	ND	0.38	ND	ND	ND	0.20	ND
6		Outdoor Air	07/25/11	ND	0.65	ND	0.40	ND	ND	ND	0.21	ND
7		Outdoor Air	07/25/11	ND	0.66	ND	0.42	ND	ND	ND	0.18	ND
8		Outdoor Air	07/26/11	ND	0.98	ND	ND	ND	ND	ND	ND	ND
1		Outdoor Air	10/05/11	ND	0.70	ND	0.22	ND	0.31	ND	ND	ND
2		Outdoor Air	10/05/11	ND	0.63	ND	0.24	ND	0.57	0.24	0.71	0.55
3		Outdoor Air	10/05/11	ND	0.63	ND	0.17	ND	ND	ND	ND	ND
4		Outdoor Air	10/05/11	ND	0.63	0.19	1.2	ND	0.46	ND	1.3	ND
5		Outdoor Air	10/05/11	ND	0.64	ND	ND	ND	ND	ND	ND	ND
6		Outdoor Air	10/05/11	ND	0.60	ND	0.16	ND	ND	ND	ND	ND
7		Outdoor Air	10/05/11	ND	0.61	ND	0.56	ND	ND	ND	ND	ND
8		Outdoor Air	10/05/11	ND	0.79	ND	0.26	ND	0.15	ND	0.37	ND
9		Outdoor Air	10/06/11	ND	0.60	ND	0.22	ND	ND	ND	ND	ND
1		Outdoor Air	02/22/12	ND	0.57	ND	0.14	ND	ND	ND	0.28	ND
2		Outdoor Air	02/23/12	ND	0.65	ND	0.18	ND	ND	ND	0.46	ND
3		Outdoor Air	02/25/12	ND	0.56	ND	0.33	ND	0.19	ND	0.69	ND
4		Outdoor Air	02/24/12	ND	0.54	ND	0.32	ND	ND	ND	0.45	ND
5		Outdoor Air Duplicate	02/21/12	ND	0.6	ND	0.34	ND	0.19	ND	0.47	ND
6		Outdoor Air	02/21/12	ND	0.56	ND	0.33	ND	0.18	ND	0.42	ND
7		Outdoor Air	02/23/12	ND	0.6	ND	0.2	ND	ND	ND	0.3	ND
8		Outdoor Air	02/24/12	ND	0.55	ND	0.32	ND	0.35	ND	0.64	ND
9		Outdoor Air	02/22/12	ND	0.57	ND	0.25	ND	0.25	ND	0.26	ND
10		Outdoor Air	02/24/12	ND	0.61	ND	0.24	ND	ND	ND	0.52	ND
11		Outdoor Air	02/22/12	ND	0.57	ND	0.21	ND	ND	ND	0.37	ND
12		Outdoor Air	02/21/12	ND	0.56	ND	0.27	ND	ND	ND	0.4	ND
13		Outdoor Air	02/22/12	ND	0.65	ND	0.22	ND	ND	ND	0.27	ND
14		Outdoor Air	02/23/12	ND	0.57	ND	0.16	ND	ND	ND	0.41	ND
15		Outdoor Air	02/21/12	ND	0.56	ND	0.28	ND	ND	ND	0.56	ND
16		Outdoor Air	02/21/12	ND	0.56	ND	0.32	ND	ND	ND	0.36	ND

	1,1-Dichloroethene	1,1,2-Trichlorotrifluoroethane (F113)	cis-1,2-Dichloroethene	Chloroform	1,1,1-Trichloroethane	Trichloroethene	Bromodichloromethane	Tetrachloroethene	Chlorobenzene
Indoor Air Laboratory Reporting Limit (μg/m^3)	0.099	0.19	0.099	0.12	0.14	0.13	0.17	0.17	0.12
Sub-Slab Laboratory Reporting Limit (μg/m^3)	4.0	7.7	4.0	5.0	5.5	5.5	6.8	6.9	4.7
EPA Regional Screening Level (RSL) for Residential Indoor Air (μg/m^3)	210	31000	63*	0.4	5200	0.43	0.066	9.3	52
EPA Regional Screening Level (RSL) for Industrial Indoor Air (μg/m^3)	880	130000	260	0.53	22000	3	0.33	47.2	220

Notes: * No established EPA Regional Screening Level for cis-1,2-Dichloroethene. Trans-1,2-Dichloroethene used as surrogate.
ND = Not Detected
NA = Not Analyzed
Sub-slab-M = Sub-slab sample analyzed by Modified EPA Method TO-14 in a mobile lab by Hartman Environmental Geoscience.