

FINAL DRAFT/PROPOSED CAAPP PERMIT  
St. John's Hospital  
I.D. No.: 167120ACK  
Application No.: 99110044  
January 31, 2001

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT  
and  
TITLE I PERMIT<sup>1</sup>

PERMITTEE

St. John's Hospital  
Attn: Morris Wilcoxon, Supervisor, Plant Operations  
800 East Carpenter Street  
Springfield, Illinois 62769

<u>Application No.:</u> 99110044	<u>I.D. No.:</u> 167120ACK
<u>Applicant's Designation:</u>	<u>Date Received:</u> November 12, 1999
<u>Operation of:</u> Hospital	
<u>Date Issued:</u>	<u>Expiration Date</u> <sup>2</sup> :
<u>Source Location:</u> 701 East Mason Street, Springfield, Sangamon County	
<u>Responsible Official:</u> Robert M. Budnik, Assistant Administrator	

This permit is hereby granted to the above-designated Permittee to OPERATE a Hospital, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact Anatoly Belogorsky at 217/782-2113.

Donald E. Sutton, P.E.  
Manager, Permit Section  
Division of Air Pollution Control

DES:AB:psj

cc: Illinois EPA, FOS, Region 3  
USEPA

<sup>1</sup> This permit may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal PSD and 35 IAC Part 203 -

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within this permit.

<sup>2</sup>

Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	7
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	9
5.0 OVERALL SOURCE CONDITIONS	10
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 NOT APPLICABLE TO THIS PERMIT	15
7.0 UNIT SPECIFIC CONDITIONS	16
7.1 Hospital Medical Infectious Waste Incinerator	
7.2 Boilers	
7.3 Natural Gas Fired Engines/Chillers	
8.0 GENERAL PERMIT CONDITIONS	42
8.1 Permit Shield	



1.0 SOURCE IDENTIFICATION

1.1 Source

St. John's Hospital  
701 East Mason Street  
Springfield, Illinois 62769  
Phone (217) 544-6464

I.D. No.: 167120ACK  
Standard Industrial Classification: 8062, Health Services

1.2 Owner/Parent Company

St. John's Hospital  
800 East Carpenter Street  
Springfield, Illinois 62769

1.3 Operator

St. John's Hospital  
800 East Carpenter Street  
Springfield, Illinois 62769

Contact Person's Name:  
Morris Wilcoxon  
Phone (217) 544-6464

1.4 General Source Description

St. John's Hospital is located at 701 East Mason Street in Springfield and provides health care services. The hospital operates the following significant emission units at this site: four boilers, one Hospital/Medical/Infectious Waste Incinerator, and two chillers.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
ATU	Allotment Trading Unit
BAT	Best Available Technology
Btu	British thermal unit
°C	Degrees Celsius
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
Cd	Cadmium
CEMS	Continuous Emission Monitoring System
Cfm	Cubic foot per minute
CFR	Code of Federal Regulations
CO	Carbon Monoxide
dscf	Dry standard cubic foot
dscm	Dry standard cubic meter
°F	Degrees Fahrenheit
Ft	Feet
G	Grams
Gal	Gallons
Gr	Grains
HAP	Hazardous Air Pollutant
HCL	Hydrogen Chloride
Hg	Mercury
HMIWI	Hospital/Medical/Infectious Waste Incinerator
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
kg	kilogram
kW	kilowatts
L	liter
LAER	Lowest Achievable Emission Rate
lb	pound
m	meter

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

MACT	Maximum Achievable Control Technology
mg	milligram
mmBtu	Million British thermal units
mmscf	Million standard cubic feet
mo	month
MW	Megawatts
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen Oxides
NSPS	New Source Performance Standards
Pb	Lead
PM	Particulate Matter
PM <sub>10</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
ppmv	Parts per million by volume
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
scf	Standard cubic feet
scm	Standard cubic meters
SO <sub>2</sub>	Sulfur Dioxide
t	ton
TEQ	Toxic equivalency
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material
yr	year

### 3.0 INSIGNIFICANT ACTIVITIES

#### 3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

None

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

Ethylene oxide sterilizers and aerators

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Storage tanks of virgin or re-refined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oils [35 IAC 201.210(a)(11)].

Gas turbines and stationary reciprocating internal combustion engines of between 112 KW and 1,118 KW (1500 and 1,500 horsepower) power output that are emergency or standby units [35 IAC 201.210(a)(16)].

- 3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

#### 3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- 3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.
  - 3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.
  - 3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.
- 3.3 Addition of Insignificant Activities
- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
  - 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
  - 3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 St. John's Hospital  
 I.D. No.: 167120ACK  
 Application No.: 99110044  
 January 31, 2001

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
Unit 1	Hospital/Medical/ Infectious Waste Incinerator	1983	None
Unit 2	Boilers ##1 - 3 #4	1969 1984	None
Unit 3	Natural Gas Fired Engines/Chillers #1 #2	1997 1999	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit because the source is subject to a standard, limitation, or other requirement under Section 111 (NSPS) or Section 112 (HAPs) of the CAA for which USEPA requires a CAAPP permit, or because the source is in a source category designated by the USEPA, pursuant to 40 CFR 70.3(a)(2), (3), and (5) (40 CFR 70.3 Applicability) [Section 39.5(2)(a)(ii) and (iv) of the Act].

5.1.2 This permit is issued based on the source not being a major source of HAPs.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.4 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.

- 5.2.5 a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.

- b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.

5.2.7 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
  - i. Illinois EPA, Compliance Section; and

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
- iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.3 Non-Applicability of Regulations of Concern

This permit is issued based on the source not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the source does not have a pollutant-specific emissions unit that uses add-on control device to achieve compliance with an emission limitation or standard.

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	11.76
Sulfur Dioxide (SO <sub>2</sub> )	13.15
Particulate Matter (PM)	9.6
Nitrogen Oxides (NO <sub>x</sub> )	83.95

FINAL DRAFT/PROPOSED CAAPP PERMIT  
St. John's Hospital  
I.D. No.: 167120ACK  
Application No.: 99110044  
January 31, 2001

HAP, not included in VOM or PM	9.99
TOTAL	128.45

5.5.2 Emissions of Hazardous Air Pollutants

This permit is issued based on the emissions of HAPs as listed in Section 112(b) of the CAA not being equal to or exceeding 10 tons per year of a single HAP or 25 tons per year of any combination of such HAPs, so that this source is considered a minor source for HAPs.

5.5.3 Other Source-Wide Emission Limitations

None

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and compliance procedures in Section 7 (Unit Specific Conditions) of this permit.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
St. John's Hospital  
I.D. No.: 167120ACK  
Application No.: 99110044  
January 31, 2001

6.0 NOT APPLICABLE TO THIS PERMIT

7.0 UNIT SPECIFIC CONDITIONS

7.1 Unit 1 Hospital Medical Infectious Waste Incinerator (HMIWI)

7.1.1 Description

A continuous HMIWI is used for disposal (incineration) of the hospital/medical infectious waste generated by the hospital operations

7.1.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 1: HMIWI	Continuous HMIWI with a maximum waste charging rate of 1,000 lb/hr (design capacity) and a maximum actual waste charging rate of 726 lb/hr	None

7.1.3 Applicability Provisions and Applicable Regulations

- a. The "affected large hospital medical infectious waste incinerator" for the purpose of these unit-specific conditions, is an emission unit for incineration of the medical waste generated by the on-site operations and not exceeding 726 lb/hr of the charging waste.
- b. The affected large HMIWI is subject to the emission limits established in 35 IAC Part 229 "Hospital/Medical/Infectious Waste Incinerators" and shall fully comply with 35 IAC Part 229 by September 15, 2002 pursuant to 35 IAC 229.115(b), and Compliance Schedule established in Condition 7.1.10. The Permittee shall be in full compliance with all of the HMIWI operator provisions of 35 IAC Part 229, Subpart J by September 15, 2000. All emission limits and requirements are discussed further in this Section.
- c. The affected large HMIWI is subject to the following emission limits until September 15, 2002:
  - i. No person shall cause or allow the emission of particulate matter into the atmosphere from incinerators for which construction or

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

modification commenced on or after April 14, 1972, to exceed 229 mg/scm (0.1 gr/scf) of effluent gases corrected to 12 percent carbon dioxide [35 IAC 212.181(d)].

- ii. No person shall cause or allow the emission of carbon monoxide into the atmosphere from any incinerator to exceed 500 ppm, corrected to 50 percent excess air [35 IAC 216.141].

7.1.4 Non-Applicability of Regulations of Concern

- a. The affected large HMIWI is exempted from compliance with 35 IAC Part 229 by September 15, 2000, except for operator provisions, pursuant to 35 IAC 229.115(b).
- b. The affected large HMIWI is not subject to 40 CFR 60.50c because construction of this HMIWI was commenced prior to June 20, 1996.
- c. This permit is issued based on the affected HMIWI not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM), because the affected HMIWI does not use an add-on control device to achieve compliance with an emission limitation or standard. The affected HMIWI will not be subject to 40 CFR Part 64 after installation of control device(s), because affected HMIWI is subject to a NSPS Guidance proposed after November 15, 1990, pursuant to 40 CFR 64.2(b)(1)(i).

7.1.5 Operating Requirements and Work Practices

- a. Only general hospital waste, including medical/infectious waste and pathological waste, shall be charged to the incinerator at the rate not exceeding 726 lb/hr, based on measurement of the weight of each load or "charge" of waste introduced into the incinerator.
- b. The secondary combustion chamber of affected HMIWI shall be preheated to a 1807°F (minimum average) prior to introducing waste into the incinerator. This temperature shall be maintained until burnout of waste in the primary chamber is completed.

7.1.6 Operator Training and Qualification Requirements

The Permittee has to comply with all of the following requirements:

- a. No HMIWI shall be operated unless a trained and qualified HMIWI operator, as specified in 35 IAC Part 229, is available on-site to operate or supervise the operation of the HMIWI.
- b. To become a trained and qualified operator, a person shall complete a training program that, at a minimum, meets the criteria specified further in this condition, pass the examination administered in accordance with condition described below and have either 6 months experience as an HMIWI operator or have completed 2 burn cycles under the observation of 2 trained and qualified HMIWI operators.
- c. An operator training program shall satisfy all of the following criteria:
  - i. Consist of at least 24 hours of training covering the following subjects:
    - A. Work safety procedures;
    - B. Pre-startup procedures;
    - C. Environmental concerns, including pathogen destruction and types of emissions;
    - D. Basic combustion principles, including combustion byproducts;
    - E. Instruction in the proper operation of the same type of incinerator that will be used by the operator, including proper startup, waste charging, and shutdown procedures;
    - F. Combustion controls and monitoring;
    - G. Operation of air pollution control equipment and factors affecting performance;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- H. Methods for monitoring pollutants, both by CEMS and by monitoring of HMIWI and air pollution control device operating parameters, and monitoring instrument calibration procedures;
  - I. Inspection and maintenance of an HMIWI, air pollution control equipment, and CEMS;
  - J. Corrective measures to remedy malfunctions and conditions that may lead to malfunction;
  - K. Characteristics of and proper handling procedures for bottom and fly ash;
  - L. Recordkeeping procedures; and
  - M. Applicable Federal, State, and local regulations.
- ii. Administer an examination designed by the course instructor; and
  - iii. Provide reference materials covering all of the course topics specified above.
- d. Operator qualification is valid from the date on which the examination specified in Condition 7.1.6I(ii) is passed, or the completion of the experience requirements set forth in Condition 7.1.6(b), whichever is later.
  - e. In order for an operator that has been qualified in accordance with Condition 7.1.6(b) to maintain the necessary qualification status, the operator shall:
    - i. Complete and pass an annual review course of at least 4 hours in length that, at a minimum, covers the following subjects:
      - A. An update of applicable regulations;
      - B. Proper incinerator operation, including startup and shutdown procedures;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- C. Proper incinerator inspection and maintenance;
  - D. Responses to malfunctions and conditions that may lead to malfunction; and
  - E. A discussion of operating problems encountered by attendees.
- ii. If an operator fails to either take or to complete and pass the annual review course, the operator's qualification will lapse.
  - iii. If the operator's qualification lapses for less than 3 years, qualification may be reinstated by taking and passing the annual review course, as provided under Condition 7.1.6(e)(1).
  - iv. If there is a 3-year or greater lapse in an operator's qualification, then the operator shall take and pass an operator training course, as provided for under Condition 7.1.6(c), in order to reinstate the qualification [35 IAC 229. 170].

7.1.7 Waste Management Plan Requirements

- a. The owner or operator of a hospital subject to the requirements in this Part shall submit to the Illinois EPA, in accordance with 35 IAC 229.184(b), a waste management plan. Such plan shall outline technically and economically feasible policies and practices for reducing the amount and toxicity of hospital and medical/infectious waste incinerated at the hospital. The waste management plan shall include the following components:
  - i. The name and location of the facility;
  - ii. A written policy statement setting forth management support for waste management and implementation of the plan;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- iii. A statement of goals for reducing the volume and toxicity of waste, expressed numerically where feasible;
  - iv. Identification of the staff responsible for development and implementation of the plan, as well as a description of their roles and responsibilities;
  - v. A description of communication and education programs to make employees aware of the waste management program and their responsibilities;
  - vi. A summary of existing waste management policies and practices;
  - vii. Identification of technically and economically feasible waste management policies and practices to be implemented and, where practical, a schedule for the implementation of the selected measures; and
  - viii. Procedures for tracking implementation of the plan and progress toward achieving the goals.
- b. Prior to the development of the waste management plan, the hospital shall assess:
- i. Current waste management practices;
  - ii. All of the available data that it has collected on the types, quantities, and sources of its waste;
  - iii. Technical information on alternative waste management practices, such as the American Hospital Association publication entitled "An Ounce of Prevention: Waste Management Strategies for Health Care Facilities," incorporated by reference at 35 IAC 229.104(a); and
  - iv. The feasibility of implementing additional waste management policies and practices, taking into account such considerations as:

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- A. The effectiveness of existing policies and practices;
  - B. The costs of additional measures;
  - C. The potential effects on patient care and worker safety;
  - D. The environmental benefits and savings;
  - E. The recycling options available in the area; and
  - F. The availability of products or equipment needed to implement alternative measures.
- c. The following measures, at a minimum, shall be considered when evaluating alternative waste management practices and developing waste management policies and procedures:
- i. Segregating waste streams;
  - ii. Phasing out the use of products containing toxic materials;
  - iii. Reusing products and equipment;
  - iv. Reducing the use of packaging and disposable items;
  - v. Collecting recyclable materials; and
  - vi. Improving inventory control, training and housekeeping practices.
- d. Any waste management plan that has been developed by a hospital subject to the requirements of this Part prior to May 15, 1999, may be incorporated into the waste management plan required by this Condition, to the extent that such a plan is consistent with the requirements of this Condition and 35 IAC 229.176.
- e. The owner or operator of the affected hospital shall submit a waste management plan to the Illinois EPA at

the same time site-specific operating parameters are reported, as specified in 35 IAC 229.184(b).

- f. The waste management plan shall be updated every 5 years to coincide with the renewal of the facility's CAAPP permit.
- g. The owner or operator of the affected HMIWI shall submit a waste management progress report to the Illinois EPA annually, along with the annual emissions report required by 35 IAC 201.302. The progress report shall include the following elements:
  - i. A description of progress made during the previous calendar year toward meeting the goals established in the plan;
  - ii. A summary of the waste management practices that were implemented; and
  - iii. Any amendments to the plan along with a brief explanation of the need for the amendments.
- h. Upon written request, the affected hospital shall make the waste management plan and annual progress reports available for public review during normal business hours [35 IAC 229.176].

7.1.8 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected large HMIWI is subject to the following:

- a. After September 15, 2002 the emissions shall not exceed the following limits pursuant to 35 IAC 229.125(b):

Pollutant	Units (7% oxygen, dry basis)	Emission Limits for Large HMIWI
PM	mg per dscm (grains per dscf)	34 (0.015)
CO	ppmv	40

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 St. John's Hospital  
 I.D. No.: 167120ACK  
 Application No.: 99110044  
 January 31, 2001

Pollutant	Units (7% oxygen, dry basis)	Emission Limits for Large HMIWI
Dioxins/ Furans	Nanograms per dscm, total dioxins/furans (grains per billion dscf), or nanograms per dscm TEQ (grains per billion dscf)	125 (55) or 2.3 (1.0)
HCL	ppmv or percent reduction	100 or 93%
SO <sub>2</sub>	ppmv	55
NO <sub>x</sub>	ppmv	250
Pb	mg per dscm (grains per thousand dscf) or Percent reduction	1.2 (0.52) or 70%
Cd	mg per dscm (grains per thousand dscf) or Percent reduction	0.16(0.07) or 65%
Hg	mg per dscm (grains per thousand dscf) or Percent reduction	0.55 (0.24) or 85%

- b. Prior to September 15, 2002 emissions of CO and PM from the affected large HMIWI shall not exceed the limits identified in Condition 7.1.3(c).
- c. HCL emissions and operation of the affected HMIWI shall not exceed the following limits:
  - i. The total amount of waste incinerated in the affected HMIWI shall not exceed 100 tons/mo and 997.7 tons/yr.
  - ii. Emissions from the affected HMIWI shall not exceed the following limits:

HCL Emissions	
<u>(Ton/Month)</u>	<u>(Ton/Year)</u>
1.0	9.99

These limits are based on the maximum operating rate and emission factor equal to 20.044 lb HCL/ton waste charged, and established as potential emissions for

affected HMIWI. The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the HCL emissions from the affected HMIWI [T1N].

- d. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)

#### 7.1.9 Testing Requirements

The Permittee shall fulfill the following testing requirements established in 35 IAC 229.140, 229.142, 229.144, 229.146, and 229.148 for all performance tests:

- a. Initial performance testing of the affected large HMIWI shall be performed no later than the date established in the Compliance Schedule of Condition 7.1.10 and by using the following USEPA test Methods, as established by 35 IAC 229.104(d):

USEPA Methods: 1, 2, 3, 3a, 5, 9, 10, 10B, 23, 26, 26A, and 29.

- b. When conducting a performance test for an HMIWI, the owner or operator shall:
  - i. Test an HMIWI at the waste charging rate specified in its permit or, if no permit has been issued, in its permit application;
  - ii. Burn representative waste streams that are typically combusted in that HMIWI;
  - iii. Conduct testing during periods that are inclusive of maximum emissions of the HMIWI and not during periods of startup, malfunction, or shutdown; and
  - iv. Weigh the amount of waste combusted for each run of the performance test before charging the waste to an HMIWI to within 1.0 percent accuracy.

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- c. The owner or operator of an HMIWI shall submit a test plan to the Illinois EPA at least 45 days before conducting a performance test. Performance test plans shall include the following:
  - i. The proposed date of the performance test;
  - ii. A roster of testing personnel, which provides information concerning their testing experience;
  - iii. A description of the specific conditions under which the test will be performed, including, at a minimum:
    - A. Why these conditions will be representative of the operation and include maximum emissions of the HMIWI; and
    - B. The means by which the operating parameter values will be determined;
  - iv. A technical description of the HMIWI being tested;
  - v. The parameters and pollutants that will be monitored during the performance test; and
  - vi. The quality assurance procedures that will be followed during the performance test.
- d. The owner or operator of an HMIWI shall give the Illinois EPA 5 days written notice prior to actually conducting any performance testing required by the provisions of 35 IAC Part 229.
- e. Testing conducted pursuant to 35 IAC Part 229 shall be according to the procedures and test methods specified for the measurement of each pollutant in Appendix C of 35 IAC Part 229.
- f. Any use of a bypass stack during a performance test shall invalidate the results of that run.

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- g. The owner or operator of an HMIWI may conduct a repeat performance test at any time to establish new site specific operating values for the HMIWI. Such new site specific operating parameter values may not be relied upon until approved by the Illinois EPA as a permit condition.
- h. Following the date on which the initial performance test is completed, as required by 35 IAC 229.142, the Permittee shall conduct an annual opacity test by September 15 of each year.
- i. The Illinois EPA or the USEPA may request that the owner or operator of an HMIWI conduct a new performance test at any time.
- j. Following the date on which the initial performance test is completed, as required by this permit and 35 IAC 229.142, the Permittee shall conduct an annual performance test, by September 15 of each year to determine compliance with the PM, CO and HCl emission limits specified in 35 IAC 229.125(b), using the applicable test procedures and methods specified in 35 IAC 229.140.
  - i. If all 3 annual performance tests over a 3-year period indicate compliance with the emission limits for PM, CO, or HCl specified in 35 IAC 229.125(b), the owner or operator of an HMIWI may forego a performance test for that pollutant during the next 2 years. If the next performance test conducted every third year indicates compliance with the emission limits for PM, CO, or HCl specified in 35 IAC 229.125(b), the owner or operator of an HMIWI may forego a performance test for that pollutant for an additional 2 years from the date of the previous performance test.
  - ii. If any performance test indicates noncompliance with the respective emission limit, the owner or operator of an HMIWI shall conduct a performance test for that pollutant annually until all annual performance tests over a 3-year period indicate compliance with the respective emission limits.

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- k. The Permittee shall comply with the following initial performance testing and establishment of operating parameters requirements, pursuant to 35 IAC 229.142:
  - i. If an HMIWI is equipped with a dry scrubber followed by a fabric filter, a wet scrubber, or a dry scrubber followed by a fabric filter and wet scrubber, establish the appropriate maximum and minimum operating parameter values indicated in Appendix B of 35 IAC Part 229 and Condition 7.1.9(1) of this permit for the relevant control system during the initial performance test, provided that the performance test demonstrates compliance with the emission limits specified in 35 IAC 229.125; and
  - ii. If air pollution control equipment other than a dry scrubber followed by a fabric filter, a wet scrubber, or dry scrubber followed by a fabric filter and a wet scrubber is used to comply with the emission limits under 35 IAC 229.125, the initial performance test may not be conducted until site-specific operating parameters that will be monitored to demonstrate compliance with this Part have been established by the Illinois EPA in a construction permit and approved by USEPA.
- l. Operating Parameters to be Monitored and Minimum Measurement and Recording Frequencies. An "x" in any box in this matrix means that measurement of that parameter is required.

MINIMUM FREQUENCY	CONTROL SYSTEM
-------------------	----------------

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

Operating Parameters	Data Measurement	Data Recording	Dry Scrubber Followed by Fabric Filter	Wet Scrubber	Dry Scrubber Followed by Fabric Filter and Wet Scrubber
Maximum Charge Rate	Continuous	Once per hour	X	X	X
Maximum Fabric Filter Inlet Temperature	Continuous	Once per minute	X		X
Maximum flue gas temperature	Continuous	Once per minute	X	X	
Minimum secondary chamber temperature	Continuous	Once per minute	X	X	X
Minimum Dioxin/Furan Sorbent Flow Rate	Hourly	Once per hour	X		X
Minimum HCl Sorbent Flow Rate	Hourly	Once per hour	X		X
Minimum Hg Sorbent Flow Rate	Hourly	Once per hour	X		X
Minimum Pressure Drop Across the Wet Scrubber or Minimum Horsepower or Amperage to Wet Scrubber	Continuous	Once per minute		X	X

MINIMUM FREQUENCY			CONTROL SYSTEM		
Operating Parameters	Data Measurement	Data Recording	Dry Scrubber Followed by Fabric Filter	Wet Scrubber	Dry Scrubber Followed by Fabric Filter and Wet Scrubber
Minimum Scrubber Liquor Flow Rate	Continuous	Once per minute		X	X
Minimum Scrubber Liquor pH	Continuous	Once per minute		X	X

7.1.10 Compliance Plan/Schedule of Compliance

To meet full compliance with 35 IAC Part 229 by September 15, 2002 the Permittee shall fulfill the following actions:

- a. Commence the implementation of the necessary construction or installation of air pollution control device(s) for the affected medium HMIWI by November 30, 2000;
- b. Complete the installation or construction of the new air pollution control equipment or modification of the existing one by August 31, 2001;
- c. Perform initial startup of the retrofitted HMIWI by January 15, 2002; and
- d. Complete the initial performance test in accordance with 35 IAC 229.142 and testing conditions of this permit within 180 days after initial startup.

7.1.11 Monitoring Requirements

- a. Once the initial performance test required by this permit and 35 IAC 229.142 has been performed, and the

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

site-specific minimum and maximum operating parameter values have been established, the owner or operator of the affected large HMIWI shall continuously monitor those parameters.

- b. The owner or operator of the affected large HMIWI shall comply with the following monitoring requirements:
  - i. Install, calibrate according to manufacturer's specifications, maintain, and operate devices or establish methods for monitoring the applicable maximum and minimum operating parameters specified in Condition 7.1.9(1) and Appendix B of 35 IAC Part 229 such that these devices or methods measure and record values for these operating parameters at the frequencies indicated in Condition 7.1.9(1) of this permit at all times, except during periods of startup and shutdown;
  - ii. Install, calibrate according to manufacturer's specifications, maintain, and operate a device or establish a method for identifying the use of the bypass stack, including date, time, and duration of use;
  - iii. If control equipment other than a dry scrubber followed by a fabric filter, a wet scrubber, or a dry scrubber followed by a fabric filter and a wet scrubber is used to comply with the emission limits under Condition 7.1.6(a), install, calibrate according to manufacturer's specifications, maintain, and operate the equipment necessary to monitor the site-specific operating parameters developed and approved pursuant to 35 IAC 229.142 (e); and
  - iv. Record monitoring data at all times during HMIWI operation, except during the periods of monitoring equipment malfunction, calibration, or repair. At a minimum, valid monitoring data shall be recorded for 75 percent of the operating hours per day and for 90 percent of the operating days per calendar quarter that

an HMIWI is combusting hospital waste or  
medical/infectious waste [35 IAC 229.166].

#### 7.1.12 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected HMIWI to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. The owner or operator of an HMIWI subject to the emission limits under 35 IAC Part 229 shall maintain records of the following information:
  - i. The calendar date of each record;
  - ii. The following data, where applicable:
    - A. Concentrations of all applicable pollutants listed in 35 IAC 229.125(b) and any measurements of opacity as required under 35 IAC 229.125(c);
    - B. HMIWI charge dates, times and weights, and hourly charge rates;
    - C. If a fabric filter is used, the fabric filter inlet temperatures during each minute of operation;
    - D. The amount and type of dioxin/furan sorbent used during each hour of operation;
    - E. The amount and type of Hg sorbent used during each hour of operation;
    - F. The amount and type of HCl sorbent used during each hour of operation;
    - G. The secondary chamber temperatures recorded during each minute of operation;
    - H. The liquor flow rate to the wet scrubber inlet during each minute of operation;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- I. The horsepower or amperage to the wet scrubber during each minute of operation;
  - J. Any pressure drop across the wet scrubber system during each minute of operation;
  - K. The temperature at the outlet from the wet scrubber during each minute of operation;
  - L. The pH at the inlet to the wet scrubber during each minute of operation; and
  - M. Identification of any use of the bypass stack, including dates, times, and the duration of such use.
- iii. Identification of any calendar days for which data on emission rates or operating parameters specified under Condition 7.1.11(a)(ii) have not been obtained, with an identification of the emission rates or operating parameters not measured, reasons for not obtaining data, and a description of the corrective actions taken;
  - iv. Identification of any malfunctions, including the calendar date, the time and duration, and a description of the malfunction and of the corrective action taken to remedy it;
  - v. Identification of calendar days for which data on emission rates or operating parameters specified under Condition 7.1.11(a)(ii) exceeded the applicable limits, with a description of the exceedences, reasons for such exceedences, and a description of the corrective actions taken;
  - vi. The results of the initial, annual, and any other performance tests;
  - vii. Records of calibration of any monitoring devices as required under Condition 7.1.10(b); and

- viii. Identification of the names of all HMIWI operators who have met the criteria for qualification under 35 IAC 229.170, including:
  - A. Documentation of training and the dates of the training; and
  - B. The date of the initial review and all subsequent annual reviews of the information specified in 35 IAC 229.172(a), as required by 35 IAC 229.172(b).
- b. All records required under 35 IAC Part 229 shall be maintained on site for a period of 5 years, in either paper copy or electronic format, unless an alternative format has been approved by the Illinois EPA.
- c. All records required to be maintained pursuant to 35 IAC Part 229 shall be made available to the Illinois EPA upon request.

#### 7.1.13 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected HMIWI with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. The facility manager and the responsible official for the affected source shall certify each report required under 35 IAC Part 229.
- b. The owner or operator of an HMIWI shall submit to the Illinois EPA the results of any performance test conducted on the HMIWI within 60 days after conducting the performance test. The information submitted with the initial performance test required by this permit shall include:
  - i. The test data and values for the site-specific operating parameters established for an HMIWI pursuant to 35 IAC 229.142; and

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- ii. A copy of the waste management plan required under 35 IAC Part 229, Subpart K.
- c. The owner or operator of affected HMIWIs shall submit the information specified further in this condition to the Illinois EPA by September 15, 2002 and by September 15 of each year thereafter. After issuance of the CAAPP permit, the Permittee shall submit these reports semi-annually. The annual report shall include the following information:
  - i. The values for site-specific operating parameters established pursuant to 35 IAC 229.142;
  - ii. The highest maximum operating parameter and the lowest minimum operating parameter, as applicable, for each operating parameter, recorded for the calendar year being reported and for the calendar year preceding the year being reported;
  - iii. Any information recorded pursuant to 35 IAC 229.182(a)(3) through (5) for the calendar year being reported and for the calendar year preceding the year being reported;
  - iv. If no exceedences or malfunctions were recorded under 35 IAC 229.182(a)(3) through (a)(5) for the calendar year being reported, a statement that no exceedences occurred during the reporting period; and
  - v. Any use of the bypass stack, the duration of use, the reason for malfunction, and the corrective actions taken.
- d. The semiannual reports must be submitted within 60 days following the end of the reporting period. The first semiannual reporting period ends on March 15 of each year and the second semiannual reporting period ends on September 15 of each year.

7.1.14 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.1.15 Compliance Procedures

- a. Compliance with emission limits established in this permit for affected HMIWI is assumed to be achieved by compliance with operating, control, and testing requirements and procedures established pursuant to 35 IAC Part 229. Specific emission factors for the regulated air pollutants shall be established based on the data of initial stack testing performed.
- b. Prior to full compliance with the emission limits established in 35 IAC Part 229, the uncontrolled emission factors for emissions shall be used prior to new controlled emission data being retrieved from the stack testing. For these purposes, the following AP-42 emission factors (excluding HCL) shall be used:

Pollutant	Emission Factor, lb/ton of waste charged
HCL	20.044*
PM	4.67
NO <sub>x</sub>	3.56
CO	2.95

\* Based on the stack testing of HCL emissions on November 16, 2000.

7.2 Unit 2: Boilers

7.2.1 Description

Natural gas/fuel oil #2 fired boilers used to produce heat and steam at the source.

7.2.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Equipment	Description	Emission Control Equipment
Unit 2	Boilers	Four natural gas-fired boilers with a capability of burning fuel oil #2 as backup. Maximum Heat Input for each boiler: #1: 20.5 mmBtu/hr ##2 & 3: 51.5 mmBtu/hr #4: 10.25 mmBtu/hr	None

7.2.3 Applicability Provisions and Applicable Regulations

- a. An "affected boiler" for the purpose of these unit specific conditions is a natural gas-fired boiler with a fuel oil #2 as backup used for processing heat and steam for the hospital needs.
- b. No person shall cause or allow the emission of carbon monoxide into the atmosphere from any fuel combustion emission source with actual heat input greater than 2.9 MW (10 mmBtu/hr) to exceed 200 ppm, corrected 50 percent excess air [35 IAC 216.121].
- c. No person shall cause or allow the following emissions of sulfur dioxide into the atmosphere in any one hour period from any existing fuel combustion source (constructed prior to April 14, 1972 ) with actual heat input smaller than, or equal to, 250 mmBtu/hr, burning liquid fuel exclusively:  
  
0.3 lb/mmBtu for distillate fuel oil [35 IAC 214.161].
- d. No person shall cause or allow the following emissions of sulfur dioxide into the atmosphere in

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

any one hour period from any new fuel combustion source (constructed after April 14, 1972) with actual heat input smaller than, or equal to, 250 mmBtu/hr, burning liquid fuel exclusively:

0.3 lb/mmBtu for distillate fuel oil [35 IAC 214.122(b)].

- e. The emissions of particulate matter into the atmosphere in any one hour period shall not exceed 0.15 kg/MW-hr (0.10 lb/mmBtu) of actual heat input from any fuel combustion unit using liquid fuel exclusively [35 IAC 212.206].

7.2.4 Non-Applicability of Regulations of Concern

- a. Each affected boiler is not subject to 35 IAC 217.141, Emissions of Nitrogen Oxides From Existing Fuel Combustion Emission Sources in Major Metropolitan Areas, because the actual heat input of each boiler is less than 73.2 MW (250 mmBtu/hr).
- b. Pursuant to 35 IAC 218.303, any fuel combustion emission unit is not subject to 35 IAC Part 218, Subpart G: Use of Organic Material.
- c. Affected boilers ##1-4 are not subject to the Standards of Performance for Small-Industrial Commercial-Institutional Steam Generating Units, 40 CFR 60 Subpart Dc, because these boilers had been constructed prior to June 9, 1989.

7.2.5 Operational and Production Limits and Work Practices

None

7.2.6 Emission Limitations

None

7.2.7 Testing Requirements

None

7.2.8 Monitoring Requirements

None

7.2.9 Recordkeeping Requirements

The Permittee shall maintain records of the following items for the affected boilers to demonstrate compliance with conditions of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Total natural gas consumption (mmscf/mo and mmscf/yr) for all affected boilers.
- b. Total fuel oil consumption (gal/mo and gal/yr).
- c. Annual emissions of regulated air pollutants as calculated in accordance with compliance procedures in Condition 7.2.12.
- d. Records of sulfur content in the distillate fuel oil (wt.%).

7.2.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance with the emission limitations as follows pursuant to Section 39.5(7)(f)(ii) of the Act:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

7.2.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.2.12 Compliance Procedures

Compliance with the emission limits established in Conditions 5.5.1 and 7.2.6 of this permit shall be based

on the recordkeeping requirements of Condition 7.2.9 and the emission factors and formulas listed below:

a. Natural Gas Mode

Pollutant	Emission Factor (lb/mmscf)
PM	7.6
NO <sub>x</sub>	100.0
SO <sub>2</sub>	0.6
VOM	5.5

These are the emission factors for uncontrolled natural gas combustion in small boilers (< 100 mmBtu/hr), Tables 1.4-1 and 1.4-2, AP-42, March 1998.

Emissions (lb) = natural gas consumed multiplied by the appropriate emission factor.

b. Fuel Oil Mode

Pollutant	Emission Factor (lb/1000 gal)
PM	2
NO <sub>x</sub>	20
SO <sub>2</sub>	142S
CO	5

These are the emission factors for uncontrolled distillate fuel oil combustion, AP-42, Table 1.3-1, September 1998. "S" indicates that the weight % of sulfur in the oil should be multiplied by the value given.

Emissions (lb) = distillate fuel oil consumed multiplied by the appropriate emission factor.

7.3 Unit 3: Natural Gas Fired Engines/Chillers

7.3.1 Description

Internal combustion engines are used for production of cooling water.

7.3.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Equipment	Description	Emission Control Equipment
Unit 3	Internal Combustion Engines	Two internal combustion engines (11.2 mmBtu/hr each)	None

7.3.3 Applicability Provisions and Applicable Regulations

- a. An "affected engine" for the purpose of these unit specific conditions, is a natural gas fired internal combustion engine used for production of cooling water.
- b. The emission of VOM into the atmosphere shall not exceed 3.6 kg/hour (8 lb/hour) from an affected engine, except as provided in 35 IAC 215.302, 215.303, or 215.304 and the following exemption: If no odor nuisance exists the limitation of 35 IAC 218 Subpart G shall only apply to photochemically reactive material [35 IAC 215.301].
- c.
  - i. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 IAC 212.122.
  - ii. The emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minutes period, provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission

unit located within a 305 m (1000 ft) radius from the center point of any other such emission unit owned or operated by such person, and provided further that such emission unit shall be limited to 3 times in any 24 hours [35 IAC 212.123].

7.3.4 Non-Applicability of Regulations of Concern

The affected engine at this source is not subject to requirements of the following:

An affected engine is not subject to the requirements of 35 IAC 212.321 because it does not have a process weight rate as defined in 35 IAC 211.5250.

7.3.5 Operational and Production Limits and Work Practices

- a. Natural gas shall be the only fuel used for the affected engine.
- b. The operation of each affected engine shall not exceed 3,500 hour of operation per year.

7.3.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, total emissions from the both affected engines shall not exceed the following limits:

NO <sub>x</sub>		SO <sub>2</sub>		PM <sub>10</sub>			
VOM	(lb/hr)	(t/yr)	(lb/hr)	(t/yr)	(lb/hr)	(t/yr)	
12.66	22.14	6.32	11.08	2.04	3.56	3.06	5.54

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit emissions from the affected engines below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.3.7 Testing Requirements

None

7.3.8 Monitoring Requirements

None

7.3.9 Recordkeeping Requirements

The Permittee shall maintain records of the following items for the affected engines to demonstrate compliance with conditions of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Hours of operation (hr/year).
- b. Annual emissions of air pollutants from the affected engine based on the hours of operation and emission factors, as established by the compliance procedures of Condition 7.3.12.

7.3.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations of affected internal combustion engines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

7.3.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.3.12 Compliance Procedures

- a. Compliance with Conditions 7.3.3(b) and (c) is assumed to be achieved by the work-practices inherent in the operation of affected engine, so that no compliance procedures are set in this permit addressing this regulation; and
- b. Compliance with the emission limits in Condition 5.5.1 shall be based on the recordkeeping requirements in Condition 7.3.9 and calculated based on the emission factors listed below:

<u>Pollutant</u>	<u>Emission Factor</u> <u>(gram/hp/hr)</u>
VOM	0.5
NO <sub>x</sub>	2.0
PM <sub>10</sub>	0.32
SO <sub>2</sub>	1.0

These emission factors are based on the manufacturer's emission data (Caterpillar, engine model G3516) provided with an application.

## 8.0 GENERAL PERMIT CONDITIONS

### 8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after \_\_\_\_\_ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

### 8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

### 8.3 Emissions Trading Programs

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

### 8.4 Operational Flexibility/Anticipated Operating Scenarios

#### 8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

#### 8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
  - i. Describe the physical or operational change;
  - ii. Identify the schedule for implementing the physical or operational change;
  - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
  - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
  - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

## 8.6 Reporting Requirements

### 8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

### 8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:
  - i. Illinois EPA - Air Compliance Section  
  
Illinois Environmental Protection Agency  
Bureau of Air  
Compliance Section (MC 40)  
P.O. Box 19276  
Springfield, Illinois 62794-9276
  - ii. Illinois EPA - Air Regional Field Office  
  
Illinois Environmental Protection Agency  
Division of Air Pollution Control  
2009 Mall Street  
Collinsville, Illinois 62234
  - iii. Illinois EPA - Air Permit Section  
  
Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section (MC 11)  
P.O. Box 19506  
Springfield, Illinois 62794-9506
  - iv. USEPA Region 5 - Air Branch  
  
USEPA (AR - 17J)  
Air & Radiation Division  
77 West Jackson Boulevard  
Chicago, Illinois 60604
- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
  - i. At reasonable times, for the purposes of assuring permit compliance; or
  - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions

resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

#### 9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

#### 9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

#### 9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.

- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

#### 9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

#### 9.10 Defense to Enforcement Actions

##### 9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

##### 9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
  - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
  - ii. The permitted source was at the time being properly operated;
  - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission

limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and

- iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

#### 9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

#### 9.12 Reopening and Reissuing Permit for Cause

##### 9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

##### 9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

#### 9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(1), (n), and (o) of the Act].

FINAL DRAFT/PROPOSED CAAPP PERMIT  
St. John's Hospital  
I.D. No.: 167120ACK  
Application No.: 99110044  
January 31, 2001

10.0 ATTACHMENTS

10.1 Attachment 1 Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Official Title: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Date Signed: \_\_\_\_\_

10.2 Attachment 2 Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
  - Corrects typographical errors;
  - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
  - Requires more frequent monitoring or reporting by the Permittee;
  - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA;
  - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits; or
  - Incorporates into the CAAPP permit revised limitations or other requirements resulting from the application of an approved economic incentives rule,

marketable permits rule, or generic emissions trading rule.

2. Minor Permit Modification

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
  - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
  - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA; and
- Are not required to be processed as a significant permit modification.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and
- Information as contained on form 271-CAAPP for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or

FINAL DRAFT/PROPOSED CAAPP PERMIT

St. John's Hospital

I.D. No.: 167120ACK

Application No.: 99110044

January 31, 2001

- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

Application forms can be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms>.

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

Note that failure to submit the required information may require the Illinois EPA to deny the application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.



Illinois Environmental Protection Agency  
 Division Of Air Pollution Control -- Permit Section  
 P.O. Box 19506  
 Springfield, Illinois 62794-9506

<b>Application For Construction Permit (For CAAPP Sources Only)</b>	For Illinois EPA use only
	ID number:
	Permit number:
	Date received:

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

Source Information		
1. Source name:		
2. Source street address:		
3. City:	4. Zip code:	
5. Is the source located within city limits? <input type="checkbox"/> Yes <input type="checkbox"/> No		
6. Township name:	7. County:	8. ID number:

Owner Information		
9. Name:		
10. Address:		
11. City:	12. State:	13. Zip code:

Operator Information (if different from owner)		
14. Name		
15. Address:		
16. City:	17. State:	18. Zip code:

Applicant Information	
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator	20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source
21. Attention name and/or title for written correspondence:	

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.



Illinois Environmental Protection Agency  
Division Of Air Pollution Control -- Permit Section  
P.O. Box 19506  
Springfield, Illinois 62794-9506

22. Technical contact person for application:	23. Contact person's telephone number:
---	--

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

<b>Summary Of Application Contents</b>	
<p>24. Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs:</p> <p>a) Non-attainment New Source Review – 35 IAC Part 203;  b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21;  c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>25. Does the application identify and address all applicable emissions standards, including those found in the following:</p> <p>a) Board Emission Standards – 35 IAC Chapter I, Subtitle B;  b) Federal New Source Performance Standards – 40 CFR Part 60;  c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>26. Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>27. Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>28. Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA?  Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>29. If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No  <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

<b>Signature Block</b>	
<p>This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.</p>	
<p>30. I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete.  Authorized Signature:</p>	
<p>BY:</p> <p>_____</p> <p style="text-align: center;">AUTHORIZED SIGNATURE</p> <p>_____</p> <p style="text-align: center;">TYPED OR PRINTED NAME OF SIGNATORY</p>	<p>_____</p> <p style="text-align: center;">TITLE OF SIGNATORY</p> <p>_____ / _____ / _____</p> <p style="text-align: center;">DATE</p>

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.