

217/782-2113

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT - RENEWAL

PERMITTEE

Buildex
Attn: Walter A. Schubert
1349 West Bryn Mawr Avenue
Itasca, Illinois 60143

Application No.: 95080151

I.D. No.: 043450AAA

Applicant's Designation: MFG-BLDG

Date Received: July 20, 2000

Subject: Dip Painting Machines

Date Issued:

Expiration Date:

Location: 1349 West Bryn Mawr Avenue, Itasca

950 Pratt Boulevard, Elk Grove Village

This permit is hereby granted to the above-designated Permittee to OPERATE emission unit(s) and/or air pollution control equipment consisting of

1349 West Bryn Mawr Avenue, Itasca

3 Paint Machines
3 Dryers
1 Electro-Deposition Coating Line
Mechanical Zinc Plating Process

950 Pratt Boulevard, Elk Grove Village

3 Powder Coating Lines
2 Liquid Painting Lines
6 Space Heaters
2 Dryers

pursuant to the above-referenced application. This Permit is subject to standard conditions attached hereto and the following special condition(s):

- 1a. This federally enforceable state operating permit is issued to limit the combined emissions of air pollutants from this source and FPM-Buildex Source (I.D. #043450AAC) located at 1349 West Bryn Mawr Avenue, Itasca, since these sources are defined as a single source pursuant to 39.5 of the Clean Air Act, to less than major source thresholds (i.e., emissions of volatile organic material (VOM) to less than 25 tons per year, and emissions of any single hazardous air pollutant (HAP) to less than 10 tons per year). As a result these sources are excluded from the requirement to obtain a Clean Air Act Permit Program (CAAPP) permit. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A. The Combined maximum emissions for this source and the Buildex Source are described in Attachment B.

- b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
- c. This permit supersedes all operating permits issued for this location.
- 2. Pursuant to 35 Ill. Adm. Code 218.204(j)(2)(B), the VOM content of the paints/coatings shall not exceed 3.3 lb/gallon (less water and other exempted compounds), as applied.
- 3. The emissions of Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act shall be less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result of this condition, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program Permit (CAAPP), and Section 112(G) of the Clean Air Act.
- 4a. Emissions and operation of VOM emissions from the coating operations for both locations shall not exceed the following limits:

<u>Material</u>	<u>VOM Usage</u>		<u>VOM Emissions</u>	
	<u>(Lb/Mo)</u>	<u>(Lb/Yr)</u>	<u>(Lb/Mo)</u>	<u>(Tons/Yr)</u>
Paints/Coatings (Total)	5,000	34,740	5,000	17.37

These limits are based on complete volatilization of the VOM content in the materials, material VOM usage = material usage x material VOM content, and the information provided in the application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- b. This permit is issued based on Buildex not using a clean-up solvent that does not contain any HAPs or VOM.
- 5. Emissions and operation of natural gas combustion for all gas fired units at both locations shall not exceed the following limits:

<u>Process</u>	<u>Natural Gas Usage</u>		<u>Pollutants</u>	<u>Emission</u>	<u>Emissions</u>	
	<u>(mmscf/Mo)</u>	<u>(mmscf/Yr)</u>		<u>Factor</u>	<u>(Lb/Mo)</u>	<u>(T/Yr)</u>
Natural Gas Combustion	10	70	NO _x	100	1,000	3.50
			CO	84	840	2.94
			PM	7.6	76	0.27
			VOM	5.5	55	0.19
			SO ₂	0.6	6	0.02

These limits are based on standard AP-42 emission factors, natural gas as the only fuel fired in the units and the information provided in the permit application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- 6. This permit is issued based on negligible emissions of particulate matter (PM) from the mechanical zinc plating line, 3 powder coating lines, 3 painting machines, electro-deposition coating line, and 2 liquid coating lines. For this purpose emissions from each emission source, shall not exceed nominal emission rates of 0.1 lb/hour and 0.44 ton/yr.

7. The Permittee shall, in accordance with the manufacturer(s) and/or vendor(s) recommendations, perform periodic maintenance on the pollution control equipment covered under this permit such that the pollution control equipment be kept in proper working condition and not cause a violation of the Environmental Protection Act or regulations promulgated therein.
8. The Permittee shall maintain records of the vendor recommendations at the facility and be available for inspection and copying by the Illinois EPA.
9. No person shall cause or allow any visible emissions of fugitive particulate matter from any process, including any material handling or storage activity beyond the property line of the emission source, pursuant to 35 Ill. Adm. Code 212.301.
10. In the event that the operation of this emission unit results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the odor nuisance.
11. The Permittee shall maintain monthly and annual records of the following:
 - a. Name, usage (gallon/month and gallon/year), VOM content (lb/gallon, minus water and other exempted compounds, as applied), HAP content (% wt. or lb/gallon), and VOM and HAP emissions (lb/month and tons/year) of the following materials for both locations:
 - i. Paints; and
 - ii. Coatings.
 - b. Notifications and records required by 35 Ill. Adm. Code 218.211(c)(3) for both locations; and
 - c. Natural Gas Usage for both locations (mmscf/month and mmscf/year).
12. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least three years from the date of entry and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.
13. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

14. Two (2) copies of required reports and notifications concerning equipment operation or repairs, performance testing or a continuous monitoring system shall be sent to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Compliance Section (#40)
P.O. Box 19276
Springfield, Illinois 62794-9276

and one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016

15. The Permittee shall submit the following additional information with the Annual Emissions Report, due May 1st of each year:

- a. Paint usage (gallons/year); and
- b. Electro-deposition coating usage (gallons/year).

It should be noted that this permit has been revised to incorporate Construction Permit 02080049 and the operation of 2 powder coating lines and 6 space heaters

It should be noted that any requested increase in emissions from either source may require that the other source's permit be opened for review of impact of the emission increase.

If you have any questions on this, please call Eric Jones at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:EEJ:jar

cc: Illinois EPA, FOS Region 1
Illinois EPA, Compliance Section
USEPA

Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from coatings operation operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario which results in maximum emissions from such a plant. This is usage paints, coatings and solvent VOM usages. The resulting maximum emissions are well below the levels, e.g., 100 tons per year of VOM and 10 tons/year of a single hazardous air pollutant at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that less material is handled, and control measures are more effective than required in this permit.

1. The emissions of Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act shall be less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result of this condition, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program Permit (CAAPP), and Section 112(G) of the Clean Air Act.
- 2a. Emissions and operation of VOM emissions from the coating operations for both locations shall not exceed the following limits:

<u>Material</u>	<u>VOM Usage</u>		<u>VOM Emissions</u>	
	<u>(Lb/Mo)</u>	<u>(Lb/Yr)</u>	<u>(Lb/Mo)</u>	<u>(Tons/Yr)</u>
Paints/Coatings (Total)	5,000	34,740	5,000	17.37

These limits are based on complete volatilization of the VOM content in the materials, material VOM usage = material usage x material VOM content, and the information provided in the application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- b. This permit is issued based on Buildex not using a clean-up solvent that does not contain any HAPs or VOM.
3. Emissions and operation of natural gas combustion for all gas fired units at both locations shall not exceed the following limits:

<u>Process</u>	<u>Natural Gas Usage</u>		<u>Pollutants</u>	<u>Emission</u>	<u>Emissions</u>	
	<u>(mmscf/Mo)</u>	<u>(mmscf/Yr)</u>		<u>Factor</u>	<u>(Lb/Mo)</u>	<u>(T/Yr)</u>
Natural Gas Combustion	10	70	NO _x	100	1,000	3.50
			CO	84	840	2.94
			PM	7.6	76	0.27
			VOM	5.5	55	0.19
			SO ₂	0.6	6	0.02

These limits are based on standard AP-42 emission factors, natural gas as the only fuel fired in the units and the information provided in the permit application. Compliance with annual limits shall be determined from a running total of 12 months of data.

4. This permit is issued based on negligible emissions of particulate matter (PM) from the mechanical zinc plating line, 3 powder coating lines, 3 painting machines, electro-deposition coating line, and 2 liquid coating lines. For this purpose emissions from each emission source, shall not exceed nominal emission rates of 0.1 lb/hour and 0.44 ton/yr.

Attachment B - Combined Emission Summary

1. For FPM-Buildex (I.D. No. 043450AAC)

- a. Emissions and operation of natural gas combustion shall not exceed the following limits:

<u>Process</u>	<u>Natural Gas Usage</u>		<u>Pollutant</u>	<u>Emission</u>	<u>Emissions</u>	
	<u>(mmscf/Mo)</u>	<u>(mmscf/Yr)</u>		<u>Factor</u>	<u>(Lb/Mo)</u>	<u>(T/Yr)</u>
Natural Gas Combustion	13	142	NO _x	100	1,300	7.10
			CO	84	1,092	5.96
			PM	7.6	99	0.54
			VOM	5.5	72	0.39
			SO ₂	0.6	8	0.04

These limits are based on standard AP-42 emission factors, natural gas as the only fuel fired in the units, 8760 hours of operation. and the information provided in the permit application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- b. Emissions and operation of 3 quenching tanks shall not exceed the following limits:

<u>Process</u>	<u>Metal Processed</u>		<u>Pollutant</u>	<u>Emission</u>	<u>Emissions</u>	
	<u>(Ton/Mo)</u>	<u>(Ton/Yr)</u>		<u>Factor</u>	<u>(Lb/Mo)</u>	<u>(Ton/Yr)</u>
Oil Quenching	1,430	10,000	VOM	1.4	2,002	7.00

These limits are based on maximum production rates, mass balance derived emission factor, and information provided in the permit application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- c. This permit is issued based on negligible emissions of volatile organic material (VOM) from the quench oil storage tank. For this purpose, emissions shall not exceed nominal emission rates of 0.01 lb/hour and 0.044 ton/year.

2. For Buildex (I.D. No. 043450AAA)

- a. Emissions and operation of VOM emissions from the coating operations for both locations shall not exceed the following limits:

<u>Material</u>	<u>VOM Usage</u>		<u>VOM Emissions</u>	
	<u>(Lb/Mo)</u>	<u>(Lb/Yr)</u>	<u>(Lb/Mo)</u>	<u>(Tons/Yr)</u>
Paints/Coatings (Total)	5,000	34,740	5,000	17.37

These limits are based on complete volatilization of the VOM content in the materials, material VOM usage = material usage x material VOM content, and the information provided in the application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- b. This permit is issued based on Buildex not using a clean-up solvent that does not contain any HAPs or VOM.
- c. Emissions and operation of natural gas combustion for all gas fired units at both locations shall not exceed the following limits:

<u>Process</u>	<u>Natural Gas Usage</u>		<u>Pollutants</u>	<u>Emission</u>	<u>Emissions</u>	
	<u>(mmscf/Mo)</u>	<u>(mmscf/Yr)</u>		<u>Factor</u>	<u>(Lb/Mo)</u>	<u>(T/Yr)</u>
Natural Gas Combustion	10	70	NO _x	100	1,000	3.50
			CO	84	840	2.94
			PM	7.6	76	0.27
			VOM	5.5	55	0.19
			SO ₂	0.6	6	0.02

These limits are based on standard AP-42 emission factors, natural gas as the only fuel fired in the units and the information provided in the permit application. Compliance with annual limits shall be determined from a running total of 12 months of data.

- d. This permit is issued based on negligible emissions of particulate matter (PM) from the mechanical zinc plating line, 3 powder coating lines, 3 painting machines, electro-deposition coating line, and 2 liquid coating lines. For this purpose emissions from each emission source, shall not exceed nominal emission rates of 0.1 lb/hour and 0.44 ton/yr.
- e. The emissions of Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act shall be less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result of this condition, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program Permit (CAAPP), and Section 112(G) of the Clean Air Act.

It should be noted that any requested increase in emissions from either source may require that the other source's permit be opened for review of impact of the emission increase.

EEJ:jar