



South Coast Air Quality Management District

21865 E. Copley Drive, Diamond Bar, CA 91765-4182
(909) 396-2000 · <http://www.aqmd.gov>

April 9, 2013

Mr. Danny Stinson
Plant Manager
All American Asphalt
P.O. Box 2229
Corona, CA 92878

SUBJECT: RECLAIM/Title V Facility Permit Revision (Facility ID: 003704)

Dear Mr. Stinson:

Please find attached the revised Title Page, Table of Contents and Section D of your RECLAIM/Title V Facility Permit. The revised sections reflect the approval of the "diminimis permit revision" to your Title V permit requested in your Application No.s 471281, 477012 and 545708. The proposed permit revision was submitted to EPA for 45 – day review on February 20, 2013 with no comments received by close of the review date. The revised Section D includes the modification and addition of the following equipment:

Equipment	Application Nos.	Device Nos.	Process/ System	Permit Type
Baghouse	471277	C283	4/0	PO
Screen	471278	D138	3/1	PO
Baghouse	471279	C275	3/1	PO
Conveyors	545706	D277, D278	3/2	PO

Please review the attached sections carefully. Insert the enclosed sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Manuel Quizon at (909) 396-2639.

Sincerely,

Mohzen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance



FACILITY PERMIT TO OPERATE

**ALL AMERICAN ASPHALT, UNIT NO.01
1776 ALL AMERICAN WAY
CORONA, CA 92879**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.


THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By 
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar, CA 91765





FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	1	10/27/2011
B	RECLAIM Annual Emission Allocation	11	07/01/2012
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	3	04/09/2013
E	Administrative Conditions	0	04/25/2007
F	RECLAIM Monitoring and Source Testing Requirements	0	04/25/2007
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	0	04/25/2007
H	Permit To Construct and Temporary Permit to Operate	2	10/27/2011
I	Compliance Plans & Schedules	0	04/25/2007
J	Air Toxics	1	10/27/2011
K	Title V Administration	1	10/27/2011
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	0	04/25/2007
B	Rule Emission Limits	1	10/27/2011



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar, CA 91765





FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398181	D166	C172			C1.5, D323.1
CONDENSER A/N: 398181	C172	D166 C235			
FILTER, STEEL WOOL A/N: 398181	C235	C172		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398184	D167	C173			C1.5, D323.1
CONDENSER A/N: 398184	C173	D167 C236			
FILTER, STEEL WOOL A/N: 398184	C236	C173		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398185	D168	C174			C1.5, D323.1
CONDENSER A/N: 398185	C174	D168 C237			
FILTER, STEEL WOOL A/N: 398185	C237	C174		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398186	D169	C175			C1.5, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
CONDENSER A/N: 398186	C175	D169 C238			
FILTER, STEEL WOOL A/N: 398186	C238	C175		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398187	D170	C176			C1.5, D323.1
CONDENSER A/N: 398187	C176	D170 C239			
FILTER, STEEL WOOL A/N: 398187	C239	C176		PM: (9) [RULE 404, 2-7-1986]	C6.1
STORAGE TANK, FIXED ROOF, OIL HEATED, ASPHALT OIL, 35000 GALS; DIAMETER: 12 FT 4 IN; HEIGHT: 52 FT 9 IN A/N: 398188	D171	C177			C1.5, D323.1
CONDENSER A/N: 398188	C177	D171 C240			
FILTER, STEEL WOOL A/N: 398188	C240	C177		PM: (9) [RULE 404, 2-7-1986]	C6.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ASPHALT OIL STORAGE					
HEATER, HOT OIL, NATURAL GAS, CEI ENTERPRISES, MODEL C-HC-400, WITH LOW NOX BURNER, 4 MMBTU/HR WITH A/N: 398189 BURNER, NATURAL GAS, CEI, WITH LOW NOX BURNER, 1 TOTAL; 4 MMBTU/HR	D165		NOX: PROCESS UNIT**	CO: 400 PPMV NATURAL GAS (5A) [RULE 1146.1, 5-13-1994; RULE 1146.1, 9-5-2008]; CO: 2000 PPMV NATURAL GAS (5) [RULE 407, 4-2-1982]; NOX: 20 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; NOX: 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 5-6-2005]; PM: 0.1 GRAINS/SCF NATURAL GAS (5) [RULE 409, 8-7-1981]	D323.1
Process 3: ASPHALT BATCH PLANT					P20.1
FEEDER, BELT, VF1, AGGREGATE A/N:	D218			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF2, AGGREGATE A/N:	D219			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF3, AGGREGATE A/N:	D220			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF4, AGGREGATE A/N:	D221			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF5, AGGREGATE A/N:	D222			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, VF6, AGGREGATE A/N:	D223			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, COLLECTING, VB1, AGGREGATE A/N:	D224			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits

(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, COLLECTING, VB2, AGGREGATE A/N:	D225			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, COLLECTING, VB3, AGGREGATE A/N:	D226			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB4, AGGREGATE A/N:	D227			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB5, AGGREGATE A/N:	D228			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
HOPPER, FH, WITH BELT, AGGREGATE A/N:	D264			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, FF, BELT, AGGREGATE A/N:	D265			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, FB1, AGGREGATE A/N:	D266			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, VS, AGGREGATE A/N:	D229	C231		PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, VB6, AGGREGATE A/N:	D230			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D181			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor	(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit	(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit	(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit	(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits	(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
DRYER, ROTARY, DOUBLE BARREL MIXER, ASTEC, NATURAL GAS, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 115 MMBTU/HR WITH A/N: BURNER, NATURAL GAS, HAUCK, MODEL ESII-125 ECOSTAR, WITH LOW NOX BURNER, 1 TOTAL; 115 MMBTU/HR	D180	C198	NOX: MAJOR SOURCE**	CO: 2000 PPMV NATURAL GAS (5) [RULE 407, 4-2-1982]; NOX: 33 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF NATURAL GAS (5A) [RULE 409, 8-7-1981]	C1.4, D323.1
HOPPER, SURGE, RECYCLED ASPHALT A/N:	D27			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, RECYCLED ASPHALT A/N:	D28			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
HOPPER, BELT, RH2, FEEDER, 30 TON, RECYCLED ASPHALT A/N:	D269			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, RF2, BELT, RECYCLED ASPHALT A/N:	D270			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N:	D143			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, RECYCLED ASPHALT A/N:	D178	C232		PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits

(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, RR1, RECYCLED ASPHALT A/N:	D271			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RC, RECYCLED ASPHALT A/N:	D272			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CRUSHER, HSI2, HORIZONTAL IMPACT, RECYCLED ASPHALT A/N:	D273	C274		PM: (9) [RULE 405, 2-7-1986]	A103.1, D322.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N:	D179			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RA3, RECYCLED ASPHALT A/N:	D267			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RA4, RECYCLED ASPHALT A/N:	D268			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
BUCKET ELEVATOR A/N:	D31	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D182	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D183	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D184	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D185	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, ASPHALT A/N:	D186	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D187	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D188	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D189	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D190	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, ASPHALT, 300 TONS CAPACITY, HEIGHT: 40 FT ; DIAMETER: 14 FT A/N:	D191	C201		PM: (9) [RULE 405, 2-7-1986]	D323.1
BULK MATERIAL LOAD/UNLOAD STATION, ASPHALT A/N:	D192	C201		PM: (9) [RULE 405, 2-7-1986]	C1.4, D323.1
STORAGE SILO, ASTEC, MODEL NO. DA-650, CRUMB RUBBER, 650 BARRELS CAPACITY, HEIGHT: 31 FT ; DIAMETER: 11 FT 8 IN A/N: 366744	D193	C197		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D158			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
HOPPER, WEIGH, CRUMB RUBBER, WITH A ROTARY VALVE FEEDER A/N:	D194			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D195			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, CRUMB RUBBER A/N:	D196			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, FINES A/N:	D200			PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BIN VENT, NOMEX, PULSE JET CLEANING TYPE, 254 SQ.FT.; 27 BAGS A/N: 366744	C197	D193		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, H23.1, K67.2
CYCLONE, ASTEC, MODEL SBH-106-DB, HEIGHT: 18 FT ; DIAMETER: 12 FT A/N: 374675	C198	D180 C199			
BAGHOUSE, ASTEC, MODEL SBH-106-DB, 1600 BAGS, NOMEX, 19360 SQ. FT., 500 H.P., PULSE JET CLEANING TYPE, WITH GOYEN, MODEL EMP6, BAG LEAK DETECTION SYSTEM. A/N: 523209	C199	C198		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.2, E102.1, H23.1, K67.2
ELECTROSTATIC PRECIPITATOR, AIR POLLUTION CONTROL SYSTEMS, MODEL APC-64-2, WITH 24 LARGE PLATES, 1/4" SPACING AND 24 SMALL PLATES, 1/4" SPACING A/N: 398191	C201	D31 D182 D183 D184 D185 D186 D187 D188 D189 D190 D191 D192		PM: (9) [RULE 404, 2-7-1986]	D381.1, E193.1, H23.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
BAGHOUSE, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 400868	C231	D229		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, H23.1, K67.2
BAGHOUSE, FLX1, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 400864	C232	D178		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, H23.1, K67.2
BAGHOUSE, FLX3, DCE, MODEL V20/10F, POLYESTER, PULSE JET CLEANING TYPE, 4 H.P., 215 SQ.FT.; 20 BAGS A/N: 477011	C274	D273		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E448.1, H23.1, K67.2
System 1: RECYCLED ASPHALT PAVEMENT (RAP) SYSTEM					S1.1
HOPPER, DUMP, RECYCLED ASPHALT A/N: 471278	D134			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
FEEDER, BELT, RECYCLED ASPHALT A/N: 471278	D135			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CRUSHER, HORIZONTAL SHAFT IMPACT, LIPPMAN-MILWAUKEE 5165LP, RECYCLED ASPHALT A/N: 471278	D255	C145		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 471278	D137			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
SCREEN, CLASSIFYING, VIBRATING, RECYCLED ASPHALT A/N: 471278	D138	C275		PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 471278	D139			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 471278	D140			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, RECYCLED ASPHALT A/N: 471278	D141			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
BAGHOUSE, CLOTH FILTER, DCE, MODEL DLM V30/15F, 323 SQ.FT.; 20 BAGS A/N: 447848	C145	D255		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, H23.1, K67.2
BAGHOUSE, FLX2, DONALDSON, MODEL DLMV 30/15, POLYESTER, PULSE JET CLEANING TYPE, 7.5 H.P., 323 SQ.FT.; 20 CARTRIDGE A/N: 471279	C275	D138		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E448.1, H23.1, K67.2
System 2: AGGREGATE RECEIVING AND STORAGE SYSTEM					S1.2
HOPPER, DUMP, AH, AGGREGATE, 50 TONS A/N: 545706	D204			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AF, AGGREGATE, FEED A/N: 545706	D205			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, A1, AGGREGATE A/N: 545706	D207			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AF1, AGGREGATE A/N: 545706	D277			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT3, AGGREGATE A/N: 545706	D208			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
CONVEYOR, BELT, AT4, AGGREGATE A/N: 545706	D209			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AF2, AGGREGATE A/N: 545706	D278			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT5, AGGREGATE A/N: 545706	D210			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
CONVEYOR, BELT, AT6, AGGREGATE A/N: 545706	D211			PM: (9) [RULE 405, 2-7-1986]	A103.1, D323.1
STORAGE SILO, SS1, AGGREGATE A/N: 545706	D212			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D256			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS2, AGGREGATE A/N: 545706	D213			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D257			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS3, AGGREGATE A/N: 545706	D214			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D258			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS4, AGGREGATE A/N: 545706	D215			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: ASPHALT BATCH PLANT					P20.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D259			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS5, AGGREGATE A/N: 545706	D216			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D260			PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, SS6, AGGREGATE A/N: 545706	D217			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	A103.1, D323.1
BULK MATERIAL LOADING STATION, TRUCK LOADING, AGGREGATE A/N: 545706	D261			PM: (9) [RULE 405, 2-7-1986]	D323.1
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
FEEDER, VIBRATING, VGF1, AGGREGATE, GRIZZLY A/N:	D45			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.2, D323.1
CRUSHER, JAW, J1 A/N:	D46	C120		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 4B, AGGREGATE A/N:	D47	C120		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.1, D323.1
CONVEYOR, BELT, 4C, AGGREGATE A/N:	D48			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.1, D323.1
CONVEYOR, BELT, 6A, AGGREGATE A/N:	D49			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 6B, AGGREGATE A/N:	D288			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
FEEDER, PF1, AGGREGATE, PRIMARY A/N:	D50	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF2, AGGREGATE, PRIMARY A/N:	D51	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF3, AGGREGATE, PRIMARY A/N:	D52	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, PF4, AGGREGATE, PRIMARY A/N:	D53	C121		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, VIBRATING, VGF2, AGGREGATE, GRIZZLY A/N:	D54			PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.2, D323.1
CRUSHER, JAW, LIPPMAN, MODEL NO. T4248-5626VGF A/N:	D233	C234		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, 3A, AGGREGATE A/N:	D56			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 1, AGGREGATE A/N:	D57	C126 C127		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S6, AGGREGATE, VIBRATING A/N:	D58	C126		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.3, D323.1
CONVEYOR, BELT, 19A, AGGREGATE A/N:	D59	C126 C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 2, AGGREGATE A/N:	D60	C126 C127 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
SCREEN, CLASSIFYING, CLASSIFYING, S7, AGGREGATE, VIBRATING A/N:	D61	C127		PM: (9) [RULE 405, 2-7-1986]	A103.2, C1.3, D323.1
CONVEYOR, BELT, 19B, AGGREGATE A/N:	D62	C127 C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
BIN, AGGREGATE A/N:	D152			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, BELT, 22A, SAND A/N:	D287			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 20A, AGGREGATE A/N:	D63			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 21, SAND A/N:	D65	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 22, AGGREGATE A/N:	D66	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 23, AGGREGATE A/N:	D67			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 24A, AGGREGATE A/N:	D68			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 24, AGGREGATE A/N:	D69	C132		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 3, AGGREGATE A/N:	D70	C128 C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S1, AGGREGATE, VIBRATING A/N:	D71	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
CONVEYOR, BELT, 4, AGGREGATE A/N:	D72	C129 C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
HOPPER, AGGREGATE A/N:	D73	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F1, AGGREGATE A/N:	D74	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F2, AGGREGATE A/N:	D78	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F6, AGGREGATE A/N:	D160	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D295			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2 A/N:	D79	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2A A/N:	D161	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C2B A/N:	D162	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 8, AGGREGATE A/N:	D76	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C5 A/N:	D80	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 5, AGGREGATE A/N:	D81	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 6, AGGREGATE A/N:	D82	C129		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF1, AGGREGATE, SURGE A/N:	D83	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF2, AGGREGATE, SURGE A/N:	D84	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, SF3, AGGREGATE, SURGE A/N:	D85	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4 ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
FEEDER, SF4, AGGREGATE, SURGE A/N:	D86	C130		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 7, AGGREGATE A/N:	D91	C122 C123 C130 C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
HOPPER, AGGREGATE A/N:	D92	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F3, AGGREGATE A/N:	D93	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C3 A/N:	D94	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 10, AGGREGATE A/N:	D95	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F4, AGGREGATE A/N:	D97	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4 A/N:	D98	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 4A, AGGREGATE A/N:	D151	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4A A/N:	D150	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
FEEDER, F7, AGGREGATE A/N:	D163	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CRUSHER, CONE, C4B A/N:	D164	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S2, AGGREGATE, VIBRATING A/N:	D99	C122		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9, AGGREGATE A/N:	D100	C122 C123 C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 11, AGGREGATE A/N:	D101	C122 C123		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
SCREEN, CLASSIFYING, CLASSIFYING, S8, TELSMITH, AGGREGATE, VIBRATING A/N:	D279	C283		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9F, AGGREGATE A/N:	D285			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 25, AGGREGATE A/N:	D102			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 12, AGGREGATE A/N:	D103			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 11B, AGGREGATE A/N:	D147			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9A, AGGREGATE A/N:	D280			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9G, AGGREGATE A/N:	D281			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, SCREW, AGGREGATE A/N:	D286			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, 11A, AGGREGATE A/N:	D146			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9C, AGGREGATE A/N:	D148			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9F, AGGREGATE A/N:	D282			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D293			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 9B, AGGREGATE A/N:	D149	C131		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
CONVEYOR, BELT, 13A, AGGREGATE A/N:	D104	C122 C124		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S3, AGGREGATE, VIBRATING A/N:	D105	C123		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 13B, AGGREGATE A/N:	D106	C123 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S4, AGGREGATE, VIBRATING A/N:	D107	C124		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 14, AGGREGATE A/N:	D108	C124 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 30, AGGREGATE A/N:	D109			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 15, AGGREGATE A/N:	D110			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 17A, AGGREGATE A/N:	D111	C124 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
SCREEN, CLASSIFYING, CLASSIFYING, S5, AGGREGATE, VIBRATING A/N:	D112	C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 26, AGGREGATE A/N:	D113	C124 C125		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 16, AGGREGATE A/N:	D114			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
CONVEYOR, BELT, 17B, AGGREGATE A/N:	D115	C125 C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 27, AGGREGATE A/N:	D116	C128		PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 18, AGGREGATE A/N:	D117			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 28, AGGREGATE A/N:	D118			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D294			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, 29, AGGREGATE A/N:	D119			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
HOPPER, 12 TON, AGGREGATE A/N:	D289			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D290			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D291			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
BAGHOUSE, DC-1, CLOTH FILTER, DCE, INC., MODEL DLMV 30/15/F10, 602 SQ.FT.; 20 BAGS A/N: 206285	C120	D46 D47		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-6, CLOTH FILTER, DCE, INC., MODEL DLMV 10/10F, 108 SQ.FT. A/N: 267631	C121	D50 D51 D52 D53		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.1, E102.1, H23.1, K67.2
BAGHOUSE, DC-7, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267632	C122	D91 D99 D100 D101 D104		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
BAGHOUSE, DC-8, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267633	C123	D91 D100 D101 D105 D106		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-9, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267634	C124	D104 D107 D108 D111 D113		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-10, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267635	C125	D106 D108 D112 D113 D115		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-11, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267637	C126	D57 D58 D59 D60		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-12, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267638	C127	D57 D60 D61 D62		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-13, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267639	C128	D60 D70 D111 D115 D116		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-14, CLOTH FILTER, US AIR FILTRATION, MODEL 912-PT-120-6, 1696 SQ.FT. A/N: 267640	C129	D70 D71 D72 D80 D81 D82		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-15, CLOTH FILTER, US AIR FILTRATION, MODEL 79-PT-120-6, 989 SQ.FT. A/N: 385503	C130	D72 D73 D74 D76 D78 D79 D83 D84 D85 D86 D91 D160 D161 D162		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: ROCK CRUSHING, SCREENING AND STACKING PLANT					P20.1
BAGHOUSE, DC-16, CLOTH FILTER, US AIR FILTRATION, MODEL 79-PT-120-6, 989 SQ.FT. A/N: 388429	C131	D91 D92 D93 D94 D95 D97 D98 D100 D149 D150 D151 D163 D164		PM: (9) [RULE 404, 2-7-1986]	D322.1, D381.2, E102.1, H23.1, K67.2
BAGHOUSE, DC-17, CLOTH FILTER, US AIR FILTRATION, MODEL 67-PT-120-6, 659 SQ.FT. A/N: 267643	C132	D59 D62 D65 D66 D69		PM: (9) [RULE 404, 2-7-1986]	D322.1, E102.1, H23.1, K67.2
BAGHOUSE, DCE, MODEL V30/15, POLYESTER, PULSE JET CLEANING TYPE, 7.5 H.P., 323 SQ.FT.; 20 BAGS A/N: 400867	C234	D233		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E102.1, H23.1, K67.2
BAGHOUSE, POLYESTER, US AIR FILTRATION, MODEL 79-PT-120-6, PULSE JET CLEANING TYPE, 15 H.P., 989 SQ.FT.; 63 BAGS A/N: 471277	C283	D279		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.1, E448.1, H23.1, K67.2
CONVEYOR, SCREW, DUST A/N:	D153			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N:	D154			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, BELT, AGGREGATE A/N:	D292			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, SCREW, DUST A/N:	D155			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N:	D156			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, DUST A/N:	D284			PM: (9) [RULE 405, 2-7-1986]	D323.1
Process 5: SAND DRYING SYSTEM					P1.1, P20.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: SAND DRYING SYSTEM					P1.1, P20.1
CONVEYOR, BELT, SAND A/N: 458892	D241			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
DRYER, ROTARY, ASTEC, NATURAL GAS, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 75 MMBTU/HR WITH A/N: 458892	D243	C246	NOX: MAJOR SOURCE**	CO: 2000 PPMV NATURAL GAS (5) [RULE 409, 8-7-1981]; NOX: 36 PPMV NATURAL GAS (3) [RULE 2012, 5-6-2005]; NOX: 36 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF NATURAL GAS (5) [RULE 409, 8-7-1981]	D323.1
BURNER, NATURAL GAS, ASTEC, MODEL PH-100U-G-LB, WITH LOW NOX BURNER, 1 TOTAL; 75 MMBTU/HR					
CONVEYOR, BELT, SAND A/N: 458892	D245			PM: (9) [RULE 405, 2-7-1986]	A103.2, D323.1
CONVEYOR, SCREW, SAND A/N: 458892	D248			PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, ASTEC, MODEL SBH-55-13, 832 BAGS, NOMEX, 10067 SQ. FT., 250 H.P., PULSE JET CLEANING TYPE, WITH GOYEN, MODEL EMP6, BAG LEAK DETECTION SYSTEM, WITH A/N: 523210	C246	D243		PM: (9) [RULE 404, 2-7-1986]	D12.1, D322.1, D381.2, E102.1, H23.1, K67.2
CONVEYOR, SCREW, SAND	D247			PM: (9) [RULE 405, 2-7-1986]	
Process 6: RULE 219 EXEMPT EQUIPMENT					

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: RULE 219 EXEMPT EQUIPMENT					
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E263			VOC: (9) [RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]	K67.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D27	5	3	0
D28	5	3	0
D31	6	3	0
D45	12	4	0
D46	12	4	0
D47	12	4	0
D48	12	4	0
D49	12	4	0
D50	13	4	0
D51	13	4	0
D52	13	4	0
D53	13	4	0
D54	13	4	0
D56	13	4	0
D57	13	4	0
D58	13	4	0
D59	13	4	0
D60	13	4	0
D61	14	4	0
D62	14	4	0
D63	14	4	0
D65	14	4	0
D66	14	4	0
D67	14	4	0
D68	14	4	0
D69	14	4	0
D70	14	4	0
D71	14	4	0
D72	15	4	0
D73	15	4	0
D74	15	4	0
D76	15	4	0
D78	15	4	0
D79	15	4	0
D80	15	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D81	15	4	0
D82	15	4	0
D83	15	4	0
D84	15	4	0
D85	15	4	0
D86	16	4	0
D91	16	4	0
D92	16	4	0
D93	16	4	0
D94	16	4	0
D95	16	4	0
D97	16	4	0
D98	16	4	0
D99	16	4	0
D100	16	4	0
D101	16	4	0
D102	17	4	0
D103	17	4	0
D104	18	4	0
D105	18	4	0
D106	18	4	0
D107	18	4	0
D108	18	4	0
D109	18	4	0
D110	18	4	0
D111	18	4	0
D112	18	4	0
D113	18	4	0
D114	18	4	0
D115	19	4	0
D116	19	4	0
D117	19	4	0
D118	19	4	0
D119	19	4	0
C120	19	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C121	19	4	0
C122	19	4	0
C123	20	4	0
C124	20	4	0
C125	20	4	0
C126	20	4	0
C127	20	4	0
C128	20	4	0
C129	20	4	0
C130	20	4	0
C131	21	4	0
C132	21	4	0
D134	9	3	1
D135	9	3	1
D137	9	3	1
D138	9	3	1
D139	10	3	1
D140	10	3	1
D141	10	3	1
D143	5	3	0
C145	10	3	1
D146	17	4	0
D147	17	4	0
D148	17	4	0
D149	17	4	0
D150	16	4	0
D151	16	4	0
D152	14	4	0
D153	21	4	0
D154	21	4	0
D155	21	4	0
D156	21	4	0
D158	7	3	0
D160	15	4	0
D161	15	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D162	15	4	0
D163	16	4	0
D164	16	4	0
D165	3	2	0
D166	1	2	0
D167	1	2	0
D168	1	2	0
D169	1	2	0
D170	2	2	0
D171	2	2	0
C172	1	2	0
C173	1	2	0
C174	1	2	0
C175	2	2	0
C176	2	2	0
C177	2	2	0
D178	5	3	0
D179	6	3	0
D180	5	3	0
D181	4	3	0
D182	6	3	0
D183	6	3	0
D184	6	3	0
D185	6	3	0
D186	6	3	0
D187	7	3	0
D188	7	3	0
D189	7	3	0
D190	7	3	0
D191	7	3	0
D192	7	3	0
D193	7	3	0
D194	8	3	0
D195	8	3	0
D196	8	3	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C197	8	3	0
C198	8	3	0
C199	8	3	0
D200	8	3	0
C201	8	3	0
D204	10	3	2
D205	10	3	2
D207	10	3	2
D208	10	3	2
D209	11	3	2
D210	11	3	2
D211	11	3	2
D212	11	3	2
D213	11	3	2
D214	11	3	2
D215	11	3	2
D216	12	3	2
D217	12	3	2
D218	3	3	0
D219	3	3	0
D220	3	3	0
D221	3	3	0
D222	3	3	0
D223	3	3	0
D224	3	3	0
D225	4	3	0
D226	4	3	0
D227	4	3	0
D228	4	3	0
D229	4	3	0
D230	4	3	0
C231	9	3	0
C232	9	3	0
D233	13	4	0
C234	21	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C235	1	2	0
C236	1	2	0
C237	1	2	0
C238	2	2	0
C239	2	2	0
C240	2	2	0
D241	22	5	0
D243	22	5	0
D245	22	5	0
C246	22	5	0
D247	22	5	0
D248	22	5	0
D255	9	3	1
D256	11	3	2
D257	11	3	2
D258	11	3	2
D259	12	3	2
D260	12	3	2
D261	12	3	2
E263	23	6	0
D264	4	3	0
D265	4	3	0
D266	4	3	0
D267	6	3	0
D268	6	3	0
D269	5	3	0
D270	5	3	0
D271	6	3	0
D272	6	3	0
D273	6	3	0
C274	9	3	0
C275	10	3	1
D277	10	3	2
D278	11	3	2
D279	17	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D280	17	4	0
D281	17	4	0
D282	17	4	0
C283	21	4	0
D284	21	4	0
D285	17	4	0
D286	17	4	0
D287	14	4	0
D288	12	4	0
D289	19	4	0
D290	19	4	0
D291	19	4	0
D292	21	4	0
D293	17	4	0
D294	19	4	0
D295	15	4	0



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F2.1 The operator shall limit emissions from this facility as follows:

CONTAMINANT	EMISSIONS LIMIT
Visible emissions	Less than 20 Percent opacity
PM	Less than or equal to 0.04 gr/dscf

[40CFR 63 Subpart I, 1-17-1997]

F52.1 This facility is subject to the applicable requirements of the following rules or regulation(s):

40 CFR 60 Subpart I

[40CFR 60 Subpart I, 4-3-1987]

F52.2 This facility is subject to the applicable requirements of the following rules or regulation(s):

District Rule 1157

[RULE 1157, 9-8-2006]

PROCESS CONDITIONS

P1.1 The operator shall limit the material processed to no more than 17334 ton(s) in any one month.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, material processed shall be defined as sand.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Processes subject to this condition : 5]

P20.1 For the purposes of determining compliance with District Rule 405, solid particulate matter emissions shall be based on the combined emissions from all points of this process.

[RULE 405, 2-7-1986]

[Processes subject to this condition : 3, 4, 5]

SYSTEM CONDITIONS

S1.1 The operator shall limit the material processed to no more than 60000 ton(s) in any one month.

For the purpose of this condition, material processed shall be defined as recycled asphalt pavement (RAP).

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 3, System 1]

S1.2 The operator shall limit the material processed to no more than 385000 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Systems subject to this condition : Process 3, System 2]

DEVICE CONDITIONS

A. Emission Limits

A103.1 The operator shall keep materials received sufficiently moist to prevent fugitive dust emissions.

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 401, 3-2-1984; RULE 401, 11-9-2001]**]

[Devices subject to this condition : D27, D28, D134, D135, D137, D138, D139, D140, D141, D143, D178, D179, D181, D204, D205, D207, D208, D209, D210, D211, D212, D213, D215, D216, D217, D218, D219, D220, D221, D222, D223, D224, D225, D226, D227, D228, D229, D230, D264, D265, D266, D267, D268, D269, D270, D271, D272, D273, D277, D278]

A103.2 The operator shall keep materials in process sufficiently moist to prevent fugitive dust emissions.

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 401, 3-2-1984; RULE 401, 11-9-2001]**]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D56, D57, D58, D59, D60, D61, D62, D63, D65, D66, D67, D68, D69, D70, D71, D72, D73, D74, D76, D78, D79, D80, D81, D82, D83, D84, D85, D86, D91, D92, D93, D94, D95, D97, D98, D99, D100, D101, D102, D103, D104, D105, D106, D107, D108, D109, D110, D111, D112, D113, D114, D115, D116, D117, D118, D119, D146, D147, D148, D149, D150, D151, D160, D161, D162, D163, D164, D241, D245, D279, D280, D281, D282, D285, D287, D288, D289, D290, D291, D292, D293, D294, D295]

C. Throughput or Operating Parameter Limits

C1.1 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D47 and D48.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D47, D48]

C1.2 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D45 and D54.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D45, D54]

- C1.3 The operator shall limit the material processed to no more than 23625 ton(s) in any one day.

For the purpose of this condition, material processed shall be defined as aggregate processed.

This limit shall be based on the total combined limit for equipment D58 and D61.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D58, D61]

- C1.4 The operator shall limit the material processed to no more than 196800 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D180, D192]

- C1.5 The operator shall limit the throughput to no more than 360000 gallon(s) per month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D166, D167, D168, D169, D170, D171]

- C6.1 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, does not exceed 120 Deg F.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

To comply with this condition, the operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature of the vented gases upstream of the filter.

The operator shall record the parameter being monitored once every 1 hours.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : C235, C236, C237, C238, C239, C240]

D. Monitoring/Testing Requirements

D12.1 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the bags.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C199, C231, C232, C234, C246, C274, C275, C283]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

To comply with this condition, the operator shall maintain records.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]



**FACILITY PERMIT TO OPERATE
ALL AMERICAN ASPHALT, UNIT NO.01**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246, D273, C274, C275, C283]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : D27, D28, D31, D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D56, D57, D58, D59, D60, D61, D62, D63, D65, D66, D67, D68, D69, D70, D71, D72, D73, D74, D76, D78, D79, D80, D81, D82, D83, D84, D85, D86, D91, D92, D93, D94, D95, D97, D98, D99, D100, D101, D102, D103, D104, D105, D106, D107, D108, D109, D110, D111, D112, D113, D114, D115, D116, D117, D118, D119, D134, D135, D137, D138, D139, D140, D141, D143, D146, D147, D148, D149, D150, D151, D153, D154, D155, D156, D158, D160, D161, D162, D163, D164, D165, D166, D167, D168, D169, D170, D171, D178, D179, D180, D181, D182, D183, D184, D185, D186, D187, D188, D189, D190, D191, D192, D193, D194, D195, D196, D200, D204, D205, D207, D208, D209, D210, D211, D212, D213, D214, D215, D216, D217, D218, D219, D220, D221, D222, D223, D224, D225, D226, D227, D228, D229, D230, D233, D241, D243, D245, D248, D255, D256, D257, D258, D259, D260, D261, D264, D265, D266, D267, D268, D269, D270, D271, D272, D277, D278, D279, D280, D281, D282, D284, D285, D286, D287, D288, D289, D290, D291, D292, D293, D294, D295]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[**RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001**]

[Devices subject to this condition : C121, C145, C197, C201, C231, C232, C234, C274, C275, C283]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[**RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 401, 3-2-1984; RULE 401, 11-9-2001**]

[Devices subject to this condition : C120, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C199, C246]

E. Equipment Operation/Construction Requirements

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997**]



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246]

E193.1 The operator shall operate and maintain this equipment according to the following specifications:

The operator shall clean and maintain all components of this equipment periodically in accordance with the manufacturer's specifications.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C201]

E448.1 The operator shall comply with the following requirements:

Dust collected in the baghouse shall be discharged only into enclosed containers or returned to process and shall not be handled in a manner that may result in the re-release of collected materials to the atmosphere.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C274, C275, C283]

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM	District Rule	1155



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1155, 12-4-2009]

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C201, C231, C232, C234, C246, C274, C275, C283]

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 1113, 11-8-1996; RULE 1113, 6-3-2011; RULE 1171, 11-7-2003; RULE 1171, 5-1-2009]

[Devices subject to this condition : E263]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):



FACILITY PERMIT TO OPERATE ALL AMERICAN ASPHALT, UNIT NO.01

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

The name of the person performing the inspection and/or maintenance of the filter media.

The date, time and results of the inspection.

The date, time and description of any maintenance or repairs resulting from the inspection.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C145, C197, C199, C231, C232, C234, C246, C274, C275, C283]



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar, CA 91765

